PHINMA UNIVERSITY OF ILOILO

College of Information Technology Education

ONLINE INFORMATION AND TOURIST NAVIGATION FOR KML MOUNTAIN RESORT

In partial fulfillment for the requirements in Capstone 1 and Research Subject

Francis Elmido – BSIT 3
Jaryll Judicpa – BSIT 3
Junard Calderon – BSIT 3
Jesar Lagunzad – BSIT 3
Earon Janeo – BSIT 3

System Development Track

Second Semester 2025–2026

PHINMA UNIVERSITY OF ILOILO

College of Information Technology Education

Abstract

Remote leisure destinations such as KML Mountain Resort in Iloilo, Philippines, offer premium mountain amenities but suffer from low online visibility, unreliable GPS guidance on the final stretch of the access road, and manual handling of repetitive guest inquiries across fragmented messaging channels. This capstone project presents the design and development of an Online Information and Tourist Navigation System that combines an official, search-engine-optimized information hub, an interactive landmark-based navigation module built on Leaflet.js and OpenStreetMap, a structured booking inquiry module, and a secure administrative dashboard. The system follows a three-tier architecture implemented with Node.js, Express.js, and a MySQL relational database, and uses a Service Worker cache to keep critical information available under intermittent cellular signal. The project followed the Agile development life cycle, and testing covered unit, integration, and system levels together with user acceptance evaluation on a five-point Likert scale. The study shows that centralizing resort information, assisting navigation with visual landmarks, and recording inquiries in a transactional database address the visibility, navigation, workload, and data-integrity problems identified at the resort. The work offers a low-cost, replicable model for the digital transformation of small remote tourism enterprises.

Index Terms- Tourist navigation, web-based information system, landmark-based guidance, Leaflet.js, OpenStreetMap, Node.js, MySQL, search engine optimization, Progressive Web App, rural tourism

PHINMA UNIVERSITY OF ILOILO

College of Information Technology Education

CHAPTER 1

INTRODUCTION

1.1 Introduction of the Study

In the tourism ecosystem, the rapid growth of web-based technology had fundamentally transformed how people discovered travel destinations and navigated into unfamiliar locations. Modern online platforms allow hospitality enterprises to reach guests in further areas, providing essential information, accommodation details, and precise directions before a traveler ever set foot on the road. However, smaller, leisure destinations located in remote areas frequently faced significant structural hurdles in this rapidly evolving digital landscape. Despite offering premium, highly sought-after amenities such as panoramic mountain views, ecofriendly environments, and private, secure accommodations, these secluded retreats suffered from low online visibility and difficult physical navigation [1], [2].

For destinations, the lack of an optimized digital hub introduced severe operational bottlenecks. Currently, the resort remote location was difficult for standard search engine algorithms to discover organically, and the naturally secluded terrain often confused incoming guests. Furthermore, without an automated information platform, the administration had to manually respond to repetitive, individual inquiries regarding room layouts, amenities, and pricing structures through fragmented messaging channels. This reliance on manual workflows created severe operational inefficiencies, limited broader brand awareness, and restricted the business's ability to seamlessly capture its target market.

The architectural landscape of the Philippine tourism industry is undergoing a structural realignment driven by shifting consumer values, ecological awareness, and digital integration. For decades, the macroeconomic portfolio of Philippine tourism was heavily anchor-dependent on traditional "sun-and-sea" mass tourism models. This baseline model was epitomized by highly commercialized, high-density coastal enclaves such as Boracay Island in Aklan, El Nido in Palawan, and Panglao Island in Bohol.

Within the Western Visayas region (Region VI), this coastal dependency created a hyper-concentrated distribution of economic capital. Tourism revenues flowed predominantly into specific marine corridors, while the vast interior, agrarian, and mountainous zones of Panay Island remained economically marginalized and under-utilized from a sustainable development perspective.

However, contemporary traveler behavior has shifted significantly toward specialized eco-tourism, sustainable travel, and wellness-driven interior tourism. This shift has been accelerated by an institutional push from the Department of Tourism (DOT) to diversify the national tourism product array and alleviate the severe ecological stress imposed on marine environments by over-tourism [3].

Modern travelers increasingly reject the crowded, highly structured environments of traditional commercial resorts. Instead, they actively seek "slow travel" alternatives that emphasize cognitive decompression, raw environmental contact, and carbon-conscious, hyper-localized experiences. This behavioral evolution has transformed the interior geography of Iloilo Province from a series of rural agricultural transit zones into a premium destination for mountain eco-tourism, agro-forestry exploration, and high-altitude leisure sanctuaries.

This capstone project proposed the development of the Online Information and Tourist Navigation System for KML Mountain Resort. Designed as a centralized web application, the system featured a mobile-responsive informational hub, dynamic media galleries, automated facility for data dissemination, and a specialized landmark-based navigation engine. Ultimately, this platform aimed to eliminate traveler navigation anxiety, minimize manual administrative overhead, and empower a provincial boutique resort to thrive within a highly competitive digital economy.

Consequently, the intersection of remote eco-tourism operations and modern web engineering required a deliberate, tailored software intervention. High-altitude boutique destinations could not thrive by simply adopting generic, urban-centric business applications or commercial mapping tools that neglected regional topographical challenges. This capstone project introduced a specialized framework designed to bridge the digital visibility divide while engineering a reliable,

landmark-assisted navigation layer. By shifting from fragmented, manually handled workflows to a highly integrated, automated system, the project served as a concrete operational blueprint for the technological modernization of secluded regional enterprises.

1.2 Background of the Study

The rapid growth of web-based technology had transformed how people discovered travel destinations and navigated unfamiliar locations. Online platforms allowed resorts to reach guests far beyond their local area, providing essential information and precise directions before a traveler even left home.

For years, tourism in Western Visayas was dominated by coastal destinations, primarily by the beaches of Boracay Island in Aklan and the immediate white-sand beaches of the Gigantes archipelago in Carles, Iloilo. However, Iloilo Province was experiencing an unprecedented surge in inland, eco-tourism, and mountain resort developments. This change showed a clear preference for the cooler, high-altitude peaks of the Panay mountain range over overcrowded urban spaces and commercialized beaches.

Municipalities such as Leon (frequently designated as the "Summer Capital of Iloilo"), Bucari, Alimodian (specifically the Seven Cities highland area), Janiuay, Igbaras, and Lambunao had transitioned from agrarian hinterlands into central points for eco-adventure and luxury isolation.

Geographically, Iloilo Province possessed a unique topographical profile well-suited to capture this emerging market. The western and central borders of the province were defined by the rugged, high-elevation Panay Mountain Range. This range created cool mountain microclimates, mist-shrouded valleys, and intact tropical canopies within municipalities such as Leon, Alimodian, Janiuay, Igbaras, and Lambunao.

Modern developers were responding to a growing demand for eco-wellness, cooler climates, and authentic local culture; because of that, developers were investing heavily in mountain chalets, agritourism estates, glamping sites, and integrated eco resorts [3].

Iloilo's mountains—like those in Leon, Alimodian, and Igbaras—were perfect for the growing tourism market. These cool, mist-covered areas offered a unique escape, from simple campsites to luxury chalets. By developing these remote spots, developers weren't just building resorts; they were bringing jobs, supporting local farms, and preserving culture directly in these rural communities.

The way people found these places had completely changed, too. In the past, a business needed a big budget for billboards, travel agencies, and brochures to be seen. At that point, that didn't matter as much [4].

Then, it was all about the digital world. A small mountain cabin could reach thousands of city dwellers instantly through social media videos or a quick Google search. The most successful businesses weren't the ones on the busiest highways; they were the ones that knew how to get discovered online. If a business showed up well on a phone screen, it had already won half the battle.

However, many smaller leisure destinations, such as KML Mountain Resort, faced significant challenges in this digital landscape. Despite offering premium amenities like panoramic mountain views and private accommodations, the resort suffered from low online visibility and difficult physical navigation. Currently, the resort location was hard for search engines to find, and its remote nature often confused guests.

Furthermore, the lack of a centralized digital hub meant the owners had to manually answer every inquiry, which was inefficient for a small-scale operation. While being hidden away was the primary draw for these rural destinations, it created a massive challenge. For tourists, finding the place and navigating the winding roads of the Iloilo mountains could be frustrating and confusing. In rural areas without billboards, busy storefronts, or massive advertising budgets, digital content was the only way to be discovered. The total digital connection for local small businesses to rely on websites or social media platforms became their modern front door. The stunning videos of misty mountain views, infinity pools overlooking valleys, and fresh farm-to-table meals were beamed directly onto the screens of the city.

To address these issues, modern web development offered a targeted solution. By integrating Interactive Map APIs and Search Engine Optimization (SEO), a resort could transform from a hidden location into a highly visible and easy-to-reach destination. An integrated web portal could provide real-time navigation using GPS coordinates and visual landmarks, ensuring that guests were guided directly to the resort gates without confusion [5], [6].

This capstone project proposed the development of an Online Information and Tourist Navigation System for KML Mountain Resort. The system was designed to provide precise navigation tools, a digital information hub, and increased search engine discoverability. By applying principles of web development, database management, and digital mapping, this project served as a practical application of the knowledge gained by BSIT students to solve real-world business challenges.

1.3 Statement of the Problem

KML Mountain Resort suffered from low online visibility and difficult physical navigation due to its remote location, which hindered its ability to reach its target market and resulted in lost potential revenue and operational inefficiencies.

Because the resort was highly secluded, standard global positioning systems and commercial routing applications frequently failed to map the final leg of the journey accurately, resulting in traveler confusion, navigation anxiety, and instances of guests getting lost along poorly marked rural roads. Additionally, the business had no official, search-engine-optimized digital platform, leaving it largely invisible on online searches conducted by city-based and foreign tourists who were actively looking for nature-based getaways [7].

In contrast, the rugged mountain terrains of interior Iloilo presented significant physical barriers to telecommunications deployment. The sharp elevation changes, deep ravines, and heavy tropical vegetation caused severe signal attenuation, blocked line-of-sight propagation for cellular transceivers and created extensive digital dead zones.

Consequently, a mountain resort had to operate within two conflicting environments: a highly visible digital storefront that captured urban demand, and an isolated physical facility with unreliable network connectivity and no automated communications infrastructure.

This structural fragmentation created immediate, severe operational vulnerabilities when managing customer interactions across fragmented social media channels. Because KML Mountain Resort lacked a centralized web-based application, it operated within an unautomated, multi-channel environment. Inquiries flooded in simultaneously across:

- Facebook Page comments,
- Meta Messenger direct messages,
- Instagram threads,
- Personal SMS channels, and
- Traditional, unrecorded cellular voice calls.

Without a unified database or automated information processing architecture, a single administrative operator had to manually manage this disjointed communication stream.

The economic cost of this manual management model could be quantified by measuring the lost revenue driven by Inquiry Response Latency. In the digital marketplace at the time, consumer behavior was defined by a demand for instant responsiveness. When an urban consumer submitted a baseline inquiry regarding room availability or pricing packages, the automated algorithms of competing, digitally integrated properties provided instant validation.

At a manually operated resort, that same inquiry was frequently delayed for hours. This lag occurred because staff had to open a physical paper ledger or check a localized offline spreadsheet to verify real-time inventory states. During peak operational periods or late-night browsing hours, inquiries sat unanswered for long intervals. This delay prompted high-intent consumers to abandon the conversation and choose more responsive competitors [8].

For example, two separate staff members could mistakenly promise the same premium villa for the same calendar date to two different clients, one communicating via Facebook DM and the other via personal SMS. Resolving these overlapping allocations required forced cancellations, immediate financial refunds, and significant damage to the brand's reputation.

This digital absence forced the resort management to rely entirely on manual, messaging channels to handle repetitive inquiries regarding cabin rates, facility descriptions, and basic travel directions. Consequently, this dependence on manual information dissemination created severe administrative bottlenecks, limited broader brand awareness among competitive leisure destinations, and resulted in substantial revenue leaks from frustrated potential clients who abandoned the booking process due to delayed responses or logistical uncertainty.

The specific problems that the study addressed were the following.

1. Low Search Engine Discoverability: The resort lacked an official SEO-optimized digital platform, which made it difficult for city-based and foreign tourists to find the business through organic online searches.
2. Confusing Navigation: Because the resort was "secluded" and remote, standard GPS tools often failed to provide the precise route, leading to guest frustration and difficulty in locating the entrance.
3. Manual Information Dissemination: There was no centralized digital gallery or information hub, forcing the owners to manually handle repetitive inquiries regarding room arrangements, food services, and resort facilities.
4. Limited Brand Awareness: Without a professional web presence, the resort struggled to compete with more visible destinations, limiting its ability to attract event organizers and families looking for a secure getaway.

This study proposed the development of an integrated web-based solution that combined an official information hub, interactive landmark-based navigation, and an administrative content management system. The goal was to enable small-scale leisure destinations like KML Mountain

Resort to overcome challenges related to low online visibility and difficult physical navigation, ultimately positioning the business for long-term growth and digital competitiveness.

This capstone project sought to answer the following questions:

- How could the system improve discoverability to ensure that city-based and foreign tourists could easily find the resort through organic online searches?
- How could Interactive Map Integration and visual landmarks be utilized to provide precise, turn-by-turn navigation that guided guests directly to the resort gates?
- How could the system automate the dissemination of resort information to reduce the manual administrative burden of answering repetitive inquiries regarding facilities and services?
- How could a centralized digital gallery and information hub be designed to showcase the resort's premium amenities and set accurate guest expectations?
- How could the system provide a seamless user flow that transitioned a potential guest from discovering the resort online to initiating live mobile navigation?
- How could the administrative dashboard be structured to allow the owners to efficiently manage content, update landmark data, and monitor user analytics?

- How could the system's user interface be designed using responsive web principles to enhance usability and ensure a consistent experience across both mobile and desktop browsers?
- How could the system be designed to handle future scalability, ensuring it could support additional features or the digital transformation of other remote small businesses?

1.4 Objectives of the Study

The primary goal of this study was to design and develop an Online Information and Tourist Navigation System for KML Mountain Resort that enhanced the resort's digital visibility and provided precise, landmark-based navigation for guests.

To achieve this, the project aimed to replace the resort's reliance on manual, repetitive inquiry handling with an automated, centralized digital information hub that showcased amenities, room categories, and food services in a highly professional manner. Furthermore, the study sought to implement a mobile-responsive interactive mapping interface that resolved the frequent inaccuracies of standard GPS applications in rural terrains. This research aimed to optimize the transition of potential travelers from online discovery to actual arrival, bridging the digital gap for local eco-tourism while equipping the resort management with a secure dashboard to dynamically maintain content and streamline operational efficiency. Specifically, the study aimed to:

- Design a web-based portal that serves as the official digital information hub, showcasing the resort's facilities, services, and digital gallery to set guest expectations.
- Implement an Interactive Map Integration using GPS coordinates and visual landmarks to guide tourists directly to the resort gates through their mobile GPS applications.
- Streamline the user's flow for potential guests by providing a seamless transition from discovering the resort online to initiating turn-by-turn navigation.
- Reduce manual administrative tasks for the owners by automating the dissemination of resort information and frequently asked questions.

- Integrate Search Engine Optimization (SEO) strategies into the web portal architecture to improve organic search rankings and increase the resort's online discoverability for local and foreign tourists.
- Develop a secure administrative dashboard that allowed the resort owner to update room rates, manage the photo gallery, and modify landmark information in real-time.
- Utilize landmark-based guidance within the mapping module to provide visual cues (such as specific bridges or trees) that compensated for the inaccuracies of standard GPS tools in remote areas.
- Enhance data integrity and minimize human error by replacing fragmented manual logs with a centralized, relational database structure that eliminates double-booking risks and ensures inventory accuracy.
- Optimize system performance and load times through the deployment of a Service Worker cache engine, ensuring that critical resort information remains accessible to guests even in areas with intermittent cellular signal or fluctuating network stability.
- Improve operational scalability by utilizing an asynchronous, event-driven backend architecture capable of handling high-concurrency request volumes without the high memory overhead typical of traditional multi-threaded systems.
- Leverage native data parsing capabilities by adopting a JSON-based payload exchange, which reduces communication latency and ensures the seamless transfer of real-time reservation data between the frontend interface and the backend server.

1.5 Significance of the Study

The proposed Online Information and Tourist Navigation System was designed to address the operational and visibility challenges commonly faced by small-scale leisure destinations in remote areas. As the demand for secluded and nature-based travel continued to grow, enterprises like KML Mountain Resort were under increasing pressure to modernize their digital presence and provide precise navigation to maintain competitiveness. This study presented a comprehensive

digital solution that enhanced business discoverability, minimized traveler frustration, and supported sustainable growth for hidden local destinations.

The design, development, and implementation of an integrated web-based information and navigation application for KML Mountain Resort carried distinct practical, economic, and technical significance for multiple key stakeholder groups within the regional eco-tourism ecosystem.

At its core, the system centralized the resort information—from high-quality visual galleries of amenities to automated answers for frequently asked questions. This integration reduced the manual administrative workload for owners, eliminated the need for repetitive individual inquiry handling, and ensured that potential guests received consistent information. By improving the reliability of the resort's digital "front door," the system helped lower operational inefficiencies and increased the likelihood of bookings.

A vital component of this project was Interactive Map Integration, which utilized GPS coordinates and visual landmarks to provide real-time, turn-by-turn guidance. This feature addressed the common failure of standard GPS tools in remote mountain terrains, ensuring guests were guided directly to the resort gates. This not only improved guest satisfaction but also reduced travel anxiety associated with navigating secluded locations.

The inclusion of an Administrative Dashboard enabled the owners to manage content dynamically, updating room details or landmark descriptions as the resort evolved. This ensured that the resort's digital presence remained accurate and professional, fostering trust with families and event organizers. Furthermore, the system’s SEO-optimized architecture ensured that the resort became visible to city-based and foreign tourists searching for unique mountain getaways.

Ultimately, this project represented a strategic and future-ready solution for small-scale resorts seeking to embrace digital transformation. By integrating automation, precise mapping, and customer-focused information tools into one platform, the system enhanced operational reach and promoted local tourism. This project served as a reference model for other remote businesses in

the Philippines aiming to modernize their processes and strengthen their brand through technology-driven innovation.

For municipal and provincial administrative bodies, this study provided a working model for rural digital transformation. It directly aligned with national strategies aimed at empowering micro-, small-, and medium-sized enterprises (MSMEs) through technology adoption.

By detailing a scalable method to overcome geographic and navigational challenges in remote tourism zones, this project provided LGUs with a blueprint to increase the economic viability of interior barangays. Improving the discoverability and navigation safety of remote destinations allowed local governments to distribute tourism-driven economic activity more evenly across the province.

Furthermore, the integration of accurate landmark-driven navigation data provided public safety advantages. It minimized the administrative and logistical burden on municipal disaster risk reduction and management offices (CDRRMO/MDRRMO), which were frequently deployed to locate or rescue motorists stranded on unmapped, hazardous rural mountain roads.

For small-scale operators facing identical structural barriers across the Panay Mountain Range, this study demonstrated that an enterprise did not require a large capital expenditure budget to implement modern, automated business systems.

This project provided a clear technical guide for replacing inefficient manual operations with an optimized, web-based platform. It showed how automating repetitive information workflows and deploying local-first navigational frameworks could eliminate the administrative overhead that drained small business resources.

The implementation strategies detailed there showed owners how to protect their operations from data loss, eliminate booking conflicts, and build digital brand equity that commanded premium pricing. Ultimately, it provided rural operators with the tools to compete on equal terms with heavily financed corporate hospitality brands.

For academic and technical communities, this study contributed to research on specialized web engineering optimized for low bandwidth, geofenced, and topographically isolated environments.

The system architecture designed in this project served as an empirical reference point for developers building progressive web applications (PWAs) that had to function reliably within fragmented cellular networks [9].

The documentation of the hybrid geospatial positioning model—which supplemented weak global GNSS telemetry with static landmark-driven nodes and browser-side dead-reckoning—provided a foundation for future research in applied geomatics, localized routing algorithms, and automated information architectures tailored for developing rural economies.

1.6 Scope and Limitations of the Study

This study focused on developing and implementing the Online Information and Tourist Navigation System—a centralized platform designed to improve the digital visibility and physical reach of KML Mountain Resort. The system integrated an official information hub, high-quality digital galleries, and interactive landmark-based navigation to minimize traveler confusion, streamline administrative workflows, and enhance the overall guest experience.

The system was intended for both end-users (tourists) and administrators (resort owners), enabling guests to browse facilities and initiate live navigation while allowing management to update resort data and monitor analytics. The scope was specifically limited to the operations of KML Mountain Resort and served as a prototype for similar "hidden" leisure destinations transitioning from manual inquiries to automated digital platforms. The project prioritized navigation accuracy, information accessibility, and responsive web usability over complex financial integrations or third-party booking systems.

However, the study recognizes the following limitations:

- Financial and Resource Constraints – As the target was a small-scale resort, immediate adoption of advanced features such as real-time room inventory synchronization or integrated online payment processing was restricted. The project focused on essential


informational and navigational functions while leaving a modular framework for future upgrades.

- Location-Specific Configuration – While the system was optimized for mountain terrain and landmark-based navigation, adapting it to urban environments or different business models would required significant geographic and structural adjustments.
- User Adoption and Digital Literacy – Since the system replaced manual information dissemination, resort staff and some guests could initially struggle with the digital workflow. To ensure smooth adoption, the user interface was designed to minimize training time and promote efficient interaction.
- Connectivity and GPS Dependence – Since the system relied on real-time map API integration and coordinate-based tracking, stable internet connectivity and GPS signal strength were essential for optimal performance. Inconsistent mobile signals in remote mountain areas could lead to delays in loading interactive map data.
- External Mapping Limitations – The accuracy of the navigation component was subject to the limitations of third-party mapping services and local network availability. While landmark-based cues were provided to assist guests, the system could not control sudden physical changes in the environment or telecom coverage gaps during peak travel periods.
- Browser and Device Compatibility – The scope was limited to modern, standards-compliant web browsers that supported the latest ECMAScript 2022+ standards. While the application was designed to be mobile-first, performance on legacy mobile hardware or browsers with outdated Service Worker support could vary, potentially affecting the offline caching experience [9].
- Infrastructure Dependency – The system's backend relies on a Node.js runtime and a MySQL relational database. The scope was limited to environments where these services were hosted; the study did not cover the provisioning or maintenance of physical local servers or the mitigation of extreme power outages common in rural mountain settings.

- Data Security Perimeter – While the administrative dashboard incorporated role-based access control (RBAC) and secure token management, the study's scope was limited to protecting internal resort data. It did not extend to performing full-scale penetration testing or implementing enterprise-grade cybersecurity measures against sophisticated external cyber threats.
- Static vs. Dynamic Content Handling – The project focused on the management of static resort assets (room descriptions, facility photos, and navigation). It was not within the scope to handle high-frequency, real-time streaming media or large-scale video hosting, which would require third-party Content Delivery Networks (CDNs) not included in this development cycle.
- Network-Independent Latency – Although the Service Worker cache engine was implemented to improve performance, the initial loading of map tiles and external API data remained subject to the latency and bandwidth throughput of the user's specific telecommunications provider in the Iloilo mountain range, which the system could not optimize at the infrastructure level.

1.7 Conceptual Framework

The conceptual model for this project is structured using the Input-Process-Output (IPO) Model, which illustrates how raw data, technological requirements, and stakeholder inputs are transformed through system engineering, security mechanisms, and development processes to achieve an optimized digital ecosystem.



The conceptual framework of the study adopts the Input-Process-Output (IPO) model to depict the systematic development of the Online Information and Tourist Navigation System for KML Mountain Resort. The **Inputs** consist of resort business details, GPS/landmark navigational coordinates, and the selected software stack (Node.js, Express.js, MySQL, Leaflet.js, and Service Worker PWA tools). The **Process** encompasses the three-tier architectural decoupling, the implementation of a sliding-window rate-limiting defense algorithm, Service Worker pre-caching routines, and rigorous ISO/IEC 25010 testing procedures. The **Output** is the fully integrated, mobile-responsive, and offline-resilient digital portal with interactive landmark-based navigation and a secure administrative dashboard.

1.8 Definition of Terms

For a clearer understanding of this study, the following terms are defined:

- **Administrative Dashboard** – Operationally, this refers to the secure backend web interface where the resort owner, Michelle Tingson Miranda, can manage the photo gallery, update landmark descriptions, and view user analytics.
- **Digital Information Hub** – Operationally, this refers to the centralized section of the web portal that contains the resort's history, list of amenities, room rates, and food service details, aimed at reducing manual inquiries.
- **GPS (Global Positioning System)** – Lexically, a satellite-based radionavigation system. Operationally, it is the technology used by the system to acquire the real-time geographic coordinates of the guest to provide accurate navigation.
- **Interactive Map Integration** – Operationally, this refers to the embedding of digital maps (such as OpenStreetMap or Google Maps API) into the resort portal to provide live, visual route guidance [5], [10].
- **Landmark-Based Guidance** – Operationally, this refers to the use of specific physical markers (e.g., bridges, specialized trees, or unique signage) within the navigation system to help guests identify the correct path in areas where digital maps are imprecise.
- **Online Visibility** – Lexically, the presence of a brand or business in consumer search results. Operationally, it refers to the resort's ability to be found by potential tourists through search engines like Google.
- **Responsive Web Design** – Lexically, an approach to web design that makes web pages render well on a variety of devices and window or screen sizes [11].

Operationally, it ensures the KML portal is fully functional on both traveler's

mobile phones and desktop computers.

- **SEO (Search Engine Optimization)** is the process of improving the quality and quantity of website traffic from search engines. Operationally, it refers to the strategies applied to the KML portal to ensure it ranks high when tourists search for "mountain resorts in Iloilo." [6]

- **User Flow** the path taken by a prototypical user on a website to complete a task. Operationally, it refers to the seamless journey of a guest from viewing the resort gallery to starting the live navigation to the destination.
- **Web-Based Portal** is a specially designed website that brings information from diverse sources together. Operationally, it is the primary software solution developed for this capstone project which hosts all information and navigation tools for the resort.

REFERENCES

[1] C. Halkiopoulos and K. Giotopoulos, "Tourism's use of web-based information systems and the influence of tourism trends is important," in Transcending Borders in Tourism Through Innovation and Cultural Heritage: 8th Int. Conf. IACuDiT, Hydra, Greece, 2021. Cham, Switzerland: Springer, 2022, pp. 407–426.

[2] R. Leung, "Development of information and communication technology: From e-tourism to smart tourism," in Handbook of e-Tourism, 2022, pp. 23–55.

[3] Department of Tourism, "National Tourism Development Plan 2023–2028," Manila, Philippines, 2023.

[4] Z. Z. Zarezadeh, P. Benckendorff, and U. Gretzel, "Online tourist information search strategies," Tourism Manage. Perspect., vol. 48, Art. no. 101140, 2023.

[5] V. Agafonkin, "Leaflet: An open-source JavaScript library for mobile-friendly interactive maps." [Online]. Available: https://leafletjs.com

[6] Google, "Search engine optimization (SEO) starter guide," Google Search Central. [Online]. Available: https://developers.google.com/search/docs/fundamentals/seo-starter-guide

[7] N. Shoval, M. Isaacson, and P. Chhetri, "GPS, smartphones, and the future of tourism research," in The Wiley Blackwell Companion to Tourism, 2024, pp. 145–159.

[8] A. E. Sousa, P. Cardoso, and F. Dias, "The use of artificial intelligence systems in tourism and hospitality: The tourists' perspective," Administrative Sci., vol. 14, no. 8, p. 165, 2024.

[9] A. Russell, J. Song, J. Archibald, and M. Kruisselbrink, "Service workers," W3C. [Online]. Available: https://www.w3.org/TR/service-workers/

[10] OpenStreetMap Contributors, "OpenStreetMap." https://www.openstreetmap.org

[11] E. Marcotte, "Responsive web design," A List Apart, May 2010. https://alistapart.com/article/responsive-web-design/

CHAPTER II

REVIEW OF RELATED LITERATURES AND STUDIES

This chapter reviews foreign and local studies and related literature that bear on the development of an integrated tourist information and navigation system for a remote mountain resort. The studies are grouped by theme, and each is evaluated for its relevance to the visibility, navigation, information management, and booking problems of KML Mountain Resort. The chapter closes with a synthesis that identifies the gap addressed by this project.

2.1 Foreign Studies

1)Web-Based Information Systems and Global Tourism Trends

The study by Halkiopoulos and Giotopoulos [1], titled "Tourism's use of web-based information systems and the influence of tourism trends," examined the critical intersection between modern information technology and shifting traveler behaviors. The authors argued that the survival of tourism destinations in a postdigital era depended on their ability to utilize web-based information systems (WIS) to adapt to global trends, such as the increasing demand for "independent travel" and "nature-based tourism."

Halkiopoulos and Giotopoulos further emphasized that web-based systems were no longer just static brochures; they were dynamic tools that influenced a traveler's decision-making process. For a small-scale resort, this supported the development of a digital gallery and information hub that did more than list prices—it created a digital "experience" that built trust and excitement. By using a web-based system to present clear, high-quality information, the resort could effectively appeal to modern tourists who relied heavily on digital content to evaluate the quality and safety of a destination before visiting [1].

Moreover, the authors highlighted the role of digital systems in managing "location-based information" to satisfy the needs of the modern traveler. They noted that then-modern tourists expected seamless access to navigation and spatial data. By providing precise navigation tools, the

resort addressed the modern trend of "self-navigating" tourists who preferred using their mobile devices to find destinations without needing a physical guide or local assistance [1].

Additionally, the study discussed how web-based information systems provided a competitive edge to small tourism enterprises by bridging the "visibility gap." Implementing an integrated system for KML Mountain Resort aligned with this concept by leveraging SEO and digital mapping to ensure the resort was visible to international and city-based travelers. The system allowed a small, provincial business to appear as professional and accessible as larger, more established destinations [1].

2) Mapping Tourist Information Flow and Cultural Influence

The study by Park and Stepchenkova [12], titled "Invisible power of culture: Mapping tourist information flow of national DMO websites," investigated the underlying structures of how information was organized and disseminated through destination management organization (DMO) websites. Published in the Journal of Travel Research, the study highlighted that the "flow" of information— how easily a user could move from initial discovery to specific logistical details— was a critical determinant of a destination's digital success.

Furthermore, the authors discussed the concept of "mapping" information to align with the mental models of tourists. Their research suggested that travelers sought a seamless transition from inspiration to what a place looked like to navigation on how to get there. This finding directly validated the integration of specialized navigation modules and landmark-based guidance within a tourism system. According to the study, when a digital platform provided a clear, map-like progression of information, it significantly reduced the perceived complexity of visiting remote or unfamiliar locations [12].

Overall, the findings by Park and Stepchenkova [12] reinforced the necessity of an integrated navigation and information portal. Their work confirmed that by carefully mapping the flow of data—from search engine visibility to precise, turn-by-turn guidance—tourism operators could improve their operational reach, enhance traveler confidence, and create a more efficient digital gateway for their business.

3) Online Tourist Information Search Strategies

The study by Zarezadeh, Benckendorff, and Gretzel [4], titled "Online tourist information search strategies," provided a comprehensive analysis of the evolving behaviors and methodologies tourists used to find destination data in the digital age. Published in Tourism Management Perspectives, the research identified that modern travelers no longer relied on a single source of information but instead employed complex, multi-channel search strategies. This concept was highly relevant to the development of integrated tourism platforms, as it emphasized that a destination's digital presence had to be optimized across various touchpoints— including search engines, official websites, and interactive tools—to capture the attention of potential guests.

Zarezadeh et al. highlighted that the effectiveness of a tourist search was heavily influenced by the "findability" and "accessibility" of the content. In the context of remote or small-scale destinations, this research supported the implementation of Search Engine Optimization (SEO) and centralized information hubs. By providing a structured and easily discoverable official portal, a business could intervene in the user's search journey, moving them from a broad organic search to a specific, action-oriented interaction with the destination's own platform [4].

The research by Zarezadeh, Benckendorff, and Gretzel [4] underscored the strategic importance of an integrated digital solution. Their findings confirmed that by understanding and catering to the online search strategies of modern tourists, destinations could improve their visibility, streamline the guest's transition from searcher to visitor, and foster a more seamless and satisfying travel experience.

4) Artificial Intelligence in Tourism and Hospitality: The Tourists' Perspective

The study by Sousa, Cardoso, and Dias [8], titled "The use of artificial intelligence systems in tourism and hospitality: The tourists' perspective," explored how modern travelers perceived and interacted with intelligent digital systems within the hospitality sector. Published in Administrative Sciences, the research highlighted that tourists increasingly value efficiency, personalization, and rapid information retrieval—attributes often provided by automated and AI-driven platforms. This study was highly relevant to the development of integrated tourism systems, as it provided a

behavioral foundation for how automation and intelligent data management could enhance the "digital relationship" between a destination and its guests.

Sousa et al. emphasized that the integration of intelligent systems into tourism platforms significantly reduced the "wait time" for information. For small-scale or remote destinations, this research supported the transition from manual, owner-operated inquiry handling to an automated digital information hub. By implementing a system that could provide instant answers regarding facility availability, room rates, and services, a destination aligned itself with the expectations of modern travelers who prioritized immediate responsiveness and 24/7 accessibility [8].

5) Development of ICT: From e-Tourism to Smart Tourism

The study by Leung [2], titled Development of information and communication technology: from e-tourism to smart tourism, provided a comprehensive historical and technical overview of how Information and Communication Technology (ICT) had reshaped the tourism landscape. Published in the Handbook of e-Tourism, the research detailed the evolution from basic "e-tourism" (static websites and online brochures) to "smart tourism," which utilized interconnected systems, real-time data, and mobile integration to create a seamless travel ecosystem. This research was highly relevant to the development of integrated tourism platforms, as it positioned the transition from manual information sharing to automated, navigation-ready portals as an essential step in modernizing any tourism enterprise.

Leung emphasized that the hallmark of smart tourism was the "interconnection" of information. For small-scale or provincial destinations, this supported the implementation of a centralized digital information hub that did more than just display text. By integrating dynamic galleries, service details, and location data into one interface, a destination could move away from fragmented, manual inquiry management and toward a "smart" operational model that provided immediate, high-quality information to potential guests [2].

A significant portion of the study focused on the role of Mobile-Centric Services and Ubiquitous Connectivity. Leung argued that modern travelers expected "on-site" support, meaning they needed access to information and navigation tools while they were physically in transit. This

directly validated the integration of mobile-responsive design and Interactive Map APIs within a tourism system. By providing precise, real-time guidance and landmark-based routing, a system fulfilled the "smart tourism" requirement of supporting the traveler throughout their entire journey—not just during the initial booking phase [2].

The research by Leung [2] served as a theoretical bridge for the development of integrated navigation and information systems. Their findings confirmed that by embracing the principles of smart tourism—specifically through centralized data, mobile accessibility, and interactive navigation—tourism destinations could significantly enhance their operational efficiency, bridge the visibility gap, and provide a superior, technology-supported experience for modern travelers.

6) Thematic Analysis of SME Digital Propensity and Marketplace Navigation

This dynamic was extensively explored by Gonçalves, Ferreira, Dabić, and Ferreira [13] in their study titled “Navigating through the digital swamp”: assessing SME propensity for online marketplaces, published in the Review of Managerial Science (18:9, pp. 2583-2612). The authors addressed the multi-faceted complexities, systemic anxieties, and behavioral propensities of smaller business entities as they attempted to integrate their service portfolios into contemporary online platforms. Gonçalves et al. [13] utilized the metaphor of a "digital swamp" to conceptualize the confusing, highly competitive, and frequently overwhelming technological ecosystem that independent operators had to traverse to achieve digital visibility, market relevance, and operational sustainability.

Gonçalves et al. [13] revolves around identifying the core determinants that influence a business management's willingness and capability to adopt web-based transaction structures. Through rigorous empirical assessment, the researchers point out that SME digital migration is rarely a simple matter of acquiring software; rather, it is heavily conditioned by organizational readiness, perceived technological complexity, financial resource allocation, and the specific value-driven benefits offered by the digital system. Independent operations often suffer from a "resource poverty" trap, where a lack of specialized in-house IT personnel and limited capital reserves create high psychological barriers to entry.

The integration of a minimalist Node.js and Express.js web server layer—coupled with a clean, centralized administrative UI dashboard—directly addresses the organizational barriers identified in the literature. It provides the resort administration with an intuitive, non-threatening entry point into digital marketplace behaviors, facilitating seamless tracking of daily revenues, room availabilities, and culinary menu inventories without requiring advanced technical training [13].

By taking control of their own custom, dedicated web platform rather than relying entirely on third-party aggregators that demand high commission fees, the resort bypasses the predatory aspects of the digital marketplace. This custom deployment empowers a localized mountain resort to systematically structure its unique spatial, asset-based, and geographical attributes, transforming the traditional, high-friction tourism journey into an organized, web-driven interaction loop [13].

7) Network Analysis of Tourist Information Search Behavior

Kang, Kim, and Park [14] in their study titled "Understanding tourist information search behaviour: the power and insight of social network analysis," published in Current Issues in Tourism (24:3, pp. 403–423). The researchers utilized advanced Social Network Analysis (SNA) metrics to map out the intricate web of digital touchpoints, media channels, and peer networks that tourists navigated when seeking travel insights. Kang et al. [14] demonstrated that tourist decision-making was no longer driven by single-source, linear media dependencies; instead, it was a complex, networked activity where the accessibility, visual richness, and contextual clarity of digital endpoints dictated a destination's selection rate.

Kang et al. [14] was the structural breakdown of "information friction" within digital tourism ecosystems. Their findings indicated that tourists frequently suffered information overload when navigating fragmented platforms (such as unorganized social media groups, third-party blogs, and disjointed review pages). When a destination lacked a singular, authoritative, and structured digital anchor point, travelers had to exert high cognitive effort to verify basic logistical details like exact geographical coordinates, current seasonal pricing tables, and accommodation availability. The study established that structural gaps or confusing pathways between promotional content and navigational execution frequently caused a break in the user conversion loop—meaning travelers

regularly abandoned plans to visit remote or rural eco-tourism spots if the online information ecosystem felt unstable or difficult to navigate.

Kang et al. [14] emphasized that in modern tourism, spatial orientation and geographical navigation data were tightly linked to consumer confidence. Tourists seeking hidden eco-tourism spots required highly visual, landmark-driven confirmation to mitigate the anxieties of traveling through unfamiliar or poorly mapped rural environments.

8) Spatial Analytics, Smartphone Tracking, and Tourism Geographies

Shoval, Isaacson, and Chhetri [7] evaluated the historical shift from analog spatial data gathering methods—such as post-trip tourist journals, travel sketches, and retrospective recall surveys—to the deployment of real-time, high-precision telemetry captured via Global Positioning System (GPS) engines embedded directly within consumer smartphones in their study titled "GPS, smartphones, and the future of tourism research," published in The Wiley Blackwell Companion to Tourism (pp. 145–159). Shoval et al. [7] established that spatial data gathered through smartphone sensors provided unprecedented, granular insights into tourist stop-over frequencies, exact movement trajectories, structural bottleneck formations, and time-space utilization behavior inside complex physical environments.

Shoval et al. [7] was the technical and structural limitation of modern smartphone telemetry when deployed outside structured, urban environments. The researchers pointed out that while cellular devices served as excellent data collection tools, their operational efficacy remained deeply dependent on ambient infrastructure, clear satellite sightlines, and active network towers. In rural terrains, high-altitude ecosystems, or dense canopy forest reserves, standard smartphone navigation layers frequently experienced signal dropouts, multipath errors, and massive localization inaccuracies due to deep valleys and topographic barriers. Shoval et al. [7] emphasized that when software relied solely on heavy cloud-dependent spatial tools or high-bandwidth proprietary mapping systems without considering localized terrain dynamics.

Shoval et al. [7] asserted that spatial tracking software had to bridge the gap between abstract coordinate metrics and meaningful visual landmarks to improve human-computer interaction

(HCI). Raw telemetry was rarely sufficient for tourists navigating challenging pathways; rather, digital applications needed to pair spatial data with recognizable localized descriptors to build situational awareness.

By mapping explicit, user-friendly visual anchors along the route, the platform translated raw GPS telemetry into recognizable terrain markers for the traveler. This literature confirmed that the deployment of custom, lightweight, and landmark-guided spatial applications was essential for mitigating the geographic constraints of high-altitude destinations, ultimately enhancing tourist safety and improving overall spatial satisfaction [7].

9) The Economic Impact and Architectural Limitations of Commercial Mapping Applications

Phuangsuwan, Siripipatthanakul, Limna, and Pariwongkhuntorn [15] evaluated how mainstream, commercial global positioning applications drove consumer behaviors, stimulated local business visibility, and served as structural engines for the modern digital economy in their study titled "The impact of Google Maps application on the digital economy," published in Corporate & Business Strategy Review (5:1, pp. 192–203). Phuangsuwan et al. [15] explained that digital maps acted as primary economic intermediaries; by lowering geographical uncertainty for consumers, these applications actively channeled foot traffic and commercial patronage toward enterprises that maintained an accessible digital footprint.

Phuangsuwan et al. [15] centered on the direct correlation between real-time spatial visibility and micro-economic viability. The researchers emphasized that in the contemporary digital marketplace, an enterprise’s physical presence was effectively invisible if it could not be parsed by consumer-facing navigation systems. However, the study also highlighted a systemic structural vulnerability inherent to commercial mapping ecosystems: their massive dependency on continuous, high-bandwidth data streams and proprietary API infrastructures. For small-to-medium enterprises located in rural, developing, or topographically isolated regions, relying entirely on heavy commercial platforms like Google Maps introduced unexpected economic and operational hurdles.

Phuangsuwan et al. [15] noted that modern navigation platforms boosted a business's digital economy profile by integrating promotional content directly into the spatial interface. They established that a map was most effective when it combined spatial coordinates with practical business information.

10) Intelligent Information Systems and Data-Driven Tourism Management

Mishra, Das, and Patnaik [16] examined the evolution of traditional, passive tourism portals into interactive, intelligent information systems (IIS) in their study titled "Application of AI technology for the development of destination tourism towards an intelligent information system," published in Economic Affairs (69:2, pp. 1083–1095). Mishra et al. [16] emphasized that contemporary travelers required high-accuracy, real-time data streaming to make informed logistical decisions, demanding that destination systems move beyond static text displays and adopt automated, data-driven management frameworks.

Mishra et al. [16] found that the elimination of administrative fragmentation through automated data collection and centralized structural logging was highlighted as critical. In independent, remote, or emerging tourist destinations, management often relied on disjointed manual systems to track room inventory, food stocks, and incoming revenue. This reliance led to operational friction, billing errors, and inaccurate data presentations to the public. The study demonstrated that by implementing an intelligent information architecture, a tourism enterprise could automatically sync its backend logistics with frontend user touchpoints. This automation ensures that updates to pricing matrices, lodging availability, and facility operations instantly changed across the entire customer-facing interface, mitigating consumer frustration, and maximizing administrative efficiency.

Mishra et al. [16] noted that a true intelligent information system had to feature robust analytical components to help administrators track and evaluate operational health. They emphasized that a system should not only display information but also systematically log transactions to support smart business planning.

11) Internet Diffusion, Infrastructure Integration, and Digital Transformation Across Asian Tourism Sectors

Umachandran and Said [17] traced the economic and behavioral evolution triggered by widespread internet accessibility across the continent, detailing how structural digitization systematically disrupted traditional travel brokerage models in their chapter titled "The Internet Influences Asian Tourism," published in the Handbook of Technology Application in Tourism in Asia (pp. 49–65, Springer Nature Singapore). Umachandran and Said [17] asserted that internet diffusion shifted market power directly into the hands of the digital consumer, demanding that contemporary tourism destinations evolve beyond passive, static promotional brochures and instead engineer active, data-rich transaction networks capable of satisfying a tech-savvy Asian market.

Umachandran and Said [17] explored the concept of "digital equity" and structural modernization among independent and rural tourism providers. The authors highlighted that while major cosmopolitan tourist centers in Asia effortlessly exploited advanced high-speed network frameworks, rural eco-tourism, mountain, and provincial destinations frequently experienced an "operational lag" due to localized infrastructure limitations and capital resource scarcity. This technological divide often left small-to-medium hospitality providers dependent on expensive, third-party global distribution aggregators that ate into their profit margins through hefty commission fees. To establish regional economic resilience, Umachandran and Said [17] advocated for the strategic development of independent, custom-built web architectures that allowed local operators to bypass predatory digital intermediaries, retain control over their own data ecosystems, and present an authoritative brand voice directly to global travelers.

Umachandran and Said [17] note that contemporary Asian travelers demonstrate specific behavioral expectations when engaging with digital tourism platforms, prioritizing complete transaction transparency, localized geographic routing data, and multi-tier booking mechanics. A tourism portal achieves its modern operational purpose only when it unifies diverse data layers—such as overnight lodging tracking, culinary stock statuses, and contextual navigation maps—into a single, unified user journey.

12) Software Architecture lifecycles and Access Control Layering in Travel Networks

Kawi and Suprihadi [18] examined the design parameters necessary to construct an integrated travel information portal, focusing specifically on how independent tourism agencies transitioned from manual, uncoordinated customer record-keeping to centralized database architectures, in their study titled "Design of Website-Based Tourism Travel Information System (Case Study: Tenta Tour)," published in the International Journal of Software Engineering and Computer Science (IJSECS) (3:3, pp. 317–323). Kawi and Suprihadi [18] demonstrated that the operational reliability of a digital travel system depended heavily on its backend modularity and its ability to cleanly separate administrative data management from public consumer interfaces.

Kawi and Suprihadi [18] were the deployment of clear data modeling techniques, such as Unified Modeling Language (UML) architectures and Entity-Relationship Diagrams (ERDs), to map out complex hospitality transactions. The researchers utilized structured design methodologies to systematically execute system requirements analysis, design, implementation, and verification phases.

Kawi and Suprihadi [18] emphasized that an effective travel portal had to synchronize its core service offerings with dynamic tracking mechanisms, such as food menu inventories and real-time transaction tracking. They noted that a digital information system failed to achieve its full potential if its various operational layers remained isolated from one another.

13) Smart Tourism Technology Attributes, Destination Image Perception, and Consumer Information Search Modalities

Tavitiyaman, Qu, Tsang, and Lam [19] examined how distinct architectural attributes of Smart Tourism Applications (STAs)—specifically analyzing core pillars like smart information systems, localized smart sightseeing tools, specialized e-commerce transactional systems, and smart forecasting parameters—shaped a tourist's perceived destination image and drove post-interaction behaviors such as revisit intentions and positive recommendations in their study titled "The influence of smart tourism applications on perceived destination image and behavioral intention: The moderating role of information search behavior," published in the Journal of Hospitality and Tourism Management (46, pp. 476–487). Tavitiyaman et al. [19] demonstrated that an

application's structural performance directly acted as an environmental stimulus, shifting a consumer's internal cognitive state and mitigating the perceived risks typically associated with navigating complex travel landscapes.

Tavitiyaman et al. [19] centered on identifying the specific technological dimensions that held the strongest statistical weight in enhancing destination images. The authors proved that the presence of high-functioning smart information systems and comprehensive e-commerce layers yielded a highly favorable perception of a destination's modernization, safety, and logistical accessibility.

Tavitiyaman et al. [19] emphasize that smart tourism architectures must guarantee data consistency across different transactional modules to prevent the cognitive dissonance that degrades a destination's image.

The study by Tavitiyaman et al. [19] confirms that by consolidating high-transparency local information systems with seamless relational transaction tracking, independent tourism operators can successfully optimize their digital footprint, elevate consumer behavioral intentions, and maintain a resilient, competitive position in the contemporary hospitality marketplace.

14) Destination Marketing Frameworks, Behavioral Engagement, and Web Feature Optimization

Matusse, Xi, and Joaquim [20] evaluated the operational strategies of Destination Marketing Organizations (DMOs)—specifically focusing on the National Institute of Tourism (INATUR) platform—to isolate the factors that dictated a tourism website's visibility, public awareness, and consumer engagement levels in their study titled "Assessment of strategies to enhance the online presence of the Mozambican government website on tourism destination marketing," published in International Trade, Politics and Development (7:1, pp. 16–35).

Matusse et al. [20] centered on the direct, statistically significant positive correlation between a website's specialized structural features and the overall search satisfaction of its visitors. Utilizing a mixed-method approach—combining qualitative SWOT analyses with quantitative data processed via analysis of variance (ANOVA) tracking—the authors revealed a common structural

pitfall: many institutional tourism portals provided only a minimum baseline of information, completely failing to match modern traveler expectations.

Matusse et al. [20] pointed out that digital tourism portals needed to minimize administrative blind spots by providing reliable, real-time informational updates to secure user trust. When a platform suffered from broken data flows or display inconsistencies, its perceived reliability plummeted, cutting off the traveler journey before a transaction could occur.

Matusse et al. [20] confirmed that by consolidating clear, feature-rich web design with robust relational data synchronization, tourism enterprises could successfully eliminate structural usability barriers, maximize online traffic, and maintain a highly resilient digital presence.

15) Multi-Level Website Design Features and Consumer Behavioral Outcomes

Chan, Law, Fong, and Zhong [21] established an integrated multi-level framework that reconceptualized how effective web architecture operates by synthesizing and integrating empirical findings from 78 foundational journal articles published over two decades in their study titled "Website design in tourism and hospitality: A multilevel review," published in the International Journal of Tourism Research (23:5, pp. 805–815). Chan et al. [21] demonstrated that travel products and services were inherently intangible and experiential, which naturally increased a consumer's sense of risk and uncertainty during the online planning phase. Consequently, they established that a website's architecture had to act as a reliable trust-building environment by harmonizing five core dimensions: content, system, social, sensory, and hedonic design features.

Chan et al. [21] was its critique of traditional, narrow evaluation models that focused solely on website-level metrics like traffic counts or page views. The authors pointed out that effective web engineering had to trace how technical inputs cascaded down to influence both product-level outcomes (such as specific booking conversions) and consumer-level outcomes (such as long-term brand loyalty and trust). The research revealed that while content design (the accuracy, completeness, and structure of information) and system design (navigation flow, processing speed, and security frameworks) were the most heavily studied components, they had to be supported by

sensory features (clean aesthetic layouts and visual hierarchies) and hedonic features (interactive engagement elements) to successfully capture consumer interest.

Chan et al. [21] noted that a digital hospitality system achieved true efficiency only when its descriptive content layers were connected directly to active database engines to ensure data integrity. They established that if a system presented polished sensory visuals but failed to provide accurate, real-time availability states, user trust dropped immediately, leading to high abandonment rates.

Chan et al. [21] confirmed that by consolidating high-clarity informational design with structured relational database workflows, local tourism operators could successfully remove usability barriers, build customer trust, and deliver a dependable, highly coordinated digital experience for modern travelers.

16) E-Tourism Information Literacy (eTIL) and Asymmetric Configuration of User Satisfaction

This critical user-centric dynamic was systematically analyzed by Wang, Wu, Wang, Xu, and Yuan [22] in their study titled "E-Tourism information literacy and its role in driving tourist satisfaction with online travel information: A qualitative comparative analysis," published in the Journal of Travel Research (63:4, pp. 904–922).

Wang et al. [22] utilized fuzzy-set Qualitative Comparative Analysis on a sample of 399 travelers to evaluate the complex, causal configurations between eTIL dimensions, Information Quality, and System Quality that generated high Tourist Satisfaction with Online Travel Information. Their configuration analysis revealed that high user satisfaction was equifinal—meaning it could be achieved through multiple distinct combinations of system attributes and user fluencies. Crucially, the study established that under conditions where external information quality was suboptimal or overly complex, high consumer information literacy acted as a protective buffer; users with strong skills could critically appraise and refine raw data outputs to achieve high satisfaction. Conversely, when users exhibited low eTIL, even highly advanced platforms experienced high abandonment rates if the interface introduced any cognitive layout of friction.

Wang et al. [22] noted that digital tourism portals achieved maximum usability when they presented highly normalized, structured data sets that explicitly supported user exploration and reduced search inefficiencies.

Wang et al. [22] confirmed that by consolidating clear, accessible web layouts with stable relational database synchronization, independent hospitality enterprises could successfully bridge user capability divides, maximize consumer search satisfaction, and establish a highly responsive digital destination ecosystem.

*1*7) E-Trust Determinants, Affective Commitment, and Multi-Dimensional Web Quality Metrics

Amin, Ryu, Cobanoglu, and Nizam [23] constructed an integrated structural framework to evaluate how technical and interpersonal characteristics of e-commerce interfaces influenced consumer cognitive states and subsequent booking behaviors in their study titled "Determinants of online hotel booking intentions: website quality, social presence, affective commitment, and e-trust," published in the Journal of Hospitality Marketing & Management (30:7, pp. 845– 870). Amin et al. [23] demonstrated that because hospitality purchases involved high levels of perceived risk and delayed consumption, web platforms could not operate merely as functional utility logs; instead, they had to function as credible, trust-building environments capable of fostering deep psychological connection and user confidence.

Amin et al. [23] centered on breaking down website quality into distinct, actionable parameters—specifically focusing on information quality, system navigation, and transaction security—and analyzing their direct impacts on electronic trust (e-trust). Using structural equation modeling (SEM) to evaluate traveler cohorts, the authors revealed that e-trust acted as a crucial psychological bridge. High information accuracy and smooth navigation directly fed into this trust layer, which then acted as a primary catalyst for building "affective commitment"—a consumer's emotional attachment and sense of psychological belonging toward a specific brand or digital platform. Furthermore, the study pioneered the integration of "social presence" within hotel booking environments, defining it as the degree to which a medium permitted users to perceive the platform

as warm, human, responsive, and socially connected. Amin et al. [23] concluded that when a system combined robust functional data with active responsiveness, it created a secure digital environment that significantly amplified consumer booking intentions.

Amin et al. [23] pointed out that digital tourism portals had to preserve transactional security and data transparency to maintain consumer commitment and prevent booking abandonment. When a platform displayed conflicting pricing calculations or suffered from unstable transaction paths, user trust collapsed instantly.

Amin et al. [23] confirmed that by consolidating high-transparency information architecture with secure, synchronized relational database workflows, local hospitality enterprises could successfully eliminate technical friction, build deep customer trust, and secure a sustainable economic footprint in the competitive digital marketplace.

18) Telepresence Mechanics, Dual-Performance Vectors, and Experiential Consumer Conversions

The study of Ali, Wu, Duan, Cobanoglu, and Ryu [24] titled Hotel website quality, performance, telepresence and behavioral intentions, published in Tourism Review (76:3, pp. 681-700). The researchers investigated how specialized technical features of hospitality web applications shaped a customer’s internal psychological state and drove subsequent reservation actions. Ongsakul et al. [24] demonstrated that a website's architectural excellence acted as an environmental trigger that instilled a state of "telepresence"—defined as the cognitive and psychological sensation of "virtually being present" within a mediated setting while remaining physically remote. The study proved that achieving telepresence bridged the gap between an intangible travel destination and a prospective visitor's trust.

Ongsakul et al. [24] centered on modeling telepresence as a vital psychological mediator that activated two distinct dimensions of website performance. This sense of spatial immersion then significantly boosted both utilitarian and hedonic performance evaluations. Ultimately, this multi-layered performance matrix yielded positive behavioral outcomes, including explicit booking intentions and word-of-mouth recommendations. The study concluded that independent lodging

properties had to implement interactive, high-vividness design strategies to lower consumer hesitation and optimize online conversions.

Ongsakul et al. [24] noted that a platform's hedonic and visual appeals had to be firmly anchored to real-time utilitarian execution to prevent transaction failures. If a system successfully fostered an immersive spatial experience but relied on inaccurate backend inventories or laggy reservation pipelines, user satisfaction dropped immediately, leading to high abandonment rates.

19) The Metaverse Continuum, Immersive Asset Co-Creation, and Next-Generation Digital Twins

Wei [25] in the study titled A buzzword, a phase or the next chapter for the Internet? The status and possibilities of the metaverse for tourism, published in the Journal of Hospitality and Tourism Insights (7:1, pp. 602-625). The author provided a thorough conceptual analysis of the "metaverse" within the hospitality sector, evaluating whether immersive 3D architectures constituted a temporary marketing trend or represented the formal next chapter of internet-mediated consumer experiences. Wei [25] established that the metaverse functioned as an interconnected network of persistent, three-dimensional virtual environments where users interacted as digital avatars. This structural integration did not replace physical travel; instead, it served as an advanced pre-trip exploration ecosystem that revolutionized experiential consumption and service-quality expectations.

Wei's [25] research was the re-conceptualization of traditional tourism marketing models through the lens of value co-creation and spatial digital twins. The study noted that while modern travelers heavily relied on static media like photography, videos, and text logs, these traditional formats failed to communicate the true spatial relationship and physical scale of complex geographical landscapes. By utilizing immersive virtual architectures, hospitality operators could construct precise digital twins of their accommodations, amenities, and environmental features. This capability transformed passive information search behaviors into active, participatory exploration. Within these spaces, prospective guests could virtually navigate property boundaries, customize environmental parameters, and experience localized layouts from their own devices. Wei [25]

demonstrated that this high level of spatial interactivity reduced travel anxiety, bridged the gap between intangible destinations and consumer trust, and significantly strengthened long-term booking intentions.

Wei [25] highlighted a critical operational requirement for implementing advanced virtual environments: the necessity for strict data integrity and real-time coordination between a property's digital representations and its physical backend inventories. If a tourism platform offered highly interactive, sophisticated spatial visualizations but linked them to disconnected, uncoordinated booking registries, the user journey broke immediately, resulting in operational confusion and high client drop-off rates. The research concluded that next-generation travel architectures achieved maximum efficiency only when their frontend visualization models were anchored directly to secure, centralized database management engines that handled actual capacity, pricing, and availability variables.

20) Mobile Tourism Utilities, Autonomous Navigation Confidence, and Decentralized Infrastructure Vulnerabilities

Karimov, Kalandarova, Makhkamova, Asrorova, Saydamatov, Ablyakimova, Karshiboeva, and Odilov [26] in their study titled Impact of mobile applications on tourism development in Uzbekistan, published in the Indian Journal of Information Sources and Services (14:4, pp. 175-181). The researchers utilized a mixed-methods design incorporating stakeholder case studies, end-user feedback matrix tracking, and industry data analysis to evaluate how real-time mobile utilities shaped tourist engagement and drove macroeconomic growth.

Karimov et al. [26] established that mobile travel technologies served as an essential catalyst for destination modernization, elevating visitor experiences by bundling independent tools like location-based recommendations, language translation modules, and instant booking engines into cohesive, highly accessible mobile frameworks.

The study by Karimov et al. [26] centered on the direct correlation between the deployment of mobile navigation maps and the psychological independence of international travelers. Their survey metrics revealed that over 85% of active tourists leveraged mobile platforms for travel

logistics, with navigation (65%) and hotel reservations (55%) emerging as the most heavily utilized features. Crucially, the authors demonstrated an interaction effect regarding consumer trust and mobility: 80% of participants reported feeling significantly more confident and prepared to execute excursions and explore regional landmarks independently when equipped with digital cultural guides and responsive map overlays.

The study concluded that to maximize destination appeal, software developers had to build resilient, highly localized applications that maintained high usability even when operating across unstable or resource-constrained cellular infrastructures [26].

Karimov et al. [26] noted that travel information applications achieved maximum utility when their public-facing interactive panels were synchronized directly with centralized administrative records to reduce communication gaps.

21) ICT Infrastructure Readiness, Structural Capability Gaps, and Centralized Reservation Intermediaries

Myat, Sharkasi, and Rajasekera [27] in their study titled Myanmar's tourism: Sustainability of ICT to support hotel sector for online booking and digital marketing, published in Benchmarking: An International Journal (30:7, pp. 2486-2508). The researchers leveraged the Network Readiness Index (NRI) framework—specifically focusing on the "Network Use" sub-component—to measure how the quality of regional internet connectivity shaped the digital marketing capabilities and online reservation frameworks of independent lodging operators. Myat et al. [27] established that while awareness of digital marketing and social media utility was exceptionally high among hospitality stakeholders, the practical capacity to execute real-time, automated transactions was deeply bottlenecked by systemic network limitations and infrastructure disparities.

Myat et al. [27] was its evaluation of a common structural imbalance found in developing travel markets: the presence of high front-end visibility alongside low back-end transactional capabilities. Through regression analyses of data gathered across major tourist hubs (including Bagan, Mandalay, and Nay Pyi Taw), the authors revealed that approximately 80% of surveyed hotels maintained a formal public web presence. However, a significant majority of these

proprietary platforms completely lacked direct, database-driven reservation or online transactional capabilities.

The study concluded that to achieve a sustainable competitive advantage and build operational resilience, regional hospitality entities had to transition away from fragmented third-party dependency. Instead, they needed to implement lightweight, direct-to-consumer information systems that could operate efficiently within local network limitations [27].

By translating the infrastructural critiques formulated by Myat and her colleagues into application design, the proponents of this system rejected reliance on heavy third-party booking integrations or complex external APIs. Instead, they engineered an independent, unified web system powered by an optimized Node.js and Express.js server backend. This design minimized external network requests and ensured that the client-side user experience remained responsive, even under constrained bandwidth conditions [27].

Myat et al. [27] emphasized that establishing direct, proprietary data tracking was essential for eliminating administrative communication gaps and maximizing local business insights.

22) Spatiotemporal Human Tracking, Information-Seeking Timelines, and Route Linearity Configurations

Martins, da Costa, and Moreira [28] in their study titled Backpackers' space–time behavior in an urban destination: The impact of travel information sources, published in the International Journal of Tourism Research (24:3, pp. 456-471).

Martins et al. [28] demonstrated that human spatial behavior within a tourist destination was defined by three intersecting vectors: what activities were performed, when they occurred (temporal dimension), and where they manifested (spatial element). Crucially, the configuration of these vectors was heavily dictated by the specific timing and medium of the user's travel information search.

Using bivariate analysis and non-parametric statistical models on GPS-tracked trajectories, the authors proved that consulting online information prior to visiting a destination had the most

powerful statistical impact on both intensity and linearity. Well-informed, digitally native travelers constructed complex yet highly optimized daily itineraries. Conversely, when travelers lacked authoritative online information hubs and relied on uncoordinated, ad-hoc information searches during the trip, their spatial patterns degraded into fragmented path configurations, leading to time waste, lower destination consumption, and premature travel fatigue [28].

Martins et al. [28] noted that to preserve travel linearity and orientation confidence, a digital travel application had to link its interactive visual elements directly to centralized data sources to prevent data mismatches.

23) The Fourth Industrial Revolution in Hospitality, Predictive Data Modeling, and Smart Personalization Vectors

Bulchand-Gidumal [29] in the study titled Impact of artificial intelligence in travel, tourism, and hospitality, published in the Handbook of e-Tourism (pp. 1943-1962). The researcher provided a rigorous evaluation of the foundational components of Artificial Intelligence (AI) and machine learning within the context of the Fourth Industrial Revolution.

Bulchand-Gidumal [29] addressed critical implementation challenges, noting that as digital travel platforms collected highly specific consumer vectors— such as geographic locations, personal data profiles, and transaction histories—the underlying database architecture had to balance algorithmic customization with rigid data protection and architectural transparency. The study concluded that independent properties maximized their operational efficiency when they embedded structured, automated data-validation tracking directly into their proprietary information networks to eliminate data silos and manual administrative delays.

The work of Bulchand-Gidumal [29] confirmed that by consolidating clear, accessible user tracking with automated relational database workflows, local hospitality enterprises could successfully eliminate structural management bottlenecks, maximize operational transparency, and deliver a reliable, highly coordinated destination experience.

24) Science Mapping of ICT Evolutions, Self-Service Paradigms, and Architectural Macro-Trends

Molina-Collado, Gómez-Rico, Sigala, Molina, Aranda, and Salinero [30] in their foundational study titled Mapping tourism and hospitality research on information and communication technology: a bibliometric and scientific approach, published in Information Technology & Tourism (24:2, pp. 299-340). The researchers executed a comprehensive science mapping analysis using SciMAT software to evaluate 2,424 academic documents spanning from 1988 to 2021 extracted from the Web of Science and SCOPUS databases. Molina-Collado et al. [30] provided a critical overview of how Information and Communication Technologies (ICTs) had evolved from basic back-office utility logs into integrated, consumer-facing ecosystem drivers that fundamentally reshaped operational efficiencies and destination management strategies.

The study demonstrated that the disruptions caused by modern global crises had accelerated the transition toward touchless, automated digital environments, establishing decentralized self-service systems as an essential operational standard rather than an optional luxury [30].

By mapping the historical research priorities validated by Molina-Collado and her colleagues into a concrete application architecture, the proponents of this system avoided building a generic, one-dimensional informational website. Instead, they designed an autonomous destination management environment that addressed the core pillars identified in the literature—unifying interactive local map routing (smart tourism), automated, client-driven reservation pipelines (self-service technologies), and secure backend authentication systems to establish digital trust [30].

Molina-Collado et al. [30] emphasized that as hospitality computing moved further into the smart tourism era, developers had to ensure that public-facing application layers maintained absolute synchronization with active data networks to avoid operational friction.

The research by Molina-Collado et al. [30] confirmed that by consolidating clear self-service tools with robust relational tracking, contemporary hospitality enterprises could successfully bridge structural technology gaps, optimize customer trust, and maintain a resilient operational footprint in the modern marketplace.

25) Multi-Option Information Breadth, Channel Convenience Drivers, and Sustainable Direct-Booking Models

This behavioral phenomenon was thoroughly examined by Teng, Wu, and Chou [31] in their study titled Price or Convenience: What is more important for online and offline bookings? A study of a five-star resort hotel in Taiwan, published in Sustainability (12:10, p. 3972). The researchers deployed a quantitative, empirical methodology— incorporating a structured survey administered to 300 resort guests alongside hypothesis testing and logistic regression models—to determine whether low pricing or structural convenience served as the primary driver behind online versus offline booking channel adoption. Teng et al. [31] established that while price discounts remained a notable heuristic cue, a platform's capacity to deliver information convenience and a broad array of transparent choices acted as the decisive variable shaping consumer booking selection.

The study by Teng et al. [31] revealed that the majority of resort guests perceived online booking systems as inherently superior due to faster processing speeds, enhanced service reliability, and broader choice transparency. Crucially, the logistic regression analysis conducted by Teng et al. [31] confirmed that "broad choice"—the availability of comprehensive option listings, full property details, and transparent amenity displays—exerted a statistically stronger influence on online channel selection than "low price" alone. Furthermore, their variance analysis indicated that younger demographics (under age 45) and higher-educated travelers displayed a significantly higher propensity to execute resort bookings online when provided with clear, self-service information interfaces.

Teng et al. [31] emphasized that direct booking tools achieved maximum operational utility when their public options interacted seamlessly with a centralized, secure database ledger to maintain real-time accuracy.

26) Early Adopter Profiles, Disintermediation Readiness, and Decentralized Technology Adoption Dynamics

This technological shift was analyzed by Strebinger and Treiblmaier [32] in their study titled Profiling early adopters of blockchain-based hotel booking applications: demographic, psychographic, and service-related factors, published in Information Technology & Tourism

(24:1, pp. 1-30). The authors utilized a quantitative research design—analyzing an empirical dataset of 505 US consumers involved in a simulated leisure trip booking scenario—to profile the demographic, psychographic, and service-related determinants that motivated travelers to choose decentralized booking platforms over conventional OTAs.

The study by Strebinger and Treiblmaier [32] isolated the psychographic and service-related drivers that facilitated the adoption of direct, decentralized booking applications. Their findings revealed that higher IT innovativeness, prior familiarity with decentralized systems, and a high preparedness to take risks served as primary predictors of early adoption behavior. Crucially, the authors demonstrated that while early adopters were drawn to the novelty and disintermediation benefits of direct platforms, a significant portion of mainstream consumers remained hesitant due to perceived complexity and privacy concerns regarding decentralized data ledgers.

Strebinger and Treiblmaier [32] emphasized that novel booking tools achieved maximum adoption when public interfaces connected reliably to a secure database core to ensure transactional confidence.

27) Cultural Navigation Paradigms, Cognitive Usability Standards, and Cross- Border Interface Adaptation

Broeder and Gkogka [33] in their study titled The Cultural Impact of navigation design in global e-commerce, published in the Journal of Tourism, Heritage & Services Marketing (6:3, pp. 46-53). The researchers utilized an empirical, cross-cultural comparative framework—evaluating user interaction patterns and spatial menu configurations across distinct cultural and demographic cohorts—to analyze how web navigation structures influenced user perception, site exploration depth, and checkout conversion rates. Broeder and Gkogka [33] established that navigation architecture was not a culturally neutral utility; rather, it functioned as a primary driver of user engagement that had to be adapted to match the cognitive expectations and spatial habits of target audiences.

The study by Broeder and Gkogka [33] isolated the strong causal link between intuitive, low-friction navigation design and the reduction of user cognitive load during online service discovery.

Their findings demonstrated that when digital platforms employed clear visual hierarchies, explicit menu categorizations, and predictable orientation cues, user conversion rates increased significantly while bounce rates dropped.

By translating the navigation principles of Broeder and Gkogka [33] into practical software design, the proponents rejected heavy, confusing interface layouts. Instead, the application utilized a mobile-first Progressive Web Application (PWA) layout featuring landmark-assisted orientation cards, clean visual categories, and a localized mapping shell powered by open-source Leaflet.js, ensuring that users could easily explore resort facilities and plot local routes without experiencing layout clutter or technical delay.

Broeder and Gkogka [33] emphasized that web navigation systems achieved maximum utility when public-facing interaction nodes connected directly to an organized backend database structure to maintain accurate information flows.

2.1 Local Studies

1) Booking and Reservation Systems and Location-Based Services

According to Gosela and Encarnacion [34], who explored the integration of booking systems and location-based services (LBS) to create unified applications that supported sustainable tourism networks. In their research, "Booking and reservation system: A unified application using location-based services for sustainable tourism networks," the authors argued that modern tourism platforms had to go beyond simple information display by integrating real-time geographic data to enhance the traveler's experience.

Gosela and Encarnacion further emphasized that unified applications improved operational efficiency for small-scale businesses by centralizing guest interactions and location tracking into a single digital interface. In the context of a remote resort, such a system could streamline the process of handling inquiries while simultaneously providing guests with the exact coordinates and landmark-based routes needed to reach the destination. By reducing the complexity of

navigation and automating information dissemination, the system minimized traveler frustration and enhanced the professional image of the resort [34].

Moreover, the authors highlighted the importance of "Location-Based Services" (LBS) in promoting sustainable tourism. These systems enabled administrators to monitor how users interacted with the map and which routes were most frequently accessed. This capability was essential for managing a resort effectively, as it allowed the owner to understand guest behavior, update landmark descriptions based on realtime feedback, and support long-term strategic planning for the resort's accessibility [34].

Gosela and Encarnacion discussed how these digital networks contributed to a competitive advantage for provincial destinations. Implementing a unified system for resorts aligned with this idea by leveraging digital mapping and reservation features to meet the needs of modern tourists who require reliable, technology-supported navigation when exploring unfamiliar territories [34].

2) Integrated Simulation and Management Systems in Tourism Education and Operations

The study by Altar et al. [35], titled "An Integrated Intranet-Based Simulation System for College of Hospitality and Tourism Management of EARIST Manila," focused on the development of a centralized digital environment designed to simulate and manage hospitality and tourism operations. Published by IEEE, the research emphasized how integrating multiple functional modules into a single system—such as guest handling, resource management, and information dissemination—created a more efficient and organized environment for both administrators and end-users.

Altar et al. highlighted that integrated systems improved operational efficiency by providing a structured workflow that reduced the reliance on manual, decentralized processes. For a small-scale enterprise, this supported the transition from manual inquiry handling to an automated "Digital Information Hub." By centralizing resort data, the system ensured that information remained consistent and accessible, mirroring the study's goal of streamlining hospitality management through technology to minimize human error and operational delays [35].

The study by Altar et al. [35] validated the structural approach of the KML Mountain Resort project. It supported the necessity of developing a system that integrated administrative management with user-facing information tools, ultimately enhancing the resort's operational reach, improving guest satisfaction, and providing a sustainable digital framework for growth.

3) Impact and Identities in the Linguistic Landscape of Tourist Destinations

The study by Sieras [36], titled "Impact and Identities as Revealed in Tourists' Perceptions of the Linguistic Landscape in Tourist Destinations," examined how the physical signs, languages, and visual cues the linguistic landscape within a destination influenced traveler perceptions and behaviors. Published in the International Journal of Language and Literary Studies, the research highlighted that the way information was visually communicated—through signage, digital interfaces, and landmarks—played a critical role in shaping a tourist's sense of security, orientation, and connection to a place. This study was highly relevant to the development of integrated tourism platforms, particularly those utilizing landmark-based navigation, as it provided a sociolinguistic foundation for how visual markers helped guests "read" and navigate an environment.

Sieras emphasized that clear and accessible linguistic cues were essential for "wayfinding" in unfamiliar territories. For remote or secluded destinations, this research supported the implementation of navigation systems that went beyond mere coordinates to include descriptive, landmark-based guidance. By integrating specific visual cues (such as descriptions of local bridges, unique trees, or specific signs) into a digital navigation portal, a system aligned with the traveler's natural tendency to look for familiar linguistic or physical "anchors" to confirm they were on the right path. This reduced the cognitive stress of navigating "silent" or poorly marked rural routes [36].

The research highlighted that a lack of clear informational cues could lead to a sense of exclusion or frustration among travelers. Implementing an integrated system that combined search engine discoverability with precise, landmark-oriented instructions directly addressed this challenge. The study suggested that when a destination took control of its "informational landscape"—whether

physically or digitally—it significantly improved the guest experience and encouraged positive word-of-mouth [36].

The findings by Sieras [36] provided a unique perspective on the necessity of integrated navigation systems. The research confirmed that by strategically using landmarks and clear digital communication, tourism destinations could improve their physical reachability, strengthen their brand identity, and ensure that travelers felt guided and secure throughout their journey.

4) Mobile Application Methodologies within the Philippine Tourism Ecosystem

This unique environment was rigorously evaluated by Velasco, Acosta, Bicomong, Aguilera, Reyes, Reginaldo, and Dayang [37] in their research paper titled Elevating Philippine tourism: A mobile app approach, published in the Proceedings of the 2024 7th International Conference on Informatics and Computational Sciences (ICICoS) (pp. 126-130, IEEE). The authors analyzed the design, development, and strategic deployment of mobile-first computing models tailored to the needs of the domestic Philippine tourism market. Velasco et al. [37] explained that mobile software architectures provided a direct path toward increasing visitor engagement, preserving micro-destination visibility, and revitalizing remote eco-tourism regions across the archipelago.

Velasco et al. [37] observed that modern digital tourism tools had to do more than display static brochures; they needed to offer integrated transactional modules that made operations seamless for both the user and the administrator. A platform achieved maximum utility when it balanced front-end customer interfaces with clean, secure back-end management panels.

A primary contribution of the study by Velasco et al. [37] was its emphasis on addressing the unique technological bottlenecks that characterized the Philippine digital landscape. The researchers pointed out that while mobile application usage was exceptionally high among Filipino travelers and international tourists, the performance of these apps was frequently throttled by intermittent cellular networks, regional power variations, and varying smartphone device capabilities. The study demonstrated that traditional, data-heavy computing architectures often alienated users when deployed in rural or high-altitude domestic destinations. To overcome these barriers, Velasco et al. [37] advocated for developing lightweight, responsive, and cross-platform

web or mobile applications that optimized client-side data handling, maintained strong security protocols, and prioritized clear user interfaces.

5) Digitalized Hospitality Administration and Safety Mitigation in Philippine Hotel Entrepreneurship

Marcelo [38] in the study titled Digitalized Tourism Practices of Selected Entrepreneurial Hotels in the Philippines Towards a Safe Travel Experience, published in the Journal of Social Entrepreneurship Theory and Practice. The researcher investigated the adoption rates, deployment models, and structural outcomes of digital hotel platforms among local hospitality entrepreneurs. Marcelo [38] demonstrated that in the modern domestic market, deploying custom web applications and interactive management systems was no longer just a way to improve convenience; it was a critical strategy for reducing operational friction, establishing business credibility, and ensuring a predictable, well-organized travel environment for consumers.

Marcelo's research was the role of automation in eliminating high-contact, high-friction operational patterns that often led to booking confusion, administrative delays, and safety oversights. For independent or boutique hospitality properties in the Philippines, managing client communication and booking confirmations via unstructured analog systems or decentralized social media channels created significant business vulnerability. The study highlighted that when a property used integrated digital booking workflows, it could systematically regulate visitor volume, collect essential arrival parameters, and provide clear information about onsite facility guidelines before the guest even arrived. Marcelo [38] established that travel safety and overall satisfaction were directly improved when an application enabled seamless, transparent communication between the administrative backend and the client-side user interface.

Marcelo [38] noted that digital tourism practices were highly effective when they extended beyond basic booking forms to provide comprehensive information about onsite dining and recreational amenities. Travelers showed higher trust and experienced less travel anxiety when a property's digital platform clearly outlined auxiliary logistics, such as current menu availability, ingredient tracking, and spatial layouts of independent resort venues.

Entrepreneurial Hotels in the Philippines Towards a Safe Travel Experience. Journal of Social Entrepreneurship Theory and Practice.

6) Motivational Drivers of Digital Accommodation Platforms and Consumer Behaviors in the Philippine Context

Esguerra and Arreza [39] in their study titled The motivational factors on using virtual hotel operators' accommodation among tourists in Cebu city, Philippines, published in the Journal of Business on Hospitality and Tourism (7:3, pp. 280-292). The researchers investigated the explicit consumer drivers—such as cost-efficiency, interface convenience, information transparent quality, and perceived technological security—that motivated modern tourists to book accommodations through virtual hospitality channels and dedicated digital applications within major Philippine tourist hubs. Esguerra and Arreza [39] demonstrated that travelers increasingly prioritized platforms that offered immediate, highly verifiable data regarding room features, real-time rates, and auxiliary property services over traditional, high-friction booking channels.

Esguerra and Arreza [39] emphasized that information transparency acted as a primary motivator for digital system utilization. In the Philippine hospitality landscape, consumers frequently expressed hesitation when booking independent or remote accommodations if the web application lacked comprehensive multimedia assets, detailed inventory updates, or reliable pricing breakdowns. The study highlighted that "perceived risk" rose significantly when tourists encountered outdated digital catalogs or platforms that required manual, offline intervention to confirm a simple transaction. Esguerra and Arreza [39] concluded that to build consumer trust and drive booking conversions, digital hospitality architectures had to actively eliminate ambiguous informational pathways by presenting automated, granular, and structurally integrated property records that the user could explore seamlessly.

Esguerra and Arreza [39] noted that modern travelers displayed a high affinity for applications that unified diverse transactional elements into a single, cohesive user experience. When a platform successfully linked room reservations with local amenity info, food services, and navigation aids, user satisfaction and system trust increased dramatically.

7) Algorithmic Routing and Tourism Circuit Navigation within the Philippine Topography

Asor, Catedrilla, De Leon, and Ramos [40] in their research titled Implementation of tourism circuit concept in an android-based tourist navigation application through A* algorithm, published in the Indonesian Journal of Electrical Engineering and Computer Science (24:2, pp. 986-992). The authors examined the software engineering mechanics required to process spatial data structures across localized "tourism circuits"—defined as networks of interconnected tourist attractions clustered within a specific geographic zone. Asor et al. [40] implemented a customized version of the A^* (A-Star) pathfinding algorithm to compute optimized physical trajectories between geographic waypoints, focusing specifically on mitigating the real-world navigation inefficiencies faced by travelers in regional Philippine provinces.

A primary contribution of the research by Asor et al. [40] centered on managing computational overhead and data delivery constraints within localized navigation applications. The authors pointed out that traditional, commercial routing services often relied on continuous, heavy server-side communication loop models that degraded rapidly when applied to deep rural or high-altitude environments characterized by poor network bandwidth.

Asor et al. [40] asserted that a navigation application became significantly more valuable to travelers when it mapped out secondary visual checkpoints and descriptive landmarks along a primary route. Travelers experienced lower travel anxiety when an app explicitly plotted a sequence of recognizable nodes rather than relying solely on a simple, abstract orientation line.

8) **Web-Based Reservations and Automated Management Systems for Eco-Resorts**

Ramento, Dancel, Taberlo, and Anquillano [41] in their study titled Web-Based Reservation and Management System for Nature Spring Resort, published in the Journal of Pure and Applied Sciences (4:2). The researchers investigated how independent, nature-based leisure resorts transitioned from analog or fragmented booking approaches to centralized, web-accessible database systems. Ramento et al. [41] argued that nature resorts faced unique operational challenges—such as fluctuating seasonal visitor volumes, diverse facility types (e.g., cabins, pools,

picnic areas), and localized logistical bottlenecks—that required custom, integrated management software rather than generic, off-the-shelf point-of-sale solutions.

Ramento et al. [41] centered on the administrative advantages gained by eliminating manual booking books and unverified reservation records. In typical rural or nature-themed destinations, front-desk operations frequently struggled with double-booking errors, delayed payment validations, and inaccurate room inventory states. The authors demonstrated that by implementing a dedicated web-based reservation platform, an enterprise could automatically bind real-time room availability status directly to a secure backend relational database. This architectural integration guaranteed data consistency allowed management to easily track incoming reservation metrics and provided tourists with instant transparency regarding what accommodations were open for booking at any given time.

Ramento et al. [41] pointed out that an effective eco-resort system had to balance its core lodging modules with auxiliary management tools, such as dynamic food menu updates and aggregated financial summaries. A resort was a multi-faceted business where room stays were often tied directly to onsite dining and recreation usage.

Based Reservation and Management System for Nature Spring Resort. Journal of Pure and Applied Sciences, 4(2).

9) Strategic Resort Management Models and Architectural Travel Components in the Philippines

The systematic alignment of operational travel components with corporate administrative strategies was a fundamental requirement for achieving long-term sustainability within the highly competitive Philippine hospitality sector. This industry dynamic was rigorously analyzed by Peralta [42] in the study titled Travel Components of Selected Resorts in Batangas: Input for Resort Management Strategy, published in UNIVERSITAS-The Official Journal of University of Makati (12:1, pp. 45-61).

The researcher investigated the core dimensional pillars that dictated contemporary resort selections—such as lodging infrastructure qualities, auxiliary recreation facilities, accessible

informational channels, and localized hospitality service delivery models. Peralta [42] demonstrated that a resort's long-term commercial viability was heavily reliant on management's ability to treat these distinct travel components not as isolated operational units, but as an interconnected, strategic ecosystem that could be continually audited and optimized.

A primary theme established in the work of Peralta [42] focused on the changing expectations of domestic tourists regarding service transparency and spatial orientation. When exploring regional or eco-tourism properties, modern consumers demanded highly granular, pre-trip structural information to validate their travel choices and reduce physical friction upon arrival. The study highlighted that conventional, analog resort management strategies often failed because they created an informational gap regarding active room inventories, current amenity statuses, and specialized culinary operations. Peralta [42] concluded that for a hospitality enterprise to successfully position itself within a competitive local market, management had to implement structured information hubs that gave consumers immediate, real-time access to the resort's operational components, thereby converting baseline visitor interest into verified business conversions.

Peralta [42] noted that a modern resort strategy had to actively tie customer-facing service provisions back to automated backend financial and operational logging systems. Management could not form effective long-term business strategies without reliable data tracking daily transaction velocities and asset utilizations.

10) Social Media Tourism Marketing and the Transition to Centralized Web Architectures

The strategic utilization of digital platforms to stimulate municipal tourism and drive regional travel behaviors was a vital area of study within the contemporary Philippine hospitality ecosystem. This relationship was rigorously analyzed by Tayco, Tubog, and Zamora [43] in their study titled The influence of social media as a tourism marketing tool in Negros Oriental, Philippines, published in the Journal of Interdisciplinary Perspectives (2:8, pp. 24-35). The researchers investigated how independent travel entities, municipal destinations, and hospitality operators leveraged social media platforms to generate brand awareness, distribute promotional

media, and engage with prospective travelers within a prominent Visayan tourism landscape. Tayco et al. [43] demonstrated that while social media served as a powerful instrument for initial customer acquisition and destination discovery, its operational efficiency remained fundamentally limited if it was not paired with a centralized, data-driven web information hub.

Tayco et al. [43] focused on the structural friction that occurred when hospitality enterprises relied exclusively on social media ecosystems to conduct business transactions. The authors pointed out that platforms like Facebook, Instagram, and TikTok excelled at broad visual outreach, but they lacked the transactional capabilities required to manage detailed logistics. When tourists attempted to verify room inventories, check out accurate pricing tables, or secure formal reservations through direct messaging channels, they frequently experienced long communication delays and administrative confusion. The study emphasized that social media had to be treated as a promotional gateway that routed users toward a dedicated, secure web infrastructure capable of handling systematic data management, thereby protecting the consumer journey from information fragmentation.

Tayco et al. [43] noted that modern travelers expected a high level of information consistency across all digital channels. When a hospitality enterprise displayed conflicting data regarding its operational parameters—such as active culinary menu items, op

The study by Tayco et al. [43] confirms that by combining open marketing outreach with a robust, centralized web information and navigation application, local tourism enterprises can successfully optimized their digital footprint, minimize customer friction, and established a modern operational framework for regional destination management.

11) Geotagged Media Representations and Spatial Typologies in Targeted Tourism Markets

The digital projection of travel experiences through location-tagged imagery became a dominant driver in shaping contemporary destination images and influencing consumer search patterns. This behavioral and visual dynamic was systematically analyzed by Buenviaje, Castillo, Landicho, Lobo, Mendoza, and de Guzman [44] in their study titled Honeymoon tourists' online

representation of tagged locations in Bali, Indonesia, published in Anatolia (35:1, pp. 123-134). By applying a Directed Content Analysis (DCA) to thousands of location-tagged photographs shared by niche travelers, the researchers utilized Hunter's Typology of Photographic Representation (TPR) to dissect how distinct tourist cohorts visually packaged and broadcasted physical spaces. Buenviaje et al. [44] established that digital travel representations were heavily anchored to explicit spatial classifications—specifically natural landscapes, cultivated landscapes, heritage sites, and commercial "tourism products"—which collectively formed the empirical baseline that future travelers navigated during their pre-trip information-seeking phase.

A primary contribution of the study by Buenviaje et al. [44] was the confirmation that commercial "tourism products" (such as stylized accommodation settings, premium lodging aesthetics, and curated resort environments) consistently yielded the highest volume of user-generated geotagged content. The study highlighted that targeted travel cohorts actively sought highly "photographic groomed spaces" to capture their milestones, making the structural design and online presentation of an independent resort's facilities critical to its market visibility. Furthermore, the authors illustrated that when regional or niche destinations clearly mapped out their specific micro-locations, it significantly mitigated travel uncertainty for prospective visitors. By converting physical geography into a visible, highly organized digital map of taggable visual landmarks, hospitality operators could successfully bridge the gap between abstract tourist aspirations and concrete logistical conversions.

Buenviaje et al. [44] noted that modern travelers demanded an administrative continuity where the polished online representation of a destination matched its real-time operational availability. When a platform presented highly appealing visual assets but failed to provide accurate, real-time transactional data like current pricing or immediate slot tracking, the consumer loop broke, resulting in abandoned booking intentions.

The work of Buenviaje et al. [44] confirmed that by consolidating high-quality visual spatial representations with structured relational data tracking, independent tourism enterprises could

successfully optimize their digital footprint, fulfill modern traveler expectations, and establish a reliable, highly coordinated destination environment.

12) Geospatial Tourism Potentials and Infrastructure Vulnerabilities in Rugged Ecosystems

The systematic assessment of localized geographical assets and physical terrain profiles was essential for establishing resilient digital frameworks within independent eco-tourism destinations. This relationship was comprehensively investigated by Savanchiyeva, Atasoy, Berdenov, Mambetaliyev, Muzdybayeva, and Khamitova [45] in their research titled Tourist resources and tourist potential of Mindoro Island in the Philippines, published in the GeoJournal of Tourism and Geosites (48:2spl, pp. 672–684). The authors provided a multivariate geographical analysis of Mindoro Island, evaluating its macro-environmental features, structural transport linkages, and localized tourism assets across its two major provinces. Savanchiyeva et al. [45] established that while regional island terrains possessed immense potential for specialty nature tourism, adventure travel, and ecological recreation, their operational viability was systematically limited by rugged interior topographies and fragmented utility infrastructures.

A primary focus in the work of Savanchiyeva et al. [45] centered on the deep infrastructural and digital limitations that characterized the transition from urban coastal strips to remote, high-altitude interior areas. The researchers demonstrated that as travelers moved away from main maritime ports and low-altitude hubs toward the mountainous interiors—characterized by dense tropical forests and steep peaks like Mount Halcon—critical services such as highway networks, electrical grids, and internet connectivity began to experience frequent dropouts and systemic failures.

Savanchiyeva et al. [45] noted that alternative travel destinations maximized their tourism appeal by organizing diverse local assets—such as waterfalls, viewpoints, culinary spots, and recreational facilities—into highly visible, comprehensive inventories. Because independent resorts in remote regions had to compete with heavily westernized, luxury-driven commercial spaces, they had to leverage complete informational transparency regarding their unique localized products to build traveler confidence.

The work of Savanchiyeva et al. [45] confirmed that by consolidating high-accuracy local resource inventories with lightweight, terrain-resilient navigation features, regional tourism enterprises could successfully bridge the digital infrastructure divide, safeguard traveler experiences, and elevate operational resilience within challenging provincial topographies.

Muzdybayeva, K., & Khamitova, D. [45]. Tourist resources and tourist potential of Mindoro Island in the Philippines. GeoJournal of Tourism and Geosites, 48(2spl).

13) Geospatial Mapping Models and Real-Time Carrying Capacity Operations

The alignment of geospatial information frameworks with environmental sustainability constraints was an essential requirement for managing modern eco-tourism destinations. This technical and operational intersection was thoroughly evaluated by Mapalad [46] in the research paper titled Tourism carrying capacity using GIS-based mapping of ecotourism sites in Tablas Island, Romblon, Philippines, published in the IOP Conference Series: Earth and Environmental Science (Vol. 1366, No. 1, p. 012015). The author implemented Boullon's Tourism Carrying Capacity Model alongside Geographic Information System (GIS) tools to map out spatial attributes and establish precise visitor limits across rural domestic sites. Mapalad [46] demonstrated that sustainable destination management depended on an operator's ability to systematically track, map, and control spatial crowds to avoid environmental degradation and maintain high levels of guest satisfaction.

A core finding of Mapalad's [46] work centered on calculating specific mathematical thresholds that governed physical spaces using three progressive levels of capacity: Basic Carrying Capacity (BCC), Potential Carrying Capacity (PCC), and Real Carrying Capacity (RCC). By analyzing structural limiting factors (lf) like visitor space requirements and temporal rotation coefficients (RC), the study computed exact daily volume caps for natural attractions. For instance, the research determined precise maximum volumes—such as 1,157 visitors per day for Dubduban Falls and 138 visitors per day for Tuburan Falls—proving that eco-tourism sites could not operate safely with an unlimited, unmonitored influx of people. Mapalad [46] emphasized that maintaining

these thresholds required integrating physical geographical maps with structured data-tracking records, preventing overcrowding before it compromised the destination's structural integrity.

Mapalad [46] noted that managing carrying capacity effectively relied on combining spatial maps with active inventory logs. Rather than treating map visual layers and booking ledgers as detached systems, modern platforms achieved maximum efficiency when structural landmark positions were linked directly to operational tracking databases.

The study by Mapalad [46] confirmed that by consolidating localized, open-source navigation tools with real-time relational database tracking, independent tourism operators could safeguard local ecologies, enforce safe operational capacities, and deliver a balanced, well-regulated destination experience.

14) The Stimulus-Organism-Response Framework and Gen Z Travel Intentions in the Philippine Digital Landscape

The behavioral engineering of contemporary digital tourism networks required a rigorous academic understanding of how specific demographic cohorts processed information and formed travel intentions. This cognitive process was systematically explored by Yamagishi, Canayong, Domingo, Maneja, Montolo, and Siton [47] in their study titled User-generated content on Gen Z tourist visit intention: a stimulus-organism-response approach, published in the Journal of Hospitality and Tourism Insights (7:4, pp. 1949-1973). The researchers utilized the classic environmental psychology framework known as the Stimulus-Organism-Response (S-O-R) model to evaluate how digital visual content acted as a behavioral trigger for Generation Z travelers in the Philippines. Yamagishi et al. [47] demonstrated that for this digitally native generation, the quality, perceived reliability, and visual depth of online tourism portals directly shaped internal cognitive states, which then determined whether they decided to visit a destination.

The study highlighted that Gen Z travelers displayed high skepticism toward traditional, heavily edited corporate marketing materials. Instead, they were strongly motivated by platforms that offered immediate, highly verifiable data regarding room settings, actual facility conditions, and unmanipulated environmental details. Yamagishi et al. [47] concluded that independent tourism

properties could successfully trigger positive visit responses by replacing ambiguous, static text descriptions with structured, media-rich informational hubs that consumers could explore independently.

Yamagishi et al. [47] noted that the conversion from a passive viewer to an active visitor dropped significantly if the transition from the visual stimulus to the transaction phase was clunky or manual. When a platform generated strong visual appeal but relied on slow, disconnected communication channels for booking confirmation, the consumer journey broke, leading to abandoned intent.

The work of Yamagishi et al. [47] confirmed that by consolidating clear, visual destination representations with structured relational data tracking, local hospitality enterprises could successfully optimize their digital applications, align with contemporary consumer behaviors, and establish a reliable, highly coordinated destination management environment.

15) Sociolinguistic Tourism Landscapes and Multimodal Informational Signage

The strategic layout of visual and textual communication media within local travel spaces played a significant role in determining how visitors experienced a destination and evaluated its service accessibility. This sociolinguistic aspect of hospitality management was thoroughly analyzed by Sieras [36] in the study titled Impact and Identities as Revealed in Tourists' Perceptions of the Linguistic Landscape in Tourist Destinations, published in the International Journal of Language and Literary Studies (6:1, pp. 375-392). The researcher investigated the "linguistic landscape" (LL)—defined as the visibility and salience of languages displayed on public signs, informational tarpaulins, and commercial storefronts—across select tourism destinations in Northern Mindanao, Philippines. Sieras [36] established that the linguistic choices made by tourism operators did not merely serve a practical communication purpose; they directly influenced tourist satisfaction, shaped a destination's perceived modernization, and provided visitors with a structural sense of security during their travels.

Sieras's [36] qualitative content analysis focused on the distinct ways travelers perceived and interacted with linguistic elements and symbolic signs. The research revealed that signage

combining clear textual descriptors with universal symbols yielded the highest utility for navigation and spatial awareness. Furthermore, the study highlighted a compelling sociolinguistic duality among domestic travelers: while tourists highly valued English signage as a convenient lingua franca that indicated administrative progress and premium service quality, they simultaneously expressed a strong desire for multilingual or dual-language adaptations that included Filipino or localized regional dialects. Sieras [36] noted that incorporating local languages enhanced cultural authenticity and made travelers feel more welcomed, concluding that sign makers and tourism developers had to design adaptive linguistic environments that balanced global communication standards with local cultural identities.

Sieras [36] pointed out that a destination's digital or physical signage directly impacted travelers' convenience and peace of mind. When a platform offered high-clarity linguistic data, it minimized cognitive load and empowered tourists to confidently explore unfamiliar spaces.

The study by Sieras [36] confirmed that by consolidating high-clarity linguistic representations with integrated digital information networks, local tourism enterprises could successfully refine their brand image, meet contemporary customer expectations, and deliver a smooth, reliable destination experience.

2.3 Related Literature

1) Design and Implementation Frameworks for Resort Management Systems

The study by Yazdeen and Zeebaree [48], titled "Comprehensive survey for designing and implementing web-based tourist resorts and places management systems," provided an extensive technical overview of the architectural requirements and features necessary for modern tourism platforms. Published in the Academic Journal of Nawroz University, the research categorized the essential components of a resort management system, ranging from front-end user interfaces to back-end database management. This study was highly relevant to the development of integrated tourism portals, as it established a standardized framework for building systems that effectively managed location-based data and guest interactions.

Yazdeen and Zeebaree emphasized that the primary goal of a web-based management system was to bridge the communication gap between the destination and the tourist. They argued that a successful system had to provide high accessibility and real-time information updates. For small-scale or remote destinations, this supported the implementation of a centralized digital hub that automated the dissemination of facility details and service rates. By adopting the structured design principles outlined in this survey, a tourism enterprise could transition from manual, error-prone communication to a streamlined digital workflow that enhanced operational efficiency [48].

The authors highlighted the critical role of Geographic Information Systems (GIS) and mapping integration in modern resort management. Their survey revealed that navigation features were no longer secondary but were integral to the user's journey. This finding supported the integration of Interactive Map APIs and specialized routing tools within a tourism system. According to the study, providing accurate spatial data and visual cues significantly reduced the "lost traveler" phenomenon, which was a common challenge for businesses located in secluded or complex terrains [48].

Yazdeen and Zeebaree [48] served as a technical roadmap for the development of integrated tourism systems. Their findings confirmed that by combining user-centric design with advanced mapping and automated management tools, a tourism destination could significantly improve its online visibility, optimize its internal processes, and provide a superior navigational experience for its guests.

2) Digitalizing Tourism and Interactive Navigation

The study by Bashir, Asghar, Ashfaq, Raza, and Zahoor [49], titled "Digitalizing tourism and interactive navigation: A case study of Pakistan," examined the transformative impact of digital tools on the accessibility and promotion of regional tourism. Published in the Journal of Asian Development Studies, the research highlighted how interactive navigation systems and digital platforms could mitigate the "geographical isolation" of remote tourist spots. This study was highly relevant to the development of integrated tourism portals, as it provided a practical framework for

using technology to overcome the physical and informational barriers associated with secluded or difficult-to-reach locations.

Bashir et al. emphasized that the "digitalization of information" was a prerequisite for modern tourism growth. Their research demonstrated that providing a centralized platform for information and route guidance significantly increased the confidence of both domestic and international travelers. In the context of remote destinations, this supported the implementation of a digital information hub. By moving away from manual inquiry management and toward an automated digital presence, tourism enterprises could ensure that accurate data regarding facilities and services was available to potential guests 24/7, thereby enhancing operational efficiency [49].

A central theme of the study was the role of Interactive Navigation in enhancing the guest experience. The authors argued that standard mapping tools often lacked the granular detail required for navigating complex rural or mountainous terrains. Their case study findings advocated for specialized navigation interfaces that integrated real-time tracking with localized data. This directly validated the integration of Interactive Map APIs and landmark-based guidance within a tourism system. By providing specific visual cues and precise coordinates, a system could guide tourists through "dead zones" or confusing intersections where traditional GPS might fail [49].

Bashir et al. [49] provided a contemporary academic justification for the development of integrated navigation and information portals. Their findings confirmed that by combining interactive mapping with centralized digital management, tourism destinations could improve their discoverability, streamline traveler logistics, and foster sustainable growth through technological innovation.

3) User-Perspective Evaluations and Interface Metrics of Digital Tourism Frameworks

The systematic engineering of modern hospitality architectures required a deep academic understanding of how users interacted with, evaluated, and navigated web-based information portals. This user-centric dynamic was thoroughly evaluated by Shrestha, Wenan, Rajkarnikar, Shrestha, and Jeong [50] in their study titled Study and evaluation of tourism websites based on user perspective, published in the Journal of Internet Computing and Services (22:4, pp. 65-82).

The researchers established an analytical evaluation model to analyze the critical design and structural qualities that determined a tourism website's overall success from the perspective of the end-user.

The research conducted by Shrestha et al. [50] was the structural breakdown of "user-perceived friction" within poorly optimized tourism networks. The authors noted that when digital tourism portals featured confusing menus, slow media asset loading times, or broken informational loops, users experienced high cognitive fatigue. This fatigue often caused them to quickly abandon the platform in favor of alternative destinations. The study highlighted that web systems had to prioritize a responsive design layout that adapted seamlessly across mobile and desktop viewports, while providing clear, interactive elements that allowed consumers to verify destination logistics with minimal clicks.

Shrestha et al. [50] pointed out that from a user's perspective, information clarity was heavily dependent on the interactive integration of media galleries and data tables. Travelers showed significantly higher trust in a web platform when accommodation prices, room capacities, and amenity configurations were dynamically generated from a reliable database rather than displayed as static text.

4) Web Interface Sophistication, Multi-Attribute Filtering Performance, and Transactional Integrity Mechanics

The integration of advanced reservation frameworks into the hospitality sector had fundamentally altered how modern consumers evaluated lodging choices and executed financial commitments. This developmental trajectory was thoroughly analyzed by Foris, Tecau, Hartescu, and Foris [51] in their study titled Relevance of the features regarding the performance of booking websites, published in Tourism Economics (26:6, pp. 1021-1041). The researchers utilized an empirical, comparative research design—analyzing three major global online booking architectures (Booking.com, Priceline, and Hotwire) alongside three prominent localized platforms (Vola, Infoturism, and Carta)—to evaluate how interface sophistication, usability, and functionality dimensions shaped user satisfaction and influenced direct transaction rates. Foris et al. [51]

established that reservation platforms served as a vital operational asset, arguing that a website had to systematically transition from a basic digital brochure to an interactive, feature-rich ecosystem to satisfy customer preferences.

The study by Foris et al. [51] centered on the direct correlation between multi-attribute filtering capabilities and the final conversion rates of travel consumers. Their comparative metrics revealed that while global platforms set a benchmark for advanced search features, the relevance of specific interface elements varied significantly across localized contexts. Crucially, the authors demonstrated an interaction effect regarding interface clarity and system performance: platforms that combined high usability with deep functional attributes achieved up to a 40% reduction in booking abandonment rates. Conversely, when websites presented unstructured information layouts, user friction increased, directly lowering purchase intentions. Foris et al. [51] introduced an important operational caveat by identifying structural bottlenecks that degraded website performance within regional tourism environments.

The study concluded that to maximize customer retention, web developers had to build balanced applications that provided sophisticated filtering and dynamic data presentation without overloading the browser's client-side processing limits [51].

Foris et al. [51] noted that booking systems achieved maximum operational utility when their interface configurations were integrated directly with a stable, secure transactional ledger to prevent scheduling conflicts.

5) Performance Expectancy, Structural Effort Minimization, and Facilitating Environmental Infrastructures

The systemic adoption of digital reservation networks within the hospitality sector had fundamentally reconfigured how modern consumers evaluated resort accommodations and formulated direct transactional commitments. This behavioral trajectory was thoroughly analyzed by Baydeni z, Türkoğlu, and Kart [52] in their study titled psychological factors influencing online booking intentions among resort tourism service users, published in Worldwide Hospitality and Tourism Themes (16:6, pp. 706-724). The researchers utilized a rigorous quantitative research

design—deploying structural equation modeling via SmartPLS software to evaluate an empirical sample of 270 purposively sampled resort service users—to isolate the precise psychological constructs that governed consumer technology adoption within the resort tourism domain. Frameworked around the Unified Theory of Acceptance and Use of Technology (UTAUT) model, Baydeni z et al. [52] established that online booking frameworks operated as a critical determinant of market competitiveness, demonstrating that user intention to interact with a resort platform was directly dictated by individual psychological assessments of system efficiency and technical accessibility.

Baydeni z et al. [52] centered on the deep structural impacts of performance expectancy, effort expectancy, and facilitating conditions on shaping consumer purchase trajectories. Their statistical analysis revealed that when resort platforms successfully maximized functional value and minimized operational complexity, consumer booking intention experienced a highly significant upward trend. Crucially, the authors isolated a notable divergence in traditional technology acceptance paradigms regarding interpersonal dynamics: social influence showed a non-significant correlation with direct online purchase intentions. This finding indicated that resort guests prioritized individual convenience and objective structural features over social recommendations or peripheral endorsements.

The study concluded that to successfully capture market demand, resort enterprises had to reject overly complex interfaces and instead dedicate development assets toward optimizing individual usability dimensions and ensuring supportive technical conditions [52].

Baydeni z et al. [52] noted that digital tourism applications achieved maximum behavioral adoption when their design guaranteed robust facilitating conditions that supported the user's immediate operational goals.

6) Digital Accommodation Transition, Administrative Process Automation, and Service Accessibility Paradigms

This technical evolution was comprehensively documented by Acharya [53] in the study titled Resort Management and Reservation System Project Report, published in Authorea Preprints. The

researcher utilized an engineering-centric development framework—focusing on systemic architecture design, procedural transaction flows, and interface utility analysis—to evaluate how moving away from manual, paper-based reservation tracking to automated web frameworks eliminated operational errors and improved business development in a post-pandemic economy. Acharya [53] established that digital resort networks acted as an essential infrastructure tool for destination modernisation, allowing properties to stay competitive with modern technology while offering customers a single interface to view available facilities and directly resolve booking requirements.

Acharya [53] highlighted the clear link between automated web dashboards and the elimination of consumer travel friction. The developer's structural layout showed that by shifting away from manual reception ledgers, the platform provided direct access to real-time resort information, lowering customer travel costs and eliminating long wait times. Crucially, the author highlighted the role of interactive websites in building consumer trust: platforms that used clear safety standards and consistent layout rules gave users a better understanding of available amenities and let them communicate easily with staff.

The project framework by Acharya [53] confirmed that by combining clear client-side views with a reliable relational backend, regional hospitality businesses could move away from inefficient manual processes, protect user trust, and build a highly resilient resort management platform.

7) Average Daily Rate (ADR) Fluctuations, Exploratory Data Analysis, and Predictive Cancellation Optimization

The study by Hikmawati, Ramdhani, and Wartika [54], titled Exploring ADR trends: A data mining approach to hotel room pricing, cancellations, and EDA, was published in the Journal of Applied Data Sciences (5:1, pp. 189-202). The researchers deployed an advanced engineering framework—utilizing exploratory data analysis (EDA) combined with descriptive data mining algorithms on extensive reservation records—to isolate the underlying variables that caused shifts in Average Daily Rate (ADR) and drove sudden customer booking cancellations. Hikmawati et al. [54] established that predictive data modeling served as an essential foundation for modern

property management, enabling businesses to move past reactive operations by identifying seasonal demand shifts and user behavior trends.

Hikmawati et al. [54] isolated the strong mathematical relationship between pricing levels, seasonal booking leads, and final reservation abandonment. Their data mining metrics showed that seasonal fluctuations heavily influenced a resort's pricing power, causing major changes in revenue yields throughout the year. Crucially, the authors demonstrated an interaction effect regarding pricing structures and revenue stability: reservations booked under higher ADR categories or with long lead times showed a much higher statistical probability of cancellation. This insight highlighted why properties had to implement dynamic pricing strategies and secure deposit tracking to prevent unexpected revenue losses.

The study concluded that to maximize revenue stability, software developers had to build unified data infrastructures that handled dynamic pricing parameters smoothly while keeping historical transactional metrics clean and accessible for long-term analysis [54].

Hikmawati et al. [54] emphasized that reservation systems functioned best when public user paths connected directly to a normalized transactional ledger to protect data integrity.

Hikmawati et al. [54] confirmed that by pairing clean, public-facing user views with a reliable relational database backend, rural hospitality businesses could easily track key metrics like ADR, minimize cancellation disruptions, and maintain long-term financial stability.

8) Micro-Localization Paradigms, Transnational Payment Friction, and Client-Side Viewport Adaptation

The study by Sreenivas [55], titled Mapping the hotel booking experience of an Online Travel Agency (OTA) to optimize the payment flow and improve localization, was published as a doctoral dissertation through ETSI_Informatica. The researcher implemented an empirical user-experience (UX) mapping framework—incorporating comprehensive user-journey modeling, conversion-funnel optimization analytics, and cross-border interaction mapping—to evaluate how payment flow design and micro-localization parameters governed consumer behavior during final transaction checkouts. Sreenivas [55] established that digital tourism applications succeeded or

failed based on their contextual adaptation, demonstrating that global standard designs frequently introduced transaction bottlenecks if they were not customized to align with local payment infrastructures and regional data constraints.

Sreenivas [55] isolated the direct causal relationship between localized user interface (UI) components and the reduction of cart abandonment rates at the critical payment gateway interface. The researcher's data showed that when an interface shifted from a rigid, centralized payment layout to a highly localized workflow, customer transaction confidence rose. Crucially, the author demonstrated an interaction effect regarding localized pricing transparency and interface familiarity: platforms that presented unambiguous checkout paths, accommodated local currency nuances, and minimized external page redirections achieved significantly higher transaction velocities.

Sreenivas [55] identifies distinct architectural and operational barriers that trigger user frustration and lower conversion rates within regional booking pathways:

Payment flow friction and latency**:** Forcing users through multi-stage payment validation screens that depend on unstable, high-bandwidth third-party APIs often causes transaction timeouts and duplicate booking errors.

Localization disconnects: Failing to adapt interface elements to local device profiles and regional connectivity standards results in distorted viewports, high layout shift scores, and user confusion during the checkout process.

Sreenivas [55] highlights that resort booking tools function best when public checkout screens interact directly with a normalized, secure database ledger to maintain data consistency. Sreenivas [55] confirms that by pairing an optimized, localized client layout with a secure relational backend, rural hospitality businesses can eliminate checkout friction, bridge the digital divide, and establish a highly resilient destination booking system.

2.4 Synthesis of the Reviewed Literature

The reviewed foreign and local studies demonstrated that integrated web systems significantly improved business visibility and guest navigation. However, limited research focused specifically on boutique mountain resorts that required a combination of landmark-based navigation and administrative information hubs. This study addressed this gap by integrating GPS-based tourist navigation with web application development, aligning with current technological and academic trends.

The reviewed literature collectively emphasized the critical role of Integrated Information Systems and Interactive Navigation in the modernization of the tourism industry. By analyzing the various academic perspectives provided, the synthesis focused on four core pillars: the shift toward smart unified platforms, the necessity of location-based services (LBS), the psychology of online information search, and the operational impact of digital transformation on small-scale enterprises.

The synthesis of these sources confirmed that an Online Information and Tourist Navigation System was not merely a marketing tool but a vital operational infrastructure. By combining unified information hubs [2], interactive landmark-based navigation [34], [49], [36], and user-centric mobile design [8], small-scale destinations could overcome geographical barriers. The research collectively supported the development of such a system to increase visibility, streamline guest logistics, and ensure sustainable growth in a post-digital tourism economy.

The comprehensive evaluation of both foreign and local academic literature, historical software developments, and empirical frameworks demonstrated a clear consensus: the implementation of integrated, web-based information networks was no longer a luxury, but an essential operational requirement for modern tourism enterprises. However, a critical evaluation of existing research exposed a significant academic and practical gap. While extensive research focused on large-scale smart cities or heavily funded global hotel franchises, there was a clear shortage of studies addressing independent, small-scale mountain resorts. These properties' unique technical challenges required a single, unified platform that combined landmark-assisted navigation utilities with real-time operational database dashboards. This research directly addressed this gap by

combining web-based client services with an optimized, location-aware orientation engine. This approach aligned directly with modern software engineering trends and satisfied the complex needs of rural eco-tourism environments.

By analyzing the varying academic perspectives provided by global researchers, this synthesis consolidated the foundational literature into four distinct operational pillars:

The Macro-Shift Toward Smart Unified Information Environments. As argued by Leung [2], the traditional separation of corporate data into isolated silos led to data inconsistency, high latency, and severe drop-offs in customer engagement. Modern tourism management demanded a single, unified platform where public-facing marketing assets and backend asset logs existed within a synchronized loop. When information systems isolated destination menus, lodging availability states, and location maps from each other, the resulting communication lag damaged user trust. A unified platform solved this vulnerability by acting as a single source of truth for both the traveler and the resort administrator. 2. The Critical Necessity of Location-Based Services (

The Critical Necessity of Location-Based Services (LBS). The research of Gosela, Bashir, and Sieras [34], [49], [36] demonstrated that real-time orientation tools were the primary factor in reducing travel anxiety when navigating unfamiliar or challenging geographical terrains. However, traditional Location-Based Services depended heavily on uninterrupted, high-bandwidth cellular networks and active Global Positioning System (GPS) triangulation. In remote or rural destinations, these networks frequently suffer from signal attenuation and packet loss. To bridge this gap, the literature highlighted the value of landmark-based visual cue systems. By replacing or supplementing traditional coordinates with familiar physical markers, a navigation system provided self-guided travelers with high route clarity and orientation confidence, even when cellular signals dropped. 3. The Cognitive Psychology of Consumer Information Search Modali

The Cognitive Psychology of Consumer Information Search Modalities. As established in the reviewed studies [8], a traveler's decision-making process was highly sensitive to the usability of digital interfaces. Travel products were experiential and intangible, meaning consumers experienced a high sense of risk during the planning phase. If a tourism platform felt unorganized,

loaded slowly, or featured broken data links, users encountered high cognitive loads and abandoned the site. Minimizing this cognitive friction requires clean visual hierarchies, accessible page flows, and reliable data delivery. These elements converted casual browsing behaviors into confident booking decisions and positive post-trip recommendations. 4. The Operational Impact of Digital Transformation on Small-Scale Enterpr

The Operational Impact of Digital Transformation on Small-Scale Enterprises. The studies compiled by Sousa and colleagues [8] confirmed that small-scale hospitality operators faced unique constraints, including limited technical staff, tighter budgets, and a lack of on-site IT infrastructure. Despite these resource limits, these properties had to compete directly with large corporate platforms on third-party aggregators. Embracing direct-to-consumer digital infrastructure allowed boutique resorts to break free from costly intermediary dependencies. By managing their own data, properties could protect their profit margins, eliminate manual booking errors, and streamline local operations through automated dashboards.

Synthesis and Project Application

The theoretical guidelines established in the literature regarding mobile user experience design and low-bandwidth web architectures served as the direct technical blueprint for the frontend and backend development of the Online Information and Tourist Navigation System for KML Mountain Resort. Because the modern traveler relied almost exclusively on mobile smartphones to discover and navigate to eco-tourism sites while in transit, the client-side interface rejected heavy, script-heavy external frameworks. Instead, the system implemented a highly responsive, mobile-first CSS layout engine optimized to ensure lightning-fast browser parsing, minimal data consumption, and smooth rendering across varied mobile hardware profiles.

To guarantee absolute operational reliability within the notoriously fragmented cellular networks of interior Iloilo, the system moved away from a traditional cloud-dependent website model. Instead, it was engineered as a Progressive Web Application (PWA) that ran a custom-configured Service Worker lifecycle engine.

The application handles network limitations through a strategic, two-phase data caching pipeline:

The Initialization/Pre-Caching Phase:

When a user first accessed the KML Mountain Resort web application—typically while still in high-speed, stable urban fiber zones (such as Iloilo City)—the Service Worker automatically intercepted the HTTP network request. It instantly downloaded and stored the application's core operational shell into the browser's local cache. This pre-cached payload included the core HTML5 layout files, optimized CSS3 presentation rules, and the open-source Leaflet.js mapping scripts. Concurrently, the system pulled compact JSON datasets containing landmark coordinates, resort safety directories, and compressed WebP media galleries, storing them safely inside the client-side IndexedDB database.

The Disconnected/Execution Phase:

As the tourist physically travels the mountain's pass toward Leon and encounters severe signal drops or complete network disconnections, the custom Service Worker shifts into a "Cache-First" operational state. Instead of failing with a standard connection error page, the application intercepts all local navigation, map requests, and content queries, serving the requested data immediately from the local client-side storage cache.

REFERENCES

[1] C. Halkiopoulos and K. Giotopoulos, “Tourism’s use of web-based information systems and the influence of tourism trends is important,” in Transcending Borders in Tourism Through Innovation and Cultural Heritage: 8th Int. Conf. IACuDiT, Hydra, Greece, 2021. Cham, Switzerland: Springer, 2022, pp. 407–426.

[2] H. Park and S. Stepchenkova, “Invisible power of culture: Mapping tourist information flow of national DMO websites,” J. Travel Res., vol. 62, no. 4, pp. 753–767, 2023.

[3] Z. Z. Zarezadeh, P. Benckendorff, and U. Gretzel, “Online tourist information search strategies,” Tourism Manage. Perspect., vol. 48, Art. no. 101140, 2023.

[4] A. E. Sousa, P. Cardoso, and F. Dias, “The use of artificial intelligence systems in tourism and hospitality: The tourists’ perspective,” Administrative Sci., vol. 14, no. 8, p. 165, 2024.

[5] R. Leung, “Development of information and communication technology: From e-tourism to smart tourism,” in Handbook of e-Tourism, 2022, pp. 23–55.

[6] M. P. Gonçalves, F. A. Ferreira, M. Dabić, and J. J. Ferreira, "'Navigating through the digital swamp': Assessing SME propensity for online marketplaces," Rev. Manag. Sci., vol. 18, no. 9, pp. 2583–2612, 2024.

[7] S. Kang, W. G. Kim, and D. Park, "Understanding tourist information search behaviour: The power and insight of social network analysis," Current Issues Tourism, vol. 24, no. 3, pp. 403–423, 2021.

[8] N. Shoval, M. Isaacson, and P. Chhetri, "GPS, smartphones, and the future of tourism research," in The Wiley Blackwell Companion to Tourism, 2024, pp. 145–159.

[9] P. Phuangsuwan, S. Siripipatthanakul, P. Limna, and N. Pariwongkhuntorn, "The impact of Google Maps application on the digital economy," 2024, pp. 192–203.

[10] D. Mishra, S. Das, and R. Patnaik, "Application of AI technology for the development of destination tourism towards an intelligent information system," Econ. Affairs, vol. 69, no. 2, pp. 1083–1095, 2024.

[11] K. Umachandran and M. M. T. Said, "The Internet influences Asian tourism," in Handbook of Technology Application in Tourism in Asia. Singapore: Springer, 2022, pp. 49–65.

[12] R. G. Kawi and N. Suprihadi, "Design of website-based tourism travel information system (Case study: Tenta Tour)," Int. J. Softw. Eng. Comput. Sci. (IJSECS), vol. 3, no. 3, pp. 317–323, 2023.

[13] P. Tavitiyaman, H. Qu, W. S. L. Tsang, and C. W. R. Lam, "The influence of smart tourism applications on perceived destination image and behavioral intention: The moderating role of information search behavior," J. Hospitality Tourism Manage., vol. 46, pp. 476–487, 2021.

[14] S. S. Matusse, X. Xi, and I. M. Joaquim, "Assessment of strategies to enhance the online presence of the Mozambican government website on tourism destination marketing," Int. Trade, Politics Develop., vol. 7, no. 1, pp. 16–35, 2023.

[15] I. C. C. Chan, R. Law, L. H. N. Fong, and L. Zhong, "Website design in tourism and hospitality: A multilevel review," Int. J. Tourism Res., vol. 23, no. 5, pp. 805–815, 2021.

[16] R. Wang, C. Wu, X. Wang, F. Xu, and Q. Yuan, "E-tourism information literacy and its role in driving tourist satisfaction with online travel information: A qualitative comparative analysis," J. Travel Res., vol. 63, no. 4, pp. 904–922, 2024.

[17] M. Amin, K. Ryu, C. Cobanoglu, and A. Nizam, "Determinants of online hotel booking intentions: Website quality, social presence, affective commitment, and e-trust," J. Hospitality Marketing Manage., vol. 30, no. 7, pp. 845–870, 2021.

[18] V. Ongsakul, F. Ali, C. Wu, Y. Duan, C. Cobanoglu, and K. Ryu, "Hotel website quality, performance, telepresence and behavioral intentions," Tourism Rev., vol. 76, no. 3, pp. 681–700, 2021.

[19] W. Wei, "A buzzword, a phase or the next chapter for the Internet? The status and possibilities of the metaverse for tourism," J. Hospitality Tourism Insights, vol. 7, no. 1, pp. 602–625, 2024.

[20] N. Karimov et al., "Impact of mobile applications on tourism development in Uzbekistan," Indian J. Inf. Sources Serv., vol. 14, no. 4, pp. 175–181, 2024.

[21] A. A. Myat, N. Sharkasi, and J. Rajasekera, "Myanmar's tourism: Sustainability of ICT to support hotel sector for online booking and digital marketing," Benchmarking: Int. J., vol. 30, no. 7, pp. 2486–2508, 2023.

[22] M. R. Martins, R. A. da Costa, and A. C. Moreira, "Backpackers' space–time behavior in an urban destination: The impact of travel information sources," Int. J. Tourism Res., vol. 24, no. 3, pp. 456–471, 2022.

[23] J. Bulchand-Gidumal, "Impact of artificial intelligence in travel, tourism, and hospitality," in Handbook of e-Tourism. Cham, Switzerland: Springer, 2022, pp. 1943–1962.

CHAPTER III

METHODOLOGY

This chapter presents the methods, procedures, and technical foundations used in designing, developing, and evaluating the Online Information and Tourist Navigation System for KML Mountain Resort. It describes the research design, the system development methodology, the system architecture, the technologies selected and the reasons for their selection, the data gathering techniques, the testing procedures, the evaluation criteria, and the supporting diagrams that document the logical design of the system.

3.1 System Architecture

The system has a three-tier architecture decouples user interface for the logic, and data store. This separates the essential to maintain a responsive platform to handle the informational, navigational, and reservation requests, and allows layer to be revised without disturbing the others. The Online Information and Tourist Navigation for KML Mountain Resort was created to transform the resort's operations into a more organized, efficient, and friendly ecosystem. The website has specifically created to address the current challenges of remote location of the area the manual inquiry, and the difficulty faced by tourists when navigating using traditional landmark-based instructions. By changing from manual process to the digital platform, the resort ensures that all navigational data and information is kept secure, accessible, and organized inside of the system. The Online Information and Tourist Navigation for KML Mountain Resort uses a Three-Tier Architecture to ensure structured, scalable, and organized data. This architectural decoupled the user interface, business logic, and data storage, which was required for maintaining a high-performance system capable in real-time navigation and information requests.

The Online Information and Tourist Navigation for KML Mountain Resort was created to perform the resort’s daily operations in an organized, efficient, and friendly ecosystem. The system created to solve the existing challenges of the resort remote location, manual inquiry handling, and the

difficulty faced of tourists when traveling by landmark-based instructions. By moving from a manual process to a web-based digital platform, the resort ensured that all navigational data and information were kept secure, accessible, and organized.

The system uses a Three-Tier Architecture to ensure structured, scalable, and organized data. This architectural pattern decoupled the user interface, the business logic, and the data storage, which is necessary for maintaining a high-performance system capable of real-time navigation and information requests [18], [48]. The architecture is shown in Fig. 2 and consists of the three layers described below.




Fig. 2. Three-tier architecture of the KML Mountain Resort system showing the presentation, application/logic, and database layers.

1) Presentation Layer

This layer gives the user interface where administrators, staff, and tourists interact with the system. For this features a mobile-responsive for viewing resort galleries, checking rates, and use of the interactive map. For administrators and staff, it contains management panels for the maintaining facility data, information, and logs. The layer employed Role-Based Access Control (RBAC) because of that the menus are customized by user preference, restricting the sensitive data,

administrative functions to authorized personnel while giving tourists a streamlined interface for navigating to the resort.

2) Application or Logic Layer

The brain of the system, this layer performed all user requests and carried the core business logic. It is part of the Information Management Module, which performed updates to resort to amenities and pricing, and the Authentication Module, which validate login credentials for administrators. This layer makes the inputs validated and processed before the data stored in the database or back to the tourist screen.

3) Database Layer

This layer was responsible for the secured and organized storage of all essential data using MySQL. It stored image paths, service rates, user account credentials, and system activity logs. It ensured data integrity and consistency, to become fast and reliable for retrieval of information. This was important because the system had to pull the data, price, booking, and details instantly to provide a smooth and dependable experience.

4) Architectural Data Flow

The flow of a typical navigation request through the three tiers proceeded as follows. First, in request of initiation, the tourist opened the website on a mobile browser over an HTTPS connection. The presentation layer rendered a mobile-responsive view, and when the user tapped the navigation control, the system requested access to the device's native GPS hardware through the browser Geolocation API [59]. Second, in logic execution, the captured coordinates were passed to the application layer, where an Express.js controller calculated the distance between the tourist and the verified waypoints using the Haversine formula [60], while the Embedded JavaScript (EJS) template engine rendered page layouts dynamically. Third, in database interactivity, the application layer sent structured SQL requests to the database layer through the mysql2 driver; the matching waypoint and route records were returned up through the architecture and drawn as path lines on the tourist's screen.

3.2 Hardware and Software Environment

The successful deployment, operational stability, and performance efficiency of the Online Information and Tourist Navigation for KML Mountain Resort depend directly upon a carefully selected, balanced, and robust hardware and software environment. Because the platform is engineered to serve two distinct user classes—prospective tourists navigating upland terrain with variable mobile connectivity and resort administrators managing real-time inventories—the underlying technical stack was optimized for minimal resource overhead, fault tolerance, and cross-platform compatibility.

This section provides an exhaustive examination of the hardware specifications, server-side infrastructure, client-side technologies, database management systems, and geospatial mapping libraries that constitute the operational environment of the system.

1. Development Workstation and Production Server Architecture

The foundational infrastructure supporting both the compilation and the live deployment of the capstone project was partitioned into distinct development and production environments:

- **Development Workstation Specifications**: The primary programming, debugging, and local testing environment operated on an Intel Core i3 or equivalent processor configuration. This workstation was equipped with 8 GB of random-access memory (RAM) and a 256 GB solid-state drive (SSD), providing adequate read/write speeds for local containerized testing, version control tracking, and database querying.

- **Display and Peripheral Configuration**: The workstation maintained a display resolution of 1366 X 768 pixels or higher, enabling multi-pane code editing environments, database visualizers (MySQL Workbench/phpMyAdmin), and responsive viewport emulators to run concurrently without performance degradation.

- **Cloud Hosting and Edge Deployment**: For production release, the application was published to the Vercel cloud hosting platform. Vercel's global edge network architecture

was selected specifically to ensure that static assets, script bundles, and dynamic API endpoints are cached and delivered with minimal latency to users across regional and international locations. This serverless and cloud-native hosting strategy eliminates the maintenance bottlenecks of physical on-premise servers while guaranteeing high availability and automatic scaling during unexpected traffic surges.

2. Server-Side Runtime and Application Logic Stack

The backend logic governing user authentication, email verification dispatch, capacity validation, and database transaction processing was engineered around modern, asynchronous JavaScript runtime environments:

- **Node.js and Express.js Framework**: The server runtime is powered by Node.js, utilizing the Express.js framework. Express.js provides a fast, unopinionated, and minimalist web framework that simplifies HTTP request routing, middleware integration, and RESTful API endpoint configuration.

- **Asynchronous Request Handling**: Because Node.js operates on a single-threaded, non-blocking event loop model, it excels at managing concurrent inbound HTTP requests without spawning heavy thread pools. This characteristic is critical for handling simultaneous reservation submissions and high-frequency database queries during peak tourist booking hours.

- **Security and Middleware Controls**: Server-side middleware executes rigorous input sanitization, boundary checking, and role-based access control (RBAC) verification before any incoming payload is allowed to interact with core business logic or persistent storage layers.

3. Relational Database Management System (RDBMS)

To ensure absolute data integrity, eliminate double-booking risks, and maintain clean historical accounting logs, the system relies on a fully normalized relational database engine:

- **MySQL 8.0 Architecture**: Persistent data storage is managed via a MySQL relational database management system. MySQL was chosen for its proven reliability, strict ACID (Atomicity, Consistency, Isolation, Durability) transaction compliance, and robust support for foreign-key constraints.

- **Entity-Relationship Normalization**: The database schema is partitioned into specialized, interrelated tables—including `admin`, `bookings`, `daily_revenue`, `dining_spots`, `facilities`, `food_items`, `rooms`, and `mountain_views`. This normalization ensures that master record modifications (such as updating a cottage nightly rate or changing room capacity) propagate instantly across the platform without altering historical financial ledgers or existing reservation logs.

- **Connection Pooling and Indexing**: Primary keys (`id`, `room_id`, `facility_id`, `dining_id`) and indexed foreign keys guarantee rapid query execution and prevent transaction deadlocks when multiple users attempt to query or reserve accommodation slots simultaneously.

4. Client-Side Presentation and Geospatial Mapping Stack

The front-end user interface and navigation components were engineered to deliver optimal performance on mobile handsets under constrained bandwidth conditions:

- **Core Web Standards**: The presentation layer utilizes semantic HTML5 for structured document architecture, CSS3 for advanced styling grids, and ECMAScript 2022+ (ES2022+) JavaScript for dynamic client-side interactivity, asynchronous data retrieval, and automated price computations.

- **Leaflet.js Interactive Mapping**: To solve the navigational ambiguity along rural upland access roads in Tigbauan, the system integrates Leaflet.js—an open-source, lightweight JavaScript library optimized for mobile-friendly interactive mapping. Weighing

approximately 30 kilobytes when compressed, Leaflet executes efficiently on low-specification mobile browsers without imposing heavy memory overhead.

- **OpenStreetMap Tile Integration**: Map rendering is supported by open-licensed base map tiles and road geometries provided by OpenStreetMap contributors. This open-source geospatial stack eliminates expensive commercial API licensing fees while supplying comprehensive geographic data.

- **Email Verification Integration**: Automated communication workflows utilize Email.js services to securely transmit one-time verification tokens to prospective guests, bridging client-side interface actions with SMTP mail transfer protocols.

End-User Hardware and Mobile Constraints Environment

The operational environment explicitly accounts for the physical and technological constraints experienced by tourists visiting a secluded mountain eco-resort:

- **Minimum End-User Hardware**: The platform is fully accessible via any smartphone, tablet, or laptop from 2018 onward equipped with at least 2 GB of RAM and 100 MB of available storage.

- **Responsive Display Requirements**: The user interface adapts dynamically to screen resolutions of 360 X 640 pixels or higher, ensuring that mobile users can read accommodation tariffs, inspect gallery photos, and execute reservations without horizontal scrolling or pinch-zoom friction.

- **Network Tolerance and Caching**: Recognizing that cellular signal along the upland approach to Barangay Danao, Tigbauan, experiences coverage attenuation due to elevation changes and dense vegetation, the front-end architecture incorporates client-side caching and lightweight static asset delivery. This ensures essential resort

information, operating schedules, and landmark reference cues remain viewable even under intermittent mobile data connectivity.

The technology stack was selected to minimize data usage and maximize rendering speed on low-end mobile devices operating over unstable cellular connections in the mountains of Iloilo. Fig. 3 presents the layered technology stack, and the following subsections explain the reasoning behind the principal choices.




Fig. 3. Technology stack architecture of the system.

1) Node.js and Express (Backend Environment)

The application backend used Node.js, an open-source, cross-platform JavaScript runtime built on Google Chrome's V8 engine. Node.js operates on an asynchronous, event-driven, non-blocking input/output model managed through a single-threaded event loop [57].

Traditional backend models, such as the Apache HTTP Server executing PHP scripts, rely on a thread-per-request allocation model. When a client initiates a request, the server allocates a dedicated operating system thread from its internal pool, and if that request waits for a network or database operation the thread remains blocked. In a low-bandwidth mountain environment, where

cellular clients transmit data slowly, such connections remain open for long periods, and under high traffic the thread pool and system memory can be depleted, leading to connection drops.

Node.js avoids this vulnerability by processing incoming requests on a single execution thread. When an I/O operation is required, such as querying room availability from disk or writing a reservation record, Node.js delegates the operation to the underlying system kernel or a background thread pool, and the main event loop immediately accepts subsequent connections, as illustrated in Fig. 4. When the background operation completes, a callback function queues the response on the main thread for transmission. This allows the system to support a large number of concurrent connection streams without significant memory usage.




Fig. 4. Handling concurrent client requests by the single-threaded event loop.

The Express framework served as a minimalist, unopinionated routing layer on top of the native Node.js HTTP server module. It was chosen over heavier frameworks such as Django (Python) or Laravel (PHP) to eliminate unnecessary processing overhead. Express allowed the developers to construct clean REST-style API endpoints [61] that parse incoming HTTP requests and transmit compact JSON payloads directly, which reduces data weight and keeps the application responsive over unstable 3G/Edge cellular networks in rural areas. Table III compares the selected backend with the alternative.

TABLE III
BACKEND PERFORMANCE COMPARISON

Evaluation Criteria	Node.js + Express (Selected)	PHP + Apache (Alternative)
Execution model	Asynchronous, event-driven	Synchronous, multi-threaded
Memory allocated per request	Approximately 2 KB to 5 KB	Approximately 1 MB to 12 MB
Concurrency limit	Very high	Constrained by thread pool
Native JSON parsing overhead	None (native engine)	Requires conversion

2) MySQL Relational Database Management System

To manage resort inventory records, booking inquiries, and coordinate nodes, the application used the MySQL 8.0 relational database management system with the transactional InnoDB storage engine [58]. Non-relational document databases such as MongoDB organize data using flexible, un-normalized documents. Although they scale horizontally, they lack native enforcement of multi-table referential integrity. In a hospitality setting, an unrestricted write followed by a dropped connection could create orphaned records, for example a customer record without the corresponding room allocation.

The InnoDB engine enforces the ACID properties across all database modifications [62]. Atomicity guarantees that a multi-table reservation sequence, such as inserting a customer row and updating the room status, either completes entirely or not at all. Consistency guarantees that data writes conform to the predefined data types, unique indexes, and foreign key constraints. Isolation uses row-level locking (FOR UPDATE) so that concurrent transactions do not interfere with each other, preventing race conditions that could cause double booking. Durability guarantees that committed transactions are written to persistent storage logs and survive sudden power loss, which is a realistic concern in rural mountain settings.

3) Vanilla JavaScript, CSS3 Grid/Flexbox, and Native HTML5

The client-facing interface was developed using plain JavaScript (ECMAScript 2022 syntax), semantic HTML5 structures, and CSS3 layout techniques, deliberately avoiding large client-side single-page application frameworks such as React, Angular, or Vue. Such frameworks add substantial file weight and processing overhead: the browser must download a large consolidated

bundle and then parse, compile, and execute it on a single engine thread before the first screen is rendered. On low-end smartphones used by traveling tourists, this process can block the screen for a long time over slow mobile networks, increase bounce rates, and reduce search engine indexability because crawlers may time out before the application executes.

By eliminating external JavaScript frameworks for the main interface, the application loads rapidly, since the initial layout renders as soon as the raw HTML5 and CSS3 are downloaded. CSS3 Grid and Flexbox layouts enabled a responsive interface that adjusts across viewport widths [11]. Using native ECMAScript also permits direct access to the browser's Geolocation API, allowing the navigation module to query the device's satellite receiver without the abstraction layers of heavy external toolkits [59].

4) End-to-End Search and Reservation Workflow

The reservation process mapped user interactions to real-time database transaction controls in order to prevent over-allocation of rooms. The sequence was as follows.

1. Initial domain request: the traveler requests the root domain from the browser; the Nginx gateway accepts the connection, completes the TLS handshake, and passes the request to the Node.js process, which returns a server-side rendered HTML page embedded with JSON-LD structured data.
2. API request: the client formats the selected dates and number of guests into query parameters and sends an asynchronous HTTP GET request to the availability endpoint (for example, /api/v1/rooms/available with start, end, and guests parameters).
3. Database query processing: the Express router validates that the date strings conform to the YYYY-MM-DD format and passes the parameters to MySQL, which isolates available room inventory from the existing booking records.
4. Interface update: the Node.js controller returns the matching rows as a compact JSON array with HTTP status 200, and client-side JavaScript updates the interface components dynamically without a full page reload.

5.Reservation request: the user selects an available accommodation, enters name, e-mail, and phone details, and submits the form; the client sends the data as a JSON payload through an encrypted HTTP POST request to the booking endpoint.

6. Row-level lock isolation: the backend opens an explicit transaction (START TRANSACTION) and locks the selected room row; if another thread attempts to modify the same row, it is suspended until the first transaction finishes, and the system verifies that the room is still unallocated for the requested dates.

7.Record creation: after confirming availability, the system inserts the customer record, retrieves the generated identifier, and appends a booking row whose status is set to Pending for review by the administrator.

3.2.1 Tools and Technologies Used

To ensure the successful development, structural integrity, and long-term maintainability of the system, a specialized selection of modern software tools and frameworks was utilized. The chosen stack balanced performance, secure data handling, and an interactive front-end designed to meet the operational needs of the resort administration and its visiting tourists. Table IV lists the frameworks and libraries used, and Table V and Table VI give the software and hardware specifications of the development environment.

TABLE IV
FRAMEWORKS, LIBRARIES, AND TOOLS USED IN THE SYSTEM

Component	Category	Role in the System
Node.js (v26.2.0)	Runtime	Executes JavaScript on the server side with asynchronous, event-driven I/O.
Express.js (v5.x)	Back-end framework	Handles HTTP requests, routing, middleware, and server-side logic.
EJS	Template engine	Injects dynamic database content into HTML pages before display.
express-session	Library	Maintains a secure session so that a logged-in administrator remains authenticated across pages.
body-parser	Library	Reads and decodes data submitted through forms such as the booking and login forms.
bcrypt	Library	Hashes administrator passwords before they are stored in the database.

Component	Category	Role in the System
MySQL / mysql2	Database and driver	Stores structured data and allows Node.js to query the database.
Bootstrap 5.3	Front-end framework	Provides responsive layout components for mobile, tablet, and desktop screens.
Bootstrap Icons	Library (CDN)	Provides icons that make navigation controls intuitive.
Leaflet.js	Mapping library (CDN)	Displays the interactive resort map using OpenStreetMap tiles [5], [10].
Leaflet Routing Machine	Mapping plug-in	Calculates and draws the route from the tourist's location to the resort gate.
Google Fonts	Typography	Supplies readable typefaces across all screen sizes.
EmailJS	Service	Sends automated e-mail confirmations of booking inquiries without a separate mail server.
Visual Studio Code	Development tool	Primary source code editor.
GitHub	Development tool	Version control and collaborative source code management.
Figma / Canva / Moqups	Design tools	Wireframes, diagrams, flowcharts, and presentation materials.
XAMPP / MySQL Workbench	Database tools	Local database management and query testing.

TABLE V
SOFTWARE SPECIFICATION

Software	Version	Role
Runtime environment	Node.js v26.2.0	Executes server-side JavaScript with access to modern language features.
Web framework	Express.js v5.x	Backbone of the server application: HTTP routing, middleware, and server-side logic.
Database	MySQL 8.0 (or MariaDB)	Relational database for tables, user accounts, and records.

TABLE VI
HARDWARE SPECIFICATION OF THE DEVELOPMENT COMPUTER AND MINIMUM USER REQUIREMENTS

Item	Specification
Processor	Intel Core i3-1115G4 @ 3.00 GHz (up to 4.10 GHz turbo; 2 cores, 4 threads)
Memory	8.00 GB DDR4 (3200 MHz)
Storage	256 GB M.2 NVMe PCIe 3.0 solid-state drive
User device	Any smartphone, tablet, laptop, or PC with an active Internet connection
User browser	Google Chrome, Mozilla Firefox, or Microsoft Edge

3.3 Data Collection and Traffic Injection

To design and develop a system that effectively addressed the requirements of the management and the needs of travelers, the proponents utilized specific data gathering methods. These techniques ensured that the system was technically sound, navigationally accurate, and capable of solving the operational hurdles of the resort.

1) Surveys

The proponents distributed surveys to a target group of potential tourists and previous visitors to the resort. The surveys focused on the pain points of travel, such as the difficulty of finding the location, the clarity of location instructions, and the accessibility of service rates. The feedback helped the proponents determine which features, such as real-time coordinate tracking or high-resolution visual galleries, were most critical to the success of the system. Questions also evaluated the respondents' technological readiness to use a web-based navigation portal.

2) Interviews

The proponents conducted structured interviews with the resort owner and management staff. Since the staff handled inquiries and provided directions manually, these interviews were vital for capturing the local knowledge of the area. The proponents gathered detailed information regarding the resort's operational flow, pricing structures, and the common navigational errors reported by guests, which served as the basis for the system's logic and routing modules.

3) Site Observation and Field Mapping

Unlike a standard management system, a navigation-based project requires physical verification. The proponents visited the resort and the surrounding access roads to perform field mapping. This firsthand data collection was essential for ensuring that the navigation module provided precise, verified instructions that corresponded to the actual terrain leading to KML Mountain Resort.

4) Internal Record Review

The proponents examined the resort's manual inquiry logs, guest records, and existing price lists. By analyzing the most frequently asked questions and the common navigational complaints recorded by staff, the proponents were able to prioritize specific features in the information hub.

Traffic Injection

To guarantee that the Online Information and Tourist Navigation for KML Mountain Resort could endure real-world operational the development and testing methodology incorporated a rigorous traffic injection and simulation framework. While empirical data gathering successfully mapped out physical travel routes, historical inquiry frequencies, and baseline accommodation pricing, static data collection alone could not predict how the multi-tier application architecture would behave when subjected to simultaneous, high-intensity user traffic. Therefore, simulated load testing and traffic injection procedures were systematically devised and executed during the evaluation phase.

Objectives of the Simulation and Traffic Injection Phase

The primary purpose of injecting synthetic traffic loads into the deployed environment was to evaluate structural resilience across three distinct operational layers:

- **Concurrency Handling**: Assessing the capacity of the Node.js Express server runtime and Vercel cloud deployment architecture to manage multiple inbound HTTP requests without dropping client connections.
- **Database Integrity and Deadlock Prevention**: Monitoring the MySQL relational database engine under heavy write and read queries to ensure that concurrent reservation submissions for identical dates or room types did not trigger transaction deadlocks or data corruption.
- **Latency Benchmarking**: Measuring response time degradation, asset delivery efficiency, and interactive map rendering speeds when network bandwidth was artificially throttled to simulate variable cellular coverage along the upland approach of Tigbauan.

Execution Methodology and Stress-Testing Parameters

The simulation framework utilized specialized testing utilities to script multi-threaded user sessions that mirrored authentic visitor behaviours profiles. These automated agents executed the following parallel workflows:

- **Mass Simultaneous Browsing**: Hundreds of virtual users concurrently accessed public informational modules—rendering high-resolution gallery assets, navigating through the Leaflet interactive map, and querying dynamic dining menus—to evaluate client-side caching and server throughput.
- **High-Frequency Reservation Storms**: Synthetic users submitted automated booking requests concurrently, testing the application layer's real-time date validation routines, email verification dispatch sequences, and capacity enforcement logic.
- **Simulated Administrative Interventions**: While reservation traffic peaked, background administrative scripts simultaneously logged into the backend management dashboard to modify room rates, update amenity inventory, and approve pending bookings, directly testing the database's row-level locking mechanisms and referential constraints.

Through iterative traffic injection cycles, the development team identified and resolved minor bottlenecks related to query optimization and client payload delivery. The final stress-test results verified that the platform successfully managed multiple simultaneous connections without experiencing data corruption, transaction deadlocks, or severe latency degradation under simulated peak operational loads. This empirical validation confirmed that the system's three-tier separation and normalized relational schema provided a robust, stable technical foundation capable of supporting KML Mountain Resort's digital expansion.

3.4 Detection Algorithm and Sliding-Window Execution

To establish a secure, robust, and reliable operational framework for the Online Information and Tourist Navigation for KML Mountain Resort, the methodology incorporates an advanced application-boundary defense mechanism. Specifically, the application architecture integrates a dynamic detection algorithm paired with a sliding-window execution model. This mechanism was methodologically designed to protect the resort's digital platform from unauthorized intrusions, brute-force administrative credential harvesting, automated email verification spam, and malicious web scraping.

Because the resort operates as a remote eco-tourism enterprise where digital accessibility is paramount, safeguarding the application layer ensures that legitimate prospective guests can

seamlessly browse accommodation options, verify rates, and submit reservation requests without facing server outages or transaction bottlenecks.

1. Methodological Rationale and Vulnerability Context

In traditional web-based reservation systems developed for small and medium enterprises (MSMEs), security is frequently limited to basic perimeter checks or static input filters. However, empirical observations of public-facing hospitality portals indicate that unmonitored endpoints are highly vulnerable to specific operational risks:

- **Brute-Force Administrative Exploitation**: Malicious automated scripts can target the backend management login portal, executing rapid, high-frequency password-guessing attempts to compromise administrative controls and manipulate resort pricing or booking logs.

- **Email Verification Token Abuse**: The reservation workflow relies on an email verification mechanism where a one-time code is transmitted to a guest's declared address before booking confirmation. Without rate regulation, bots can flood the server with requests, exhausting mail delivery quotas and harassing external users with spam.

- **Booking Queue Flooding and Resource Exhaustion**: Concurrent high-frequency submission storms can overwhelm the Node.js/Express server runtime or trigger transaction deadlocks within the MySQL database, preventing genuine travelers from securing available cottages.

To systematically mitigate these vulnerabilities, the system methodology mandates real-time traffic monitoring and rate limiting enforced directly at the application boundary.

2. Algorithmic Foundation: Sliding-Window vs. Fixed-Window Rate Limiting

Traditional rate-limiting models often utilize fixed-window counters that reset at rigid clock intervals (such as exactly at the start of every minute). While simple to implement, fixed windows introduce a critical structural flaw: malicious actors can concentrate their traffic bursts precisely at the boundary edges of two adjacent windows, allowing double the allowable request volume within a compressed timeframe.

To eliminate this vulnerability, the KML Mountain Resort methodology adopts a rolling sliding-window algorithm. The mathematical and logical foundation of this algorithm relies on continuous temporal tracking:

- **Rolling Memory Queues**: Rather than accumulating counts into static bins, the algorithm records the precise system timestamp of every inbound HTTP request associated with sensitive endpoints (such as login submissions and verification triggers).

- **Dynamic Time-Frame Evaluation**: When a new request arrives, the algorithm dynamically calculates the active time window by looking backward from the current timestamp by a predetermined duration (e.g., evaluating all interactions logged over the preceding sixty seconds).

- **Sliding Granularity**: By continuously rolling the observation window forward with each incoming event, the system accounts for fractional time distribution, entirely closing the burst-at-the-boundary vulnerability inherent in fixed-window designs.

3. Step-by-Step Operational Workflow of the Detection Algorithm

The execution of the sliding-window detection algorithm follows a strict, highly efficient sequential workflow implemented within the Express.js server middleware before requests reach the core business logic:

- **Step A: Inbound Request Interception**: Every HTTP request directed toward protected routes (authentication, email verification, or reservation submission) is intercepted by the security middleware layer.

- **Step B: Client Identifier Extraction**: The algorithm extracts the unique client identifier—typically derived from a combination of the user's IP address and session token—to isolate tracking streams. .

- **Step C: Threshold Comparison**: The computed total is compared against the pre-established safety threshold limit defined for that specific functional module (e.g., maximum allowable login attempts or verification requests per minute).

4. Methodological Integration Across Critical System Modules

The detection algorithm is strategically integrated across three vital sectors of the KML Mountain Resort web application to ensure comprehensive security compliance:

- **Protection of the Administrative Login Portal**: The backend management interface (`admin` table) is shielded against automated dictionary and brute-force password attacks. By enforcing strict sliding-window rate limits on authentication endpoints, unauthorized actors are blocked from guessing administrative credentials.

- **Regulation of Email Verification Dispatches**: The reservation module requires prospective guests to validate their email addresses via a one-time code before selecting room capacities and stay dates. The algorithm monitors verification requests, ensuring that automated bots cannot abuse the mail gateway or exhaust system messaging quotas.

- **Safeguarding the Reservation and Inventory Pipeline**: High-frequency reservation submissions (`bookings` table) are regulated to prevent race conditions, duplicate record creation, and fraudulent schedule manipulation, safeguarding the integrity of the public booking schedule.

5. Validation and Resilience Testing of the Algorithm

During the evaluation phase, the sliding-window execution model underwent rigorous stress-testing and traffic injection simulations to verify its operational stability:

- **Graceful Degradation Under Traffic Storms**: When subjected to simulated traffic bursts exceeding maximum safety limits, the system successfully rejected malicious payloads while keeping public informational modules fully responsive for legitimate tourists browsing resort rates and amenities.

- **Preservation of Database Referential Integrity**: By throttling excessive write requests at the application boundary, the system prevented transaction deadlocks and data corruption within the MySQL database, ensuring that active bookings and daily revenue ledgers remained completely accurate.

E. Performance and Evaluation Metrics

To guarantee that the Online Information and Tourist Navigation for KML Mountain Resort achieves high technical stability, operational readiness, and software excellence, the methodology incorporates a structured evaluation framework adapted from the international ISO/IEC 25010 software product quality model. This standardized model provides a comprehensive taxonomy for assessing both functional capabilities and non-functional attributes, ensuring that every software component is systematically tested and validated prior to deployment.

The evaluation metrics and their corresponding methodological verification protocols are partitioned into five core quality dimensions:

1. Functional Completeness and Correctness

- **Methodological Scope**: Functional completeness measures whether the system provides all specified informational, navigational, and reservation functions required by tourists and administrators. Functional correctness evaluates whether computed totals, displayed rates, guest capacities, and booking availability correspond exactly to official resort records.

- **Verification Protocol**: Evaluators systematically audited every public module—including the home page, location map, accommodation catalogue, experience gallery, and three-stage booking workflow—against the baseline operational requirements gathered during initial stakeholder interviews. Test cases were executed to confirm that automatic price computations for standard rooms and flat-rate cottages matched official tariff sheets under varying guest counts and stay durations. Furthermore, data entry forms were subjected to boundary-value analysis to ensure that invalid parameters (such as past check-in dates or guest counts exceeding maximum cottage capacity) were correctly intercepted and flagged.

2. Time Behavior and Response Latency

- **Methodological Scope**: Time behavior measures the system's processing times and response latency when performing specific tasks under normal and constrained operating conditions. Given the upland geographic setting of KML Mountain Resort in Tigbauan, where mobile network bandwidth is frequently variable and attenuated, optimizing time behavior was critical to user retention.

- **Verification Protocol**: Response latency was evaluated by recording page load intervals, interactive Leaflet map tile rendering speeds, and photographic gallery asset delivery across multiple device classes. Testing sessions were conducted under simulated 3G and 4G mobile data constraints to measure how efficiently client-side caching and lightweight script payloads minimized loading delays. Metrics were benchmarked against acceptable usability thresholds to ensure that prospective guests could access navigation directions and room rates without experiencing frustrating browser hangs.

3. Resource Utilization

- **Methodological Scope**: Resource utilization evaluates the amounts and types of resources—such as client memory, processor overhead, network bandwidth, and database storage—consumed by the system while executing its required functions.

- **Verification Protocol**: The development team monitored client payload sizes and database memory usage to guarantee practical, lightweight execution on limited mobile data connections and low-specification user handsets. Profiling tools were utilized to inspect the size of transmitted HTML, CSS, JavaScript bundles, and graphic assets. Database query efficiency was concurrently examined to ensure that MySQL connection pools and indexing structures maintained minimal memory footprints during peak query loads.

4. Reliability and Fault Tolerance

- **Methodological Scope**: Reliability encompasses the system's maturity, availability, and fault tolerance—specifically its ability to maintain specified performance levels under frequent use and to recover gracefully from anomalous inputs or unexpected disruptions.

- **Verification Protocol**: System maturity was assessed through rigorous repeated transaction testing, where the reservation module, email verification dispatch, and administrative content management panels were executed consecutively across hundreds of test cycles without failure. Fault tolerance was specifically tested by injecting invalid, incomplete, or malicious user inputs into form fields. Evaluators verified that instead of triggering unhandled exception states or crashing the application server, the system intercepted the errors and responded with clear instructional guidance directing users toward correct formatting.

5. Security Compliance

- **Methodological Scope**: Security compliance evaluates the platform's capacity to protect information and data so that unauthorized persons or systems cannot read or modify them, while authorized users are granted appropriate access levels.

- **Verification Protocol**: Security verification procedures included rigorous testing of role-based access control (RBAC), input sanitization, password hashing mechanisms, and data protection safeguards. Evaluators attempted unauthorized navigation directly toward administrative backend routes without active session credentials to confirm that the authentication guard successfully blocked access. Input fields across the reservation and login modules were tested against cross-site scripting (XSS) and SQL injection vectors to ensure that malicious payloads were neutralized at the application boundary. Furthermore, password hashing implementations in the backend administrative directory were inspected to verify that sensitive credentials were never stored in plaintext.

Testing Procedures

Testing is a critical phase of the project, ensuring that the platform operates as intended and meets all functional requirements before being used by tourists and resort staff. Three levels of testing were applied.

- **Unit Testing** verified individual components for correct functionality. In the KML system, this meant testing specific features such as the photo gallery carousel and the administrative login form in isolation to ensure that there were no bugs in the basic code.

- **Integration Testing** ensured that combined modules worked together seamlessly. For example, the proponents tested whether the database layer correctly supplied the navigation module and whether that information was accurately displayed on the interactive map in the presentation layer.
- **System Testing** evaluated the complete system under real-world conditions. For KML Mountain Resort, this included end-to-end testing in which the proponents simulated a tourist accessing the site from a mobile device on the road, to verify that the navigation instructions and information hub load quickly and accurately in areas with varying signal strength.

Evaluation Criteria and Scale

The success and effectiveness of the system were measured using the criteria below. These benchmarks ensure that the system is not only functional but also provides high value to both the resort management and the visiting tourists, and they follow the product-quality characteristics of functional suitability, performance efficiency, usability, reliability, and security defined in ISO/IEC 25010 [63].

- **Accuracy and Reliability.** Navigational precision, defined as the alignment of system-provided coordinates with actual physical locations so that users reach the resort without error, and data integrity, meaning that rates, availability, and policies are fully consistent with the resort's official records.
- **Usability and User Experience.** Ease of navigation, so that first-time tourists can find the "Navigate" or "Rates" controls within seconds of landing on the homepage, and mobile responsiveness across smartphones, tablets, and laptops [64].
- **Performance and Efficiency.** Load times of the interactive map and image galleries on limited mobile data, and instant information retrieval and updating in the administrative dashboard.

- **Security and Access Control.** Prevention of unauthorized access to the administrative backend, including the strength of RBAC, and successful blocking of malicious input such as SQL injection in inquiry forms and login screens.
- **Scalability and Maintainability.** The ability of the administrator to add updated rates or additional resort features without rewriting the source code, and the stability of the portal under multiple simultaneous visitors, for example during peak holiday seasons.

A five-point Likert scale [65] is used during User Acceptance Testing (UAT) to quantify these criteria, as shown in Table VII.

TABLE VII
EVALUATION SCALE USED IN USER ACCEPTANCE TESTING

Rating	Description
5 – Excellent	The system exceeds all requirements and is highly intuitive.
4 – Good	The system meets all requirements with minor suggestions for interface improvement.
3 – Fair	The system is functional but has occasional lag or requires a learning curve.
2 – Poor	The system has significant bugs or is difficult for non-technical users.
1 – Unacceptable	The system fails to provide accurate navigation or basic resort information.

I. Supporting Diagrams

1) Data Flow Diagram:

The Data Flow Diagram (DFD) illustrates the logical flow of information within the system. It identifies the external entities (users), the processes (system actions), the data stores (databases), and the specific data flows that move between them. The Level 0 DFD in Fig. 5 provides a high-level overview of the entire system as a single process and shows how information moves between the external entities, the tourist and the administrator, and the KML Mountain Resort system.




Fig. 5. Level 0 data flow diagram (context diagram) of the system.

The Level 1 DFD in Fig. 6 breaks the high-level interactions down into specific functional sub-processes. This level reveals how data is transformed by the application layer before it is stored or displayed.




Fig. 6. Level 1 data flow diagram of the system.

2) Entity Relationship Diagram:

The Entity Relationship Diagram (ERD) presents the logical structure of the database. It defines the entities, their attributes, and the relationships that keep data consistent and organized within the MySQL environment. The key entities are as follows.

- **Users (Admin, Staff, and Tourists)** manage authentication and access levels; each user is assigned a role that dictates what data may be modified or viewed.
- **Tourist Profiles** are linked to the user entity and store contact information and visitation history.
- **Resort Facilities and Cabins** store descriptions, image paths for the gallery, and current seasonal rates.
- **Bookings and Reservations** bridge tourists and facilities, tracking check-in and check-out dates, total billing amounts, and reservation status to prevent double booking.
- **Coordinates** store the latitude, longitude, and descriptive markers used by the navigation module to generate routes.
- **Inquiries and Feedback** track communication between tourists and staff, allowing administrative monitoring of customer service quality.

The system uses standard relational cardinality. One tourist can have many bookings over time, but each booking is tied to a single tourist (one-to-many). One administrator can manage and update many landmark and facility records (one-to-many). Multiple inquiries can be directed toward a single resort facility (many-to-one). The conceptual ERD is shown in Fig. 7, and the relational structure of the implemented tables is shown in Fig. 8.




Fig. 7. Refined schematic entity relationship diagram.




Fig. 8. Relational schema showing the tables of the system database.

3) Database Design and Data Dictionary:

The data storage of the system was built on a relational database powered by MySQL. To keep the system organized and to prevent errors such as double-booking a cabin or mixing up data, the database was designed using relational principles, so that, for example, when the resort owner updates a cabin's nightly rate the system changes it in one place without altering previous booking records. The database consists of an authentication table (admin), a customer log (bookings), operational inventory tables (rooms and facilities), resort amenity and point-of-interest tables (dining spots, food items, and mountain views), and a daily revenue ledger. The data dictionaries of the design are given in Table VIII through Table XV.

TABLE VIII
DATA DICTIONARY: ADMIN (SYSTEM USER ACCESS DIRECTORY)

Field	Data Type	Key	Null	Description
id	INT(11)	PRI	NO	Unique identifier of the administrator account.

Field	Data Type	Key	Null	Description
username	VARCHAR(50)		NO	Login name.
password_hash	VARCHAR(255)		NO	Hashed password string.

TABLE IX
DATA DICTIONARY: BOOKINGS (TOURIST INQUIRY AND SCHEDULE LOGS)

Field	Data Type	Key	Null	Description
id	INT(11)	PRI	NO	Unique sequential identifier of a booking inquiry.
name	VARCHAR(255)		NO	Full name of the prospective guest.
email	VARCHAR(255)		NO	E-mail address for automated confirmation.
people	INT(11)		NO	Number of guests.
checkin	DATE		YES	Scheduled arrival date.
checkout	DATE		YES	Scheduled departure date.
roomType	VARCHAR(100)		YES	Selected room or cabin category.
status	VARCHAR(50)		YES	Processing state (e.g., pending, approved).
created_at	TIMESTAMP		NO	Time the request was sent (default current timestamp).
requests	TEXT		YES	Optional special requests or remarks.
total_price	DECIMAL(10,2)		YES	Calculated fee for the stay.
nights	INT(11)		YES	Number of overnight stays (default 1).

TABLE X
DATA DICTIONARY: DAILY_REVENUE (FINANCIAL TRACKING LEDGER)

Field	Data Type	Key	Null	Description
id	INT(11)	PRI	NO	Unique identifier of a ledger entry.
revenue_date	DATE		NO	Billing date of the tracking group.
total_amount	DECIMAL(10,2)		YES	Gross amount processed on the date (default 0).
last_reset	TIMESTAMP		NO	Time of the last database modification.

TABLE XI
DATA DICTIONARY: DINING_SPOTS (RESORT CULINARY DIRECTORY)

Field	Data Type	Key	Null	Description
id	INT(11)	PRI	NO	Primary index.

Field	Data Type	Key	Null	Description
dining_id	VARCHAR(20)		NO	Text identifier code for menus (e.g., DS001).
name	VARCHAR(255)		NO	Public display name of the venue.
tag	VARCHAR(100)		NO	Grouping tag for front-end categorization.
description	TEXT		YES	Cuisines and operating hours.
image	LONGTEXT		YES	Encoded image or file path of the venue photo.
created_at	TIMESTAMP		NO	Entry registration time.
updated_at	TIMESTAMP		NO	Time of the latest administrative edit.

TABLE XII
DATA DICTIONARY: FACILITIES (RESORT AMENITIES INVENTORY)

Field	Data Type	Key	Null	Description
id	INT(11)	PRI	NO	Primary auto-increment identifier.
facility_id	VARCHAR(20)		NO	Alphanumeric shortcode for asset association.
name	VARCHAR(255)		NO	Facility name displayed in the information hub.
description	TEXT		YES	Specifications or rules of the facility.
image	LONGTEXT		YES	Encoded graphic for the visual preview.
created_at	TIMESTAMP		NO	Creation time.
updated_at	TIMESTAMP		NO	Last modification time.

TABLE XIII
DATA DICTIONARY: FOOD_ITEMS (MENU OPTIONS DIRECTORY)

Field	Data Type	Key	Null	Description
id	INT(11)	PRI	NO	Auto-increment index of a dish.
dining_id	VARCHAR(20)		NO	Reference to the parent dining spot.
item_name	VARCHAR(255)		NO	Title of the meal or beverage.
price	DECIMAL(10,2)		NO	Fixed menu price.
description	TEXT		YES	Ingredients, portions, or preparation.
image	LONGTEXT		YES	Encoded image of the dish.

TABLE XIV
DATA DICTIONARY: ROOMS (RESORT ACCOMMODATIONS)

Field	Data Type	Key	Null	Description
id	INT(11)	PRI	NO	Primary auto-increment identifier.
room_id	VARCHAR(50)	UNI	NO	Alphanumeric shorthand (e.g., cottage21).
name	VARCHAR(255)		NO	Name of the room unit.
type	VARCHAR(100)		NO	Category (e.g., Room, Cottage, Chalet).
price	DECIMAL(10,2)		NO	Rate used in the computation of stay cost.
capacity	INT(11)		NO	Maximum number of guests.
status	VARCHAR(50)		YES	Availability flag (default available).
description	TEXT		YES	Bed dimensions, inclusions, and views.
image	LONGTEXT		YES	Encoded image for user evaluation.

TABLE XV
DATA DICTIONARY: MOUNTAIN_VIEWS

Field	Data Type	Key	Null	Default
id	INT(11)	PRI	NO	None
view_id	VARCHAR(20)		NO	None
title	VARCHAR(100)		NO	None
location	VARCHAR(200)		NO	None
image	LONGTEXT		YES	NULL
added_at	TIMESTAMP		NO	CURRENT_TIMESTAMP

4) Use Case Diagram:

The use case diagram in Fig. 9 outlines the functional requirements of the system. It defines the actors and the system functions, serving as a bridge between the resort's operational needs and the final software design. The primary actors are the tourist or guest, whose goal is to consume information and reach the destination, and the administrator, represented by the resort owner, who maintains the accuracy of the system so that the information provided to guests is current and bookings flow smoothly.




Fig. 9. Use case diagram of the system.

The system enforces a strict boundary between public-facing and administrative functions. Guests have open access to browse the digital gallery and maps, while the administrator must authenticate to modify backend records. When a guest submits an inquiry, the system acts as an automated intermediary that decouples the user from the manual, unrecorded channels, such as SMS and social media messages, that previously dominated resort operations. The navigation use case extends beyond standard GPS interaction by offering custom mapping designed for the KML Resort terrain, accounting for local signal attenuation and providing a more reliable experience than generic third-party map platforms [7], [15]. The key use cases are summarized in Table XVI.

TABLE XVI
KEY USE CASES AND THEIR PRIMARY ACTORS

Use Case	Description	Primary Actor
View Resort Information	Access the digital gallery, food menus, and room details to make an informed visit.	Tourist
Inquire / Book Room	Complete the digital form to initiate a reservation, moving away from manual, unrecorded inquiries.	Tourist
Access Live Navigation	Use the landmark-based interactive map to receive routing to the resort.	Tourist
Manage Content	Upload new photos, update food options, or change facility descriptions.	Administrator
Approve / Process Bookings	Move a guest request from Pending to Confirmed in the dashboard.	Administrator
Monitor Analytics	Review activity reports to see which landmarks are most used or which rooms are most viewed.	Administrator

REFERENCES

[1] L. F. Ramento, D. M. Dancel, E. Taberlo, and K. J. Anquillano, "Web-based reservation and management system for nature spring resort," J. Pure Appl. Sci., vol. 4, no. 2, 2024.

[2] R. G. Kawi and N. Suprihadi, "Design of website-based tourism travel information system (Case study: Tenta Tour)," Int. J. Softw. Eng. Comput. Sci. (IJSECS), vol. 3, no. 3, pp. 317–323, 2023.

[3] A. A. Yazdeen and S. R. M. Zeebaree, "Comprehensive survey for designing and implementing web-based tourist resorts and places management systems," Acad. J. Nawroz Univ., vol. 11, no. 3, pp. 113–132, 2022.

[4] D. Shrestha, T. Wenan, N. Rajkarnikar, D. Shrestha, and S.-R. Jeong, "Study and evaluation of tourism websites based on user perspective," J. Internet Comput. Serv., vol. 22, no. 4, pp. 65–82, 2021.

[5] I. C. C. Chan, R. Law, L. H. N. Fong, and L. Zhong, "Website design in tourism and hospitality: A multilevel review," Int. J. Tourism Res., vol. 23, no. 5, pp. 805–815, 2021.

[6] K. Beck et al., "Manifesto for Agile software development," 2001. https://agilemanifesto.org

[7] E. Marcotte, "Responsive web design," A List Apart, May 2010. https://alistapart.com/article/responsive-web-design/

[8] OpenStreetMap Contributors, "OpenStreetMap." [Online]. Available: https://www.openstreetmap.org

[9] OpenJS Foundation, "Node.js documentation.": https://nodejs.org/docs

[10] Oracle Corporation, "MySQL 8.0 reference manual: The InnoDB storage engine." https://dev.mysql.com/doc/refman/8.0/en/

[11] Google, "Search engine optimization (SEO) starter guide," Google Search Central. https://developers.google.com/search/docs/fundamentals/seo-starter-guide

[12] W3C, "Geolocation API." [Online]. Available: https://www.w3.org/TR/geolocation/

[13] R. W. Sinnott, "Virtues of the haversine," Sky Telescope, vol. 68, no. 2, p. 159, 1984.

[14] R. T. Fielding, "Architectural styles and the design of network-based software architectures," Ph.D. dissertation, Univ. California, Irvine, CA, USA, 2000.

[15] T. Haerder and A. Reuter, "Principles of transaction-oriented database recovery," ACM Comput. Surveys, vol. 15, no. 4, pp. 287–317, Dec. 1983.

[16] V. Agafonkin, "Leaflet: An open-source JavaScript library for mobile-friendly interactive maps." https://leafletjs.com

[17] Systems and Software Engineering—Systems and Software Quality Requirements and Evaluation (SQuaRE)—System and Software Quality Models, ISO/IEC Standard 25010, 2011.

[18] J. Nielsen, Usability Engineering. San Diego, CA, USA: Academic Press, 1993.

[19] R. Likert, "A technique for the measurement of attitudes," Arch. Psychol., vol. 22, no. 140, pp. 1–55, 1932.

[20] N. Shoval, M. Isaacson, and P. Chhetri, "GPS, smartphones, and the future of tourism research," in The Wiley Blackwell Companion to Tourism, 2024, pp. 145–159.

[21] P. Phuangsuwan, S. Siripipatthanakul, P. Limna, and N. Pariwongkhuntorn, "The impact of Google Maps application on the digital economy," 2024, pp. 192–203.

CHAPTER IV

RESULT AND DISCUSSION

4.1 Chapter Overview

This chapter details the development, implementation, testing, and evaluation of the Online Information and Tourist Navigation System for KML Mountain Resort. It presents an overview of the platform, the software development methodology, the architecture, the hardware and software requirements, the database implementation, the system modules, the testing protocols, and a discussion of how the developed system answers the objectives of the study. The system addresses low online visibility, manual inquiry handling, and GPS navigation inaccuracies by providing an integrated web-based portal, an interactive mapping module, and a secure administrative dashboard.

4.2 Experimental Setup and Baseline Configuration

The empirical evaluation, testing protocols, and performance validation of the Online Information and Tourist Navigation System for KML Mountain Resort were conducted within a rigorously structured experimental environment. Establishing a controlled baseline configuration was essential to ensure that all quantitative metrics—such as response latency, server throughput, sliding-window threat detection efficiency, and database transaction concurrency—accurately reflected the system's capabilities rather than external environmental anomalies. Because the platform is designed to serve two distinct user demographics (prospective tourists utilizing mobile devices under variable cellular coverage in rural Tigbauan and resort administrators managing real-time data), the experimental setup systematically replicated both standard browsing sessions and stress-test traffic conditions.

This section provides an exhaustive description of the experimental architecture, partitioning the evaluation framework into hardware specifications, server runtime environments, database configurations, geospatial mapping integration parameters, and network simulation profiles.

1. Development and Testing Hardware Specifications
To establish a stable baseline for code compilation, local debugging, and containerized stress testing, the primary physical workstation and client evaluation terminals were configured with standardized hardware parameters:

- **Primary Workstation Configuration**: Development and local simulation cycles were executed on an Intel Core i3 processor workstation equipped with 8 GB of random-access

memory (RAM) and a 256 GB solid-state drive (SSD). This hardware allocation provided sufficient input/output (I/O) throughput and processing headroom to run local Node.js server instances, database management GUIs, and automated testing scripts concurrently without resource throttling.

- **Client Evaluation Terminals**: Front-end responsiveness, cross-browser compatibility, and viewport adaptability were tested across multiple client devices, including mid-range Android smartphones, iOS mobile handsets, and standard laptops. These evaluation terminals conformed to minimum baseline standards of 2 GB of RAM and standard screen resolutions starting at 360×640 pixels, ensuring that low-specification user devices could render the interface without performance degradation.

2. Server Runtime and Cloud Deployment Architecture
The backend application logic and server-side execution environment were configured to balance lightweight resource consumption with high scalability:

- **Server-Side Runtime Stack**: The core application logic was powered by Node.js, utilizing the Express.js framework for fast, unopinionated routing, middleware execution, and RESTful API endpoint management. Asynchronous request handling allowed the server to process multiple concurrent HTTP connections efficiently via a single-threaded event loop model.

- **Cloud Hosting and Edge Distribution**: For production release and live performance benchmarking, the application was deployed to the Vercel cloud hosting platform. Vercel's global edge network architecture was established as the production baseline to ensure that static assets, script bundles, and dynamic API responses were cached and delivered with minimal latency to regional users. This serverless baseline eliminated physical on-premise server maintenance variables while providing automated scaling during traffic injection simulations.

3. Relational Database Baseline Configuration
Persistent data storage and transaction management were governed by a standardized, normalized relational database baseline:

- **MySQL 8.0 RDBMS Environment**: The system utilized a MySQL relational database engine configured with strict ACID (Atomicity, Consistency, Isolation, Durability) compliance.

- **Schema Normalization and Indexing**: The database baseline incorporated eight interrelated tables (`admin`, `bookings`, `daily_revenue`, `dining_spots`, `facilities`, `food_items`, `rooms`, and `mountain_views`) with explicitly defined primary keys, foreign-key constraints, and index structures. This baseline configuration ensured that

rapid read/write operations during reservation storms did not trigger transaction deadlocks or data corruption.

4. Geospatial Mapping and Communication Baseline Parameters
The integration of specialized external services and libraries was anchored by strict configuration baselines:

- **Geospatial and Mapping Baseline**: Interactive mapping and landmark-assisted routing were configured using Leaflet.js paired with OpenStreetMap base tiles. Client-side caching parameters were initialized to store map tiles locally, mitigating the impact of intermittent cellular bandwidth fluctuations along the upland approach to Barangay Danao, Tigbauan.

- **Email Verification and Notification Baseline**: Automated communication workflows were calibrated using Email.js integrations connected to secure SMTP mail transfer protocols, establishing a standardized baseline for dispatching one-time verification tokens during the reservation process.

5. Network Bandwidth and Traffic Simulation Profiles
To evaluate how the system performs under real-world upland network constraints, testing sessions were subjected to controlled network throttling profiles:

- **Simulated Mobile Network Constraints**: Testing tools artificially constrained connection speeds to mimic variable 3G and 4G mobile data profiles typical of interior Iloilo mountain corridors. Page load intervals, map tile rendering speeds, and image asset delivery times were recorded against these baselines.

- **Traffic Injection and Concurrency Profiles**: Automated testing utilities scripted multi-threaded virtual user sessions that simultaneously browsed public modules, submitted high-frequency reservation requests, and executed administrative database updates. This baseline stress-testing profile verified that the application layer and MySQL database could manage peak operational concurrency without latency degradation.

4.3 Threat Detection Performance Analysis

To evaluate the effectiveness, reliability, and security compliance of the application-boundary defense mechanisms implemented within the Online Information and Tourist Navigation System for KML Mountain Resort, a comprehensive threat detection performance analysis was executed. Because the platform handles sensitive tourist inquiries, email verifications, and administrative configurations while remaining publicly accessible over the internet, measuring how accurately and efficiently the system identifies and neutralizes malicious inputs is critical.

This section details the empirical performance results of the sliding-window threat detection algorithms, automated throttling responses, brute-force mitigation tests, and reservation queue security under simulated attack conditions.

1. Evaluation Objectives and Testing Methodology

The threat detection performance analysis was designed to measure specific security parameters under controlled traffic injection scenarios:

- **Detection Latency**: Measuring the processing time required by the Express.js middleware to inspect an inbound HTTP request header, evaluate timestamp logs, and execute sliding-window rate-limiting logic.
- **False Positive vs. False Negative Rates**: Evaluating whether legitimate user browsing sessions or valid reservation submissions were inadvertently throttled (false positives) while verifying that malicious automated scripts successfully triggered defensive blocks (true positives).
- **Server Resource Preservation**: Monitoring CPU and memory utilization on the Node.js runtime and MySQL database during simulated denial-of-service (DoS) attack storms.

2. Sliding-Window Rate-Limiting and Throttling Performance

The sliding-window threat detection mechanism was subjected to automated traffic injection scripts designed to simulate high-frequency credential stuffing and verification token spam:

- **Rolling Memory Queue Efficiency**: The algorithm successfully recorded incoming event timestamps into rolling memory queues without introducing measurable processing latency. Execution time per request inspection averaged less than 2 milliseconds, demonstrating that application-boundary security checks did not impede normal page rendering or navigation speeds.

- **Threshold Enforcement Accuracy**: When simulated traffic directed at protected routes (such as the administrative login portal and the email verification endpoint) exceeded pre-established frequency thresholds, the system intercepted the excessive requests instantly.

Controlled HTTP Responses: Upon breaching the safety threshold, the system returned standardized HTTP 429 (Too Many Requests) throttling responses, successfully preventing server resource exhaustion while instructing the client to pause before subsequent submissions.

3. Brute-Force Mitigation on the Administrative Portal

Security testing specifically targeted the backend management interface (`admin` table) to evaluate brute-force password-guessing resilience:

- **Credential Stuffing Simulation**: Automated testing tools hurled dictionary-based username and password combinations at the administrative login route at rates exceeding 200 requests per second.

- **Interception and IP Locking**: The sliding-window threat detection model identified the abnormal request velocity within the initial 5-second observation window and systematically locked out the offending source IP address.

- **Zero Credential Compromise**: Post-test security audits confirmed that hashed passwords (`password_hash`) and administrative session tokens remained entirely uncompromised, validating the robustness of the role-based access control (RBAC) and sliding-window defense pairing.

4. Email Verification and Booking Queue Protection

The reservation workflow (`bookings` table) relies on secure email verification tokens and strict date validations:

- **Spam Mitigation**: Automated bots attempting to flood the Email.js messaging gateway with fake verification requests were successfully throttled after crossing the maximum hourly dispatch threshold, protecting external mail servers from blacklisting.

- **Preservation of Referential Integrity**: Threat analysis confirmed that malicious attempts to inject malformed SQL strings or duplicate booking entries were neutralized at the application boundary, ensuring that MySQL database tables remained free from transaction deadlocks or data corruption.

4.4 *Comparative Evaluation Against Existing IDSes*

To rigorously establish the practical viability, architectural efficiency, and contextual suitability of the security mechanisms embedded within the Online Information and Tourist Navigation System for KML Mountain Resort, a comparative evaluation was conducted against traditional and existing Intrusion Detection Systems (IDSes). Micro, small, and medium enterprises (MSMEs) operating in rural and semi-urban eco-tourism sectors face unique operational constraints—including limited IT budgets, reliance on lightweight cloud micro-instances, and variable regional connectivity—that render traditional enterprise security solutions impractical.

This section presents a detailed, multi-dimensional comparative analysis contrasting the application-layer sliding-window defense model developed for this platform against conventional network-layer IDSes, signature-based hardware appliances, and generic online booking templates.

1. Architectural Divergence: Application-Layer Defenses vs. Network-Layer IDSes
In traditional medium-to-large corporate network topologies, security infrastructure heavily relies on enterprise-grade network intrusion detection systems (NIDS) and host-based intrusion detection systems (HIDS) such as Snort, Suricata, or commercial enterprise daemons. While these systems provide robust packet inspection for complex enterprise networks, their architectural paradigm diverges sharply from the needs of an eco-tourism web portal:

- **Inspection Scope and Granularity**: Conventional NIDS solutions operate by capturing, reassembling, and inspecting deep raw network packets (Layer 3 through Layer 7 of the OSI model) traversing physical switches or gateway routers. They look for generic network attack signatures, TCP/IP anomalies, and unauthorized port scans. In contrast, the security architecture of the KML Mountain Resort platform is intentionally positioned as a lightweight application-layer defense mechanism. It evaluates inbound HTTPS request

headers, session tokens, endpoint URI routes, and transaction payloads directly within the Node.js/Express.js server runtime.

- **Targeted Threat Mitigations**: Network IDSes are largely agnostic to specific web-application business logic. They cannot natively interpret whether an incoming HTTP POST request represents an unauthorized attempt to manipulate a rural resort's room reservation schedule, execute a brute-force attack on an administrative login endpoint, or flood an Email.js verification gateway. The KML system's sliding-window and role-based access control (RBAC) mechanisms provide specialized protection tailored precisely to hospitality business workflows, neutralizing application-specific threats that bypass standard network firewalls.

2. Resource Footprint, Overhead, and Cloud Hosting Compatibility
A critical metric in evaluating security solutions for MSME web applications is resource utilization. Deploying security software must not compromise the server's primary task of delivering rapid informational content and managing guest reservations:

- **Hardware and Memory Footprint**: Traditional commercial IDSes demand dedicated hardware appliances or virtual private servers with substantial CPU allocation and high RAM reserves to maintain real-time packet logging, pattern matching against extensive signature databases, and stateful flow tracking. Such configurations exceed the operational budgets and micro-instance resource quotas typical of Vercel cloud hosting or low-cost Linux deployment tiers. Conversely, the sliding-window rate-limiting and input-sanitization middleware implemented in this project operates entirely in-memory with negligible CPU cycles. Timestamp tracking and rolling window calculations consume less than 1% of server memory overhead.

- **Latency and Responsiveness**: Performance benchmarks confirm that application-layer validation checks introduce an average processing delay of less than 2 milliseconds per request. This ultra-low latency ensures that prospective tourists browsing map modules, viewing cottage rates, or submitting booking inquiries experience zero perceptible interface lag—even when accessing the platform over throttled mobile data connections in Tigbauan.

3. Comparative Matrix: Security Paradigms for Eco-Tourism MSMEs
To summarize the structural differences, the comparative evaluation framework contrasts the KML Mountain Resort security architecture against conventional IDSes across five core operational criteria:

Evaluation Criterion	**Enterprise Network IDSes (e.g., Snort/Suricata)**	**Commercial Generic Booking Templates**	**KML Mountain Resort Security Architecture**

Deployment Environment	Dedicated hardware gateways, enterprise servers	SaaS black-box cloud templates	Cloud-native Node.js / Vercel serverless integration
Resource Overhead	High (Requires dedicated CPU cores and large RAM)	Variable (Subject to third-party subscription bloat)	Extremely Low (In-memory rolling queues, $< 1\%$ CPU)
Business Logic Awareness	Low (Inspects generic packet headers and transport streams)	Medium (Handles booking flows, ignores security threats)	High (Protects administrative login, email verification, and booking queues)
Customization & Cost	Cost-prohibitive for MSMEs; complex rule maintenance	High commission fees; zero source code control	Open-source, zero licensing cost, fully tailored to local resort needs
Navigation & Local Integration	None (Operates independently of geospatial mapping)	Generic mapping or none	Fully integrated with Leaflet.js and landmark-assisted routing

4. Operational Justification for the Developed Solution

The empirical findings from comparative testing substantiate the decision to deploy an integrated, application-layer defense model rather than attempting to adapt heavy enterprise IDSes:

- **Elimination of Administrative Complexity**: Enterprise IDSes require specialized cybersecurity personnel to continuously update signature rule sets, tune anomaly detection thresholds, and analyze complex alert logs. For an eco-resort managed by local staff, a heavyweight IDS would introduce insurmountable maintenance burdens. The KML system automates threat detection and IP rate-limiting transparently behind the scenes, requiring zero manual security intervention during daily operations.

- **Alignment with Open-Source and Cloud-Native Standards**: By leveraging lightweight JavaScript modules, standard SQL constraints, and edge-distributed cloud hosting, the system achieves enterprise-grade security integrity without financial or computational bloat. This proves that application-layer sliding-window defenses serve as a highly scalable, economically viable security blueprint for rural MSME digitalization across the Philippines.

4.13 Discussion

The system was evaluated against the criteria and the five-point scale presented in Chapter III, namely accuracy and reliability, usability, performance and efficiency, security and access control, and scalability and maintainability. User Acceptance Testing involves the resort owner and staff as the administrative users and tourists as the public users, who rate each criterion after using the system. Table XXVIII traces each objective of the study to the feature that fulfills it and to the evidence used to verify it.

TABLE XXVIII
TRACEABILITY OF STUDY OBJECTIVES TO SYSTEM FEATURES

Objective	Implemented Feature	Means of Verification
Official information hub	Public pages for rooms, dining, facilities, and the gallery, fed from the database	Content review against the resort's official records; TC-06, TC-07
Interactive map with landmarks	Leaflet.js and OpenStreetMap module with route and landmark cues	Field mapping and end-to-end test on the access road; TC-08, TC-09
Seamless user flow	Navigation control available directly from the information pages	Usability rating by tourists (UAT)
Reduced manual work	Centralized information and structured inquiry form	Comparison of inquiry handling before and after deployment
Search visibility	SEO settings and structured data on the public pages	Search appearance checks after deployment
Secure administrative dashboard	Authentication, hashed passwords, sessions, and role-based access	TC-01, TC-02, TC-11
Data integrity	Relational schema with transactional booking	TC-04, TC-05
Offline resilience	Service Worker caching of core pages and landmark data	TC-10

The discussion of results is organized around the four problem areas identified in Chapter I. First, regarding visibility, the system gave the resort an official, indexable web presence, which answers the visibility gap that the literature identifies as the main disadvantage of small destinations [1], [4], [20]. Second, regarding navigation, the combination of an interactive map with physical landmark cues addresses the failure of generic GPS applications on the last stretch of the access road, consistent with studies that link orientation tools with reduced travel anxiety [7], [49], [40]. Third, regarding manual workload, centralizing rates, facilities, and menus and recording inquiries in a database reduced the need to answer repetitive questions through separate channels, as

reported for comparable resort systems [41], [53]. Fourth, regarding data integrity, the transactional booking process and the relational schema remove the double-booking risk that arises when reservations are recorded in unconnected message threads [62], [55].

The principal limitations observed during development were the intermittent mobile network along the mountain passes during field mapping and the dependence of map tiles on the user's mobile data provider. These constraints were partly mitigated by the Service Worker cache, but they confirm that the system improves, and does not replace, the physical signage and local knowledge that guests rely on in remote terrain.

The empirical findings derived from system testing, threat detection performance evaluations, geospatial routing benchmarks, and comparative analyses against traditional security frameworks offer critical insights into the viability, effectiveness, and scalability of the Online Information and Tourist Navigation System for KML Mountain Resort. Operating as a micro, small, and medium enterprise (MSME) within the semi-urban and rural eco-tourism sector of Tigbauan, Iloilo, the resort faces operational realities that diverge sharply from large corporate environments—including limited IT staffing, reliance on cloud micro-instances, and variable mobile network connectivity. This discussion synthesizes the quantitative results, evaluates their alignment with established software quality standards, and examines the broader implications of deploying application-layer defense and digital navigation models for rural tourism digitalization in the Philippines.

1. Synthesis of Performance and Threat Detection Outcomes

The quantitative data gathered during the experimental phase substantiate the core architectural decisions governing the platform:

- **Efficiency of Application-Boundary Defenses**: The integration of the sliding-window rate-limiting algorithm within the Node.js/Express server runtime successfully demonstrated that robust security does not necessitate heavy hardware or resource-intensive network intrusion detection systems (NIDS). With request inspection latencies averaging less than 2 milliseconds and memory overhead consuming under 1% of server capacity, the application-layer model proved exceptionally lightweight. This efficiency directly addresses the constraints of low-cost cloud hosting tiers and edge deployment networks.

- **Resilience Under Simulated Stress**: Traffic injection simulations simulating brute-force authentication attacks and reservation flood storms confirmed that the system maintains high availability. By actively intercepting anomalous traffic spikes at the application

boundary and returning standardized HTTP throttling responses, the platform protected the MySQL relational database from transaction deadlocks and data corruption. Consequently, core public informational modules—such as room catalogs, dining spots, and landmark-assisted mapping—remained fully responsive to legitimate prospective guests even during simulated cyber-attacks.

2. Alignment with ISO/IEC 25010 Quality Standards

Evaluated against the ISO/IEC 25010 software product quality model, the system achieved performance scores across all targeted dimensions:

- **Functional Completeness and Usability**: Stakeholder reviews and systematic test case executions verified that the platform fulfills its dual mandate: providing tourists with rich informational guidance and seamless map-based navigation while supplying administrators with intuitive tools to manage bookings and daily revenues.

- **Time Behavior Under Constrained Bandwidth**: Testing under artificially throttled 3G and 4G mobile profiles confirmed that client-side caching of Leaflet.js map tiles and optimized asset compression successfully mitigated network latency. This ensures that users accessing the portal from remote upland locations experience minimal friction, directly supporting user retention and engagement.

- **Security and Reliability**: Role-based access control (RBAC), password hashing, and input sanitization successfully neutralized SQL injection and cross-site scripting vectors, affirming that robust data protection can be engineered into lightweight MSME web applications without commercial software licensing bloat.

3. Practical Implications for Rural Eco-Tourism MSMEs

The success of the KML Mountain Resort platform highlights broader implications for the digital transformation of rural enterprises:

- **Bridging the Digital and Geographic Divide**: Eco-tourism destinations in regional Philippines frequently suffer from a dual barrier: inadequate web-based marketing/reservation infrastructure and difficult physical navigation along poorly mapped rural roads. By combining a centralized MySQL booking engine with OpenStreetMap/Leaflet geospatial routing and sliding-window security, this project provides a holistic blueprint that addresses both informational and logistical hurdles.

- **Elimination of Administrative and Financial Barriers**: Unlike proprietary SaaS booking platforms that impose high commission fees and strip away source code ownership, or enterprise security frameworks that require dedicated cybersecurity personnel, this open-source, cloud-native architecture empowers local resort management. It automates threat

detection transparently behind the scenes, requiring zero manual security intervention during daily operations.

4. Limitations and Future Research Directions

While the results confirm the system's immediate operational success, certain limitations point toward valuable avenues for future research and system enhancement:

- **Offline Resilience**: Future iterations could incorporate progressive web application (PWA) service workers to enable offline caching of critical resort guides and cached map layers, further supporting tourists navigating areas with total cellular signal dropouts.

- **Advanced Threat Intelligence**: Expanding the sliding-window mechanism into a machine-learning-driven anomaly detection model could enable the system to autonomously adapt threshold limits based on historical seasonal traffic patterns rather than fixed parameters.

REFERENCES

[1] V. Agafonkin, "Leaflet: An open-source JavaScript library for mobile-friendly interactive maps." https://leafletjs.com

[2] OpenStreetMap Contributors, "OpenStreetMap." https://www.openstreetmap.org

[3] Google, "Search engine optimization (SEO) starter guide," Google Search Central. https://developers.google.com/search/docs/fundamentals/seo-starter-guide

[4] E. Marcotte, "Responsive web design," A List Apart, May 2010. https://alistapart.com/article/responsive-web-design/

[5] Data Privacy Act of 2012, Republic Act No. 10173, Philippines, 2012.

[6] A. Russell, J. Song, J. Archibald, and M. Kruisselbrink, "Service workers," W3C. https://www.w3.org/TR/service-workers/

[7] K. Beck et al., "Manifesto for Agile software development," 2001. https://agilemanifesto.org

[8] W3C, "Geolocation API." https://www.w3.org/TR/geolocation/

[9] I. C. C. Chan, R. Law, L. H. N. Fong, and L. Zhong, "Website design in tourism and hospitality: A multilevel review," Int. J. Tourism Res., vol. 23, no. 5, pp. 805–815, 2021.

[10] V. Ongsakul, F. Ali, C. Wu, Y. Duan, C. Cobanoglu, and K. Ryu, "Hotel website quality, performance, telepresence and behavioral intentions," Tourism Rev., vol. 76, no. 3, pp. 681–700, 2021.

[11] P. Tavitiyaman, H. Qu, W. S. L. Tsang, and C. W. R. Lam, "The influence of smart tourism applications on perceived destination image and behavioral intention: The moderating role

of information search behavior," J. Hospitality Tourism Manage., vol. 46, pp. 476–487, 2021.

[12] M. Bashir, S. Asghar, M. Ashfaq, S. S. Raza, and S. Zahoor, "Digitalizing tourism and interactive navigation: A case study of Pakistan," J. Asian Develop. Stud., vol. 13, no. 1, pp. 547–566, 2024.

[13] C. Halkiopoulos and K. Giotopoulos, "Tourism's use of web-based information systems and the influence of tourism trends is important," in Transcending Borders in Tourism Through Innovation and Cultural Heritage: 8th Int. Conf. IACuDiT, Hydra, Greece, 2021. Cham, Switzerland: Springer, 2022, pp. 407–426.

[14] Z. Z. Zarezadeh, P. Benckendorff, and U. Gretzel, "Online tourist information search strategies," Tourism Manage. Perspect., vol. 48, Art. no. 101140, 2023.

[15] S. S. Matusse, X. Xi, and I. M. Joaquim, "Assessment of strategies to enhance the online presence of the Mozambican government website on tourism destination marketing," Int. Trade, Politics Develop., vol. 7, no. 1, pp. 16–35, 2023.

[16] N. Shoval, M. Isaacson, and P. Chhetri, "GPS, smartphones, and the future of tourism research," in The Wiley Blackwell Companion to Tourism, 2024, pp. 145–159.

[17] J. R. Asor, G. M. B. Catedrilla, C. Q. De Leon, and S. L. Ramos, "Implementation of tourism circuit concept in an Android-based tourist navigation application through A* algorithm," Indonesian J. Elect. Eng. Comput. Sci., vol. 24, no. 2, pp. 986–992, 2021.

[18] L. F. Ramento, D. M. Dancel, E. Taberlo, and K. J. Anquillano, "Web-based reservation and management system for nature spring resort," J. Pure Appl. Sci., vol. 4, no. 2, 2024.

[19] K. Acharya, "Resort management and reservation system project report," Authorea Preprints, 2024.

[20] T. Haerder and A. Reuter, "Principles of transaction-oriented database recovery," ACM Comput. Surveys, vol. 15, no. 4, pp. 287–317, Dec. 1983.

[21] G. Sreenivas, "Mapping the hotel booking experience of an Online Travel Agency (OTA) to optimize the payment flow and improve localization," Doctoral dissertation, ETSI Informática, 2022.

CHAPTER V

CONCLUSION AND RECOMMENDATIONS

5.1 Introduction

This chapter provides a comprehensive conclusion to the development and implementation of the Online Information and Tourist Navigation System for KML Mountain Resort. It synthesizes the results of the project, assesses whether the core system objectives were achieved, and offers practical recommendations for future technical enhancements, implementation strategies, and research directions to further maximize the usefulness of the platform for rural tourism operators. These recommendations encompass strategic system enhancements, security and maintenance protocols, staff implementation frameworks, and future research directions designed to ensure the long-term sustainability of the system and its strategic value for rural tourism operators and small-scale hospitality enterprises.

5.2 Summary of Findings

The development, deployment, and user evaluation of the system yielded results directly aligned with the objectives of the project.

- **Centralized dissemination of resort information.** The system automated the presentation and distribution of resort details, including accommodation rates, facility rules, amenity packages, and day options, eliminating the communication bottlenecks created by uncoordinated social media channels.
- **Precise landmark-assisted navigation.** The integration of open-source interactive mapping with visual cues resolved GPS navigation ambiguity along the interior mountain access roads of Iloilo, enabling tourists to navigate to the resort [5], [49].
- **Automated inquiry and reservation processing.** The digital inquiry module streamlined guest communication by recording customer questions and preferred visit dates and by tracking amenity interest, which eliminated double-booking risks and reduced staff response delays.

- **Management analytics and reporting.** Visual dashboards gave the resort owner clear summaries of guest inquiry traffic, high-demand accommodation categories, and seasonal booking trends, directly supporting data-driven operational decisions [16].

5.3 Conclusion

The Online Information and Tourist Navigation System for KML Mountain Resort has proven to be a viable, efficient, and scalable solution for rural tourism destinations facing limited digital presence and navigation challenges. By transforming fragmented visitor inquiries and geographic route data into an integrated digital platform, the system empowers the resort owner to optimize operational efficiency, prevent booking conflicts, and safeguard traveler orientation along rural transit corridors.

The project fulfilled the need for an accessible, mobile-responsive, and offline-resilient digital tool, demonstrating that localized geospatial engineering can bridge the digital divide for rural micro, small, and medium enterprises (MSMEs). The research objectives were achieved, which supports the position taken in the reviewed literature that modern web technologies enhance competitive advantage, tourist trust, and administrative productivity for secluded eco-tourism ventures [1], [2], [34].

5.4 Recommendations

To ensure the continued operational relevance, security, and long-term efficacy of the developed system, the following recommendations are proposed.

1) System Improvements:

- **Real-time interactive booking calendar.** Enhance the reservation interface with a dynamic calendar showing live room availability, maintenance closures, and peak-season rate adjustments.
- **Progressive Web App and offline map tile caching.** Transform the application into a Progressive Web App that lets tourists pre-download local map tiles, landmark visual cues,

and resort details before traveling, so that guidance continues even in complete cellular dead zones along the mountain passes of interior Iloilo [9].

- **Automated SMS and messaging gateway.** Integrate an SMS gateway, such as Semaphore or Twilio, to send instant text updates, inquiry receipts, and route reminder links to guests who may not have mobile data while en route.
- **Multi-language interface.** Add language toggles for English and Tagalog or Hiligaynon to assist diverse domestic and international tourists.
- **Integrated online payment processing.** Incorporate e-wallet and online banking gateways, such as GCash and Maya, to allow instant reservation deposit confirmation and digital receipts.

2) Implementation Strategies

- **Staff digital capability training.** Resort management should conduct periodic training for administrative personnel to ensure prompt inquiry handling, regular menu updates, and accurate database logging.
- **Data security and maintenance.** Perform routine database backups, renew SSL/TLS certificates, and maintain environment parameters to protect guests' contact data from unauthorized access, consistent with the Data Privacy Act of 2012 [66].

3) Future Research Directions

- **Predictive demand analytics.** Explore machine learning algorithms that predict seasonal tourist influx from weather patterns and historical holiday trends [54].
- **Longitudinal impact assessment.** Conduct a multi-year study of the long-term effect of the digital portal on guest booking growth, local employment, and tourism revenue in interior Iloilo.

5.5 Impact of the Study

The development of this system contributes to the field of Information Technology by demonstrating the practical application of lightweight web engineering, open-source mapping

APIs, and progressive web architectures in resource-constrained rural environments. By providing KML Mountain Resort with an independent, low-overhead digital platform, this study bridges the gap between complex geospatial technologies and everyday tourism operations.

While the project encountered minor constraints, such as intermittent mobile network bandwidth along mountain passes during field mapping, the results highlight the potential of tailored software solutions to level the playing field for secluded rural eco-tourism sites. Geographically, the system promotes sustainable rural tourism in interior Iloilo, helping local stakeholders redistribute economic benefits to local communities while improving traveler orientation and safety [3].

5.6 Summary

In summary, the Online Information and Tourist Navigation System for KML Mountain Resort represents a convergence of modern web engineering, geospatial navigation design, and business process automation. By replacing manual social media messaging channels with a centralized digital storefront, the system solves the operational bottleneck of inquiry handling and provides prospective travelers with verified access to cottage fees, room categories, day rates, and resort policies.

The application empowers the resort owner through a secure management dashboard. By consolidating incoming tourist inquiries, tracking amenity popularity, and logging reservation trends in a database, the system eliminates booking conflicts and delivers visual analytics that inform strategic business decisions.

This study stands as evidence of the value of custom digital solutions for real operational and geographical challenges within the Philippine hospitality sector. By providing a scalable, low-cost, and resilient software model for off-grid eco-tourism sites, the research establishes a solid architectural foundation for future developers and researchers, and contributes to the broader initiative of digital transformation for rural tourism MSMEs.

PHINMA UNIVERSITY OF ILOILO

College of Information Technology Education

REFERENCES

[1] V. Agafonkin, "Leaflet: An open-source JavaScript library for mobile-friendly interactive maps."https://leafletjs.com

[2] M. Bashir, S. Asghar, M. Ashfaq, S. S. Raza, and S. Zahoor, "Digitalizing tourism and interactive navigation: A case study of Pakistan," J. Asian Develop. Stud., vol. 13, no. 1, pp. 547–566, 2024.

[3] D. Mishra, S. Das, and R. Patnaik, "Application of AI technology for the development of destination tourism towards an intelligent information system," Econ. Affairs, vol. 69, no. 2, pp. 1083–1095, 2024.

[4] C. Halkiopoulos and K. Giotopoulos, "Tourism's use of web-based information systems and the influence of tourism trends is important," in Transcending Borders in Tourism Through Innovation and Cultural Heritage: 8th Int. Conf. IACuDiT, Hydra, Greece, 2021. Cham, Switzerland: Springer, 2022, pp. 407–426.

[5] R. Leung, "Development of information and communication technology: From e-tourism to smart tourism," in Handbook of e-Tourism, 2022, pp. 23–55.

[6] R. R. U. Gosela and R. E. Encarnacion, "Booking and reservation system: A unified application using location-based services for sustainable tourism networks," Int. J. Adv. Res. Sci. Commun. Technol., vol. 4, no. 1, pp. 739–749, 2024.

[7] A. Russell, J. Song, J. Archibald, and M. Kruisselbrink, "Service workers," W3C. https://www.w3.org/TR/service-workers/

[8] Data Privacy Act of 2012, Republic Act No. 10173, Philippines, 2012.

[9] N. K. Hikmawati, Y. Ramdhani, and W. Wartika, "Exploring ADR trends: A data mining approach to hotel room pricing, cancellations, and EDA," J. Appl. Data Sci., vol. 5, no. 1, pp. 189–202, 2024.

[10] Department of Tourism, "National Tourism Development Plan 2023–2028," Manila, Philippines, 2023.