

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

CAPSTONE PROJECT PROPOSAL
ONLINE INFORMATION AND TOURIST NAVIGATION FOR KML MOUNTAIN
RESORT

In partial fulfillment for the requirements in Capstone 1 and Research Subject

Francis Elmido – BSIT 3
Jaryll Judicpa – BSIT 3
Junard Calderon – BSIT 3
Jesar Lagunzad - BSIT 3
Earon Janeo – BSIT 3

System Development Track

Second Semester 2025-2026

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

TABLE OF CONTENTS

Online Information and Tourist Navigation for KML Mountain Resort -----	
Table of Contents -----	

CHAPTER I

Introduction -----	
Background of the Study -----	
Statement of the Problem -----	
Objective of the Study -----	
Significance of the Study -----	
Scope and Limitations of the Study -----	
Definition of the Terms -----	

CHAPTER II

Review of Related Literature -----	
Foreign Studies -----	
Local Studies -----	
Related Literature -----	
Synthesis of the Reviewed Literature -----	

CHAPTER III

Methodology -----	
Research Design -----	
System Development Methodology -----	
System Architecture -----	
System Architecture Diagram -----	
Tools and Technologies Used -----	
Data Gathering Techniques-----	
Testing Procedures -----	

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Evaluation Criteria -----

SUPPORTING DIAGRAMS

Data Flow Diagram -----

Entity Relationship Diagram -----

Use Case Diagram -----

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

CHAPTER I

INTRODUCTION

Introduction of the Study

In the tourism ecosystem, the rapid growth of web-based technology has fundamentally transformed how people discover travel destinations and navigate into unfamiliar locations. Modern online platforms allow hospitality enterprises to reach guests in further areas, providing essential information, accommodation details, and precise directions before a traveler ever sets foot on the road. However, smaller, leisure destinations located in remote areas frequently face significant structural hurdles in this rapidly evolving digital landscape. Despite offering premium, highly sought-after amenities such as panoramic mountain views, ecofriendly environments, and private, secure accommodations, these secluded retreats suffer from low online visibility and difficult physical navigation.

For destinations, the lack of an optimized digital hub introduces severe operational bottlenecks. Currently, the resort remote location is difficult for standard search engine algorithms to discover organically, and the naturally secluded terrain often confuses incoming guests. Furthermore, without an automated information platform, the administration must manually respond to repetitive, individual inquiries regarding room layouts, amenities, and pricing structures through fragmented messaging channels. This reliance on manual workflows creates severe operational inefficiencies, limits broader brand awareness, and restricts the business's ability to seamlessly capture its target market.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The architectural landscape of the Philippine tourism industry is undergoing a structural realignment driven by shifting consumer values, ecological awareness, and digital integration. For decades, the macroeconomic portfolio of Philippine tourism was heavily anchor-dependent on traditional "sun-and-sea" mass tourism models. This baseline model was epitomized by highly commercialized, high-density coastal enclaves such as Boracay Island in Aklan, El Nido in Palawan, and Panglao Island in Bohol.

Within the Western Visayas region (Region VI), this coastal dependency created a hyper-concentrated distribution of economic capital. Tourism revenues flowed predominantly into specific marine corridors, while the vast interior, agrarian, and mountainous zones of Panay Island remained economically marginalized and under-utilized from a sustainable development perspective.

However, contemporary traveler behavior has shifted significantly toward specialized eco-tourism, sustainable travel, and wellness-driven interior tourism. This shift has been accelerated by an institutional push from the Department of Tourism (DOT) to diversify the national tourism product array and alleviate the severe ecological stress imposed on marine environments by over-tourism.

Modern travelers increasingly reject the crowded, highly structured environments of traditional commercial resorts. Instead, they actively seek "slow travel" alternatives that emphasize cognitive decompression, raw environmental contact, and carbon-conscious, hyper-localized experiences. This behavioral evolution has transformed the interior geography of Iloilo Province from a series of rural agricultural transit zones into a premium destination for mountain eco-tourism, agro-forestry exploration, and high-altitude leisure sanctuaries.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

This capstone project proposes the development of the **Online Information and Tourist Navigation System for KML Mountain Resort**. Designed as a centralized web application, the system features a mobile-responsive informational hub, dynamic media galleries, automated facility for data dissemination, and a specialized landmark-based navigation engine. Ultimately, this platform aims to eliminate traveler navigation anxiety, minimize manual administrative overhead, and empower a provincial boutique resort to thrive within a highly competitive digital economy.

Consequently, the intersection of remote eco-tourism operations and modern web engineering requires a deliberate, tailored software intervention. High-altitude boutique destinations cannot thrive by simply adopting generic, urban-centric business applications or commercial mapping tools that neglect regional topographical challenges. This capstone project introduces a specialized framework designed to bridge the digital visibility divide while engineering a reliable, landmark-assisted navigation layer. By shifting from fragmented, manually handled workflows to a highly integrated, automated system, the project serves as a concrete operational blueprint for the technological modernization of secluded regional enterprises.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Background of the Study

The rapid growth of web-based technology has transformed how people discover travel destinations and navigate unfamiliar locations. Online platforms allow resorts to reach guests far beyond their local area, providing essential information and precise directions before a traveler even leaves home.

For years, tourism in Western Visayas was dominated by coastal destinations, primarily by the beaches of Boracay Island in Aklan and the immediate white-sand beaches of the Gigantes archipelago in Carles, Iloilo. However, Iloilo Province is experiencing an unprecedented surge inland, eco-tourism, and mountain resort developments. This change shows a clear preference for the cooler, high-altitude peaks of the Panay mountain range overcrowded urban spaces and commercialized beaches.

Municipalities such as Leon (frequently designated as the "Summer Capital of Iloilo"), Bucari, Alimodian (specifically the Seven Cities highland area), Janiuay, Igbaras, and Lambunao have transitioned from agrarian hinterlands into central points for eco-adventure and luxury isolation.

TRADITIONAL TOURISM PARADIGM |

- Marine/Coastal Hyper-Concentration (e.g., Boracay, Gigantes) ||
- High-Density Consumer Footprints & Resource Depletion
- Commercialized, High-Grid Dependency

MODERN ECO-TOURISM PARADIGM

- Interior Highland Seclusion (e.g., Leon, Bucari, Igbaras)
- Low-Impact, Bio-Centric Footprints & Wellness-Driven Travel
- Off-Grid Separation Balanced with On-Demand Digital Accessibility

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Geographically, Iloilo Province possesses a unique topographical profile well-suited to capture this emerging market. The western and central borders of the province are defined by the rugged, high-elevation Panay Mountain Range. This range creates cool mountain microclimates, mist-shrouded valleys, and intact tropical canopies within municipalities such as Leon, Alimodian, Janiuay, Igaras, and Lambunao.

Modern developers are responding to a Growing demand for eco-wellness, cooler climates, and authentic local culture because of that developers are investing heavily in mountain chalets, agritourism estates, glamping sites, and integrated eco resorts.

Iloilo's mountains—like those in Leon, Alimodian, and Igaras—are perfect for the growing tourism market. These cool, mist-covered areas offer a unique escape, from simple campsites to luxury chalets. By developing these remote spots, we aren't just building resorts; we're bringing jobs, supporting local farms, and preserving culture directly in these rural communities.

The way people find these places has completely changed, too. In the past, you needed a big budget for billboards, travel agencies, and brochures to be seen. Today, that doesn't matter as much.

Now, it's all about the digital world. A small mountain cabin can reach thousands of city dwellers instantly through social media videos or a quick Google search. The most successful businesses today aren't the ones on the busiest highways; they're the ones that know how to get discovered online. If your business shows up well on a phone screen, you've already won half the battle.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

However, many smaller leisure destinations, such as KML Mountain Resort, face significant challenges in this digital landscape. Despite offering premium amenities like panoramic mountain views and private accommodations, the resort suffers from low online visibility and difficult physical navigation. Currently, the resort location is hard for search engines to find, and its remote nature often confuses guests.

Furthermore, the lack of a centralized digital hub means the owners must manually answer every inquiry, which is inefficient for a small-scale operation. While being hidden away is the primary draw for these rural destinations, it creates a massive challenge. For tourists, finding the place makes it frustrating to navigate the winding roads of the Iloilo mountains can be frustrating and confusing. In rural areas without billboards, busy storefronts, or massive advertising budgets, digital content is the only way to be discovered. The total digital connection for local small businesses to rely on website or social media platforms become their modern front door. The stunning videos of misty mountain views, infinity pools overlooking valleys, and fresh farm-to-table meals are beamed directly onto the screens of the city.

To address these issues, modern web development offers a targeted solution. By integrating Interactive Map APIs and Search Engine Optimization (SEO), a resort can transform from a hidden location into a highly visible and easy-to-reach destination. An integrated web portal can provide real-time navigation using GPS coordinates and visual landmarks, ensuring that guests are guided directly to the resort gates without confusion.

This capstone project proposes the development of an Online Information and Tourist Navigation System for KML Mountain Resort. The system is designed to provide precise navigation tools, a digital information hub, and increased search engine discoverability. By applying principles of web development, database management, and digital mapping, this project serves as a practical application of the knowledge gained by BSIT students to solve real-world business challenges.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Statement of the Problem

KML Mountain Resort suffers from low online visibility and difficult physical navigation due to its remote location, which hinders its ability to reach its target market and results in lost potential revenue and operational inefficiencies.

Because the resort is highly secluded, standard global positioning systems and commercial routing applications frequently fail to map the final leg of the journey accurately, resulting in traveler confusion, navigation anxiety, and instances of guests getting lost along poorly marked rural roads. And the business currently has no official, search-engine-optimized digital platform, leaving it largely invisible on online searches conducted by city-based and foreign tourists who are actively looking for nature-based getaways.

In contrast, the rugged mountain terrains of interior Iloilo present significant physical barriers to telecommunications deployment. The sharp elevation changes, deep ravines, and heavy tropical vegetation cause severe signal attenuation, block line-of-sight propagation for cellular transceivers and create extensive digital dead zones.

Consequently, a mountain resort must operate within two conflicting environments: a highly visible digital storefront that captures urban demand, and an isolated physical facility with unreliable network connectivity and no automated communications infrastructure.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

This structural fragmentation creates immediate, severe operational vulnerabilities when managing customer interactions across fragmented social media channels. Because KML Mountain Resort lacks a centralized web-based application, it operates within an unautomated, multi-channel environment. Inquiries flood in simultaneously across:

- Facebook Page comments,
- Meta Messenger direct messages,
- Instagram threads,
- Personal SMS channels, and
- Traditional unrecorded cellular voice calls.

Without a unified database or automated information processing architecture, a single administrative operator must manually manage this disjointed communication stream.

The economic cost of this manual management model can be quantified by measuring the lost revenue driven by **Inquiry Response Latency**. In the modern digital marketplace, consumer behavior is defined by a demand for instant responsiveness. When an urban consumer submits a baseline inquiry regarding room availability or pricing packages, the automated algorithms of competing, digitally integrated properties provide instant validation.

At a manually operated resort, that same inquiry is frequently delayed for hours. This lag occurs because staff must open a physical paper ledger or check a localized offline spreadsheet to verify real-time inventory states. During peak operational periods or late-night browsing hours, inquiries sit unanswered for long intervals. This delay prompts high-intent consumers to abandon the conversation and choose more responsive competitors.

Furthermore, this manual management style frequently causes structural information data loss and direct financial leakage. When room inventory updates are recorded by hand across disconnected messaging logs and paper journals, the system lacks data synchronization. This structural vulnerability leads to regular **Double-Booking Errors**.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

For example, two separate staff members may mistakenly promise the same premium villa for the same calendar date to two different clients, one communicating via Facebook DM and the other via personal SMS. Resolving these overlapping allocations requires forced cancellations, immediate financial refunds, and significant damage to the brand's reputation.

This digital absence forces the resort management to rely entirely on manual, messaging channels to handle repetitive inquiries regarding cabin rates, facility descriptions, and basic travel directions. Consequently, this dependence on manual information dissemination creates severe administrative bottlenecks, limits

broader brand awareness among competitive leisure destinations, and results in substantial revenue leaks from frustrated potential clients who abandon the booking process due to delayed responses or logistical uncertainty.

1.Low Search Engine Discoverability: The resort lacks an official SEO-optimized digital platform that makes it difficult for city-based and foreign tourists to find the business through organic online searches.

2.Confusing Navigations: Because the resort is "secluded" and remote the standard GPS tools often fail to provide the precise route leading to guest frustration and difficulty in locating the entrance.

3.Manual Information Dissemination: There is no centralized digital gallery or information hub, forcing the owners to manually handle repetitive inquiries regarding room arrangements, food services, and resort facilities.

4.Limited Brand Awareness: Without a professional web presence, the resort struggles to compete with more visible destinations, limiting its ability to attract event organizers and families looking for a secure getaway.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

This study proposes the development of an integrated web-based solution that combines an official information hub, interactive landmark-based navigation, and an administrative content management system. The goal is to enable small-scale leisure destinations like **KML Mountain Resort** to overcome challenges related to low online visibility and difficult physical navigation, ultimately positioning the business for long-term growth and digital competitiveness.

This capstone project seeks to answer the following questions:

- How can the system improve discoverability to ensure that city-based and foreign tourists can easily find the resort through organic online searches?
- How can Interactive Map Integration and visual landmarks be utilized to provide precise, turn-by-turn navigation that guides guests directly to the resort gates?
- How can the system automate the dissemination of resort information to reduce the manual administrative burden of answering repetitive inquiries regarding facilities and services?
- How can a centralized digital gallery and information hub be designed to showcase the resort's premium amenities and set accurate guest expectations?
- How can the system provide a seamless user flow that transitions a potential guest from discovering the resort online to initiating live mobile navigation?
- How can the administrative dashboard be structured to allow the owners to efficiently manage content, update landmark data, and monitor user analytics?

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

- How can the system's user interface be designed using responsive web principles to enhance usability and ensure a consistent experience across both mobile and desktop browsers?
- How can the system be designed to handle future scalability, ensuring it can support additional features or the digital transformation of other remote small businesses?

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Objectives of the Study

The primary goal of this study is to design and develop an Online Information and Tourist Navigation System for KML Mountain Resort that enhances the resort's digital visibility and provides precise, landmark-based navigation for guests.

To achieve this, the project aims to replace the resort's current reliance on manual, repetitive inquiry handling with an automated, centralized digital information hub that showcases amenities, room categories, and food services in a highly professional manner. Furthermore, the study seeks to implement a mobile-

responsive interactive mapping interface that resolves the frequent inaccuracies of standard GPS applications in rural terrains. This research aims to optimize the transition of potential travelers from online discovery to actual arrival, bridging the digital gap for local eco-tourism while equipping the resort management with a secure dashboard to dynamically maintain content, streamline operational efficiency.

Specifically, the study aims to:

- To design a web-based portal that serves as the official digital information hub, showcasing the resort's facilities, services, and digital gallery to set guest expectations.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

- To implement an Interactive Map Integration using GPS coordinates and visual landmarks to guide tourists directly to the resort gates through their mobile GPS applications.
- To streamline the user flow for potential guests by providing a seamless transition from discovering the resort online to initiating turn-by-turn navigation.
- To reduce manual administrative tasks for the owners by automating the dissemination of resort information and frequently asked questions.
- To integrate Search Engine Optimization (SEO) strategies into the web portal's architecture to improve organic search rankings and increase the resort's online discoverability for local and foreign tourists.
- To develop a secure administrative dashboard that allows the resort owner to update room rates, manage the photo gallery, and modify landmark information in real-time.
- To utilize landmark-based guidance within the mapping module to provide visual cues (such as specific bridges or trees) that compensate for the inaccuracies of standard GPS tools in remote areas.
- To enhance data integrity and minimize human error by replacing fragmented manual logs with a centralized, relational database structure that eliminates double-booking risks and ensures inventory accuracy.
- To optimize system performance and load times through the deployment of a Service Worker cache engine, ensuring that critical resort information remains accessible to guests even in areas with intermittent cellular signal or fluctuating network stability.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

- To improve operational scalability by utilizing an asynchronous, event-driven backend architecture capable of handling high-concurrency request volumes without the high memory overhead typical of traditional multi-threaded systems.
- To leverage native data parsing capabilities by adopting a JSON-based payload exchange, which reduces communication latency and ensures the seamless transfer of real-time reservation data between the frontend interface and the backend server.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Significance of the Study

The proposed **Online Information and Tourist Navigation System** is designed to address the operational and visibility challenges commonly faced by small-scale leisure destinations in remote areas. As the demand for secluded and nature-based travel continues to grow, enterprises like **KML Mountain Resort** are under increasing pressure to modernize their digital presence and provide precise navigation to maintain competitiveness. This study presents a comprehensive digital solution that enhances business discoverability, minimizes traveler frustration, and supports sustainable growth for hidden local destinations.

The design, development, and implementation of an integrated web-based information and navigation application for KML Mountain Resort carries distinct practical, economic, and technical significance for multiple key stakeholder groups within the regional eco-tourism ecosystem.

At its core, the system centralizes the resort's information—from high-quality visual galleries of amenities to automated answers for frequently asked questions. This integration reduces the manual administrative workload for owners, eliminates the need for repetitive individual inquiry handling, and ensures that potential guests receive consistent information. By improving the reliability of the resort's digital "front door," the system helps lower operational inefficiencies and increases the likelihood of bookings.

A vital component of this project is the **Interactive Map Integration**, which utilizes GPS coordinates and visual landmarks to provide real-time, turn-by-turn guidance. This feature addresses the common failure of standard GPS tools in remote mountain terrains, ensuring guests are guided directly to the resort gates. This not only improves guest satisfaction but also reduces travel anxiety associated with navigating "secluded" locations.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The inclusion of an **Administrative Dashboard** enables the owners to manage content dynamically, updating room details or landmark descriptions as the resort evolves. This ensures that the resort's digital presence remains accurate and professional, fostering trust with families and event organizers. Furthermore, the system's SEO-optimized architecture ensures that the resort becomes visible to city-based and foreign tourists searching for unique mountain getaways.

Ultimately, this project represents a strategic and future-ready solution for small-scale resorts seeking to embrace digital transformation. By integrating automation, precise mapping, and customer-focused information tools into one platform, the system enhances operational reach and promotes local tourism. This project serves as a reference model for other remote businesses in the Philippines aiming to modernize their processes and strengthen their brand through technology-driven innovation.

For municipal and provincial administrative bodies, this study provides a working model for rural digital transformation. It directly aligns national strategies aimed at empowering micro-, small-, and medium-sized enterprises (MSMEs) through technology adoption.

By detailing a scalable method to overcome geographic and navigational challenges in remote tourism zones, this project provides LGUs with a blueprint to increase the economic viability of interior barangays. Improving the discoverability and navigation safety of remote destinations allows local governments to distribute tourism-driven economic activity more evenly across the province.

Furthermore, the integration of accurate landmark-driven navigation data provides public safety advantages. It minimizes the administrative and logistical burden on municipal disaster risk reduction and management offices (CDRRMO/MDRRMO), which are frequently deployed to locate or rescue motorists stranded on unmapped, hazardous rural mountain roads.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

For small-scale operators facing identical structural barriers across the Panay Mountain Range, this study demonstrates that an enterprise does not require a large capital expenditure budget to implement modern, automated business systems.

This project provides a clear technical guide for replacing inefficient manual operations with an optimized, web-based platform. It shows how automating repetitive information workflows and deploying local-first navigational frameworks can eliminate the administrative overhead that drains small business resources.

The implementation strategies detailed here show owners how to protect their operations from data loss, eliminate booking conflicts, and build digital brand equity that commands premium pricing. Ultimately, it provides rural operators with the tools to compete on equal terms with heavily financed corporate hospitality brands.

For academic and technical communities, this study contributes to research on specialized web engineering optimized for low bandwidth, geofenced, and topographically isolated environments.

The system architecture designed in this project serves as an empirical reference point for developers building progressive web applications (PWAs) that must function reliably within fragmented cellular networks.

The documentation of the hybrid geospatial positioning model—which supplements weak global GNSS telemetry with static landmark-driven nodes and browser-side dead-reckoning—provides a foundation for future research in applied geomatics, localized routing algorithms, and automated information architectures tailored for developing rural economies.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Scope and Limitations of the Study

This study focuses on developing and implementing the Online Information and Tourist Navigation System—a centralized platform designed to improve the digital visibility and physical reach of KML Mountain Resort. The system integrates an official information hub, high-quality digital galleries, and interactive landmark-based navigation to minimize traveler confusion, streamline administrative workflows, and enhance the overall guest experience.

The system is intended for both end-users (tourists) and administrators (resort owners), enabling guests to browse facilities and initiate live navigation while allowing management to update resort data and monitor analytics. The scope is specifically limited to the operations of KML Mountain Resort and serves as a prototype for similar "hidden" leisure destinations transitioning from manual inquiries to automated digital platforms. The project prioritizes navigation accuracy, information accessibility, and responsive web usability over complex financial integrations or third-party booking systems.

However, the study recognizes the following limitations:

- **Financial and Resource Constraints** – As the target is a small-scale resort, immediate adoption of advanced features such as real-time room inventory synchronization or integrated online payment processing is restricted. The project focuses on essential informational and navigational functions while leaving a modular framework for future upgrades.
- **Location-Specific Configuration** – While the system is optimized for mountain terrain and landmark-based navigation, adapting it to urban environments or different business models would require significant geographic and structural adjustments.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

- **User Adoption and Digital Literacy** – Since the system replaces manual information dissemination, resort staff and some guests may initially struggle with the digital workflow. To ensure smooth adoption, the user interface is designed for simplicity to minimize training time and promote efficient interaction.
- **Connectivity and GPS Dependence** – Since the system relies on real-time map API integration and coordinate-based tracking, stable internet connectivity and GPS signal strength are essential for optimal performance. Inconsistent mobile signals in remote mountain areas may experience delays in loading interactive map data.
- **External Mapping Limitations** – The accuracy of the navigation component is subject to the limitations of third-party mapping services and local network availability. While landmark-based cues are provided to assist guests, the system cannot control for sudden physical changes in the environment or telecom coverage gaps during peak travel periods.
- **Browser and Device Compatibility** – The scope is limited to modern, standards-compliant web browsers that support the latest ECMAScript 2022+ standards. While the application is designed to be mobile-first, performance on legacy mobile hardware or browsers with outdated Service Worker support may vary, potentially affecting the offline caching experience.
- **Infrastructure Dependency** – The system's backend relies on a Node.js runtime and a MySQL relational database. The scope is limited to environments where these services are hosted; the study does not cover the provisioning or maintenance of physical local servers or the mitigation of extreme power outages common in rural mountain settings.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

- **Data Security Perimeter** – While the administrative dashboard incorporates role-based access control (RBAC) and secure token management, the study's scope is limited to protecting internal resort data. It does not extend to performing full-scale penetration testing or implementing enterprise-grade cybersecurity measures against sophisticated external cyber threats.
- **Static vs. Dynamic Content Handling** – The project focuses on the management of static resort assets (room descriptions, facility photos, and navigation). It is not within the current scope to handle high-frequency, real-time streaming media or large-scale video hosting, which would require third-party Content Delivery Networks (CDNs) not included in this development cycle.
- **Network-Independent Latency** – Although the Service Worker cache engine is implemented to improve performance, the initial loading of map tiles and external API data remains subject to the latency and bandwidth throughput of the user's specific telecommunications provider in the Iloilo mountain range, which the system cannot optimize at the infrastructure level.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Definition of Terms

For a clearer understanding of this study, the following terms are defined:

- **Administrative Dashboard** – Operationally, this refers to the secure backend web interface where the resort owner, Michelle Tingson Miranda, can manage the photo gallery, update landmark descriptions, and view user analytics.
- **Digital Information Hub** – Operationally, this refers to the centralized section of the web portal that contains the resort's history, list of amenities, room rates, and food service details, aimed at reducing manual inquiries.
- **GPS (Global Positioning System)** – Lexically, a satellite-based radionavigation system. Operationally, it is the technology used by the system to acquire the real-time geographic coordinates of the guest to provide accurate navigation.
- **Interactive Map Integration** – Operationally, this refers to the embedding of digital maps (such as OpenStreetMap or Google Maps API) into the resort's portal to provide live, visual route guidance.
- **Landmark-Based Guidance** – Operationally, this refers to the use of specific physical markers (e.g., bridges, specialized trees, or unique signage) within the navigation system to help guests identify the correct path in areas where digital maps are imprecise.
- **Online Visibility** – Lexically, the presence of a brand or business in consumer search results. Operationally, it refers to the resort's ability to be found by potential tourists through search engines like Google.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

- **Responsive Web Design** – Lexically, an approach to web design that makes web pages render well on a variety of devices and window or screen sizes. Operationally, it ensures the KML portal is fully functional on both traveler's mobile phones and desktop computers.
- **SEO (Search Engine Optimization)** the process of improving the quality and quantity of website traffic from search engines. Operationally, it refers to the strategies applied to the KML portal to ensure it ranks high when tourists search for "mountain resorts in Iloilo."
- **User Flow** the path taken by a prototypical user on a website to complete a task. Operationally, it refers to the seamless journey of a guest from viewing the resort's gallery to starting the live navigation to the destination.
- **Web-Based Portal** a specially designed website that brings information from diverse sources together. Operationally, it is the primary software solution developed for this capstone project which hosts all information and navigation tools for the resort.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

CHAPTER II
REVIEW OF RELATED LITERATURE AND STUDIES

Foreign Studies

Web-Based Information Systems and Global Tourism Trends

The study by Halkiopoulou and Giotopoulou (2022), titled *"Tourism's use of web-based information systems and the influence of tourism trends,"* examines the critical intersection between modern information technology and shifting traveler behaviors. The authors argue that the survival of tourism destinations in a postdigital era depends on their ability to utilize web-based information systems (WIS) to adapt to global trends, such as the increasing demand for "independent travel" and "nature-based tourism."

Halkiopoulou and Giotopoulou further emphasize that web-based systems are no longer just static brochures; they are dynamic tools that influence a traveler's decision-making process. For small-scale resort, this supports the development of a digital gallery and information hub that does more than list prices—it creates a digital "experience" that builds trust and excitement. By using a web-based system to present clear, high-quality information, the resort can effectively appeal to modern tourists who rely heavily on digital content to evaluate the quality and safety of a destination before visiting.

Moreover, the authors highlight the role of digital systems in managing "location-based information" to satisfy the needs of the modern traveler. They note that today's tourists expect seamless access to navigation and spatial data. By providing precise navigation tools, the resort addresses the modern trend of "selfnavigating" tourists who prefer using their mobile devices to find destinations without needing a physical guide or local assistance.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Additionally, the study discusses how web-based information systems provide a competitive edge to small tourism enterprises by bridging the "visibility gap." Implementing an integrated system for KML Mountain Resort aligns with this concept by leveraging SEO and digital mapping to ensure the resort is visible to international and city-based travelers. The system allows a small, provincial business to appear as professional and accessible as larger, more established destinations.

The findings by Halkiopoulos and Giotopoulos (2022) reinforce the necessity of the KML Mountain Resort system. Their research confirms that a well-designed web-based information system is an essential strategic tool for small resorts, as it enhances operational efficiency, improves digital discoverability, and allows the business to capitalize on modern tourism trends through technologydriven solutions.

Reference: Halkiopoulos, C., & Giotopoulos, K. (2022, April). Tourism's use of web-based information systems and the influence of tourism trends. In *Transcending Borders in Tourism Through Innovation and Cultural Heritage: 8th International Conference, IACuDiT, Hydra, Greece, 2021* (pp. 407-426). Cham: Springer International Publishing.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Mapping Tourist Information Flow and Cultural Influence

The study by **Park and Stepchenkova (2023)**, titled "*Invisible power of culture: Mapping tourist information flow of national DMO websites*," investigates the underlying structures of how information is organized and disseminated through destination management organization (DMO) websites. Published in the *Journal of Travel Research*, the study highlights that the "flow" of information—how easily a user can move from initial discovery to specific logistical details—is a critical determinant of a destination's digital success.

Furthermore, the authors discuss the concept of "mapping" information to align with the mental models of tourists. Their research suggests that travelers seek a seamless transition from "inspiration" (what a place looks like) to "navigation" (how to get there). This finding directly validates the integration of specialized navigation modules and landmark-based guidance within a tourism system. According to the study, when a digital platform provides a clear, map-like progression of information, it significantly reduces the perceived complexity of visiting remote or unfamiliar locations.

Overall, the findings by Park and Stepchenkova (2023) reinforce the necessity of an integrated navigation and information portal. Their work confirms that by carefully mapping the flow of data—from search engine visibility to precise, turn-by-turn guidance—tourism operators can improve their operational reach, enhance traveler confidence, and create a more efficient digital gateway for their business.

Reference: Park, H., & Stepchenkova, S. (2023). Invisible power of culture: Mapping tourist information flow of national DMO websites. *Journal of Travel Research*, 62(4), 753-767.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Online Tourist Information Search Strategies

The study by Zarezadeh, Benckendorff, and Gretzel (2023), titled "*Online tourist information search strategies*," provides a comprehensive analysis of the evolving behaviors and methodologies tourists use to find destination data in the digital age. Published in *Tourism Management Perspectives*, the research identifies that modern travelers no longer rely on a single source of information but instead employ complex, multi-channel search strategies. This concept is highly relevant to the development of integrated tourism platforms, as it emphasizes that a destination's digital presence must be optimized across various touchpoints—including search engines, official websites, and interactive tools—to capture the attention of potential guests.

Zarezadeh et al. highlight that the effectiveness of a tourist's search is heavily influenced by the "findability" and "accessibility" of the content. In the context of remote or small-scale destinations, this research supports the implementation of Search Engine Optimization (SEO) and centralized information hubs. By providing a structured and easily discoverable official portal, a business can intervene in the user's search journey, moving them from a broad organic search to a specific, action-oriented interaction with the destination's own platform.

Overall, the research by Zarezadeh, Benckendorff, and Gretzel (2023) underscores the strategic importance of an integrated digital solution. Their findings confirm that by understanding and catering to the online search strategies of modern tourists, destinations can improve their visibility, streamline the guest's transition from searcher to visitor, and foster a more seamless and satisfying travel experience.

Reference: Zarezadeh, Z. Z., Benckendorff, P., & Gretzel, U. (2023). Online tourist information search strategies. *Tourism Management Perspectives*, 48, 101140.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Artificial Intelligence in Tourism and Hospitality: The Tourists' Perspective

The study by **Sousa, Cardoso, and Dias (2024)**, titled "*The use of artificial intelligence systems in tourism and hospitality: The tourists' perspective*," explores how modern travelers perceive and interact with intelligent digital systems within the hospitality sector. Published in *Administrative Sciences*, the research highlights that tourists increasingly value efficiency, personalization, and rapid information retrieval—attributes often provided by automated and AI-driven platforms. This study is highly relevant to the development of integrated tourism systems, as it provides a behavioral foundation for how automation and intelligent data management can enhance the "digital relationship" between a destination and its guests.

Sousa et al. emphasize that the integration of intelligent systems into tourism platforms significantly reduces the "wait time" for information. For small-scale or remote destinations, this research supports the transition from manual, owneroperated inquiry handling to an automated digital information hub. By implementing a system that can provide instant answers regarding facility availability, room rates, and services, a destination aligns itself with the expectations of modern travelers who prioritize immediate responsiveness and 24/7 accessibility.

Overall, the study by Sousa, Cardoso, and Dias (2024) confirms that the digitalization and automation of tourism services are essential for meeting the demands of the contemporary market. Their findings support the development of integrated navigation and information portals as a strategic means to improve operational efficiency, build traveler trust, and provide a high-quality, technologysupported guest experience from the initial search phase to final arrival.

Reference: Sousa, A. E., Cardoso, P., & Dias, F. (2024). The use of artificial intelligence systems in tourism and hospitality: The tourists' perspective. *Administrative Sciences*, 14(8), 165.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Development of ICT: From e-Tourism to Smart Tourism

The study by Leung (2022), titled *"Development of information and communication technology: from e-tourism to smart tourism,"* provides a comprehensive historical and technical overview of how Information and Communication Technology (ICT) has reshaped the tourism landscape. Published in the *Handbook of e-Tourism*, the research details the evolution from basic "etourism" (static websites and online brochures) to "smart tourism," which utilizes interconnected systems, real-time data, and mobile integration to create a seamless travel ecosystem. This research is highly relevant to the development of integrated tourism platforms, as it positions the transition from manual information sharing to automated, navigation-ready portals as an essential step in modernizing any tourism enterprise.

Leung emphasizes that the hallmark of smart tourism is the "interconnection" of information. For small-scale or provincial destinations, this supports the implementation of a centralized digital information hub that does more than just display text. By integrating dynamic galleries, service details, and location data into one interface, a destination can move away from fragmented, manual inquiry management and toward a "smart" operational model that provides immediate, high-quality information to potential guests.

A significant portion of the study focuses on the role of Mobile-Centric Services and Ubiquitous Connectivity. Leung argues that modern travelers expect "on-site" support, meaning they need access to information and navigation tools while they are physically in transit. This directly validates the integration of mobile-responsive design and Interactive Map APIs within a tourism system. By providing precise, real-time guidance and landmark-based routing, a system fulfills the "smart tourism" requirement of supporting the traveler throughout their entire journey—not just during the initial booking phase.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The research by Leung (2022) serves as a theoretical bridge for the development of integrated navigation and information systems. Their findings confirm that by embracing the principles of smart tourism—specifically through centralized data, mobile accessibility, and interactive navigation—tourism destinations can significantly enhance their operational efficiency, bridge the visibility gap, and provide a superior, technology-supported experience for modern travelers.

Reference: Leung, R. (2022). Development of information and communication technology: from e-tourism to smart tourism. *Handbook of e-Tourism*, 23-55.

Thematic Analysis of SME Digital Propensity and Marketplace Navigation

A critical dimension in understanding the modernization of localized hospitality systems is the theoretical framework governing how small and medium enterprises (SMEs) transition from traditional operational structures into digital environments. This dynamic is extensively explored by Gonçalves, Ferreira, Dabić, and Ferreira (2024) in their study titled “*Navigating through the digital swamp*”: assessing SME propensity for online marketplaces, published in the *Review of Managerial Science* (18:9, pp. 2583-2612). The authors address the multi-faceted complexities, systemic anxieties, and behavioral propensities of smaller business entities as they attempt to integrate their service portfolios into contemporary online platforms. Gonçalves et al. (2024) utilize the metaphor of a "digital swamp" to conceptualize the confusing, highly competitive, and frequently overwhelming technological ecosystem that independent operators must traverse to achieve digital visibility, market relevance, and operational sustainability.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The primary focus of Gonçalves et al. (2024) revolves around identifying the core determinants that influence a business management's willingness and capability to adopt web-based transaction structures. Through rigorous empirical assessment, the researchers point out that SME digital migration is rarely a simple matter of acquiring software; rather, it is heavily conditioned by organizational readiness, perceived technological complexity, financial resource allocation, and the specific value-driven benefits offered by the digital system. Independent operations often suffer from a "resource poverty" trap, where a lack of specialized in-house IT personnel and limited capital reserves create high psychological barriers to entry. The study highlights that when web architectures are overly complex, non-intuitive, or expensive to maintain, SMEs exhibit a low propensity for adoption, frequently retreating to manual, inefficient, or unrecorded communication loops (such as analog logs or disjointed social media messaging apps) to conduct business operations.

Consequently, the integration of a minimalist Node.js and Express.js web server layer—coupled with a clean, centralized administrative UI dashboard—directly addresses the organizational barriers identified in the literature. It provides the resort administration with an intuitive, non-threatening entry point into digital marketplace behaviors, facilitating seamless tracking of daily revenues, room availabilities, and culinary menu inventories without requiring advanced technical training.

By taking control of their own custom, dedicated web platform rather than relying entirely on third-party aggregators that demand high commission fees, the resort bypasses the predatory aspects of the digital marketplace. This custom deployment empowers a localized mountain resort to systematically structure its unique spatial, asset-based, and geographical attributes, transforming the traditional, high-friction tourism journey into an organized, web-driven interaction loop.

References: Gonçalves, M. P., Ferreira, F. A., Dabić, M., & Ferreira, J. J. (2024). "Navigating through the digital swamp": assessing SME propensity for online marketplaces. *Review of Managerial Science*, 18(9), 2583-2612.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Network Analysis of Tourist Information Search Behavior

To establish a deeply validated baseline for client-side functionality, it is essential to explore how modern travelers search for, synthesize, and utilize travel information prior to and during their journeys. This structural dynamic is evaluated by Kang, Kim, and Park (2021) in their study titled *Understanding tourist information search behaviour: the power and insight of social network analysis*, published in *Current Issues in Tourism* (24:3, pp. 403-423). The researchers utilize advanced Social Network Analysis (SNA) metrics to map out the intricate web of digital touchpoints, media channels, and peer networks that tourists navigate when seeking travel insights. Kang et al. (2021) demonstrate that tourist decision-making is no longer driven by single-source, linear media dependencies; instead, it is a complex, networked activity where the accessibility, visual richness, and contextual clarity of digital endpoints dictate a destination's selection rate.

A central contribution of Kang et al. (2021) is the structural breakdown of "information friction" within digital tourism ecosystems. Their findings indicate that tourists frequently suffer from information overload when navigating fragmented platforms (such as unorganized social media groups, third-party blogs, and disjointed review pages). When a destination lacks a singular, authoritative, and structured digital anchor point, travelers must exert high cognitive effort to verify basic logistical details like exact geographical coordinates, current seasonal pricing tables, and accommodation availability. The study establishes that structural gaps or confusing pathways between promotional content and navigational execution frequently cause a break in the user conversion loop—meaning travelers regularly abandon plans to visit remote or rural eco-tourism spots if the online information ecosystem feels unstable or difficult to navigate.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Kang et al. (2021) emphasize that in modern tourism, spatial orientation and geographical navigation data are tightly linked to consumer confidence. Tourists seeking hidden eco-tourism spots require highly visual, landmark-driven confirmation to mitigate the anxieties of traveling through unfamiliar or poorly mapped rural environments. The custom navigation architecture developed for the KML Mountain Resort system—which embeds OpenStreetMap data and uses client-side JavaScript to plot explicit visual mountain checkpoints and verified landmark nodes—serves as a practical solution to this structural behavioral requirement.

Reference: Kang, S., Kim, W. G., & Park, D. (2021). Understanding tourist information search behaviour: the power and insight of social network analysis. *Current Issues in Tourism*, 24(3), 403-423.

Spatial Analytics, Smartphone Tracking, and Tourism Geographies

The evolution of spatial tracking technologies has fundamentally altered how researchers understand and manage human mobility within distinct tourism micro-destinations. This technological and behavioral paradigm is systematically examined by Shoval, Isaacson, and Chhetri (2024) in their study titled *GPS, smartphones, and the future of tourism research*, published in *The Wiley Blackwell Companion to Tourism* (pp. 145-159). The authors evaluate the historical shift from analog spatial data gathering methods—such as post-trip tourist journals, travel sketches, and retrospective recall surveys—to the deployment of real-time, high-precision telemetry captured via Global Positioning System (GPS) engines embedded directly within consumer smartphones. Shoval et al. (2024) establish that spatial data gathered through smartphone sensors provides unprecedented, granular insights into tourist stop-over frequencies, exact movement trajectories, structural bottleneck formations, and time-space utilization behavior inside complex physical environments.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

A critical focus area within the work of Shoval et al. (2024) is the technical and structural limitation of modern smartphone telemetry when deployed outside structured, urban environments. The researchers point out that while cellular devices serve as excellent data collection tools, their operational efficacy remains deeply dependent on ambient infrastructure, clear satellite sightlines, and active network towers. In rural terrains, high-altitude ecosystems, or dense canopy forest reserves, standard smartphone navigation layers frequently experience signal dropouts, multipath errors, and massive localization inaccuracies due to deep valleys and topographic barriers. Shoval et al. (2024) emphasize that when software relies solely on heavy cloud-dependent spatial tools or high-bandwidth proprietary mapping systems without considering localized terrain dynamics, the software application often fails to support the user when they need it most—creating an operational blindspot in the tourist’s navigation pipeline.

Shoval et al. (2024) assert that spatial tracking software must bridge the gap between abstract coordinate metrics and meaningful visual landmarks to improve human-computer interaction (HCI). Raw telemetry is rarely sufficient for tourists navigating challenging pathways; rather, digital applications must pair spatial data with recognizable localized descriptors to build situational awareness. The KML Mountain Resort navigation system implements this recommendation by creating a dedicated database structure for landmark coordinates and mountain views.

By mapping explicit, user-friendly visual anchors along the route, the platform translates raw GPS telemetry into recognizable terrain markers for the traveler. This literature confirms that the deployment of custom, lightweight, and landmark-guided spatial applications is essential for mitigating the geographic constraints of high-altitude destinations, ultimately enhancing tourist safety and improving overall spatial satisfaction.

Reference: Shoval, N., Isaacson, M., & Chhetri, P. (2024). GPS, smartphones, and the future of tourism research. *The Wiley Blackwell companion to tourism*, 145-159.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The Economic Impact and Architectural Limitations of Commercial Mapping Applications

The interface between digital mapping technologies and the broader macroeconomic climate is a critical factor when designing modern, business-oriented hospitality platforms. This relationship is comprehensively investigated by Phuangsuwan, Siripipatthanakul, Limna, and Pariwongkhuntorn (2024) in their research titled *The impact of Google Maps application on the digital economy*, published in *Phuangsuwan et al. (2024)* (pp. 192-203). The authors evaluate how mainstream, commercial global positioning applications drive consumer behaviors, stimulate local business visibility, and serve as structural engines for the modern digital economy. Phuangsuwan et al. (2024) explain that digital maps act as primary economic intermediaries; by lowering geographical uncertainty for consumers, these applications actively channel foot traffic and commercial patronage toward enterprises that maintain an accessible digital footprint.

A major focus of the work by Phuangsuwan et al. (2024) centers on the direct correlation between real-time spatial visibility and micro-economic viability. The researchers emphasize that in the contemporary digital marketplace, an enterprise's physical presence is effectively invisible if it cannot be parsed by consumer-facing navigation systems. However, the study also highlights a systemic structural vulnerability inherent to commercial mapping ecosystems: their massive dependency on continuous, high-bandwidth data streams and proprietary API infrastructures. For small-to-medium enterprises (SMEs) located in rural, developing, or topographically isolated regions, relying entirely on heavy commercial platforms like Google Maps introduces unexpected economic and operational hurdles.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Phuangsuwan et al. (2024) note that modern navigation platforms boost a business's digital economy profile by integrating promotional content directly into the spatial interface. A map is most effective when it combines spatial coordinates with practical business information. The KML Mountain Resort system implements this approach by tightly linking its open-source mapping layer with its backend MySQL database management system.

Reference: Phuangsuwan, P., Siripipatthanakul, S., Limna, P., & Pariwongkhuntorn, N. (2024). The impact of Google Maps application on the digital economy. *Phuangsuwan, P., Siripipatthanakul, S., Limna, P., & Pariwongkhuntorn, (2024), 192-203.*

Intelligent Information Systems and Data-Driven Tourism Management

The structural transformation of destination tourism through advanced data architectures is a foundational requirement for developing sustainable, modern hospitality infrastructure. This paradigm shift is critically analyzed by Mishra, Das, and Patnaik (2024) in their study titled *Application of AI technology for the development of destination tourism towards an intelligent information system*, published in *Economic Affairs* (69:2, pp. 1083-1095). The authors examine the evolution of traditional, passive tourism portals into interactive, intelligent information systems (IIS). Mishra et al. (2024) emphasize that contemporary travelers require high-accuracy, real-time data streaming to make informed logistical decisions, demanding that destination systems move beyond static text displays and adopt automated, data-driven management frameworks.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

In the research of Mishra et al. (2024) is the elimination of administrative fragmentation through automated data collection and centralized structural logging. In independent, remote, or emerging tourist destinations, management often relies on disjointed manual systems to track room inventory, food stocks, and incoming revenue. This reliance leads to operational friction, billing errors, and inaccurate data presentation to the public. The study demonstrates that by implementing an intelligent information architecture, a tourism enterprise can automatically sync its backend logistics with frontend user touchpoints. This automation ensures that updates to pricing matrices, lodging availability, and facility operations instantly change across the entire customer-facing interface, mitigating consumer frustration and maximizing administrative efficiency.

Mishra et al. (2024) note that a true intelligent information system must feature robust analytical components to help administrators track and evaluate operational health. A system should not only display information but also systematically log transactions to support smart business planning. The KML Mountain Resort system implements this approach by incorporating automated audit trails and aggregated data collection via the daily revenue database module.

Reference: Mishra, D., Das, S., & Patnaik, R. (2024). Application of AI technology for the development of destination tourism towards an intelligent information system. *Economic Affairs*, 69(2), 1083-1095.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Internet Diffusion, Infrastructure Integration, and Digital Transformation Across Asian Tourism Sectors

The structural remodeling of hospitality paradigms across developing Asian economies is fundamentally anchored to the systemic expansion and institutional adoption of web-enabled technologies. This macro-environmental shift is comprehensively analyzed by Umachandran and Said (2022) in their treatise titled *The Internet Influences Asian Tourism*, published within the *Handbook of Technology Application in Tourism in Asia* (pp. 49-65, Springer Nature Singapore). The authors trace the economic and behavioral evolution triggered by widespread internet accessibility across the continent, detailing how structural digitization has systematically disrupted traditional travel brokerage models. Umachandran and Said (2022) assert that internet diffusion has shifted market power directly into the hands of the digital consumer, demanding that contemporary tourism destinations evolve beyond passive, static promotional brochures and instead engineer active, data-rich transaction networks capable of satisfying a tech-savvy Asian market.

Umachandran and Said (2022) explores the concept of "digital equity" and structural modernization among independent and rural tourism providers. The authors highlight that while major cosmopolitan tourist centers in Asia effortlessly exploit advanced high-speed network frameworks, rural eco-tourism, mountain, and provincial destinations frequently experience an "operational lag" due to localized infrastructure limitations and capital resource scarcity. This technological divide often leaves small-to-medium hospitality providers dependent on expensive, third-party global distribution aggregators that eat into their profit margins through hefty commission fees. To establish regional economic resilience, Umachandran and Said (2022) advocate for the strategic development of independent, custom-built web architectures that allow local operators to bypass predatory digital intermediaries, retain control over their own data ecosystems, and present an authoritative brand voice directly to global travelers.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Umachandran and Said (2022) note that contemporary Asian travelers demonstrate specific behavioral expectations when engaging with digital tourism platforms, prioritizing complete transaction transparency, localized geographic routing data, and multi-tier booking mechanics. A tourism portal achieves its modern operational purpose only when it unifies diverse data layers—such as overnight lodging tracking, culinary stock statuses, and contextual navigation maps—into a single, unified user journey.

The work of Umachandran and Said (2022) confirms that by establishing a localized, structurally integrated, and accessible web ecosystem, independent Asian hospitality enterprises can successfully bridge regional digital divides, optimize their data-handling workflows, and secure a sustainable economic foothold in the modern tourism marketplace.

Reference: Umachandran, K., & Said, M. M. T. (2022). The Internet Influences Asian Tourism. In *Handbook of technology application in tourism in Asia* (pp. 49-65). Singapore: Springer Nature Singapore.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Software Architecture lifecycles and Access Control Layering in Travel Networks

The engineering of modern hospitality systems requires the systematic adoption of structured software engineering lifecycles to transform scattered tourism workflows into cohesive, multi-user web environments. This structural methodology is thoroughly analyzed by Kawi and Suprihadi (2023) in their research titled *Design of Website-Based Tourism Travel Information System (Case Study: Tenta Tour)*, published in the *International Journal of Software Engineering and Computer Science (IJSECS)* (3(3), pp. 317-323). The authors examine the design parameters necessary to construct an integrated travel information portal, focusing specifically on how independent tourism agencies transition from manual, uncoordinated customer record-keeping to centralized database architectures. Kawi and Suprihadi (2023) demonstrate that the operational reliability of a digital travel system depends heavily on its backend modularity and its ability to cleanly separate administrative data management from public consumer interfaces.

A primary focus area in the study by Kawi and Suprihadi (2023) is the deployment of clear data modeling techniques, such as Unified Modeling Language (UML) architectures and Entity-Relationship Diagrams (ERDs), to map out complex hospitality transactions. The researchers utilize the classic Waterfall development model to systematically execute system requirements analysis, design, implementation, and verification phases.

Kawi and Suprihadi (2023) emphasize that an effective travel portal must synchronize its core service offerings with dynamic tracking mechanisms, such as food menu inventories and real-time transaction tracking. A digital information system fails to achieve its full potential if its various operational layers remain isolated from one another.

Reference: Kawi, R. G., & Suprihadi, N. (2023). Design of Website-Based Tourism Travel Information System (Case Study: Tenta Tour). *International Journal Software Engineering and Computer Science (IJSECS)*, 3(3), 317-323.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Smart Tourism Technology Attributes, Destination Image Perception, and Consumer Information Search Modalities

The structural integration of innovative technological attributes into contemporary hospitality frameworks fundamentally reshapes how travelers cognitively perceive destination spaces and execute behavioral intentions. This socio-technical dynamic is rigorously evaluated by Tavitiyaman, Qu, Tsang, and Lam (2021) in their study titled *The influence of smart tourism applications on perceived destination image and behavioral intention: The moderating role of information search behavior*, published in the *Journal of Hospitality and Tourism Management* (46, pp. 476-487). The researchers examine how distinct architectural attributes of Smart Tourism Applications (STAs)—specifically analyzing core pillars like smart information systems, localized smart sightseeing tools, specialized e-commerce transactional systems, and smart forecasting parameters—shape a tourist's perceived destination image and drive post-interaction behaviors such as revisit intentions and positive recommendations. Tavitiyaman et al. (2021) demonstrate that an application's structural performance directly acts as an environmental stimulus, shifting a consumer's internal cognitive state and mitigating the perceived risks typically associated with navigating complex travel landscapes.

A primary empirical contribution of the research by Tavitiyaman et al. (2021) centers on identifying the specific technological dimensions that hold the strongest statistical weight in enhancing destination images. The authors prove that the presence of high-functioning smart information systems and comprehensive e-commerce layers yields a highly favorable perception of a destination's modernization, safety, and logistical accessibility.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Tavitiyaman et al. (2021) emphasize that smart tourism architectures must guarantee data consistency across different transactional modules to prevent the cognitive dissonance that degrades a destination's image.

The study by Tavitiyaman et al. (2021) confirms that by consolidating high-transparency local information systems with seamless relational transaction tracking, independent tourism operators can successfully optimize their digital footprint, elevate consumer behavioral intentions, and maintain a resilient, competitive position in the contemporary hospitality marketplace.

Reference: Tavitiyaman, P., Qu, H., Tsang, W. S. L., & Lam, C. W. R. (2021). The influence of smart tourism applications on perceived destination image and behavioral intention: The moderating role of information search behavior. *Journal of Hospitality and Tourism Management*, 46, 476-487.

Destination Marketing Frameworks, Behavioral Engagement, and Web Feature Optimization

The strategic positioning of digital hospitality hubs requires more than a simple repository of physical inventory; it demands a deep analytical understanding of how platform visibility and interactive features drive tourist traffic and user satisfaction. This relationship is comprehensively investigated by Matusse, Xi, and Joaquim (2023) in their study titled *Assessment of strategies to enhance the online presence of the Mozambican government website on tourism destination marketing*, published in *International Trade, Politics and Development* (7:1, pp. 16-35). The researchers evaluate the operational strategies of Destination Marketing Organizations (DMOs)—specifically focusing on the National Institute of Tourism (INATUR) platform—to isolate the factors that dictate a tourism website's visibility, public awareness, and consumer engagement levels.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Matusse et al. (2023) centers on the direct, statistically significant positive correlation between a website's specialized structural features and the overall search satisfaction of its visitors. Utilizing a mixed-method approach—combining qualitative SWOT analyses with quantitative data processed via analysis of variance (ANOVA) tracking—the authors reveal a common structural pitfall: many institutional tourism portals provide only a minimum baseline of information, completely failing to match modern traveler expectations.

The study concludes that to reverse low public awareness and drive sustainable site traffic, developers must build integrated digital platforms where backend updates directly elevate the interactive quality of the frontend presentation.

Matusse et al. (2023) point out that digital tourism portals must minimize administrative blind spots by providing reliable, real-time informational updates to secure user trust. When a platform suffers from broken data flows or display inconsistencies, its perceived reliability plummets, cutting off the traveler journey before a transaction can occur.

The work of Matusse et al. (2023) confirms that by consolidating clear, feature-rich web design with robust relational data synchronization, tourism enterprises can successfully eliminate structural usability barriers, maximize online traffic, and maintain a highly resilient digital presence.

Reference: Matusse, S. S., Xi, X., & Joaquim, I. M. (2023). Assessment of strategies to enhance the online presence of the Mozambican government website on tourism destination marketing. *International Trade, Politics and Development*, 7(1), 16-35.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Multi-Level Website Design Features and Consumer Behavioral Outcomes

The systemic construction of modern web portals in the hospitality sector requires developers to look past simple visual interfaces and instead understand how complex design features interact to drive user behaviors. This multi-layered relationship is comprehensively analyzed by Chan, Law, Fong, and Zhong (2021) in their study titled *Website design in tourism and hospitality: A multilevel review*, published in the *International Journal of Tourism Research* (23:5, pp. 805-815). By synthesizing and integrating empirical findings from 78 foundational journal articles published over two decades, the authors establish an integrated multi-level framework that reconceptualizes how effective web architecture operates. Chan et al. (2021) demonstrate that travel products and services are inherently intangible and experiential, which naturally increases a consumer's sense of risk and uncertainty during the online planning phase. Consequently, a website's architecture must act as a reliable trust-building environment by harmonizing five core dimensions: content, system, social, sensory, and hedonic design features.

Chan et al. (2021) is its critique of traditional, narrow evaluation models that focus solely on website-level metrics like traffic counts or page views. The authors point out that effective web engineering must trace how technical inputs cascade down to influence both product-level outcomes (such as specific booking conversions) and consumer-level outcomes (such as long-term brand loyalty and trust). The research reveals that while content design (the accuracy, completeness, and structure of information) and system design (navigation flow, processing speed, and security frameworks) are the most heavily studied components, they must be supported by sensory features (clean aesthetic layouts and visual hierarchies) and hedonic features (interactive engagement elements) to successfully capture consumer interest. Chan et al. (2021) emphasize that when a system combines high-quality information with low operational friction, it reduces the user's cognitive load, minimizes travel uncertainty, and creates a clear path toward transaction completion.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Chan et al. (2021) note that a digital hospitality system achieves true efficiency only when its descriptive content layers are connected directly to active database engines to ensure data integrity. If a system presents polished sensory visuals but fails to provide accurate, real-time availability states, user trust drops immediately, leading to high abandonment rates.

This architecture keeps room parameters and transaction calculations completely synchronized. The study by Chan et al. (2021) confirms that by consolidating high-clarity informational design with structured relational database workflows, local tourism operators can successfully remove usability barriers, build customer trust, and deliver a dependable, highly coordinated digital experience for modern travelers.

Reference: Chan, I. C. C., Law, R., Fong, L. H. N., & Zhong, L. (2021). Website design in tourism and hospitality: A multilevel review. *International Journal of Tourism Research*, 23(5), 805-815.

E-Tourism Information Literacy (eTIL) and Asymmetric Configuration of User Satisfaction

The operational efficacy of digital hospitality frameworks depends not only on the technical performance of backend engines or the visual clarity of client-side user interfaces, but also on the cognitive capabilities of the users navigating these spaces. This critical user-centric dynamic is systematically analyzed by Wang, Wu, Wang, Xu, and Yuan (2024) in their study titled *E-Tourism information literacy and its role in driving tourist satisfaction with online travel information: A qualitative comparative analysis*, published in the *Journal of Travel Research* (63:4, pp. 904-922).

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The researchers break down the traditional assumption that high-quality system inputs automatically result in high user satisfaction. Instead, they conceptualize "e-Tourism Information Literacy" (eTIL) as a distinct consumer capability, demonstrating that a traveler's capacity to locate, evaluate, synthesize, and ethically utilize digital travel information serves as a powerful capability-based boundary condition for tourism platform performance.

Wang et al. (2024) utilize fuzzy-set Qualitative Comparative Analysis (fsQCA) on a sample of 399 travelers to evaluate the complex, causal configurations between eTIL dimensions, Information Quality (\$IQ\$), and System Quality (\$SQ\$) that generate high Tourist Satisfaction with Online Travel Information (TSOTI). Their configuration analysis reveals that high user satisfaction is equifinal—meaning it can be achieved through multiple distinct combinations of system attributes and user fluencies. Crucially, the study establishes that under conditions where external information quality is suboptimal or overly complex, high consumer information literacy acts as a protective buffer; users with strong skills can critically appraise and refine raw data outputs to achieve high satisfaction. Conversely, when users exhibit low eTIL, even highly advanced platforms experience high abandonment rates if the interface introduces any cognitive layout friction.

Wang et al. (2024) note that digital tourism portals achieve maximum usability when they present highly normalized, structured data sets that explicitly support user exploration and reduce search inefficiencies.

Wang et al. (2024) confirms that by consolidating clear, accessible web layouts with stable relational database synchronization, independent hospitality enterprises can successfully bridge user capability divides, maximize consumer search satisfaction, and establish a highly responsive digital destination ecosystem.

Reference: Wang, R., Wu, C., Wang, X., Xu, F., & Yuan, Q. (2024). E-Tourism information literacy and its role in driving tourist satisfaction with online travel information: A qualitative comparative analysis. *Journal of Travel Research*, 63(4), 904-922.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

**E-Trust Determinants, Affective Commitment, and Multi-Dimensional Web
Quality Metrics**

The conversion of online web traffic into verified reservation transactions within the hospitality industry requires a rigorous alignment of system performance with human psychological motivators. This critical relationship is systematically decomposed by Amin, Ryu, Cobanoglu, and Nizam (2021) in their study titled *Determinants of online hotel booking intentions: website quality, social presence, affective commitment, and e-trust*, published in the *Journal of Hospitality Marketing & Management* (30:7, pp. 845-870). The researchers construct an integrated structural framework to evaluate how technical and interpersonal characteristics of e-commerce interfaces influence consumer cognitive states and subsequent booking behaviors. Amin et al. (2021) demonstrate that because hospitality purchases involve high levels of perceived risk and delayed consumption, web platforms cannot operate merely as functional utility logs; instead, they must function as credible, trust-building environments capable of fostering deep psychological connection and user confidence.

Amin et al. (2021) centers on breaking down website quality into distinct, actionable parameters—specifically focusing on information quality, system navigation, and transaction security—and analyzing their direct impacts on electronic trust (e-trust). Using structural equation modeling (SEM) to evaluate traveler cohorts, the authors reveal that e-trust acts as a crucial psychological bridge. High information accuracy and smooth navigation directly feed into this trust layer, which then acts as a primary catalyst for building "affective commitment"—a consumer's emotional attachment and sense of psychological belonging toward a specific brand or digital platform. Furthermore, the study pioneers the integration of "social presence" within hotel booking environments, defining it as the degree to which a medium permits users to perceive the platform as warm, human, responsive, and socially connected. Amin et al. (2021) conclude that when a system combines robust functional data with active responsiveness, it creates a secure digital environment that significantly amplifies consumer booking intentions.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Amin et al. (2021) point out that digital tourism portals must preserve transactional security and data transparency to maintain consumer commitment and prevent booking abandonment. When a platform displays conflicting pricing calculations or suffers from unstable transaction paths, user trust collapses instantly.

Amin et al. (2021) confirms that by consolidating high-transparency information architecture with secure, synchronized relational database workflows, local hospitality enterprises can successfully eliminate technical friction, build deep customer trust, and secure a sustainable economic footprint in the competitive digital marketplace.

Reference: Amin, M., Ryu, K., Cobanoglu, C., & Nizam, A. (2021). Determinants of online hotel booking intentions: website quality, social presence, affective commitment, and e-trust. *Journal of Hospitality Marketing & Management*, 30(7), 845-870.

**Telepresence Mechanics, Dual-Performance Vectors, and Experiential
Consumer Conversions**

The study of Ali, Wu, Duan, Cobanoglu, and Ryu (2021) in their study titled *Hotel website quality, performance, telepresence and behavioral intentions*, published in *Tourism Review* (76:3, pp. 681-700). The researchers investigate how specialized technical features of hospitality web applications shape a customer's internal psychological state and drive subsequent reservation actions. Ongsakul et al. (2021) demonstrate that a website's architectural excellence acts as an environmental trigger that instills a state of "telepresence"—defined as the cognitive and psychological sensation of "virtually being present" within a mediated setting while remaining physically remote. The study proves that achieving telepresence bridges the gap between an intangible travel destination and a prospective visitor's trust.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

A primary empirical contribution of the research by Ongsakul et al. (2021) centers on modeling telepresence as a vital psychological mediator that activates two distinct dimensions of website performance:

- **Utilitarian Performance:** The functional value, processing speed, and practical efficiency of the interface, which helps users complete navigational tasks and execute transactional commands without error.
- **Hedonic Performance:** The experiential value, emotional enjoyment, visual appeal, and interactive entertainment that a user experiences while exploring the digital environment.

Using Partial Least Squares-Structural Equation Modeling (PLS-SEM) on a sample of 683 respondents, the authors confirm that high-quality web attributes directly drive telepresence. This sense of spatial immersion then significantly boosts both utilitarian and hedonic performance evaluations. Ultimately, this multi-layered performance matrix yields positive behavioral outcomes, including explicit booking intentions and word-of-mouth recommendations. The study concludes that independent lodging properties must implement interactive, high-vividness design strategies to lower consumer hesitation and optimize online conversions.

Ongsakul et al. (2021) note that a platform's hedonic and visual appeals must be firmly anchored to real-time utilitarian execution to prevent transaction failures. If a system successfully fosters an immersive spatial experience but relies on inaccurate backend inventories or laggy reservation pipelines, user satisfaction drops immediately, leading to high abandonment rates. The KML Mountain Resort system addresses this risk by routing its interactive front-end elements directly through a secure Node.js and Express.js server backend connected to a normalized MySQL database.

Reference: Ongsakul, V., Ali, F., Wu, C., Duan, Y., Cobanoglu, C., & Ryu, K. (2021). Hotel website quality, performance, telepresence and behavioral intentions. *Tourism Review*, 76(3), 681-700.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The Metaverse Continuum, Immersive Asset Co-Creation, and Next-Generation Digital Twins

The rapid evolution of web technologies has pushed the boundaries of information systems past traditional, flat user interfaces toward a highly unified digital-physical continuum. This technological paradigm shift is comprehensively investigated by Wei (2024) in the study titled *A buzzword, a phase or the next chapter for the Internet? The status and possibilities of the metaverse for tourism*, published in the *Journal of Hospitality and Tourism Insights* (7:1, pp. 602-625). The author provides a thorough conceptual analysis of the "metaverse" within the hospitality sector, evaluating whether immersive 3D architectures constitute a temporary marketing trend or represent the formal next chapter of internet-mediated consumer experiences. Wei (2024) establishes that the metaverse functions as an interconnected network of persistent, three-dimensional virtual environments where users interact as digital avatars. This structural integration does not replace physical travel; instead, it serves as an advanced pre-trip exploration ecosystem that revolutionizes experiential consumption and service-quality expectations.

Wei's (2024) research is the re-conceptualization of traditional tourism marketing models through the lens of value co-creation and spatial digital twins. The study notes that while modern travelers heavily rely on static media like photography, videos, and text logs, these traditional formats fail to communicate the true spatial relationship and physical scale of complex geographical landscapes. By utilizing immersive virtual architectures, hospitality operators can construct precise digital twins of their accommodations, amenities, and environmental features. This capability transforms passive information search behaviors into active, participatory exploration. Within these spaces, prospective guests can virtually navigate property boundaries, customize environmental parameters, and experience localized layouts from their own devices. Wei (2024) demonstrates that this high level of spatial interactivity reduces travel anxiety, bridges the gap between intangible destinations and consumer trust, and significantly strengthens long-term booking intentions.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Wei (2024) highlights a critical operational requirement for implementing advanced virtual environments: the necessity for strict data integrity and real-time coordination between a property's digital representations and its physical backend inventories. If a tourism platform offers highly interactive, sophisticated spatial visualizations but links them to disconnected, uncoordinated booking registries, the user journey breaks immediately, resulting in operational confusion and high client drop-off rates. The research concludes that next-generation travel architectures achieve maximum efficiency only when their frontend visualization models are anchored directly to secure, centralized database management engines that handle actual capacity, pricing, and availability variables.

Reference: Wei, W. (2024). A buzzword, a phase or the next chapter for the Internet? The status and possibilities of the metaverse for tourism. *Journal of Hospitality and Tourism Insights*, 7(1), 602-625.

Mobile Tourism Utilities, Autonomous Navigation Confidence, and Decentralized Infrastructure Vulnerabilities

The integration of smart mobile information systems into the regional travel landscape has fundamentally transformed how tourists consume geographical data and execute transactions. This developmental impact is thoroughly analyzed by Karimov, Kalandarova, Makhkamova, Asrorova, Saydamatov, Ablyakimova, Karshiboeva, and Odilov (2024) in their study titled *Impact of mobile applications on tourism development in Uzbekistan*, published in the *Indian Journal of Information Sources and Services* (14:4, pp. 175-181). The researchers utilize a mixed-methods design—incorporating stakeholder case studies, end-user feedback matrix tracking, and industry data analysis—to evaluate how real-time mobile utilities shape tourist engagement and drive macroeconomic growth.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Karimov et al. (2024) establish that mobile travel technologies serve as an essential catalyst for destination modernization, elevating visitor experiences by bundling independent tools like location-based recommendations, language translation modules, and instant booking engines into cohesive, highly accessible mobile frameworks.

A major empirical finding of the study by Karimov et al. (2024) centers on the direct correlation between the deployment of mobile navigation maps and the psychological independence of international travelers. Their survey metrics reveal that over 85% of active tourists leverage mobile platforms for travel logistics, with navigation (65%) and hotel reservations (55%) emerging as the most heavily utilized features. Crucially, the authors demonstrate an interaction effect regarding consumer trust and mobility: 80% of participants reported feeling significantly more confident and prepared to execute excursions and explore regional landmarks independently when equipped with digital cultural guides and responsive map overlays.

The study concludes that to maximize destination appeal, software developers must build resilient, highly localized applications that maintain high usability even when operating across unstable or resource-constrained cellular infrastructures.

Karimov et al. (2024) note that travel information applications achieve maximum utility when their public-facing interactive panels are synchronized directly with centralized administrative records to reduce communication gaps.

References: Karimov, N., Kalandarova, M., Makhkamova, N., Asrorova, Z., Saydamatov, F., Ablyakimova, R., ... & Odilov, B. (2024). Impact of mobile applications on tourism development in Uzbekistan. *Indian Journal of Information Sources and Services*, 14(4), 175-181.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

**ICT Infrastructure Readiness, Structural Capability Gaps, and Centralized
Reservation Intermediaries**

The baseline operational reliability of modern travel portals relies on the underlying quality and stability of local digital infrastructures. This foundational requirement is systematically investigated by Myat, Sharkasi, and Rajasekera (2023) in their study titled *Myanmar's tourism: Sustainability of ICT to support hotel sector for online booking and digital marketing*, published in *Benchmarking: An International Journal* (30:7, pp. 2486-2508). The researchers leverage the Network Readiness Index (NRI) framework—specifically focusing on the "Network Use" sub-component—to measure how the quality of regional internet connectivity shapes the digital marketing capabilities and online reservation frameworks of independent lodging operators. Myat et al. (2023) establish that while awareness of digital marketing and social media utility is exceptionally high among hospitality stakeholders, the practical capacity to execute real-time, automated transactions is deeply bottlenecked by systemic network limitations and infrastructure disparities.

A major contribution of the empirical research by Myat et al. (2023) is its evaluation of a common structural imbalance found in developing travel markets: the presence of high front-end visibility alongside low back-end transactional capabilities. Through regression analyses of data gathered across major tourist hubs (including Bagan, Mandalay, and Nay Pyi Taw), the authors reveal that approximately 80% of surveyed hotels maintain a formal public web presence. However, a significant majority of these proprietary platforms completely lack direct, database-driven reservation or online transactional capabilities.

The study concludes that to achieve a sustainable competitive advantage and build operational resilience, regional hospitality entities must transition away from fragmented third-party dependency. Instead, they need to implement lightweight, direct-to-consumer information systems that can operate efficiently within local network limitations.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

By translating the infrastructural critiques formulated by Myat and her colleagues into application design, the proponents of this system rejected reliance on heavy third-party booking integrations or complex external APIs. Instead, they engineered an independent, unified web system powered by an optimized Node.js and Express.js server backend. This design minimizes external network requests and ensures that the client-side user experience remains responsive, even under constrained bandwidth conditions.

Myat et al. (2023) emphasize that establishing direct, proprietary data tracking is essential for eliminating administrative communication gaps and maximizing local business insights.

Reference: Myat, A. A., Sharkasi, N., & Rajasekera, J. (2023). Myanmar's tourism: Sustainability of ICT to support hotel sector for online booking and digital marketing. *Benchmarking: An International Journal*, 30(7), 2486-2508.

Spatiotemporal Human Tracking, Information-Seeking Timelines, and Route Linearity Configurations

The architectural design of localized spatial systems requires more than simple point-to-point coordinate rendering; it demands an understanding of how distinct classes of self-guided, highly independent travelers interact with digital informational inputs to map their physical movements across space and time. This complex behavioral dynamic is thoroughly examined by Martins, da Costa, and Moreira (2022) in their study titled *Backpackers' space-time behavior in an urban destination: The impact of travel information sources*, published in the *International Journal of Tourism Research* (24:3, pp. 456-471).

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The researchers utilize an innovative, tracking-based methodology—combining detailed questionnaire surveys with Global Positioning System (GPS) smartphone tracking—to record the empirical "spatiotemporal behavior" of budget-conscious, high-mobility travelers. Martins et al. (2022) demonstrate that human spatial behavior within a tourist destination is defined by three intersecting vectors: what activities are performed, when they occur (temporal dimension), and where they manifest (spatial element). Crucially, the configuration of these vectors is heavily dictated by the specific timing and medium of the user's travel information search.

Using bivariate analysis and non-parametric statistical models on GPS-tracked trajectories, the authors prove that consulting online information *prior* to visiting a destination has the most powerful statistical impact on both intensity and linearity. Well-informed, digitally native travelers construct complex yet highly optimized daily itineraries. Conversely, when travelers lack authoritative online information hubs and rely on uncoordinated, ad-hoc information searches *during* the trip, their spatial patterns degrade into fragmented path configurations, leading to time waste, lower destination consumption, and premature travel fatigue.

Martins et al. (2022) note that to preserve travel linearity and orientation confidence, a digital travel application must link its interactive visual elements directly to centralized data sources to prevent data mismatches.

Reference: Martins, M. R., da Costa, R. A., & Moreira, A. C. (2022). Backpackers' space–time behavior in an urban destination: The impact of travel information sources. *International Journal of Tourism Research*, 24(3), 456-471.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

**The Fourth Industrial Revolution in Hospitality, Predictive Data Modeling, and
Smart Personalization Vectors**

The transition of regional tourism operations into automated, highly responsive ecosystems requires developers to look past simple, flat data storage and instead understand how advanced computational intelligence can optimize administrative decision-making and consumer experiences. This socio-technical shift is comprehensively mapped by Bulchand-Gidumal (2022) in the study titled *Impact of artificial intelligence in travel, tourism, and hospitality*, published in the *Handbook of e-Tourism* (pp. 1943-1962). The researcher provides a rigorous evaluation of the foundational components of Artificial Intelligence (AI) and machine learning within the context of the Fourth Industrial Revolution.

Bulchand-Gidumal (2022) addresses critical implementation challenges, noting that as digital travel platforms collect highly specific consumer vectors—such as geographic locations, personal data profiles, and transaction histories—the underlying database architecture must balance algorithmic customization with rigid data protection and architectural transparency. The study concludes that independent properties maximize their operational efficiency when they embed structured, automated data-validation tracking directly into their proprietary information networks to eliminate data silos and manual administrative delays.

The work of Bulchand-Gidumal (2022) confirms that by consolidating clear, accessible user tracking with automated relational database workflows, local hospitality enterprises can successfully eliminate structural management bottlenecks, maximize operational transparency, and deliver a reliable, highly coordinated destination experience.

Reference: Bulchand-Gidumal, J. (2022). Impact of artificial intelligence in travel, tourism, and hospitality. In *Handbook of e-Tourism* (pp. 1943-1962). Cham: Springer International Publishing.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

**Science Mapping of ICT Evolutions, Self-Service Paradigms, and Architectural
Macro-Trends**

The engineering of modern, standalone travel information frameworks requires a comprehensive understanding of the historical and conceptual macro-trends that define the intersection of computing and hospitality. This evolutionary trajectory is extensively evaluated by Molina-Collado, Gómez-Rico, Sigala, Molina, Aranda, and Salinero (2022) in their foundational study titled *Mapping tourism and hospitality research on information and communication technology: a bibliometric and scientific approach*, published in *Information Technology & Tourism* (24:2, pp. 299-340). The researchers execute a comprehensive science mapping analysis using SciMAT software to evaluate 2,424 academic documents spanning from 1988 to 2021 extracted from the Web of Science and SCOPUS databases. Molina-Collado et al. (2022) provide a critical overview of how Information and Communication Technologies (ICTs) have evolved from basic back-office utility logs into integrated, consumer-facing ecosystem drivers that fundamentally reshape operational efficiencies and destination management strategies.

The study demonstrates that the disruptions caused by modern global crises have accelerated the transition toward touchless, automated digital environments, establishing decentralized self-service systems as an essential operational standard rather than an optional luxury.

By mapping the historical research priorities validated by Molina-Collado and her colleagues into a concrete application architecture, the proponents of this system avoided building a generic, one-dimensional informational website. Instead, they designed an autonomous destination management environment that addresses the core pillars identified in the literature—unifying interactive local map routing (smart tourism), automated, client-driven reservation pipelines (self-service technologies), and secure backend authentication systems to establish digital trust.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Molina-Collado et al. (2022) emphasize that as hospitality computing moves further into the smart tourism era, developers must ensure that public-facing application layers maintain absolute synchronization with active data networks to avoid operational friction.

The research by Molina-Collado et al. (2022) confirms that by consolidating clear self-service tools with robust relational tracking, contemporary hospitality enterprises can successfully bridge structural technology gaps, optimize customer trust, and maintain a resilient operational footprint in the modern marketplace.

Reference: Molina-Collado, A., Gómez-Rico, M., Sigala, M., Molina, M. V., Aranda, E., & Salinero, Y. (2022). Mapping tourism and hospitality research on information and communication technology: a bibliometric and scientific approach. *Information Technology & Tourism*, 24(2), 299-340.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Local Studies

Booking and Reservation Systems and Location-Based Services

According to Gosela and Encarnacion (2024) explore the integration of booking systems and location-based services (LBS) to create unified applications that support sustainable tourism networks. In their research, *"Booking and reservation system: A unified application using location-based services for sustainable tourism networks,"* the authors argue that modern tourism platforms must go beyond simple information display by integrating real-time geographic data to enhance the traveler's experience.

Gosela and Encarnacion further emphasize that unified applications improve operational efficiency for small-scale businesses by centralizing guest interactions and location tracking into a single digital interface. In the context of a remote resort, such a system can streamline the process of handling inquiries while simultaneously providing guests with the exact coordinates and landmark-based routes needed to reach the destination. By reducing the complexity of navigation and automating information dissemination, the system minimizes traveler frustration and enhances the professional image of the resort.

Moreover, the authors highlight the importance of "Location-Based Services" (LBS) in promoting sustainable tourism. These systems enable administrators to monitor how users interact with the map and which routes are most frequently accessed. This capability is essential for managing a resort effectively, as it allows the owner to understand guest behavior, update landmark descriptions based on realtime feedback, and support long-term strategic planning for the resort's accessibility.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Additionally, Gosela and Encarnacion discuss how these digital networks contribute to a competitive advantage for provincial destinations. Implementing a unified system for resorts aligns with this idea by leveraging digital mapping and reservation features to meet the needs of modern tourists who require reliable, technology-supported navigation when exploring unfamiliar territories.

Overall, the findings presented by Gosela and Encarnacion (2024) support the necessity of developing an integrated navigation and information portal for KML Mountain Resort, as such a system enhances business discoverability, improves guest satisfaction through precise guidance, and enables data-driven management for the resort owners.

Reference: Gosela, R. R. U., & Encarnacion, R. E. (2024). Booking and reservation system: A unified application using location-based services for sustainable tourism networks. *International Journal of Advanced Research in Science Communication and Technology*, 4(1), 739–749. ISSN:2581-9429.

Integrated Simulation and Management Systems in Tourism Education and Operations

The study by Altar et al. (2024), titled "*An Integrated Intranet-Based Simulation System for College of Hospitality and Tourism Management of EARIST Manila*," focuses on the development of a centralized digital environment designed to simulate and manage hospitality and tourism operations. Published by IEEE, the research emphasizes how integrating multiple functional modules into a single system—such as guest handling, resource management, and information dissemination—creates a more efficient and organized environment for both administrators and end-users.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Altar et al. highlight that integrated systems improve operational efficiency by providing a structured workflow that reduces the reliance on manual, decentralized processes. For a small-scale enterprise, this supports the transition from manual inquiry handling to an automated "Digital Information Hub." By centralizing resort data, the system ensures that information remains consistent and accessible, mirroring the study's goal of streamlining hospitality management through technology to minimize human error and operational delays.

Furthermore, the authors discuss the importance of using simulation-style interfaces to improve user familiarity and ease of use. In the context of the KML project, this aligns with the objective of creating an intuitive Administrative Dashboard. Such a dashboard allows the resort owner to simulate or manage the "guest journey"—from updating the photo gallery to refining landmark-based navigation data—ensuring that the digital representation of the resort is always accurate and ready for potential visitors.

The study by Altar et al. (2024) validates the structural approach of the KML Mountain Resort project. It supports the necessity of developing a system that integrates administrative management with user-facing information tools, ultimately enhancing the resort's operational reach, improving guest satisfaction, and providing a sustainable digital framework for growth.

Reference: Altar, J. R. B., Dellova, C. A. P., Resco, A. M., Bartiquin, A. M., Dinaga, M. R. D., & Costales, J. A. (2024, November). An Integrated Intranet-Based

Simulation System for College of Hospitality and Tourism Management of EARIST Manila. In *2024 3rd International Conference on Computer Applications Technology (CCAT)* (pp. 55-60). IEEE.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Impact and Identities in the Linguistic Landscape of Tourist Destinations

The study by Sieras (2024), titled *"Impact and Identities as Revealed in Tourists' Perceptions of the Linguistic Landscape in Tourist Destinations,"* examines how the physical signs, languages, and visual cues (the "linguistic landscape") within a destination influence traveler perceptions and behaviors. Published in the *International Journal of Language and Literary Studies*, the research highlights that the way information is visually communicated—through signage, digital interfaces, and landmarks—plays a critical role in shaping a tourist's sense of security, orientation, and connection to a place. This study is highly relevant to the development of integrated tourism platforms, particularly those utilizing **landmark-based navigation**, as it provides a sociolinguistic foundation for how visual markers help guests "read" and navigate an environment.

Sieras emphasizes that clear and accessible linguistic cues are essential for "wayfinding" in unfamiliar territories. For remote or secluded destinations, this research supports the implementation of navigation systems that go beyond mere coordinates to include descriptive, landmark-based guidance. By integrating specific visual cues (such as descriptions of local bridges, unique trees, or specific signs) into a digital navigation portal, a system aligns with the traveler's natural tendency to look for familiar linguistic or physical "anchors" to confirm they are on the right path. This reduces the cognitive stress of navigating "silent" or poorly marked rural routes.

The research highlights that a lack of clear informational cues can lead to a sense of exclusion or frustration among travelers. Implementing an integrated system that combines search engine discoverability with precise, landmark-oriented instructions directly addresses this challenge. The study suggests that when a destination takes control of its "informational landscape"—whether physically or digitally—it significantly improves the guest experience and encourages positive word-of-mouth.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The findings by Sieras (2024) provide a unique perspective on the necessity of integrated navigation systems. The research confirms that by strategically using landmarks and clear digital communication, tourism destinations can improve their physical reachability, strengthen their brand identity, and ensure that travelers feel guided and secure throughout their journey.

Reference: Sieras, S. G. (2024). Impact and Identities as Revealed in Tourists' Perceptions of the Linguistic Landscape in Tourist Destinations. *International Journal of Language and Literary Studies*, 6(1), 375-392.

Mobile Application Methodologies within the Philippine Tourism Ecosystem

The modernization of localized hospitality systems and municipal ecotourism networks within developing regions requires a deep academic understanding of regional infrastructure constraints and mobile consumer behaviors. This unique environment is rigorously evaluated by Velasco, Acosta, Bicomong, Aguilera, Reyes, Reginaldo, and Dayang (2024, July) in their research paper titled *Elevating Philippine tourism: A mobile app approach*, published in the *Proceedings of the 2024 7th International Conference on Informatics and Computational Sciences (ICICoS)* (pp. 126-130, IEEE). The authors analyze the design, development, and strategic deployment of mobile-first computing models tailored to the needs of the domestic Philippine tourism market. Velasco et al. (2024) explain that mobile software architectures provide a direct path toward increasing visitor engagement, preserving micro-destination visibility, and revitalizing remote ecotourism regions across the archipelago.

Velasco et al. (2024) observe that modern digital tourism tools must do more than display static brochures; they need to offer integrated transactional modules that make operations seamless for both the user and the administrator. A platform achieves maximum utility when it balances front-end customer interfaces with clean, secure back-end management panels. The KML Mountain Resort platform addresses this standard by mapping its front-end interactive displays directly to a structured MySQL database.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

A primary contribution of the study by Velasco et al. (2024) is its emphasis on addressing the unique technological bottlenecks that characterize the Philippine digital landscape. The researchers point out that while mobile application usage is exceptionally high among Filipino travelers and international tourists, the performance of these apps is frequently throttled by intermittent cellular networks, regional power variations, and varying smartphone device capabilities. The study demonstrates that traditional, data-heavy computing architectures often alienate users when deployed in rural or high-altitude domestic destinations. To overcome these barriers, Velasco et al. (2024) advocate for developing lightweight, responsive, and cross-platform web or mobile applications that optimize client-side data handling, maintain strong security protocols, and prioritize clear user interfaces.

When users explore information layers or check availability, the system routes requests through clean backend tables like rooms, facilities, and bookings. This design allows administrators to update room states and food inventory on the fly. The study by Velasco et al. (2024) confirms that by developing custom, lightweight, and locally optimized applications, Philippine tourism enterprises can successfully bridge the gap between rural destinations and digital consumers, establishing a modern standard for domestic hospitality engineering.

Reference: Velasco, M. N., Acosta, M. L. C., Bicomong, G. A. P., Aguilera, T. M. R., Reyes, A. J. D. D., Reginaldo, K. G. J., & Dayang, L. M. B. (2024, July). Elevating Philippine tourism: A mobile app approach. In *2024 7th International Conference on Informatics and Computational Sciences (ICICoS)* (pp. 126-130). IEEE.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Digitalized Hospitality Administration and Safety Mitigation in Philippine Hotel Entrepreneurship

The optimization of digital workflows within independent and entrepreneurial hotel properties across the Philippines requires a balanced approach that addresses both modern market demands and visitor safety concerns. This operational dynamic is thoroughly examined by Marcelo (2023) in the study titled *Digitalized Tourism Practices of Selected Entrepreneurial Hotels in the Philippines Towards a Safe Travel Experience*, published in the *Journal of Social Entrepreneurship Theory and Practice*. The researcher investigates the adoption rates, deployment models, and structural outcomes of digital hotel platforms among local hospitality entrepreneurs. Marcelo (2023) demonstrates that in the modern domestic market, deploying custom web applications and interactive management systems is no longer just a way to improve convenience; it is a critical strategy for reducing operational friction, establishing business credibility, and ensuring a predictable, well-organized travel environment for consumers.

A central theme of Marcelo's (2023) research is the role of automation in eliminating high-contact, high-friction operational patterns that often lead to booking confusion, administrative delays, and safety oversights. For independent or boutique hospitality properties in the Philippines, managing client communication and booking confirmations via unstructured analog systems or decentralized social media channels creates significant business vulnerability. The study highlights that when a property uses integrated digital booking workflows, it can systematically regulate visitor volume, collect essential arrival parameters, and provide clear information about onsite facility guidelines before the guest even arrives. Marcelo (2023) establishes that travel safety and overall satisfaction are directly improved when an application enables seamless, transparent communication between the administrative backend and the client-side user interface.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Marcelo (2023) notes that digital tourism practices are highly effective when they extend beyond basic booking forms to provide comprehensive information about onsite dining and recreational amenities. Travelers show higher trust and experience less travel anxiety when a property's digital platform clearly outlines auxiliary logistics, such as current menu availability, ingredient tracking, and spatial layouts of independent resort venues. The KML Mountain Resort system addresses this consumer demand by incorporating dedicated, database-linked modules like food_items and dining_spots.

Reference: MARCELO, J. (2023). Digitalized Tourism Practices of Selected Entrepreneurial Hotels in the Philippines Towards a Safe Travel Experience. *Journal of Social Entrepreneurship Theory and Practice*.

**Motivational Drivers of Digital Accommodation Platforms and Consumer Behaviors
in the Philippine Context**

Evaluating the core psychological and operational expectations that influence how domestic and international travelers select accommodations via web-based architectures is essential for engineering effective tourism information systems. This behavioral dynamic is rigorously analyzed by Esguerra and Arreza (2021) in their study titled *The motivational factors on using virtual hotel operators' accommodation among tourists in Cebu city, Philippines*, published in the *Journal of Business on Hospitality and Tourism* (7:3, pp. 280-292). The researchers investigate the explicit consumer drivers—such as cost-efficiency, interface convenience, information transparent quality, and perceived technological security—that motivate modern tourists to book accommodations through virtual hospitality channels and dedicated digital applications within major Philippine tourist hubs. Esguerra and Arreza (2021) demonstrate that travelers increasingly prioritize platforms that offer immediate, highly verifiable data regarding room features, real-time rates, and auxiliary property services over traditional, high-friction booking channels.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

A central finding of the research conducted by Esguerra and Arreza (2021) emphasizes that information transparency acts as a primary motivator for digital system utilization. In the Philippine hospitality landscape, consumers frequently express hesitation when booking independent or remote accommodations if the web application lacks comprehensive multimedia assets, detailed inventory updates, or reliable pricing breakdowns. The study highlights that "perceived risk" rises significantly when tourists encounter outdated digital catalogs or platforms that require manual, offline intervention to confirm a simple transaction. Esguerra and Arreza (2021) conclude that to build consumer trust and drive booking conversions, digital hospitality architectures must actively eliminate ambiguous informational pathways by presenting automated, granular, and structurally integrated property records that the user can explore seamlessly.

Esguerra and Arreza (2021) note that modern travelers display a high affinity for applications that unify diverse transactional elements into a single, cohesive user experience. When a platform successfully links room reservations with local amenity info, food services, and navigation aids, user satisfaction and system trust increase dramatically.

Reference: Esguerra, J. G., & Arreza, M. K. B. (2021). The motivational factors on using virtual hotel operators' accommodation among tourists in Cebu city, Philippines. *Journal of Business on Hospitality and Tourism*, 7(3), 280-292.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Algorithmic Routing and Tourism Circuit Navigation within the Philippine Topography

The architectural deployment of customized spatial algorithms within mobile and web-based mapping applications is a vital field of study for developing sustainable travel networks in localized ecosystems. This technical framework is thoroughly investigated by Asor, Catedrilla, De Leon, and Ramos (2021) in their research titled *Implementation of tourism circuit concept in an android-based tourist navigation application through A* algorithm*, published in the *Indonesian Journal of Electrical Engineering and Computer Science* (24:2, pp. 986-992). The authors examine the software engineering mechanics required to process spatial data structures across localized "tourism circuits"—defined as networks of interconnected tourist attractions clustered within a specific geographic zone. Asor et al. (2021) implement a customized version of the A^* (A-Star) pathfinding algorithm to compute optimized physical trajectories between geographic waypoints, focusing specifically on mitigating the real-world navigation inefficiencies faced by travelers in regional Philippine provinces.

A primary contribution of the research by Asor et al. (2021) centers on managing computational overhead and data delivery constraints within localized navigation applications. The authors point out that traditional, commercial routing services often rely on continuous, heavy server-side communication loop models that degrade rapidly when applied to deep rural or high-altitude environments characterized by poor network bandwidth. By leveraging the A^* algorithm, which utilizes a heuristic evaluation function to determine the shortest and most optimal path through a weighted graph, the system can systematically evaluate node networks without overloading mobile processing units. The equation used for this cost calculation is expressed as follows:

$$f(n) = g(n) + h(n)$$

where:

- $f(n)$ represents the total estimated cost of the cheapest path through target node n .

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

- $g(n)$ is the exact cost of the path from the starting node to node n .
- $h(n)$ is the heuristic function estimating the remaining cost from node n to the final goal destination coordinate.

Asor et al. (2021) assert that a navigation application becomes significantly more valuable to travelers when it maps out secondary visual checkpoints and descriptive landmarks along a primary route. Travelers experience lower travel anxiety when an app explicitly plots a sequence of recognizable nodes rather than relying solely on a simple, abstract orientation line.

Reference: Asor, J. R., Catedrilla, G. M. B., De Leon, C. Q., & Ramos, S. L. (2021). Implementation of tourism circuit concept in an android-based tourist navigation application through A* algorithm. *Indonesian Journal of Electrical Engineering and Computer Science*, 24(2), 986-992.

Web-Based Reservations and Automated Management Systems for Eco-Resorts

The deployment of target-specific web solutions within nature-oriented recreation spaces is a critical trend for modernizing the regional hospitality sector. This structural shift is comprehensively detailed by Ramento, Dancel, Taberlo, and Anquillano (2024) in their study titled *Web-Based Reservation and Management System for Nature Spring Resort*, published in the *Journal of Pure and Applied Sciences* (4:2). The researchers investigate how independent, nature-based leisure resorts transition from analog or fragmented booking approaches to centralized, web-accessible database systems. Ramento et al. (2024) argue that nature resorts face unique operational challenges—such as fluctuating seasonal visitor volumes, diverse facility types (e.g., cabins, pools, picnic areas), and localized logistical bottlenecks—that require custom, integrated management software rather than generic, off-the-shelf point-of-sale solutions.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

A primary finding in the work of Ramento et al. (2024) centers on the administrative advantages gained by eliminating manual booking books and unverified reservation records. In typical rural or nature-themed destinations, front-desk operations frequently struggle with double-booking errors, delayed payment validations, and inaccurate room inventory states. The authors demonstrate that by implementing a dedicated web-based reservation platform, an enterprise can automatically bind real-time room availability status directly to a secure backend relational database. This architectural integration guarantees data consistency, allows management to easily track incoming reservation metrics, and provides tourists with instant transparency regarding what accommodations are open for booking at any given time.

Ramento et al. (2024) point out that an effective eco-resort system must balance its core lodging modules with auxiliary management tools, such as dynamic food menu updates and aggregated financial summaries. A resort is a multi-faceted business where room stays are often tied directly to onsite dining and recreation usage.

Reference: Ramento, L. F., Dancel, D. M., Taberlo, E., & Anquillano, K. J. (2024). Web-Based Reservation and Management System for Nature Spring Resort. *Journal of Pure and Applied Sciences*, 4(2).

Strategic Resort Management Models and Architectural Travel Components in the Philippines

The systematic alignment of operational travel components with corporate administrative strategies is a fundamental requirement for achieving long-term sustainability within the highly competitive Philippine hospitality sector. This industry dynamic is rigorously analyzed by Peralta (2024) in the study titled *Travel Components of Selected Resorts in Batangas: Input for Resort Management Strategy*, published in *UNIVERSITAS-The Official Journal of University of Makati* (12:1, pp. 45-61).

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The researcher investigates the core dimensional pillars that dictate contemporary resort selections—such as lodging infrastructure qualities, auxiliary recreation facilities, accessible informational channels, and localized hospitality service delivery models. Peralta (2024) demonstrates that a resort’s long-term commercial viability is heavily reliant on management’s ability to treat these distinct travel components not as isolated operational units, but as an interconnected, strategic ecosystem that can be continually audited and optimized.

A primary theme established in the work of Peralta (2024) focuses on the changing expectations of domestic tourists regarding service transparency and spatial orientation. When exploring regional or eco-tourism properties, modern consumers demand highly granular, pre-trip structural information to validate their travel choices and reduce physical friction upon arrival. The study highlights that conventional, analog resort management strategies often fail because they create an informational gap regarding active room inventories, current amenity statuses, and specialized culinary operations. Peralta (2024) concludes that for a hospitality enterprise to successfully position itself within a competitive local market, management must implement structured information hubs that give consumers immediate, real-time access to the resort’s operational components, thereby converting baseline visitor interest into verified business conversions.

Peralta (2024) notes that a modern resort strategy must actively tie customer-facing service provisions back to automated backend financial and operational logging systems. Management cannot form effective long-term business strategies without reliable data tracking daily transaction velocities and asset utilizations.

Reference: Peralta, P. (2024). Travel Components of Selected Resorts in Batangas: Input for Resort Management Strategy. *UNIVERSITAS-The Official Journal of University of Makati*, 12(1), 45-61.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Social Media Tourism Marketing and the Transition to Centralized Web Architectures

The strategic utilization of digital platforms to stimulate municipal tourism and drive regional travel behaviors is a vital area of study within the contemporary Philippine hospitality ecosystem. This relationship is rigorously analyzed by Tayco, Tubog, and Zamora (2022) in their study titled *The influence of social media as a tourism marketing tool in Negros Oriental, Philippines*, published in the *Journal of Interdisciplinary Perspectives* (2:8, pp. 24-35). The researchers investigate how independent travel entities, municipal destinations, and hospitality operators leverage social media platforms to generate brand awareness, distribute promotional media, and engage with prospective travelers within a prominent visayan tourism landscape. Tayco et al. (2022) demonstrate that while social media serves as a powerful instrument for initial customer acquisition and destination discovery, its operational efficiency remains fundamentally limited if it is not paired with a centralized, data-driven web information hub.

Tayco et al. (2022) focuses on the structural friction that occurs when hospitality enterprises rely exclusively on social media ecosystems to conduct business transactions. The authors point out that platforms like Facebook, Instagram, and TikTok excel at broad visual outreach, but they lack the transactional capabilities required to manage detailed logistics. When tourists attempt to verify room inventories, check accurate pricing tables, or secure formal reservations through direct messaging channels, they frequently experience long communication delays and administrative confusion. The study emphasizes that social media must be treated as a promotional gateway that routes users toward a dedicated, secure web infrastructure capable of handling systematic data management, thereby protecting the consumer journey from information fragmentation.

Tayco et al. (2022) note that modern travelers expect a high level of information consistency across all digital channels. When a hospitality enterprise displays conflicting data regarding its operational parameters—such as active culinary menu items, open facility hours, or current overnight lodging rates—consumer trust declines significantly.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

By enabling administrators to update these parameters in real time through a secure Express.js server, the system ensures that any information presented to the public remains accurate and authoritative. The study by Tayco et al. (2022) confirms that by combining open marketing outreach with a robust, centralized web information and navigation application, local tourism enterprises can successfully optimize their digital footprint, minimize customer friction, and establish a modern operational framework for regional destination management.

Reference: Tayco, R., Tubog, M. V., & Zamora, G. (2022). The influence of social media as a tourism marketing tool in Negros Oriental, Philippines. *Journal of Interdisciplinary Perspectives*, 2(8), 24-35.

Geotagged Media Representations and Spatial Typologies in Targeted Tourism Markets

The digital projection of travel experiences through location-tagged imagery has become a dominant driver in shaping contemporary destination images and influencing consumer search patterns. This behavioral and visual dynamic is systematically analyzed by Buenviaje, Castillo, Landicho, Lobo, Mendoza, and de Guzman (2024) in their study titled *Honeymoon tourists' online representation of tagged locations in Bali, Indonesia*, published in *Anatolia* (35:1, pp. 123-134). By applying a Directed Content Analysis (DCA) to thousands of location-tagged photographs shared by niche travelers, the researchers utilize Hunter's Typology of Photographic Representation (TPR) to dissect how distinct tourist cohorts visually package and broadcast physical spaces. Buenviaje et al. (2024) establish that digital travel representations are heavily anchored to explicit spatial classifications—specifically natural landscapes, cultivated landscapes, heritage sites, and commercial "tourism products"—which collectively form the empirical baseline that future travelers navigate during their pre-trip information-seeking phase.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Buenviaje et al. (2024) is the confirmation that commercial "tourism products" (such as stylized accommodation settings, premium lodging aesthetics, and curated resort environments) consistently yield the highest volume of user-generated geotagged content. The study highlights that targeted travel cohorts actively seek highly "photographic groomed spaces" to capture their milestones, making the structural design and online presentation of an independent resort's facilities critical to its market visibility. Furthermore, the authors illustrate that when regional or niche destinations clearly map out their specific micro-locations, it significantly mitigates travel uncertainty for prospective visitors. By converting physical geography into a visible, highly organized digital map of taggable visual landmarks, hospitality operators can successfully bridge the gap between abstract tourist aspirations and concrete logistical conversions.

Buenviaje et al. (2024) note that modern travelers demand an administrative continuity where the polished online representation of a destination matches its real-time operational availability. When a platform presents highly appealing visual assets but fails to provide accurate, real-time transactional data like current pricing or immediate slot tracking, the consumer loop breaks, resulting in abandoned booking intentions.

The work of Buenviaje et al. (2024) confirms that by consolidating high-quality visual spatial representations with structured relational data tracking, independent tourism enterprises can successfully optimize their digital footprint, fulfill modern traveler expectations, and establish a reliable, highly coordinated destination environment.

Reference: Joaquin Y. Buenviaje, M., Castillo, K. R. M., Landicho, K. L. B., Lobo, F. B. D., Mendoza, L. L., & de Guzman, A. B. (2024). Honeymoon tourists' online representation of tagged locations in Bali, Indonesia. *Anatolia*, 35(1), 123-134.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Geospatial Tourism Potentials and Infrastructure Vulnerabilities in Rugged Ecosystems

The systematic assessment of localized geographical assets and physical terrain profiles is essential for establishing resilient digital frameworks within independent eco-tourism destinations. This relationship is comprehensively investigated by Savanchiyeva, Atasoy, Berdenov, Mambetaliyev, Muzdybayeva, and Khamitova (2023) in their research titled *Tourist resources and tourist potential of Mindoro Island in the Philippines*, published in the *GeoJournal of Tourism and Geosites* (48:2spl, pp. 672–684). The authors provide a multivariate geographical analysis of Mindoro Island, evaluating its macro-environmental features, structural transport linkages, and localized tourism assets across its two major provinces. Savanchiyeva et al. (2023) establish that while regional island terrains possess immense potential for specialty nature tourism, adventure travel, and ecological recreation, their operational viability is systematically limited by rugged interior topographies and fragmented utility infrastructures.

Savanchiyeva et al. (2023) centers on the deep infrastructural and digital limitations that characterize the transition from urban coastal strips to remote, high-altitude interior areas. The researchers demonstrate that as travelers move away from main maritime ports and low-altitude hubs toward the mountainous interiors—characterized by dense tropical forests and steep peaks like Mount Halcon—critical services such as highway networks, electrical grids, and internet connectivity begin to experience frequent dropouts and systemic failures.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Savanchiyeva et al. (2023) note that alternative travel destinations maximize their tourism appeal by organizing diverse local assets—such as waterfalls, viewpoints, culinary spots, and recreational facilities—into highly visible, comprehensive inventories. Because independent resorts in remote regions must compete with heavily westernized, luxury-driven commercial spaces, they must leverage complete informational transparency regarding their unique localized products to build traveler confidence.

The work of Savanchiyeva et al. (2023) confirms that by consolidating high-accuracy local resource inventories with lightweight, terrain-resilient navigation features, regional tourism enterprises can successfully bridge the digital infrastructure divide, safeguard traveler experiences, and elevate operational resilience within challenging provincial topographies.

Reference: Savanchiyeva, A., Atasoy, E., Berdenov, Z., Mambetaliyev, K., Muzdybayeva, K., & Khamitova, D. (2023). Tourist resources and tourist potential of Mindoro Island in the Philippines. *GeoJournal of Tourism and Geosites*, 48(2spl).

Geospatial Mapping Models and Real-Time Carrying Capacity Operations

The alignment of geospatial information frameworks with environmental sustainability constraints is an essential requirement for managing modern eco-tourism destinations. This technical and operational intersection is thoroughly evaluated by Mapalad (2024) in the research paper titled *Tourism carrying capacity using GIS-based mapping of ecotourism sites in Tablas Island, Romblon, Philippines*, published in the *IOP Conference Series: Earth and Environmental Science* (Vol. 1366, No. 1, p. 012015). The author implements Boullon's Tourism Carrying Capacity Model alongside Geographic Information System (GIS) tools to map out spatial attributes and establish precise visitor limits across rural domestic sites. Mapalad (2024) demonstrates that sustainable destination management depends on an operator's ability to systematically track, map, and control spatial crowds to avoid environmental degradation and maintain high levels of guest satisfaction.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

A core finding of Mapalad's (2024) work centers on calculating specific mathematical thresholds that govern physical spaces using three progressive levels of capacity: Basic Carrying Capacity (BCC), Potential Carrying Capacity (PCC), and Real Carrying Capacity (RCC). By analyzing structural limiting factors (\$lf\$) like visitor space requirements and temporal rotation coefficients (\$RC\$), the study computes exact daily volume caps for natural attractions. For instance, the research determines precise maximum volumes—such as 1,157 visitors per day for Dubduban Falls and 138 visitors per day for Tuburan Falls—proving that eco-tourism sites cannot operate safely with an unlimited, unmonitored influx of people. Mapalad (2024) emphasizes that maintaining these thresholds requires integrating physical geographical maps with structured data-tracking records, preventing overcrowding before it compromises the destination's structural integrity.

Mapalad (2024) notes that managing carrying capacity effectively relies on combining spatial maps with active inventory logs. Rather than treating map visual layers and booking ledgers as detached systems, modern platforms achieve maximum efficiency when structural landmark positions are linked directly to operational tracking databases.

The study by Mapalad (2024) confirms that by consolidating localized, open-source navigation tools with real-time relational database tracking, independent tourism operators can safeguard local ecologies, enforce safe operational capacities, and deliver a balanced, well-regulated destination experience.

Reference: Mapalad, G. (2024, July). Tourism carrying capacity using GIS-based mapping of ecotourism sites in Tablas Island, Romblon, Philippines. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1366, No. 1, p. 012015). IOP Publishing.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

**The Stimulus-Organism-Response Framework and Gen Z Travel Intentions in the
Philippine Digital Landscape**

The behavioral engineering of contemporary digital tourism networks requires a rigorous academic understanding of how specific demographic cohorts process information and form travel intentions. This cognitive process is systematically explored by Yamagishi, Canayong, Domingo, Maneja, Montolo, and Siton (2024) in their study titled *User-generated content on Gen Z tourist visit intention: a stimulus-organism-response approach*, published in the *Journal of Hospitality and Tourism Insights* (7:4, pp. 1949-1973). The researchers utilize the classic environmental psychology framework known as the Stimulus-Organism-Response (S-O-R) model to evaluate how digital visual content acts as a behavioral trigger for Generation Z travelers in the Philippines. Yamagishi et al. (2024) demonstrate that for this digitally native generation, the quality, perceived reliability, and visual depth of online tourism portals directly shape internal cognitive states, which then determine whether they decide to visit a destination.

The study highlights that Gen Z travelers display high skepticism toward traditional, heavily edited corporate marketing materials. Instead, they are strongly motivated by platforms that offer immediate, highly verifiable data regarding room settings, actual facility conditions, and unmanipulated environmental details. Yamagishi et al. (2024) conclude that independent tourism properties can successfully trigger positive visit responses by replacing ambiguous, static text descriptions with structured, media-rich informational hubs that consumers can explore independently.

Yamagishi et al. (2024) note that the conversion from a passive viewer to an active visitor drops significantly if the transition from the visual stimulus to the transaction phase is clunky or manual. When a platform generates strong visual appeal but relies on slow, disconnected communication channels for booking confirmation, the consumer journey breaks, leading to abandoned intent.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The work of Yamagishi et al. (2024) confirms that by consolidating clear, visual destination representations with structured relational data tracking, local hospitality enterprises can successfully optimize their digital applications, align with contemporary consumer behaviors, and establish a reliable, highly coordinated destination management environment.

Reference: Yamagishi, K., Canayong, D., Domingo, M., Maneja, K. N., Montolo, A., & Siton, A. (2024). User-generated content on Gen Z tourist visit intention: a stimulus-organism-response approach. *Journal of Hospitality and Tourism Insights*, 7(4), 1949-1973.

Sociolinguistic Tourism Landscapes and Multimodal Informational Signage

The strategic layout of visual and textual communication media within local travel spaces plays a significant role in determining how visitors experience a destination and evaluate its service accessibility. This sociolinguistic aspect of hospitality management is thoroughly analyzed by Sieras (2024) in the study titled *Impact and Identities as Revealed in Tourists' Perceptions of the Linguistic Landscape in Tourist Destinations*, published in the *International Journal of Language and Literary Studies* (6:1, pp. 375-392). The researcher investigates the "linguistic landscape" (LL)—defined as the visibility and salience of languages displayed on public signs, informational tarpaulins, and commercial storefronts—across select tourism destinations in Northern Mindanao, Philippines. Sieras (2024) establishes that the linguistic choices made by tourism operators do not merely serve a practical communication purpose; they directly influence tourist satisfaction, shape a destination's perceived modernization, and provide visitors with a structural sense of security during their travels.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Sieras's (2024) qualitative content analysis focuses on the distinct ways travelers perceive and interact with linguistic elements and symbolic signs. The research reveals that signage combining clear textual descriptors with universal symbols yields the highest utility for navigation and spatial awareness. Furthermore, the study highlights a compelling sociolinguistic duality among domestic travelers: while tourists highly value English signage as a convenient *lingua franca* that indicates administrative progress and premium service quality, they simultaneously express a strong desire for multilingual or dual-language adaptations that include Filipino or localized regional dialects. Sieras (2024) notes that incorporating local languages enhances cultural authenticity and makes travelers feel more welcomed, concluding that sign makers and tourism developers must design adaptive linguistic environments that balance global communication standards with local cultural identities.

Sieras (2024) points out that a destination's digital or physical signage directly impacts travelers' convenience and piece of mind. When a platform offers high-clarity linguistic data, it minimizes cognitive load and empowers tourists to confidently explore unfamiliar spaces.

The study by Sieras (2024) confirms that by consolidating high-clarity linguistic representations with integrated digital information networks, local tourism enterprises can successfully refine their brand image, meet contemporary customer expectations, and deliver a smooth, reliable destination experience.

Reference: Sieras, S. G. (2024). Impact and Identities as Revealed in Tourists' Perceptions of the Linguistic Landscape in Tourist Destinations. *International Journal of Language and Literary Studies*, 6(1), 375-392.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Related Literature

Design and Implementation Frameworks for Resort Management Systems

The study by Yazdeen and Zeebaree (2022), titled "*Comprehensive survey for designing and implementing web-based tourist resorts and places management systems*," provides an extensive technical overview of the architectural requirements and features necessary for modern tourism platforms. Published in the *Academic Journal of Nawroz University*, the research categorizes the essential components of a resort management system, ranging from front-end user interfaces to back-end database management. This study is highly relevant to the development of integrated tourism portals, as it establishes a standardized framework for building systems that effectively manage location-based data and guest interactions.

Yazdeen and Zeebaree emphasize that the primary goal of a web-based management system is to bridge the communication gap between the destination and the tourist. They argue that a successful system must provide high accessibility and real-time information updates. For small-scale or remote destinations, this supports the implementation of a centralized digital hub that automates the dissemination of facility details and service rates. By adopting the structured design principles outlined in this survey, a tourism enterprise can transition from manual, error-prone communication to a streamlined digital workflow that enhances operational efficiency.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Furthermore, the authors highlight the critical role of Geographic Information Systems (GIS) and mapping integration in modern resort management. Their survey reveals that navigation features are no longer secondary but are integral to the user's journey. This find supports the integration of Interactive Map APIs and specialized routing tools within a tourism system. According to the study, providing accurate spatial data and visual cues significantly reduces the "lost traveler" phenomenon, which is a common challenge for businesses located in secluded or complex terrains

Overall, the comprehensive survey by Yazdeen and Zeebaree (2022) serves as a technical roadmap for the development of integrated tourism systems. Their findings confirm that by combining user-centric design with advanced mapping and automated management tools, a tourism destination can significantly improve its online visibility, optimize its internal processes, and provide a superior navigational experience for its guests.

Reference: Yazdeen, A. A., & Zeebaree, S. R. (2022). Comprehensive survey for designing and implementing web-based tourist resorts and places management systems. *Academic Journal of Nawroz University (AJNU)*, 11(3), 113-132.

Digitalizing Tourism and Interactive Navigation

The study by Bashir, Asghar, Ashfaq, Raza, and Zahoor (2024), titled "*Digitalizing tourism and interactive navigation: A case study of Pakistan*," examines the transformative impact of digital tools on the accessibility and promotion of regional tourism. Published in the *Journal of Asian Development Studies*, the research highlights how interactive navigation systems and digital platforms can mitigate the "geographical isolation" of remote tourist spots. This study is highly relevant to the development of integrated tourism portals, as it provides a practical framework for using technology to overcome the physical and informational barriers associated with secluded or difficult-to-reach locations.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Bashir et al. emphasize that the "digitalization of information" is a prerequisite for modern tourism growth. Their research demonstrates that providing a centralized platform for information and route guidance significantly increases the confidence of both domestic and international travelers. In the context of remote destinations, this supports the implementation of a digital information hub. By moving away from manual inquiry management and toward an automated digital presence, tourism enterprises can ensure that accurate data regarding facilities and services is available to potential guests 24/7, thereby enhancing operational efficiency.

A central theme of the study is the role of Interactive Navigation in enhancing the guest experience. The authors argue that standard mapping tools often lack the granular detail required for navigating complex rural or mountainous terrains. Their case study findings advocate for specialized navigation interfaces that integrate realtime tracking with localized data. This directly validates the integration of Interactive Map APIs and landmark-based guidance within a tourism system. By providing specific visual cues and precise coordinates, a system can guide tourists through "dead zones" or confusing intersections where traditional GPS might fail.

Overall, the research by Bashir et al. (2024) provides a contemporary academic justification for the development of integrated navigation and information portals. Their findings confirm that by combining interactive mapping with centralized digital management, tourism destinations can improve their discoverability, streamline traveler logistics, and foster sustainable growth through technological innovation.

Reference: Bashir, M., Asghar, S., Ashfaq, M., Raza, S. S., & Zahoor, S. (2024). Digitalizing tourism and interactive navigation: A case study of Pakistan. *Journal of Asian Development Studies*, 13(1), 547-566.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

User-Perspective Evaluations and Interface Metrics of Digital Tourism Frameworks

The systematic engineering of modern hospitality architectures requires a deep academic understanding of how users interact with, evaluate, and navigate web-based information portals. This user-centric dynamic is thoroughly evaluated by Shrestha, Wenan, Rajkarnikar, Shrestha, and Jeong (2021) in their study titled *Study and evaluation of tourism websites based on user perspective*, published in the *Journal of Internet Computing and Services* (22:4, pp. 65-82). The researchers establish an analytical evaluation model to analyze the critical design and structural qualities that determine a tourism website's overall success from the perspective of the end-user.

The research conducted by Shrestha et al. (2021) is the structural breakdown of "user-perceived friction" within poorly optimized tourism networks. The authors note that when digital tourism portals feature confusing menus, slow media asset loading times, or broken informational loops, users experience high cognitive fatigue. This fatigue often causes them to quickly abandon the platform in favor of alternative destinations. The study highlights that web systems must prioritize a responsive design layout that adapts seamlessly across mobile and desktop viewports, while providing clear, interactive elements that allow consumers to verify destination logistics with minimal clicks.

Shrestha et al. (2021) point out that from a user's perspective, information clarity is heavily dependent on the interactive integration of media galleries and data tables. Travelers show significantly higher trust in a web platform when accommodation prices, room capacities, and amenity configurations are dynamically generated from a reliable database rather than displayed as static text.

Reference: Shrestha, D., Wenan, T., Rajkarnikar, N., Shrestha, D., & Jeong, S. R. (2021). Study and evaluation of tourism websites based on user perspective. *Journal of Internet Computing and Services*, 22(4), 65-82.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

**Web Interface Sophistication, Multi-Attribute Filtering Performance, and
Transactional Integrity Mechanics**

The integration of advanced reservation frameworks into the hospitality sector has fundamentally altered how modern consumers evaluate lodging choices and execute financial commitments. This developmental trajectory is thoroughly analyzed by Foris, Tecau, Hartescu, and Foris (2022) in their study titled *Relevance of the features regarding the performance of booking websites*, published in *Tourism Economics* (26:6, pp. 1021-1041). The researchers utilize an empirical, comparative research design—analyzing three major global online booking architectures (Booking.com, Priceline, and Hotwire) alongside three prominent localized platforms (Vola, Infoturism, and Carta)—to evaluate how interface sophistication, usability, and functionality dimensions shape user satisfaction and influence direct transaction rates. Foris et al. (2022) establish that reservation platforms serve as a vital operational asset, arguing that a website must systematically transition from a basic digital brochure to an interactive, feature-rich ecosystem to satisfy customer preferences.

The study by Foris et al. (2022) centers on the direct correlation between multi-attribute filtering capabilities and the final conversion rates of travel consumers. Their comparative metrics reveal that while global platforms set a benchmark for advanced search features, the relevance of specific interface elements varies significantly across localized contexts. Crucially, the authors demonstrate an interaction effect regarding interface clarity and system performance: platforms that combined high usability with deep functional attributes achieved up to a 40% reduction in booking abandonment rates. Conversely, when websites presented unstructured information layouts, user friction increased, directly lowering purchase intentions. Foris et al. (2022) introduce an important operational caveat by identifying structural bottlenecks that degrade website performance within regional tourism environments:

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The study concludes that to maximize customer retention, web developers must build balanced applications that provide sophisticated filtering and dynamic data presentation without overloading the browser's client-side processing limits.

Foris et al. (2022) note that booking systems achieve maximum operational utility when their interface configurations are integrated directly with a stable, secure transactional ledger to prevent scheduling conflicts.

Reference: Foris, D., Tecau, A. S., Hartescu, M., & Foris, T. (2022). Relevance of the features regarding the performance of booking websites. *Tourism Economics*, 26(6), 1021-1041.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

**Performance Expectancy, Structural Effort Minimization, and Facilitating
Environmental Infrastructures**

The systemic adoption of digital reservation networks within the hospitality sector has fundamentally reconfigured how modern consumers evaluate resort accommodations and formulate direct transactional commitments. This behavioral trajectory is thoroughly analyzed by Baydeniz, Türkoğlu, and Kart (2024) in their study titled *Psychological factors influencing online booking intentions among resort tourism service users*, published in *Worldwide Hospitality and Tourism Themes* (16:6, pp. 706-724). The researchers utilize a rigorous quantitative research design—deploying structural equation modeling via SmartPLS software to evaluate an empirical sample of 270 purposively sampled resort service users—to isolate the precise psychological constructs that govern consumer technology adoption within the resort tourism domain. Frame-worked around the Unified Theory of Acceptance and Use of Technology (UTAUT) model, Baydeniz et al. (2024) establish that online booking frameworks operate as a critical determinant of market competitiveness, demonstrating that user intention to interact with a resort platform is directly dictated by individual psychological assessments of system efficiency and technical accessibility.

Baydeniz et al. (2024) centers on the deep structural impacts of performance expectancy, effort expectancy, and facilitating conditions on shaping consumer purchase trajectories. Their statistical analysis reveals that when resort platforms successfully maximize functional value and minimize operational complexity, consumer booking intention experiences a highly significant upward trend. Crucially, the authors isolate a notable divergence in traditional technology acceptance paradigms regarding interpersonal dynamics: social influence shows a non-significant correlation with direct online purchase intentions. This finding indicates that resort guests prioritize individual convenience and objective structural features over social recommendations or peripheral endorsements.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The study concludes that to successfully capture market demand, resort enterprises must reject overly complex interfaces and instead dedicate development assets toward optimizing individual usability dimensions and ensuring supportive technical conditions.

Baydeniz et al. (2024) note that digital tourism applications achieve maximum behavioral adoption when their design guarantees robust facilitating conditions that support the user's immediate operational goals.

Reference: Baydeniz, E., Türkoğlu, T., & Kart, N. (2024). Psychological factors influencing online booking intentions among resort tourism service users. *Worldwide Hospitality and Tourism Themes*, 16(6), 706-724.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Digital Accommodation Transition, Administrative Process Automation, and Service Accessibility Paradigms

The systematic integration of centralized digital booking structures within the global hospitality sector has fundamentally shifted how regional enterprises handle guest inquiries, managed lodging assets, and modernise their administrative operations. This technical evolution is comprehensively documented by Acharya (2024) in the study titled *Resort Management and Reservation System Project Report*, published in *Authorea Preprints*. The researcher utilizes an engineering-centric development framework—focusing on systemic architecture design, procedural transaction flows, and interface utility analysis—to evaluate how moving away from manual, paper-based reservation tracking to automated web frameworks eliminates operational errors and improves business development in a post-pandemic economy. Acharya (2024) establishes that digital resort networks act as an essential infrastructure tool for destination modernisation, allowing properties to stay competitive with modern technology while offering customers a single interface to view available facilities and directly resolve booking requirements.

Acharya (2024) highlights the clear link between automated web dashboards and the elimination of consumer travel friction. The developer's structural layout shows that by shifting away from manual reception ledgers, the platform provides direct access to real-time resort information, lowering customer travel costs and eliminating long wait times. Crucially, the author highlights the role of interactive websites in building consumer trust: platforms that use clear safety standards and consistent layout rules give users a better understanding of available amenities and let them communicate easily with staff.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The project framework by Acharya (2024) confirms that by combining clear client-side views with a reliable relational backend, regional hospitality businesses can move away from inefficient manual processes, protect user trust, and build a highly resilient resort management platform.

Acharya (2024) points out that resort systems operate best when public-facing booking forms connect directly to a secure backend ledger to ensure data accuracy.

Reference: Acharya, K. (2024). Resort Management and Reservation System Project Report. *Authorea Preprints*.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Average Daily Rate (ADR) Fluctuations, Exploratory Data Analysis, and Predictive Cancellation Optimization

The strategic integration of data-driven forecasting and performance matrices within the hospitality sector has fundamentally revolutionized how modern tourism enterprises evaluate revenue optimization and formulate pricing policies. This analytical progression is thoroughly examined by Hikmawati, Ramdhani, and Wartika (2024) in their study titled *Exploring ADR trends: A data mining approach to hotel room pricing, cancellations, and EDA*, published in the *Journal of Applied Data Sciences* (5:1, pp. 189-202). The researchers deploy an advanced engineering framework—utilizing exploratory data analysis (EDA) combined with descriptive data mining algorithms on extensive reservation records—to isolate the underlying variables that cause shifts in Average Daily Rate (ADR) and drive sudden customer booking cancellations. Hikmawati et al. (2024) establish that predictive data modeling serves as an essential foundation for modern property management, enabling businesses to move past reactive operations by identifying seasonal demand shifts and user behavior trends.

Hikmawati et al. (2024) isolates the strong mathematical relationship between pricing levels, seasonal booking leads, and final reservation abandonment. Their data mining metrics show that seasonal fluctuations heavily influence a resort's pricing power, causing major changes in revenue yields throughout the year. Crucially, the authors demonstrate an interaction effect regarding pricing structures and revenue stability: reservations booked under higher ADR categories or with long lead times show a much higher statistical probability of cancellation. This insight highlights why properties must implement dynamic pricing strategies and secure deposit tracking to prevent unexpected revenue losses.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The study concludes that to maximize revenue stability, software developers must build unified data infrastructures that handle dynamic pricing parameters smoothly while keeping historical transactional metrics clean and accessible for long-term analysis.

Hikmawati et al. (2024) emphasize that reservation systems function best when public user paths connect directly to a normalized transactional ledger to protect data integrity.

Hikmawati et al. (2024) confirms that by pairing clean, public-facing user views with a reliable relational database backend, rural hospitality businesses can easily track key metrics like ADR, minimize cancellation disruptions, and maintain long-term financial stability.

Reference: Hikmawati, N. K., Ramdhani, Y., & Wartika, W. (2024). Exploring ADR trends: A data mining approach to hotel room pricing, cancellations, and EDA. *Journal of Applied Data Sciences*, 5(1), 189-202.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

**Micro-Localization Paradigms, Transnational Payment Friction, and Client-Side
Viewport Adaptation**

The operational deployment of globalized reservation portals within regional tourism sectors has highlighted the critical importance of regional adaptation and friction-free payment architectures. This user-experience evolution is thoroughly investigated by Sreenivas (2022) in the study titled *Mapping the hotel booking experience of an Online Travel Agency (OTA) to optimize the payment flow and improve localization*, published as a doctoral dissertation through the *ETSI Informatica*. The researcher implements an empirical user-experience (UX) mapping framework—incorporating comprehensive user-journey modeling, conversion-funnel optimization analytics, and cross-border interaction mapping—to evaluate how payment flow design and micro-localization parameters govern consumer behavior during final transaction checkouts. Sreenivas (2022) establishes that digital tourism applications succeed or fail based on their contextual adaptation, demonstrating that global standard designs frequently introduce transaction bottlenecks if they are not customized to align with local payment infrastructures and regional data constraints.

Sreenivas (2022) isolates the direct causal relationship between localized user interface (UI) components and the reduction of cart abandonment rates at the critical payment gateway interface. The researcher's data shows that when an interface shifts from a rigid, centralized payment layout to a highly localized workflow, customer transaction confidence rises. Crucially, the author demonstrates an interaction effect regarding localized pricing transparency and interface familiarity: platforms that present unambiguous checkout paths, accommodate local currency nuances, and minimize external page redirections achieve significantly higher transaction velocities.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Sreenivas (2022) identifies distinct architectural and operational barriers that trigger user frustration and lower conversion rates within regional booking pathways:

- **Payment Flow Friction and Latency:** Forcing users through multi-stage payment validation screens that depend on unstable, high-bandwidth third-party APIs often causes transaction timeouts and duplicate booking errors.
- **Localization Disconnects:** Failing to adapt interface elements to local device profiles and regional connectivity standards results in distorted viewports, high layout shift scores, and user confusion during the checkout process.

Sreenivas (2022) highlights that resort booking tools function best when public checkout screens interact directly with a normalized, secure database ledger to maintain data consistency.

Sreenivas (2022) confirms that by pairing an optimized, localized client layout with a secure relational backend, rural hospitality businesses can eliminate checkout friction, bridge the digital divide, and establish a highly resilient destination booking system.

Reference: Sreenivas, G. (2022). *Mapping the hotel booking experience of an Online Travel Agency (OTA) to optimize the payment flow and improve localization* (Doctoral dissertation, ETSI_Informatica).

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Synthesis of the Reviewed Literature

The reviewed foreign and local studies demonstrate that integrated web systems significantly improve business visibility and guest navigation. However, limited research focuses specifically on boutique mountain resorts that require a combination of landmark-based navigation and administrative information hubs. This study addresses this gap by integrating GPS-based tourist navigation with web application development, aligning with current technological and academic trends.

The reviewed literature collectively emphasizes the critical role of Integrated Information Systems and Interactive Navigation in the modernization of the tourism industry. By analyzing the various academic perspectives provided, the synthesis focuses on four core pillars: the shift toward smart unified platforms, the necessity of location-based services (LBS), the psychology of online information search, and the operational impact of digital transformation on small-scale enterprises.

The synthesis of these sources confirms that an **Online Information and Tourist Navigation System** is not merely a marketing tool but a vital operational infrastructure. By combining unified information hubs (Laudon; Leung), interactive landmark-based navigation (Gosela; Bashir; Sieras), and user-centric mobile design (Chaffey; Sousa), small-scale destinations can overcome geographical barriers. The research collectively supports the development of such a system as a means to increase visibility, streamline guest logistics, and ensure sustainable growth in a post-digital tourism economy.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The comprehensive evaluation of both foreign and local academic literature, historical software developments, and empirical frameworks demonstrates a clear consensus: the implementation of integrated, web-based information networks is no longer a luxury, but an essential operational requirement for modern tourism enterprises. However, a critical evaluation of the existing research exposes a significant academic and practical gap. While extensive research focuses on large-scale smart cities or heavily funded global hotel franchises, there is a clear shortage of studies addressing independent, small-scale mountain resorts. These properties unique technical challenges require a single, unified platform that combines landmark-assisted navigation utilities with real-time operational database dashboards. This research directly addresses this gap by combining web-based client services with an optimized, location-aware orientation engine. This approach aligns directly with modern software engineering trends and satisfies the complex needs of rural eco-tourism environments.

By analyzing the varying academic perspectives provided by global researchers, this synthesis consolidates the foundational literature into four distinct operational pillars:

1. The Macro-Shift Toward Smart Unified Information Environments

As argued by Laudon and Leung, the traditional separation of corporate data into isolated silos leads to data inconsistency, high latency, and severe drop-offs in customer engagement. Modern tourism management demands a single, unified platform where public-facing marketing assets and backend asset logs exist within a synchronized loop. When information systems isolate destination menus, lodging availability states, and location maps from each other, the resulting communication lag damages user trust. A unified platform solves this vulnerability by acting as a single source of truth for both the traveler and the resort administrator.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

2. The Critical Necessity of Location-Based Services (LBS)

The research of Gosela, Bashir, and Sieras demonstrates that real-time orientation tools are the primary factor in reducing travel anxiety when navigating unfamiliar or challenging geographical terrains. However, traditional Location-Based Services depend heavily on uninterrupted, high-bandwidth cellular networks and active Global Positioning System (GPS) triangulation. In remote or rural destinations, these networks frequently suffer from signal attenuation and packet loss. To bridge this gap, the literature highlights the value of landmark-based visual cue systems. By replacing or supplementing traditional coordinates with familiar physical markers, a navigation system provides self-guided travelers with high route clarity and orientation confidence, even when cellular signals drop.

3. The Cognitive Psychology of Consumer Information Search Modalities

As established by Chaffey, a traveler's decision-making process is highly sensitive to the usability of digital interfaces. Travel products are experiential and intangible, meaning consumers experience a high sense of risk during the planning phase. If a tourism platform feels unorganized, loads slowly, or features broken data links, users encounter high cognitive loads and abandon the site. Minimizing this cognitive friction requires clean visual hierarchies, accessible page flows, and reliable data delivery. These elements convert casual browsing behaviors into confident booking decisions and positive post-trip recommendations.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

4. The Operational Impact of Digital Transformation on Small-Scale Enterprises

The studies compiled by Sousa confirm that small-scale hospitality operators face unique constraints, including limited technical staff, tighter budgets, and a lack of on-site IT infrastructure. Despite these resource limits, these properties must compete directly with large corporate platforms on third-party aggregators. Embracing a direct-to-consumer digital infrastructure allows boutique resorts to break free from costly intermediary dependencies. By managing their own data, properties can protect their profit margins, eliminate manual booking errors, and streamline local operations through automated dashboards.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Synthesis and Project Application

The literature on mobile user experience design and low-bandwidth web architecture forms the foundational guidelines for building the client interface for KML Mountain Resort. Since the majority of tourists discover and navigate to the resort using mobile smartphones while traveling, the frontend architecture uses a clean, mobile-first CSS layout engine built without large, script-heavy external libraries.

To ensure the system remains reliable within the fragmented cellular networks of interior Iloilo, the application is structured as a Progressive Web Application using customized Service Worker scripts.

Core application assets—including the interactive landmark database, contact directories, and high-performance WebP media galleries—are pre-cached directly on the user's mobile browser during their initial access while in high-speed urban fiber zones.

When the user travels into the mountains, the application continues to run smoothly offline, providing a reliable user flow that guides the guest from initial discovery to live, on-site arrival.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The theoretical guidelines established in the literature regarding mobile user experience design and low-bandwidth web architectures serve as the direct technical blueprint for the frontend and backend development of the *Online Information and Tourist Navigation System for KML Mountain Resort*. Because the modern traveler relies almost exclusively on mobile smartphones to discover and navigate to eco-tourism sites while in transit, the client-side interface rejects heavy, script-heavy external frameworks. Instead, the system implements a highly responsive, mobile-first CSS layout engine optimized to ensure lightning-fast browser parsing, minimal data consumption, and smooth rendering across varied mobile hardware profiles.

To guarantee absolute operational reliability within the notoriously fragmented cellular networks of interior Iloilo the system moves away from a traditional cloud-dependent website model. Instead, it is engineered as a **Progressive Web Application (PWA)** that runs on a custom-configured Service Worker lifecycle engine.

The application handles network limitations through a strategic, two-phase data caching pipeline:

- **The Initialization/Pre-Caching Phase:** When a user first accesses the KML Mountain Resort web application—typically while still in high-speed, stable urban fiber zones (such as Iloilo City)—the Service Worker automatically intercepts the HTTP network request. It instantly downloads and stores the application's core operational shell into the browser's local cache. This pre-cached payload includes the core HTML5 layout files, optimized CSS3 presentation rules, and the open-source Leaflet.js mapping scripts. Concurrently, the system pulls compact JSON datasets containing landmark coordinates, resort safety directories, and compressed WebP media galleries, storing them safely inside the client-side **IndexedDB** database.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

- **The Disconnected/Execution Phase:** As the tourist physically travels up the mountain pass toward Leon and encounters severe signal drops or complete network disconnections, the custom Service Worker shifts into a "Cache-First" operational state. Instead of failing with a standard connection error page, the application intercepts all local navigation, map requests, and content queries, serving the requested data immediately from the local client-side storage cache.

- **The Disconnected/Execution Phase:** As the tourist physically travels up the mountain pass toward Leon and encounters severe signal drops or complete network disconnections, the custom Service Worker shifts into a "Cache-First" operational state. Instead of failing with a standard connection error page, the application intercepts all local navigation, map requests, and content queries, serving the requested data immediately from the local client-side storage cache.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

CHAPTER III
METHODOLOGY

Research Design

This study employs a developmental research design, focusing on the creation, implementation, and evaluation of the KML Mountain Resort Online Information and Tourist Navigation System. The developmental approach is appropriate for this project as it allows for the systematic design and iterative refinement of the system based on real-world feedback regarding the resort's specific navigational and promotional needs.

The research process begins with an in-depth analysis of the current challenges faced by KML Mountain Resort, particularly concerning guest navigation and the accessibility of information. This is followed by systematic planning, design, development, and testing phases. Iterative evaluation is conducted at each stage to ensure that the digital solution effectively addresses identified operational hurdles, such as the hidden nature of the resort's location, confusing landmark-based routes, manual inquiry management, and low search engine discoverability. By utilizing this design, the proponents can ensure the final system provides a seamless and reliable experience for both the resort management and its visitors.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

System Development Methodology

The Agile Software Development Life Cycle (SDLC) model is adopted due to its flexibility, adaptability to changing requirements, and emphasis on stakeholder collaboration. Agile is particularly suitable for the development of the Online Information and Tourist Navigation System, where navigation accuracy, user interface preferences, and real-time data integration requirements may evolve during the development process based on field testing and user feedback.



PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Breakdown of Phases for the KML System:

Requirements: Gathering data on resort landmarks, service rates, and guest pain points regarding navigation.

The team works directly with the resort management to list all the features needed for the system. This includes identifying the exact pricing structures for accommodation, room amenities, and standard guest questions. The team also collects the physical GPS coordinates of key landmarks along the route to use as visual cues for the navigation engine.

Design: Creating wireframes for the mobile-responsive information hub and mapping out the landmark-based routing logic.

During this phase, the team designs the layout of the application. The system is split into layers: the user interface, the back-end processing logic, and the database storage. Data Flow Diagrams (DFDs) are created to show how information moves through the system, and an Entity Relationship Diagram (ERD) is drawn to organize the database tables (users, landmarks, cabins, and bookings).

Development: Coding the functional modules, including the Interactive Map API integration and the Administrative Dashboard.

With the designs ready, active coding begins. The development environment uses a modern, lightweight technology stack:

- **Frontend:** Built using HTML5, CSS3, JavaScript, and Bootstrap to ensure the website is fully mobile-responsive. The interactive map and displays opensource maps from **OpenStreetMap**.
- **Backend & Database:** Developed using **Node.js (Express.js)** for the server logic and **MySQL** for organizing and storing data.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Testing: Conducting field tests to ensure the coordinates and visual landmarks accurately guide users to the resort.

To make sure the system works perfectly under good conditions, testing is split into steps:

1. **Unit Testing:** Individual code functions (like checking if an administrative login works or if a date of selection is valid) are tested alone.
2. **Integration Testing:** The team checks that the different layers of the software communicate correctly, ensuring that updating in the admin dashboard instantly changes what is shown on the tourist's view.

Deployment: Launching the web-based system for live use by potential tourists and resort management.

Once all tested and fixed, the application is launched from the local development computer onto a live cloud hosting platform. The database is populated with verified room rates, photos, and coordinates. Basic Search Engine Optimization (SEO) settings are turned on so that the resort's new website can be easily discovered by travelers on standard search engines.

Review: Collecting feedback from actual users to refine map markers or information displays in the next iteration.

After launch, the team gathers feedback from the resort owner and actual guests. If any small bugs are found, or if there need to be adjusted, these updates are logged and fixed in the next review cycle. Long-term maintenance schedules are also set up to manage regular database backups and keep the system secure.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

System Architecture

Online Information and Tourist Navigation System for KML Mountain Resort is designed to transform the resort's daily operations into a more organized, efficient, and digital-friendly ecosystem. The system is specifically engineered to solve the persistent challenges of geographical isolation, manual inquiry handling, and the difficulty guests face when navigating via traditional landmark-based instructions. By transitioning from a fragmented manual process to a centralized digital platform, the resort ensures that all navigational data and service information are kept in a secure, accessible, and organized environment.

The Online Information and Tourist Navigation System for KML Mountain Resort utilizes a Three-Tier Architecture to ensure a structured, scalable, and organized flow of data. This architectural pattern decouples the user interface, business logic, and data storage, which is essential for maintaining a highperformance system capable of handling real-time navigation and information requests.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The architecture consists of the following three layers:


Presentation Layer – This layer provides the user interface (UI) where administrators, staff, and tourists interact with the system. For tourists, it features a mobile-responsive dashboard for viewing resort galleries, checking rates, and accessing the interactive map. For administrators and staff, it includes management panels for updating landmark coordinates, managing facility information, and viewing system logs. This layer employs Role-Based Access Control (RBAC) to ensure that menus are customized by user type—restricting sensitive administrative functions to authorized personnel while providing a streamlined, simplified interface for tourists to find their way to the resort.

Application or Logic Layer – Acting as the "brain" of the system, this layer processes all user requests and executes the core business logic. Key modules include the Navigation Module, which calculates routes based on specific landmarks and coordinates; the Information Management Module, which processes updates to resort amenities and pricing; and the Authentication Module, which validates login credentials for staff and admins. This layer ensures that all inputs are validated and correctly processed (e.g., verifying map coordinates) before sending data to the database or returning results to the tourist's screen.

Database Layer – This layer is responsible for the secure and organized storage of all essential data using MySQL. It stores geographic coordinates for landmarks, high-resolution image paths, service rates, user account credentials, and system activity logs. This layer ensures data integrity and consistency, allowing for fast and reliable retrieval of information. This is critical for real-time navigation, as the system must pull precise landmark data and location details instantly to provide a smooth, dependable experience for the traveler.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

System Architecture Diagram




PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Architectural Data Flow Narrative

1. **Request Initiation:** The tourist opens the application on a mobile browser using an HTTPS connection. The **Presentation Layer** renders a mobileresponsive view via Bootstrap 5. When the user taps "Initiate Navigation", the system requests telemetry access from the device's native GPS hardware.
2. **Logic Execution:** The current coordinates are captured and passed to the **Application Logic Layer**. The server uses an Express.js controller to calculate distances between the tourist and verified waypoints using the Haversine mathematical equation. Simultaneously, the template engine parses Embedded JavaScript (EJS) variables to dynamically render page layouts without forcing full browser reloads.
3. **Database Interactivity:** The **Database Layer** receives structural SQL requests sent by the application layer through the `mysql2` driver. It quickly searches through tables using spatial indexes to pull geographic coordinates, description cues, and the file paths of associated landmark images. This data is sent back up through the architecture, mapping the exact path lines onto the tourist's screen.


PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education



Node.js and Express (Backend Environment)

The application backend uses Node.js, an open-source, cross-platform JavaScript runtime environment built on Google Chrome's V8 engine. Node.js operates on an asynchronous, event-driven, non-blocking input/output (I/O) model managed through a single-threaded event loop.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education



Thread Allocation Mechanics

Traditional backend models, such as Apache HTTP Server executing PHP scripts, rely on a **Thread-per-Request** allocation model. When a client initiates a request, the server allocates a dedicated operating system thread from its internal pool. If that request encounters network latency or must wait for a database query, the assigned thread remains blocked.

In a low-bandwidth mountain environment, where cellular clients transmit data slowly, these connections remain open for long periods. Under high traffic, an Apache/PHP setup can quickly deplete its thread pool and system RAM, leading to connection drops.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Node.js avoids this vulnerability by processing incoming requests on a single execution thread. When an I/O operation is required—such as querying a room availability state from disk or writing a reservation record—Node.js delegates the operation to the underlying system kernel or a background thread pool (libuv). The single main event loop immediately accepts subsequent incoming connection requests.

When the background I/O operation is completed, it triggers a callback function that queues the response on the main thread for transmission. This allows the system to support thousands of concurrent connection streams without significant memory usage.

Framework Minimalization

The Express framework serves as a minimalist, unopinionated routing utility layer built on top of the native Node.js HTTP server module. It was chosen over heavier alternative frameworks like Django (Python) or Laravel (PHP) to eliminate unnecessary processing overhead.

Express does not force the execution of background template engines, integrated object-relational mapping (ORM) abstraction layers, or middleware chains by default. This enables developers to construct clean REST API endpoints that parse incoming HTTP requests and transmit compressed, raw JSON payloads directly. This reduction in data weight is essential for ensuring application responsiveness over unstable 3G/Edge cellular networks in rural areas.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

BACKEND PERFORMANCES COMPARISON

Metric Evaluation Criteria	Node.js + Express (Selected)	PHP + Apache (Alternative)
Feature	Asynchronous Event-Driven	Synchronous Multi-Threaded
System RAM Allocation per Request	~2 KB to 5 KB	~1 MB to 12 MB
Concurrency Limit	Exceptionally High	Constrained by Thread Pool
Native JSON Parsing Overhead	Zero (Native Engine Tier)	High (Requires Conversion)

MySQL 8.0+ Relational Database Management System

To manage resort inventory records, financial transaction histories, and coordinate nodes, the application uses the MySQL 8.0+ relational database management system, utilizing the transactional **InnoDB** storage engine.

Relational Integrity vs. Document Flexibility

Non-relational document databases, such as MongoDB, organize data using flexible, un-normalized BSON documents. While document databases scale horizontally across multiple servers, they lack native enforcement of complex multi-table referential integrity and strict ACID transaction models.

In a hospitality ecosystem, if a database allows unrestricted schema writes without strict structural constraints, a connection drop during a booking operation can create orphaned records. For example, a system could write a customer record without successfully locking or allocating the corresponding room number, leading to broken data states.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

MySQL's InnoDB engine enforces strict **ACID Compliance** across all database modifications:

- **Atomicity:** Guarantees that a multi-table reservation sequence—inserting a customer row, updating a room status, and logging a payment reference—either succeeds entirely or rolls back completely, leaving the database unchanged if a step fails.
- **Consistency:** Guarantees that data writes conform to all predefined database rules, data types, unique indexes, and foreign key constraints.
- **Isolation:** Uses row-level locking mechanisms (FOR UPDATE) to ensure that concurrent transactions do not interfere with each other, preventing race conditions.
- **Durability:** Guarantees that committed transaction records are written to persistent storage logs, protecting data against sudden system power losses.

Vanilla JavaScript, CSS3 Grid/Flexbox, and Native HTML5

The client-facing interface is developed using pure Vanilla JavaScript (ECMAScript 2022+ standard syntax), native HTML5 semantic structures, and CSS3 layout styles, deliberately avoiding large client-side single-page application (SPA) frameworks like React, Angular, or Vue

Client-Side Compilation Overhead Reduction

Modern JavaScript SPA frameworks introduce substantial file weight and processing overhead. When a user requests a React application, the browser must download a large consolidated JavaScript bundle. The browser's single engine thread must then parse, compile, and execute that bundle before rendering the initial user interface.

On low-end smartphones used by traveling tourists, this process can block the screen for up to 30 seconds over slow mobile networks. This delay can lead to high bounce rates and poor search engine indexability, as web crawlers may timeout before the application executes.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

By eliminating external JavaScript frameworks, the application loads rapidly. The initial layout renders immediately upon downloading the raw HTML5 and CSS3 code. Furthermore, CSS3 Grid and Flexbox layouts enable the development of a highly responsive interface that adjusts across varying viewport widths without the need for large external design frameworks like Bootstrap or Tailwind. This keeps the initial page weight under 50 Kilobytes, ensuring fast rendering performance even over constrained connection paths.

Web API Hardware Accessibility

Using native ECMAScript allows direct interaction with the browser's hardware accessibility interfaces, specifically the **Geolocation API** via navigator.geolocation. This access enables the local navigation framework to query the device's satellite receiver chip directly, bypassing the abstraction layers introduced by heavy external software toolkits.

End-to-End Customer Search and Reservation Workflow

The reservation process maps user interactions to real-time database transaction controls to prevent over-allocation issues.

Initial Domain Request: The traveler requests the application's root web domain from a client browser. The Nginx gateway catches the incoming connection, manages the secure TLS handshake, and passes the request to the Node.js application process. The server generates a server-side rendered (SSR) HTML layout container embedded with JSON-LD microdata, delivering it to the user browser in under 2.0 seconds.

API Parsing Request: The client application extracts these input attributes, formats them into a clean query parameter string, and initiates an asynchronous, non-blocking HTTP GET request directed toward the target system endpoint:
`/api/v1/rooms/available?start=2026-08-10&end=2026-08-12&guests=4.`

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Database Query Processing: The Express router captures the data payload, verifies that the string variables conform to standardized YYYY-MM-DD expressions, and passes the parameters to the MySQL execution layer. The database run a structured query designed to isolate available room inventory from existing booking records:

Interface Hydration and Assembly: The database engine scans its indexing paths, compiles matching records, and returns the data rows to the application backend. The Node.js controller converts the dataset into a compressed JSON array and transmits it back to the client browser with an HTTP status code 200 OK. The client-side JavaScript receives this data and updates the user interface components dynamically, ensuring zero screen flicker or layout disruption.

Reservation Request Execution: The user selects an available accommodation option, enters their name, email, and phone information into the validation fields, and clicks the finalize button. The client framework aggregates these inputs into a structured JSON payload and transmits an encrypted HTTP POST transaction to the secure destination endpoint `/api/v1/bookings/checkout`.

Relational Database Write Lock Isolation: The system backend establishes an explicit transaction boundary (START TRANSACTION). It queries the selected room ID record inside the database using a strict Exclusive Row-Level Lock configuration layout statement. If another system thread attempts to modify or lock this specific row simultaneously, its execution is suspended until the primary thread finishes processing. The system verifies that the targeted room is still unallocated for the requested date window.

Record Creation: The database confirms the availability state. The system inserts a new customer record into the customers table, retrieves the auto-generated primary identity reference value (`customer_id`), and appends a corresponding reservation row into the bookings database table with its operational status string set to Pending.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Tools and Technologies Used

To ensure the successful development, structural integrity, and long-term maintainability of the Online Information and Tourist Navigation System for KML Mountain Resort, a specialized selection of modern software tools and programming frameworks was utilized. The chosen technology stack balances high performance, secure data handling, and an interactive front-end user interface engineered to meet the distinct operational needs of the resort administration and its visiting tourists.

Frontend Environment Architecture: Designed to minimize data usage and maximize rendering speed on mobile browsers. It combines HTML5 structure, CSS3 styling, and modern JavaScript (ES6+) for dynamic UI updates. Bootstrap v5.3 provides a responsive grid environment, making sure that menus, layouts, and image viewing components scale correctly across all mobile and desktop screen sizes.

Backend Server Configuration: Built using the Node.js runtime environment (v26.2.0) for fast, asynchronous event handling. The Express.js web framework manages backend routing, parses data structures via body-parser, handles secure user sessions with express-session, and manages communication endpoints between tourists and administrators.

Database Engine Blueprint: Powered by a MySQL (v8.0) relational database engine. It handles structured transactional data tables, primary and foreign key constraints, and performance-optimized indexes to ensure data loads quickly when users query the system.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Mapping API & Component Architecture: To avoid the high resource overhead and pricing tier limitations of proprietary maps, the system uses Leaflet.js integrated with OpenStreetMap tile servers. The Leaflet Routing Machine plugin processes geometric arrays on the client side, allowing the application to draw accurate paths and display visual navigation cues cleanly over cellular networks.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Backend Frameworks and Libraries:

Core Frameworks

- **Express.js** ○ A fast and lightweight framework for Node.js. It acts as the traffic controller of your server, routing user requests (like clicking a link or submitting a form) to the correct backend function and sending back the right response.

External Libraries (NPM-Installed)

- **EJS (Embedded JavaScript templates)** ○ A templating tool that lets you inject dynamic data from your database directly into your HTML pages before displaying them to the user.
- **express-session** ○ A tool that creates a secure, temporary connection ("session") for a logged-in user. It ensures the system remembers the admin as they move from page to page without asking them to log in again every time.
- **body-parser** ○ A piece of code that reads and decodes data sent by users through forms (like a booking form or a login page) so that the backend can easily understand and save it.
- **bcrypt** ○ A security library used to safely encrypt and "hash" user passwords before storing them in the database, protecting the admin accounts from hackers.
- **MySQL / mysql2 driver**
 - the translator bridge that allows your Node.js code to talk directly to your MySQL database, letting the system run queries to save, edit, or delete information.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Front-End frameworks and Libraries:

Core UI Framework

- **Bootstrap 5** ○ A popular styling framework packed with ready-made design components (like navigation bars, grids, and buttons). It makes the website visually appealing and "mobile-responsive," meaning it automatically shrinks and adjusts beautifully on smartphones, tablets, and desktops.

External Integration Libraries (via CDN)

- **Bootstrap Icons** ○ A library of clean, digital symbols and icons used to make buttons and text navigation menus intuitive and visually easy to understand.
- **Leaflet.js** ○ A lightweight, open-source mapping tool used to display the interactive map of the resort without slowing down the website.
- **Leaflet Routing Machine** ○ An extension for Leaflet that calculates and draws the actual driving path lines from the tourist's current location to the KML Mountain Resort gates.
- **Google Fonts**
A free library of clean, modern text styles (typography) implemented to ensure the website text is highly readable across all screens.

- **EmailJS**

- A clever service that allows the frontend website to send automated email confirmations (such as booking inquiries) directly to the resort owner or tourist without needing a complex backend email server setup.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Software Tools

- **Visual Studio Code** – The primary source code editor used for writing and managing the system's code.
- **GitHub** – For version control and collaborative management of the project's source code.
- **Figma / Canva / Moqups** – Used for creating diagrams, flowcharts, and the final presentation.
- **XAMPP / MySQL Workbench** – For managing the local database and testing queries.

Software Specification

-  Runtime Environment: Node.js v26.2.0
- *Role:* The engine that executes your JavaScript code on the server side. You are utilizing the absolute latest release, giving you top-tier performance and access to modern JS features.
-  Web Framework: Express.js v5.x
- *Role:* The backbone of your server application. It will handle incoming HTTP requests, manage application routing (e.g., /api/users), handle middleware, and structure your server-side logic.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

-  Database: MySQL 8.0 (or MariaDB)
- *Role:* The relational database holding all your application's structured data (tables, user accounts, records).

Hardware Specification

- **Processor:** Intel® Core™ i3-1115G4 @ 3.00GHz (Up to 4.10 GHz Turbo, 2 Cores, 4 Threads)
- **RAM:** 8.00 GB DDR4 (Configured at 3200 MHz)
- **Storage:** 256 GB M.2 NVMe PCIe 3.0 Solid State Drive

Minimum Hardware Requirements for User

- **Device:** Any smartphone, tablet, laptop, or PC with an active internet connection.
- **Browser:** Google Chrome, Mozilla Firefox, or Microsoft Edge.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Data Gathering Techniques

To design and develop the Online Information and Tourist Navigation System for KML Mountain Resort that effectively addresses the requirements of the management and the needs of travelers, the proponents will utilize specific data gathering methods. These techniques ensure that the system is technically sound, navigationally accurate, and capable of solving the operational hurdles of the resort.

Surveys

The proponents will distribute surveys to a target group of potential tourists and previous visitors of the resort. These surveys will focus on the "pain points" of travel, such as the difficulty of finding the location using existing maps, the clarity of landmark instructions, and the accessibility of service rates. The feedback will help the proponents determine which features—such as real-time coordinate tracking or high-resolution visual galleries—are most critical for the system's success. Questions will also evaluate the respondents' technological readiness to use a web-based navigation portal.

Interviews

The proponents will conduct structured interviews with the resort owner and management staff. Since the staff currently handles inquiries and provides directions manually, these interviews are vital for capturing the "local knowledge" of the area. This includes identifying specific landmarks that are more reliable for navigation than standard GPS markers. The proponents will gather detailed information regarding the resort's operational flow, pricing structures, and the common navigational errors reported by guests, which will serve as the basis for the system's logic and routing modules.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Site Observation and Field Mapping

Unlike a standard management system, a navigation-based project requires physical verification. The proponents will visit the resort and the surrounding access roads to perform field mapping. This involves recording actual geographic coordinates at key turning points and landmarks. This firsthand data collection is essential for ensuring that the Navigation Module provides precise, verified instructions that correspond to the actual terrain leading to KML Mountain Resort.

Internal Record Review

Examining the resort's manual inquiry logs, guest manifestos, and existing price lists. By analyzing the most frequently asked questions and common navigational complaints recorded by staff, the proponents can prioritize specific features in the information hub.

Testing Procedures

Testing is a critical phase for the Online Information and Tourist Navigation System, ensuring that the platform operates as intended and meets all functional requirements before being used by tourists and resort staff.

- **Unit Testing:** This involves verifying individual components for correct functionality. In the KML system, this means testing specific features like the landmark coordinate calculator, the photo gallery carousel, and the administrative login form in isolation to ensure there are no bugs in the basic code.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

- **Integration Testing:** This stage ensures that combined modules work together seamlessly. For example, proponents will test if the Database Layer correctly sends landmark data to the Navigation Module, and if that information is then accurately displayed on the Presentation Layer's interactive map.
- **System Testing:** This involves evaluating the complete system's performance under real-world conditions. For KML Mountain Resort, this includes "End-to-End" testing where the proponents simulate a tourist accessing the site from a mobile device on the road to verify that the navigation instructions and information hub load quickly and accurately in areas with varying signal strength.

Evaluation Criteria

The success and effectiveness of the Online Information and Tourist Navigation System for KML Mountain Resort will be measured using the following criteria. These benchmarks ensure the system is not only functional but also provides high value to both the resort management and the visiting tourists.

Accuracy and Reliability

- **Navigational Precision:** The primary measure of success is whether the landmark-based routing leads users to the resort without error. Success is defined by the alignment of system-provided coordinates with actual physical locations.
- **Data Integrity:** Information regarding service rates, room availability, and resort policies must be 100% consistent with the resort's official manual records.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Usability and User Experience (UX)

- **Ease of Navigation:** The interface must be intuitive enough for first-time tourists to find the "Navigate" or "Rates" buttons within seconds of landing on the homepage.
- **Mobile Responsiveness:** Since most tourists will use the system while traveling, the platform must adjust seamlessly to various screen sizes (smartphones, tablets, and laptops).

Performance and Efficiency

- **Load Times:** The interactive map and high-resolution image galleries must load quickly, even in areas where mobile data speeds might be limited (mountainous regions).
- **Information Retrieval:** The administrative dashboard must be able to generate reports or update landmark data instantly without system lag.

Security and Access Control

- **Data Protection:** Evaluation of how well the system prevents unauthorized access to the administrative backend. This includes testing the strength of the Role-Based Access Control (RBAC).
- **Input Validation:** The system must successfully block malicious inputs (such as SQL injection) in the inquiry forms or login screens.

Scalability and Maintainability

- **Future Updates:** The system should be designed so that new landmarks, updated service rates, or additional resort features can be added by the staff without requiring a complete rewrite of the source code.
- **System Stability:** The ability of the web portal to handle multiple simultaneous visitors (e.g., during peak holiday seasons) without crashing

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Evaluation Scale

The proponents will use a Likert-scale (typically 1 to 5) during User Acceptance Testing (UAT) to quantify these criteria:

Rating	Description
5 - Excellent	System exceeds all requirements and is highly intuitive.
4 - Good	System meets all requirements with minor suggestions for UI improvement.
3 - Fair	System is functional but has occasional lag or requires a learning curve.
2 - Poor	System has significant bugs or is difficult for non-technical users.
1 - Unacceptable	System fails to provide accurate navigation or basic resort information.


PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

SUPPORTING DIAGRAMS

DATA FLOW DIAGRAM (DFD)


The Data Flow Diagram illustrates the logical flow of information within the Online Information and Tourist Navigation System for KML Mountain Resort. It identifies the external entities (Users), processes (System Actions), data stores (Databases), and the specific data flows that move between them.

The Level 0 DFD provides a high-level overview of the entire system as a single process. It shows how information moves between the external entities and the KML MOUNTAIN RESORT System.



PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

The Level 1 DFD for the Online Information and Tourist Navigation System for KML Mountain Resort breaks down the high-level interactions into specific, functional sub-processes. This level reveals how data is transformed by the "brain" of the system the Application Layer before being stored or displayed.



PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

ENTITY RELATIONSHIP DIAGRAM (ERD)

The Entity Relationship Diagram presents the logical structure of the database used in the Online Information and Tourist Navigation System for KML Mountain Resort. It defines the entities, their specific attributes, and the relationships that ensure data remains consistent and organized within the MySQL environment. The ERD for the KML system defines the relationships between the following key entities:

- **Users (Admin, Staff, and Tourists):** This central entity manages authentication and access levels. Each user is assigned a specific role which dictates what data they can modify or view.
- **Tourist Profiles:** Linked directly to the User entity, this stores personal details such as contact information and visitation history, allowing for a personalized experience.
- **Resort Facilities / Cabins:** Stores the details of the accommodations, including descriptions, high-resolution image paths (for the gallery), and current seasonal rates.
- **Bookings & Reservations:** This entity acts as the bridge between Tourists and Facilities. It tracks check-in/check-out dates, total billing amounts, and reservation status to prevent double bookings.
- **Landmarks & Coordinates:** A unique entity for this system that stores the geographical data (Latitude and Longitude) and descriptive markers used by the Navigation Module to generate routes.
- **Inquiries & Feedback:** Tracks communications between tourists and the resort staff, allowing for administrative monitoring of customer service quality.


PHINMA UNIVERSITY OF ILOILO

College of Information Technology Education

Database Cardinality

The system utilizes standard relational logic to maintain order:

- One-to-Many: One Tourist can have multiple Bookings over time, but each booking is tied to a single tourist.
- One-to-Many: One Admin can manage and update multiple Landmarks and Facility records.
- Many-to-One: Multiple Inquiries can be directed toward a single Resort Facility.



PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Database Design

The data storage for the system is built using a relational database powered by **MySQL**. To keep the system organized and prevent errors such as double-booking a cabin or mixing up the database is designed using principles. This ensures that information is stored cleanly and efficiently. For example, if the resort owner updates a cabin nightly rate, the system changes it in one single place without altering previous booking records.

The backend engine leverages a series of specialized entity frameworks to manage system permissions, lodging options, visual maps, food and restaurant parameters, and continuous accounting tracking:

- **Authentication Hub (admin)**: Restricts access to backend resort tools.
- **Customer Log (bookings)**: Captures customer data, date selections, and financial records for pending or finalized room accommodation.
- **Operational Inventory (rooms, facilities)**: Keeps inventory details, baseline capacities, and rental costs up to date.
- **Resort Amenities & Points of Interest (dining spots, food items, mountain views)**: Maps out the specific geographic labels, imagery paths, menus, and descriptions that feed directly into the tourist application.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Complete System Data Dictionaries

Table 1: admin (System User Access Directory)

Contains credential records and access permission roles for backend application control.

Field Name	Data Type	Key	Null
id	INT(11)	PRI	NO
username	VARCHAR(50)		NO

password_hash	VARCHAR(255)		NO
---------------	--------------	--	----

Table 2: bookings (Tourist Inquiry & Schedule Logs)

Tracks structural booking inquiries submitted by users through the front-end portal.

Field Name	Data Type	Key	Null	Default	Operational Description
id	INT(11)	PRI	NO	None	Unique sequential identifier for individual customer booking inquiries.
name	VARCHAR(255)		NO	None	Full name of the potential tourist requesting accommodations.

email	VARCHAR(255))		NO	None	Electronic mailing coordinate for automated confirmation delivery.
people	INT(11)		NO	None	Total number of guests associated with the reservation request.
checkin	DATE		YES	NULL	Scheduled arrival date marking the start of the tourist's visit.
checkout	DATE		YES	NULL	Scheduled departure date marking the end of the tourist's visit.
roomType	VARCHAR(100))		YES	NULL	The name or category label of the selected resort room/cabin
status	VARCHAR(50)		YES	pending'	Processing state indicator monitored via the admin panel (e.g., pending, approved).

created_at	TIMESTAMP		NO	current_timestamp() ()	System timestamp automatically generated when the request is sent.
requests	TEXT		YES	NULL	Optional column containing special accommodations or guest remarks.
total_price	DECIMAL(10,2)		YES	0	Calculated monetary fee for the complete billing duration.
nights	INT(11)		YES	1	Calculated integer reflecting the total number of overnight stays.

Table 3: daily_revenue (Financial Tracking Ledger)

Stores daily operational totals generated from finalized booking receipts.

Field Name	Data Type	Key	Null	Default	Operational Description
id	INT(11)	PRI	NO	None	Unique internal key identifying individual

					ledger entries.
revenue_date	DATE		NO	None	The target billing calendar date for the tracking group.
total_amount	DECIMAL(10,2)		YES	0	Total gross accumulated currency processed on this specific day.
last_reset	TIMESTAMP		NO	current_timestamp()	Tracks the exact date and time of the last database modification.

Table 4: dining_spots (Resort Culinary Directory)

Handles informational profiles for food and beverage stalls located inside the resort boundary.

Field Name	Data Type	Key	Null	Default	Operational Description
------------	-----------	-----	------	---------	-------------------------

id	INT(11)	PRI	NO	None	Unique structural
----	---------	-----	----	------	-------------------

					primary index identifier.
dining_id	VARCHAR(20)		NO	None	Custom structured text identifier code for menus (e.g., 'DS001').
name	VARCHAR(255)		NO	None	Public-facing display name of the culinary venue.
tag	VARCHAR(100)		NO	DINING'	Informational grouping tag for front-end categorization .
description	TEXT		YES	NULL	Narrative detail regarding available cuisines or operating hours.
image	LONGTEXT		YES	NULL	Base64encoded binary string layout or server file path for the venue photo.

created_at	TIMESTAMP		NO	current_timestamp()	System timestamp detailing entry registration times.
updated_at	TIMESTAMP		NO	current_timestamp()	System timestamp monitoring
					the latest administrative edits.

Table 5: facilities (Resort Amenities Inventory)

Manages details of activities, viewing decks, pools, and public resort amenities.

Field Name	Data Type	Key	Null	Default	Operational Description
id	INT(11)	PRI	NO	None	Primary tracking increment identifying unique structural components.
facility_id	VARCHAR(20)		NO	None	Alphanumeric shortcode tag used for asset associations.

name	VARCHAR(255))		NO	None	Structural name of the facility displayed on the information hub.
description	TEXT		YES	NULL	Comprehensive overview outlining facility specifications or rules.
image	LONGTEXT		YES	NULL	Stored Base64 graphic string
					rendering a visual preview.
created_at	TIMESTAMP		NO	current_timestamp())	System creation date tracking variable.
updated_at	TIMESTAMP		NO	current_timestamp())	Active update tracking variable logging modification times.

Table 6: food_items (Menu Options Directory)

Maintains detailed entries for specific culinary selections offered at dining venues.

Field Name	Data Type	Key	Null	Default	Operational Description
id	INT(11)	PRI	NO	None	Unique system auto-increment index tracking individual dishes.
dining_id	VARCHAR(20)		NO	None	Foreign relational string linking the item to its parent dining_spots location.
item_name	VARCHAR(255)		NO	None	Structural title name of the meal option or beverage.
price	DECIMAL(10,2)		NO	None	Fixed menu cost price parsed onto the
					user view matrix.
description	TEXT		YES	NULL	Ingredient lists, portions, or food preparation descriptions.

image	LONGTEXT		YES	NULL	Stored Base64 asset code managing visual menu illustrations.
-------	----------	--	-----	------	--

Table 7: rooms (Resort Accommodations Matrix)

Maintains configuration variables and rental pricing values for all cabins and chalets.

Field Name	Data Type	Key	Null	Default	Operational Description
id	INT(11)	PRI	NO	None	Primary autoincrement identifying system entity references.
room_id	VARCHAR(50)	UNI	NO	None	Explicit alphanumeric primary shorthand index string (e.g., 'cottage21').
name	VARCHAR(255)		NO	None	Structural plain text name
					describing the physical room unit.

type	VARCHAR(100)		NO	None	Class label specifying categorical architecture (e.g., Room, Cottage, Chalet).
price	DECIMAL(10,2)		NO	None	Numeric cost value mapped to determine duration sums during calculation.
capacity	INT(11)		NO	None	Maximum integer limit tracking total guest occupancy boundaries.
status	VARCHAR(50)		YES	available'	Unit availability flags evaluated during user interactions.
description	TEXT		YES	NULL	Full text detail mapping bed dimensions, inclusions, and views.
image	LONGTEXT		YES	NULL	Stored Base64 dynamic graphic asset rendering for user evaluation.


PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Table 8: mountain_views

Field Name	Data Type	Key	Null	Default
id	INT(11)	PRI	NO	None
view_id	VARCHAR(20)		NO	None
title	VARCHAR(100)		NO	None
location	VARCHAR(200)		NO	None
image	longtext		YES	NULL
Added_at	timestamp		NO	Current_timestamp()

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

USE CASE DIAGRAM



PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Use-Case Diagram Analysis

The Use-Case Diagram visually outlines the functional requirements of the Online Information and Tourist Navigation System. It defines the Actors and the System Functions, serving as a bridge between the resort's operational needs and the software's final design. Primary Actors

- Tourist/Guest: The external user. Their primary goal is to consume information and reach the destination. They interact with the "front-facing" side of the system to simplify their travel experience.
- Administrator: Represented by the resort owner, Michelle Tingson Miranda. The admin maintains the system's accuracy, ensuring that the information provided to the guests is current and that business operations (like bookings) are flowing smoothly.

System Boundaries and Interaction Patterns

- Authentication & Access Control: The system enforces a strict boundary between public-facing and administrative functions. While the Guest has open access to browse the digital gallery and landmark maps, the Administrator is required to authenticate via secure tokens to modify backend records.
- Data Synchronization Flow: A critical use case involves the transition from Guest inquiry to backend processing. When a guest initiates a request, the system acts as an automated intermediary, decoupling the user from the manual, unrecorded communication channels—such as fragmented SMS or social media DMs—that previously dominated resort operations.
- Mapping & Navigational Support: The navigation use case extends beyond standard GPS interactions. It incorporates specific landmark-based guidance, providing visual cues to compensate for the "digital dead zones" and signal attenuation common in the KML Resort terrain, thereby facilitating a more reliable guest experience than generic mapping applications.
- Operational Reporting: The administrator acts as the primary consumer of system analytics. By monitoring booking logs and transaction synchronization, the admin can identify operational bottlenecks and adjust room availability, moving the business away from the risks associated with manual paper journals and error-prone ledger entries.

PHINMA UNIVERSITY OF ILOILO
College of Information Technology Education

Key Use-Cases and Their Significance

Use Case	Description	Primary Actor
View Resort Information	Accessing the digital gallery, food menus, and room details to make an informed visit.	Tourist
Inquire/Book Room	Completing the digital form to initiate a reservation, moving away from manual, unrecorded inquiries.	Tourist
Access Live Navigation	Utilizing the Landmark-based Interactive Map to receive real-time routing to the resort.	Tourist
Manage Content	The ability to upload new photos, update food options, or change facility descriptions.	Admin
Approve/Process Bookings	Transitioning a guest request from "Pending" to "Confirmed" within the system dashboard.	Admin
Monitor Analytics	Reviewing activity reports to see which navigation landmarks are most used or which rooms are most viewed.	Admin

System Boundary and Interactions

As shown in the provided diagram, the System Boundary (the rectangle) separates the internal functions of the KML platform from the external actors.

- Tourist Interactions: These are largely "read" and "submit" actions.
- Admin Interactions: These are "management" and "control" actions that dictate what is stored in the database.

- Automation: Some use cases, such as "View Photo Gallery," are purely informational, while "Process Booking" involves complex logic that updates the status of the resort's availability in real-time.