# Continuity and Differentiability

# Continuity

## 1 Continuity of a Function at a Point

A function f(x) is said to be continuous at x = a; where  $a \in \text{domain of } f(x)$ Iff

$$\lim_{x \to a^-} f(x) = \lim_{x \to a^+} f(x) = f(a)$$

## 2 Continuity at End Points

Let f(x) be defined on [a, b] then f(x) is continuous at x = a Iff

$$\lim_{x \to a^+} f(x) = f(a)$$

f(x) is continuous at x = bIff

$$\lim_{x\to b^-}f(x)=f(b)$$

# 3 Discontinuity of a Function

A function f is discontinuous if it has any kind of "Breaks".

## 3.1 Removable Discontinuity

 $\lim_{x\to a} f(x)$  exists but it is not equal to f(a) or f(a) is not defined.

## 3.1.1 Missing Point Discontinuity

 $\lim_{x\to a} f(x)$  exists but f(a) is not defined.

## 3.1.2 Isolated Point Discontinuity

 $\lim_{x\to a} f(x)$  exists but it is not equal to f(a)

## 3.2 Non-Removable Discontinuity

 $\lim_{x \to a} f(x)$  does not exist.

## 3.2.1 Finite Discontinuity (Jump Discontinuity)

 $\lim_{x \to a^{-}} f(x) = L_1, \lim_{x \to a^{+}} f(x) = L_2, L_1 \neq L_2, L_1 \text{ and } L_2 \text{ are finite.}$ 

## 3.2.1.1 Jump of Discontinuity

 $|L_1 - L_2|$  is the Jump of Discontinuity

### 3.2.1.2 Piecewise Continuous or Sectionally continuous Function

A function having a finite number of jumps in a given interval.

### 3.2.2 Infinite Discontinuity

$$\lim_{x\to a^-} f(x) = L_1$$
 and  $\lim_{x\to a^+} f(x) = L_2$ . Either  $L_1$  or  $L_2$  is  $\pm \infty$ 

For graph of y = f(x), if at x = a there is a vertical Asymptote, then there is a Infinite Discontinuity at x = a

#### 3.2.3 Oscillatory Discontinuity

 $\lim_{x\to a} f(x)$  doesn't exist but oscillates between two finite quantites.

e.g. 
$$f(x) = \sin \frac{1}{x}$$

# 4 Theorems on Continuity

### 4.1 Theorem 1

Sum, difference and product of two continuous functions is always a continuous function.

However, quotient  $h(x) = \frac{f(x)}{g(x)}$  is continuous at x = a only if  $g(a) \neq 0$ .

### 4.2 Theorem 2

If f(x) is continuous and g(x) is discontinuous at x = a, then the product function  $\phi(x) = f(x) \cdot g(x)$  is not necessarily be discontinuous at x = a.

## 4.3 Theorem 3

If f(x) and g(x) both are discontinuous at x = a, then the product function  $\phi(x) = f(x) \cdot g(x)$  is not necessarily be discontinuous at x = a.

## 5 Continuity of Composite Functions

Let f(x) and g(x) be two discontinuous functions and g(x) is discontinuous  $\forall x \in [\alpha, \beta] \{ \}$ 

On

Hold

## 6 Intermediate Value Theorem

If f(x) is continuous  $\forall x \in [\alpha, \beta]$  and  $f(a) \neq f(b)$ , then for any value  $L \in (f(a), f(b))$ , there exists at least one number  $c \in (a, b)$  for which f(c) = L

# 7 Continuity of Rational and Irrational Functions

Consider the function,  $f: \mathbb{R} \to \mathbb{R}$ 

$$f(x) = \begin{cases} f_1(x) & x \in \mathbb{Q} \\ f_2(x) & x \notin \mathbb{Q} \end{cases}$$

then f is continuous at  $x \in A$  where  $A = \{c : f_1(c) = f_2(c)\}$ 

# Differentiability

## 8 Meaning of a Derivative

- The instantaneous rate of change of a function w.r.t. the independent variable is called the *Derivative*.
- Derivative also represents the slope of tangent line on a curve.
- Derivative of a function f is generally denoted by

$$f'(x), \frac{d}{dx}(f(x)), \frac{df(x)}{dx}, \frac{d}{dx}f(x)$$

• Fundamental Definition of a Derivative

$$f(x) = \lim_{\Delta x \to 0} \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

• Evalution of Derivative at a point (Say a) is denoted by

$$f'(a), \frac{d}{dx}(f(x))\Big|_{x=a}$$

## 9 Existance of a Derivative

The derivative of a function f exists at x = a, iff.

$$\lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

exists and is finite

Derivative doesn't exist at sharp points.

## 9.1 Right Hand Derivative

The Right Hand Derivative of f(x) at x = a is

$$f'(a^+) = \lim_{h \to 0^+} \frac{f(a+h) - f(a)}{h}$$

## 9.2 Left Hand Derivative

The Left Hand Derivative of f(x) at x = a is

$$f'(a^{-}) = \lim_{h \to 0^{-}} \frac{f(a+h) - f(a)}{h}$$

# 10 Relation between Continuity and Differentiability

If a function is differentiable at a point, it is necessarily continuous at that point. But the converse is not necessarily true.