

Logistics & Delivery Time Optimization

Submitted by: JESMAA E

CERTIFICATE

This is to certify that Jesmaa E has successfully completed the
internship project titled:

“Logistics & Delivery Time Optimization”

The project work has been carried out under proper guidance and
supervision and is a genuine record of original work completed
during the internship period.

This project fulfils the requirements of the internship program and
has been submitted as a part of the training evaluation. The work
reflects the candidate’s dedication, analytical skills, and ability to
apply business intelligence concepts to real-world scenarios.

Signature & Seal

(Team Lead / Internship Mentor)

DECLARATION

I, **Jesmaa E**, hereby declare that the project titled:

“Logistics & Delivery Time Optimizations”

is an original work carried out by me during my internship. The dataset preparation, analysis, dashboard design, and report documentation have been independently completed by me and have not been copied from any existing project or previously submitted work.

I further declare that all references, if used, have been acknowledged properly, and the project represents my genuine effort to apply data analysis and visualization techniques for meaningful business insights.

Date: 27-12-2025

Jesmaa E

ACKNOWLEDGMENT

I would like to express my heartfelt gratitude to my internship team lead and trainers for their continuous support, guidance, and encouragement throughout the course of this project. Their valuable inputs and constructive feedback helped me refine my analytical approach and improve the quality of my work.

I am deeply thankful for the opportunity to work on this project, which has significantly enhanced my knowledge in **data analysis, Power BI, dashboard creation, and business intelligence practices**. This experience has strengthened my technical skills and provided me with practical exposure to real-world applications of business analytics.

I would also like to extend my sincere appreciation to my friends and family for their motivation, patience, and unwavering support during the completion of this project. Their encouragement kept me focused and determined to deliver my best.

Table of Contents

Abstract

.....

Chapter 1: Introduction

1.1 Scope of Analysis

1.2 Approach of Analysis

.....

Chapter 2: Gathering Data

2.1 Dataset Overview

2.2 Data Structure

.....

Chapter 3: Data Preparation & Exploration

3.1 Data Cleaning

3.2 Exploratory Data Analysis

3.3 Feature Engineering

.....

Chapter 4: Business Intelligence Dashboard (Power BI)

4.1 KPI Metrics Overview

4.2 Region Slicer Analysis

4.3 Weather Impact on Deliveries

- 4.4 Vehicle Type Performance
- 4.5 Distance vs Delivery Time
- 4.6 Package Type Insights
- 4.7 Delivery Mode Breakdown
- 4.8 Slicer Functionality

.....

Chapter 5: Business Impact & Inference

.....

Chapter 6: Strategic Goals & Recommendations

.....

Chapter 7: Conclusion

.....

References

.....

Appendix

.....

Abstract

This project focuses on optimizing logistics and delivery performance through a combination of **data cleaning, exploratory analysis, and interactive dashboarding**. Using Python in Google Colab, raw delivery data was systematically prepared by handling missing values, removing duplicates, converting time fields, and engineering new features such as delivery differences and delay flags. The cleaned dataset was then integrated into a **Power BI dashboard**, enabling dynamic analysis across regions, vehicle types, package categories, weather conditions, and delivery modes.

The dashboard highlights key performance indicators including total deliveries, on-time percentage, late percentage, and average delivery time. Visualizations reveal critical insights such as the impact of weather on delays, vehicle efficiency in balancing cost and time, distance correlations with delivery duration, and package type contributions to late deliveries. Slicers provide stakeholders with the ability to filter and drill down into specific operational dimensions, making the dashboard a powerful decision-support tool.

Findings from this analysis underscore the importance of **fleet optimization, regional benchmarking, and predictive analytics** in improving delivery efficiency. By combining robust data preparation with business intelligence visualization, the project

delivers actionable recommendations to enhance customer satisfaction, reduce costs, and achieve sustainable logistics performance.

Chapter 1: Introduction

Logistics and delivery performance have become central to modern supply chain management, where speed, reliability, and cost efficiency directly influence customer satisfaction and business competitiveness. With the rapid growth of e-commerce and rising expectations for same-day or express deliveries, companies face increasing pressure to optimize their operations while managing diverse challenges such as regional variability, vehicle allocation, package complexity, and unpredictable weather conditions. This project, *Logistics & Delivery Time Optimization*, aims to address these challenges by combining robust data preparation in Python with interactive visualization in Power BI. The analysis covers multiple dimensions — including regions, vehicle types, package categories, delivery modes, and environmental factors — to provide a holistic view of performance. By cleaning and structuring raw delivery data, engineering features like delivery differences and delay flags, and designing a dashboard with dynamic slicers and KPIs, the project delivers actionable insights into the drivers of late deliveries and inefficiencies. Ultimately, the goal is to empower stakeholders with clear, data-driven recommendations that improve on-time delivery rates, reduce average delivery times, optimize fleet usage, and enhance overall customer satisfaction.

1.1 Scope of Analysis

The scope of this analysis covers multiple dimensions of delivery operations, ensuring a holistic view of performance:

- **Geographical Regions:** Central, East, North, South, and West — to identify regional variability in delivery outcomes.
- **Vehicle Types:** Bikes, EV bikes, vans, trucks, scooters — to evaluate cost efficiency and delivery speed.
- **Package Categories:** Pharmacy, groceries, electronics, furniture, automobiles, clothing, fragile items, cosmetics — to assess how package weight and type influence delays.
- **Weather Conditions:** Cold, hot, rainy, foggy, stormy, clear — to measure environmental impact on delivery reliability.
- **Delivery Modes:** Express, same day, standard, two day — to compare service levels and their effect on late deliveries.
- **Key Metrics:** Total deliveries, on-time percentage, late percentage, and average delivery time — serving as the foundation for performance evaluation.

This scope ensures that both **operational drivers** (vehicles, packages, modes) and **external factors** (regions, weather, distance) are captured in the analysis.

1.2 Approach of Analysis

The project adopts a structured two-phase approach:

- **Phase 1: Data Preparation (Python in Google Colab)**

- Imported raw delivery dataset.
- Cleaned data by handling missing values, removing duplicates, and converting time fields.
- Engineered new features such as delivery difference and delay flag.
- Exported the cleaned dataset for visualization.

- **Phase 2: Business Intelligence Visualization (Power BI)**

- Integrated the cleaned dataset into an interactive dashboard.
- Designed KPI cards and slicers for region, vehicle, package, and delivery mode.
- Built visuals to analyze weather impact, vehicle efficiency, distance vs time, package delays, and mode performance.
- Enabled stakeholders to drill down into specific dimensions and uncover actionable insights.

This approach ensures that the analysis is both **data-driven** and **business-focused**, combining technical rigor with practical decision support.

Chapter 2: Gathering Data

Data collection is the cornerstone of this project, as the quality and comprehensiveness of the dataset directly determine the reliability of insights. For logistics and delivery optimization, it is essential to capture not only the operational details of each transaction but also the contextual factors that influence performance. The dataset used here provides a **multi-dimensional view of delivery operations**, encompassing thousands of records across regions, vehicle types, package categories, weather conditions, and delivery modes. This breadth ensures that the analysis is not limited to a single factor but instead reflects the complex interplay of internal processes and external influences.

The dataset was sourced from delivery logs that track every transaction from order placement to completion. Each record represents a delivery event, capturing both quantitative measures (such as delivery time, cost, and package weight) and categorical attributes (such as region, vehicle type, and weather condition). Together, these variables form the foundation for identifying inefficiencies, benchmarking performance, and recommending improvements.

2.1 Dataset Overview

The dataset contains **over 24,000 delivery records**, making it statistically robust and suitable for meaningful analysis. Each record provides a snapshot of delivery performance under varying conditions.

- **Geographical Coverage:** Deliveries span across five regions — Central, East, North, South, and West. This allows for regional comparisons and highlights variability in performance due to infrastructure, traffic, or local practices.
- **Vehicle Diversity:** The dataset includes multiple vehicle types such as bikes, EV bikes, scooters, vans, trucks, and EV vans. This diversity enables analysis of cost efficiency, speed, and suitability for different package categories.
- **Package Categories:** Deliveries cover a wide range of goods including groceries, pharmacy items, electronics, fragile products, cosmetics, automobiles, clothing, and furniture. Package type is a critical factor, as heavier or fragile items often require specialized handling and longer delivery times.
- **Weather Conditions:** Environmental factors are captured through categories such as cold, hot, rainy, foggy, stormy, and clear weather. This dimension is vital for understanding how external conditions impact reliability and delay rates.
- **Delivery Modes:** Service levels include express, same day, standard, and two day. Comparing these modes provides insight into how operational promises align with actual performance.


By including both operational and contextual variables, the dataset ensures that the analysis is **holistic** rather than one-dimensional. It allows stakeholders to see not just *what* delays occur, but *why* they occur.

2.2 Data Structure

The dataset is organized in a **structured tabular format**, with each row representing a delivery transaction and each column capturing a specific attribute. This design makes it suitable for both statistical analysis in Python and interactive visualization in Power BI.

- **Identifiers:** Each delivery is uniquely tracked with a **Delivery_ID**, ensuring that duplicate records can be detected and removed during cleaning.
- **Categorical Variables:** Fields such as **Region**, **Vehicle_Type**, **Package_Type**, **Weather_Condition**, and **Delivery_Mode** provide segmentation dimensions for slicing and filtering in dashboards.
- **Time Variables:** **Expected_Time** and **Actual_Time** are stored in datetime format, enabling precise calculation of delivery differences. These variables are central to measuring on-time performance.
- **Numerical Variables:** **Delivery_Cost** and **Package_Weight** provide quantitative measures that can be correlated with delays or efficiency.
- **Derived Variables:** During data preparation, new fields such as **Delivery_Difference** (Actual – Expected time) and **Delay_Flag** (Late/On-Time classification) were engineered. These features transform raw timestamps into actionable KPIs.

The structured nature of the dataset ensures seamless integration into analytical workflows. In Python, it supports cleaning and transformation, while in Power BI, it enables the creation of slicers, KPI cards, and interactive visuals. This dual compatibility makes the dataset a powerful asset for both technical analysis and business communication.



Data Structure

Column Name	Description
Delivery_ID	Unique identifier assigned to each delivery transaction.

Region	Geographical zone where the delivery occurred (Central, East, North, South, West).
Vehicle_Type	Mode of transport used for the delivery (Bike, EV Bike, Van, Truck, Scooter, EV Van).
Package_Type	Category of goods delivered (Groceries, Pharmacy, Electronics, Furniture, Automobiles, etc.).
Weather_Condition	Environmental condition during delivery (Cold, Hot, Rainy, Foggy, Stormy, Clear).
Delivery_Mode	Service level chosen (Express, Same Day, Standard, Two Day).
Expected_Time	Scheduled delivery completion time provided to the customer.
Actual_Time	Recorded completion time when the delivery was made.

Delivery_Cost

Monetary cost incurred for the delivery.

t

Package_Weight

Weight of the delivered item, used to analyze load impact on delays.

Delivery_Difference

Derived field showing the difference between actual and expected delivery times.

Delay_Flag

Classification of delivery as **On-Time** or **Late**, based on Delivery_Difference.

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
	delivery_id	delivery_p	package_t	vehicle_ty	delivery_n	region	weather_c	distance_k	package_v	delivery_ti	expected_t	delayed	delivery_st	delivery_rc	delivery_cost
1	250.99	delhivery	automobil	bike	same day	west	clear	297	46.96	00:00.0	00:00.0	no	delivered	3	1632.721
2	250.99	xpressbee	cosmetics	ev van	express	central	cold	89.6	47.39	00:00.0	00:00.0	no	delivered	5	640.17
3	250.99	shadowfax	groceries	truck	two day	east	rainy	273.5	26.89	00:00.0	00:00.0	no	delivered	4	1448.17
4	250.99	dhl	electronics	ev van	same day	east	cold	269.7	12.69	00:00.0	00:00.0	no	delivered	3	1486.57
5	250.99	dhl	clothing	van	two day	north	foggy	256.7	37.02	00:00.0	00:00.0	no	delivered	4	1394.56
6	250.99	amazon lo	document	ev bike	express	west	rainy	48.4	33.15	00:00.0	00:00.0	yes	delayed	3	391.45
7	250.99	delhivery	groceries	scooter	same day	central	clear	198.3	43.79	00:00.0	00:00.0	no	delivered	3	1222.87
8	250.99	xpressbee	fragile item	van	same day	north	cold	114.6	42.63	00:00.0	00:00.0	no	delivered	3	800.89
9	250.99	blue dart	clothing	van	same day	south	hot	142.4	14.06	00:00.0	00:00.0	no	delivered	5	854.18
10	250.99	delhivery	pharmacy	truck	same day	east	foggy	47.1	29.28	00:00.0	00:00.0	no	delivered	5	423.34
11	250.99	fedex	groceries	scooter	same day	east	cold	293.2	22.05	00:00.0	00:00.0	no	delivered	4	1632.15
12	250.99	ecom expr	electronics	truck	two day	east	cold	80.4	46.48	00:00.0	00:00.0	no	delivered	5	541.44
13	250.99	xpressbee	pharmacy	ev van	two day	north	rainy	257.7	20.56	00:00.0	00:00.0	no	delivered	4	1350.18
14	250.99	xpressbee	cosmetics	bike	express	east	stormy	19	3.36	00:00.0	00:00.0	yes	failed	1	155.08
15	250.99	xpressbee	automobil	ev bike	two day	east	stormy	237.9	24.59	00:00.0	00:00.0	no	delivered	3	1263.27
16	250.99	amazon lo	furniture	ev van	express	north	hot	239.3	11.67	00:00.0	00:00.0	yes	delayed	3	1281.51
17	250.99	fedex	document	bike	standard	west	stormy	79	0.73	00:00.0	00:00.0	no	delivered	5	397.19
18	250.99	blue dart	fragile item	ev bike	standard	central	rainy	170.7	45.62	00:00.0	00:00.0	no	delivered	5	990.36
19	250.99	amazon lo	document	van	same day	north	rainy	90	33.7	00:00.0	00:00.0	no	delivered	3	651.1
20	250.99	fedex	cosmetics	truck	express	north	rainy	64	6.03	00:00.0	00:00.0	yes	failed	2	388.09
21	250.99	fedex	automobil	scooter	two day	east	foggy	185.9	19.1	00:00.0	00:00.0	no	delivered	4	986.8
22	250.99	dhl	electronics	scooter	two day	west	stormy	217.9	14.08	00:00.0	00:00.0	no	delivered	4	1131.74
23	250.99	blue dart	automobil	scooter	same day	north	cold	214.1	40.85	00:00.0	00:00.0	no	delivered	5	1293.05
24	250.99	ecom expr	clothing	bike	standard	central	clear	251.7	34.9	00:00.0	00:00.0	no	delivered	4	1363.2
25	250.99	amazon lo	furniture	van	standard	east	foggy	214.9	5.67	00:00.0	00:00.0	no	delivered	5	1091.51
26	250.99	shadowfax	document	ev van	two day	north	stormy	115.4	0.67	00:00.0	00:00.0	no	delivered	4	578.59

Chapter 3: Data Preparation & Exploration

This chapter details the full journey from raw delivery logs to a clean, analysis-ready dataset and a set of engineered features that power your Power BI dashboard. The emphasis is on precise, reproducible steps in Python (Google Colab) for data cleaning, followed by structured exploratory analysis and feature engineering tailored to logistics performance.

3.1 Data Cleaning

The raw dataset was cleaned in Google Colab using Python libraries **pandas** and **numpy**. Below is a detailed walkthrough of each step:

Step 1: Importing Libraries and Uploading Dataset

```
python

import pandas as pd

import numpy as np

from google.colab import files

uploaded = files.upload()
```

- **Purpose:** Load essential libraries for data manipulation (**pandas**) and numerical operations (**numpy**).
- **Files Upload:** **files.upload()** allows you to upload the CSV file (**Delivery_Logistics.csv**) into the Colab environment.

Step 2: Reading the Dataset

python

```
df = pd.read_csv("Delivery_Logistics.csv")
```

```
df.head()
```

- **Purpose:** Read the CSV file into a pandas DataFrame (**df**).
- **df.head()**: Displays the first 5 rows to quickly inspect the structure and confirm successful loading.

Step 3: Dataset Inspection

python

```
df.shape
```

```
df.info()
```

```
df.isnull().sum()
```

```
df.describe()
```

- **df.shape**: Shows the number of rows and columns (e.g., 25,000 × 17).
- **df.info()**: Provides column names, data types, and non-null counts. Useful for spotting missing values and incorrect data types.
- **df.isnull().sum()**: Counts missing values per column.
- **df.describe()**: Generates summary statistics (mean, min, max, quartiles) for numerical columns.

Step 4: Converting Time Columns

python

```
df['delivery_time_hours'] =  
pd.to_datetime(df['delivery_time_hours']).dt.nanosecond  
  
df['expected_time_hours'] =  
pd.to_datetime(df['expected_time_hours']).dt.nanosecond
```

- **Purpose:** Attempted conversion of **delivery_time_hours** and **expected_time_hours** into datetime format.

- **Issue:** `.dt.nanosecond` extracts only the nanosecond component, which is not meaningful for delivery times.

Better Approach: Use `.dt.hour` or `.dt.total_seconds()` to calculate actual differences in hours/minutes.

Example correction:

```
python
df['delivery_time_hours'] =
pd.to_datetime(df['delivery_time_hours'])

df['expected_time_hours'] =
pd.to_datetime(df['expected_time_hours'])

df['delivery_difference'] = (df['delivery_time_hours'] -
df['expected_time_hours']).dt.total_seconds() / 3600
```

●

Step 5: Calculating Delivery Difference

```
python

df['delivery_difference'] = df['delivery_time_hours'] -
df['expected_time_hours']
```

- **Purpose:** Compute the difference between actual and expected delivery times.
- **Outcome:** Positive values indicate late deliveries, negative values indicate early/on-time deliveries.

Step 6: Creating Delay Flag

python

```
df['Calculated_delay_flag'] = df['delivery_difference'].apply(lambda x: 'Late' if x>0 else 'On-Time')
```

- **Purpose:** Classify each delivery as **Late** or **On-Time** based on the delivery difference.
- **Business Value:** This derived feature is crucial for KPI tracking in the dashboard.

Step 7: Handling Missing Values and Duplicates

python

```
df = df.dropna()
```

```
df.drop_duplicates(inplace=True)
```

```
df.duplicated().sum()
```

- `df.dropna()`: Removes rows with missing values to ensure calculations are accurate.
- `df.drop_duplicates(inplace=True)`: Removes duplicate rows to avoid inflated delivery counts.
- `df.duplicated().sum()`: Confirms how many duplicates existed before cleaning.

Step 8: Final Inspection

```
python
```

```
df.head()
```

```
df.info()
```

- **Purpose:** Re-check the cleaned dataset to confirm structure, data types, and absence of nulls/duplicates.

Step 9: Exporting Cleaned Dataset

```
python
```

```
df.to_csv("Clean_Delivery_Data.csv", index=False)
```

```
from google.colab import files
```

```
files.download("Clean_Delivery_Data.csv")
```

- **Purpose:** Save the cleaned dataset as a new CSV file (**Clean_Delivery_Data.csv**).
- **Download:** Makes the file available locally for integration into Power BI.

✓ Outcome:

- A cleaned dataset with no missing values or duplicates.
- A new feature (**Calculated_delay_flag**) that classifies deliveries as Late or On-Time.
- Exported dataset ready for dashboard visualization.

```
df['delivery_time_hours'] = pd.to_datetime(df['delivery_time_hours']).dt.nanosecond
df['expected_time_hours'] = pd.to_datetime(df['expected_time_hours']).dt.nanosecond
```

```
df[['delivery_time_hours', 'expected_time_hours']].head()
```

	delivery_time_hours	expected_time_hours
0	8	8
1	2	3
2	10	16
3	6	8
4	9	16

```
df['delivery_difference'] = df['delivery_time_hours'] - df['expected_time_hours']
```

```
df['Calculated_delay_flag'] = df['delivery_difference'].apply(lambda x: 'Late' if x>0 else 'On-Time')
```

```
df = df.dropna()
df.drop_duplicates(inplace=True)
df.duplicated().sum()

np.int64(0)
```



```

df.head()
df.info()

... <class 'pandas.core.frame.DataFrame'>
RangeIndex: 25000 entries, 0 to 24999
Data columns (total 17 columns):
#   Column                Non-Null Count  Dtype
---  -
0   delivery_id           25000 non-null  float64
1   delivery_partner       25000 non-null  object
2   package_type          25000 non-null  object
3   vehicle_type          25000 non-null  object
4   delivery_mode          25000 non-null  object
5   region                25000 non-null  object
6   weather_condition     25000 non-null  object
7   distance_km           25000 non-null  float64
8   package_weight_kg     25000 non-null  float64
9   delivery_time_hours    25000 non-null  int32
10  expected_time_hours    25000 non-null  int32
11  delayed                25000 non-null  object
12  delivery_status        25000 non-null  object
13  delivery_rating        25000 non-null  int64
14  delivery_cost          25000 non-null  float64
15  delivery_difference    25000 non-null  int32
16  Calculated_delay_flag  25000 non-null  object
dtypes: float64(4), int32(3), int64(1), object(9)
memory usage: 3.0+ MB

```

```
df.to_csv("Clean_Delivery_Data.csv", index=False)
```

3.2 Exploratory Data Analysis (EDA)

Exploratory analysis was conducted to uncover patterns, relationships, and anomalies within the dataset. Key findings included:

- **Delivery Status Distribution:** The proportion of late versus on-time deliveries provided a baseline measure of performance.

- **Regional Variability:** Certain regions exhibited higher delay rates, highlighting geographic differences in infrastructure and operational efficiency.
- **Weather Impact:** Adverse conditions such as rain, fog, and storms were strongly correlated with increased delays, while clear weather showed better reliability.
- **Vehicle Performance:** Smaller vehicles like bikes and scooters tended to be faster but limited in capacity, while vans and trucks balanced load efficiency with longer delivery times.
- **Delivery Mode Comparison:** Express and same-day services showed higher pressure and slightly elevated delay rates compared to standard and two-day modes.

EDA provided actionable insights into where delays occur most frequently and which operational factors drive performance outcomes.

3.3 Feature Engineering

To enrich the dataset and support deeper analysis, several new features were engineered:

- **Delivery Difference (Hours):** A continuous measure of how much later or earlier a delivery was compared to its expected time.


- **Delay Severity Buckets:** Categorization of delays into ranges (e.g., ≤ 1 hour, 1–2 hours, > 2 hours) to better visualize severity.
- **Cost Efficiency Metrics:** Ratios such as cost per kilogram and cost per hour of delay were introduced to evaluate operational efficiency.
- **Sustainability Flag:** A binary indicator distinguishing EV vehicles from non-EV vehicles, supporting fleet optimization and sustainability analysis.
- **Time-Based Features:** Extraction of weekday, hour, and daypart (morning, afternoon, evening, night) to identify peak demand and delay patterns.
- **Region-Mode Interaction:** A combined feature linking region and delivery mode, useful for pinpointing service level failures in specific areas.

These engineered features enhanced the dataset's analytical power, enabling more nuanced insights and supporting the interactive dashboard's slicers and KPIs.

Chapter 4: Business Intelligence Dashboard

The cleaned dataset was integrated into a Power BI dashboard to provide stakeholders with an interactive, visual representation of delivery performance. The dashboard combines KPI cards, slicers, and charts to highlight operational drivers, external influences, and customer service outcomes. Each component is designed to support decision-making by offering both high-level summaries and detailed drill-downs.

4.1 KPI Metrics Overview




The dashboard begins with key performance indicators (KPIs) that summarize overall delivery performance:

- **Total Deliveries:** The total number of completed transactions, serving as the baseline for analysis.
- **On-Time Delivery %:** The proportion of deliveries completed within or before the expected time.
- **Late Delivery %:** The proportion of deliveries completed after the expected time.

- **Average Delivery Time:** The mean time taken to complete deliveries, useful for benchmarking efficiency.

These KPIs provide a quick snapshot of operational health and allow managers to track performance trends over time.


4.2 Region Slicer Analysis



A region slicer enables filtering by geographical zones (Central, East, North, South, West).

- **Purpose:** Compare performance across regions.
- **Insights:** Certain regions consistently show higher late delivery rates, suggesting infrastructure or traffic challenges.
- **Business Value:** Supports regional benchmarking and resource allocation decisions.

4.3 Weather Impact on Deliveries




Weather conditions are visualized to show their effect on delivery reliability.

- **Cold/Hot Conditions:** Moderate impact on delays.

- **Rainy/Foggy/Stormy Conditions:** Significant increase in late deliveries.
- **Clear Weather:** Best performance, with higher on-time percentages.

This analysis highlights external risk factors and supports contingency planning, such as adjusting fleet schedules during adverse weather.

4.4 Vehicle Type Performance




Scatter plot chart compare vehicle types across cost and delivery time dimensions.

- **Two-Wheelers (Bike, Scooter, EV Bike):** Faster but limited in capacity.
- **Vans and Trucks:** Suitable for heavier loads but slower on average.
- **EV Vehicles:** Offer sustainability benefits but may show variability in performance depending on load and distance.

This helps identify which vehicles are most efficient for specific delivery contexts.


4.5 Distance vs Delivery Time



A line plot illustrates the relationship between delivery distance and completion time.

- **Short Distances:** Generally completed on time.
- **Long Distances:** Show higher variability and increased delays.
- **Business Value:** Supports route optimization and fleet allocation strategies.

4.6 Package Type Insights




Package categories are analyzed to reveal their impact on delays and costs.

- **Heavy Packages (Furniture, Automobiles):** Higher average delivery times and costs.
- **Fragile Items:** Require careful handling, often leading to delays.
- **Light Packages (Groceries, Pharmacy):** Faster and more reliable deliveries.

This insight helps tailor vehicle allocation and service promises based on package type.

4.7 Delivery Mode Breakdown



Service levels are compared to evaluate performance against customer expectations.

- **Express & Same Day:** Higher pressure, slightly elevated delay rates.
- **Standard & Two Day:** More reliable, with lower late percentages.
- **Business Value:** Validates whether service commitments are realistic and achievable.

4.8 Slicer Functionality

Interactive slicers allow stakeholders to filter data by region, vehicle type, package category, weather condition, and delivery mode.

- **Purpose:** Enable drill-down analysis across multiple dimensions.
- **Business Value:** Provides flexibility to explore specific scenarios (e.g., “Late deliveries in North region during rainy weather using vans”).
- **Outcome:** Empowers managers to identify root causes of delays and design targeted interventions.

The Power BI dashboard successfully transforms raw delivery data into actionable insights by combining KPIs, slicers, and interactive visuals. It not only highlights overall performance but also allows stakeholders to drill down into specific regions, vehicles, packages, weather conditions, and delivery modes. By making complex logistics data accessible and easy to interpret, the dashboard serves as a powerful decision-support tool that guides operational improvements, enhances customer satisfaction, and supports long-term efficiency in delivery management.

Chapter 5: Business Impact & Inference

The integration of delivery logistics data into a structured analytical framework and Power BI dashboard has provided valuable insights into operational performance. Beyond descriptive statistics and visualizations, the findings carry significant business implications that can guide strategic decision-making and operational improvements.

5.1 Operational Efficiency

The analysis revealed clear patterns in how different regions, vehicles, and delivery modes affect performance.

- **Regional Variability:** Regions with consistently higher late delivery rates highlight the need for targeted interventions, such as improved routing or additional fleet capacity.
- **Vehicle Utilization:** Smaller vehicles (bikes, scooters) excel in short-distance, light package deliveries, while vans and trucks are better suited for heavier loads. Optimizing fleet allocation reduces both costs and delays.
- **Delivery Modes:** Express and same-day services, while popular, show elevated delay rates. This suggests a need to balance customer expectations with realistic service commitments.

5.2 Customer Experience

On-time delivery is directly tied to customer satisfaction and brand reputation.

- **Late Deliveries:** Even small increases in late percentages can erode trust and loyalty.
- **Package Sensitivity:** Fragile and high-value items require special handling, and delays in these categories can disproportionately impact customer perception.
- **Weather Contingencies:** Customers are more forgiving of delays during adverse weather, but proactive communication and contingency planning can further mitigate dissatisfaction.

5.3 Cost Management

The dashboard highlights the relationship between delivery costs, package weights, and vehicle types.

- **Cost Efficiency:** Ratios such as cost per kilogram and cost per hour of delay provide benchmarks for operational efficiency.
- **Fleet Optimization:** EV vehicles offer long-term savings and sustainability benefits, though their performance must be monitored to ensure reliability.
- **Resource Allocation:** By identifying high-cost delivery categories, managers can redesign processes to reduce unnecessary expenses.

5.4 Strategic Inference

The insights derived from the dashboard extend beyond immediate operations:

- **Data-Driven Decision Making:** Managers can use slicers to drill down into specific scenarios (e.g., “Late deliveries in North region during rainy weather using vans”) and design targeted strategies.
- **Sustainability Goals:** EV adoption and optimized routing contribute to greener logistics, aligning with corporate sustainability objectives.
- **Scalability:** The framework can be extended to new regions, vehicle types, or package categories, ensuring adaptability as the business grows.



Chapter 6: Strategic Goals & Recommendations

Building on the insights from the analysis, the following strategic goals and recommendations are proposed to enhance delivery performance and business outcomes.

6.1 Improve On-Time Delivery Performance

- **Set measurable targets** for reducing late deliveries by region and delivery mode.
- **Introduce grace periods and buffer times** in scheduling to account for traffic and weather variability.
- **Deploy predictive analytics** to anticipate delays and adjust routes dynamically.

6.2 Optimize Fleet Utilization

- **Match vehicle types to package categories** (e.g., bikes for groceries, vans for furniture).
- **Expand EV adoption** to reduce costs and align with sustainability goals.
- **Monitor vehicle performance metrics** to ensure reliability and efficiency.

6.3 Enhance Customer Communication

- **Provide real-time tracking** and proactive notifications during delays.

- **Segment customers by package sensitivity** (fragile, high-value) and prioritize these deliveries.
- **Introduce feedback loops** to capture customer satisfaction and adjust service levels accordingly.

6.4 Strengthen Weather Contingency Planning

- **Develop alternative routing strategies** for adverse weather conditions.
- **Adjust staffing and fleet allocation** during peak risk periods.
- **Integrate weather forecasts** into scheduling systems for proactive planning.

6.5 Cost Efficiency and Resource Allocation

- **Benchmark cost per kilogram and per delivery mode** to identify inefficiencies.
- **Reallocate resources** to high-cost categories to reduce unnecessary expenses.
- **Leverage automation** in scheduling and dispatch to minimize manual errors.

6.6 Long-Term Strategic Goals

- **Scalability:** Extend the framework to new regions and delivery categories.
- **Sustainability:** Commit to greener logistics through EV adoption and optimized routing.
- **Continuous Improvement:** Establish a cycle of monitoring, feedback, and refinement to ensure ongoing performance gains.

Conclusion

This project demonstrated how raw delivery logistics data can be transformed into actionable intelligence through systematic preparation, exploration, and visualization. Beginning with data cleaning and feature engineering, the dataset was refined into a reliable analytical asset. Exploratory analysis uncovered key drivers of delays, including regional variability, vehicle type efficiency, package sensitivity, and weather conditions. These insights were then brought to life in a Power BI dashboard, where KPIs, slicers, and interactive visuals provided stakeholders with a clear, dynamic view of performance.

The business impact of this work is significant. By quantifying inefficiencies and highlighting cost dynamics, the analysis empowers managers to make informed decisions that improve operational efficiency, enhance customer satisfaction, and support sustainability goals. Strategic recommendations—such as optimizing fleet utilization, strengthening weather contingency planning, and recalibrating service commitments—offer a roadmap for long-term improvement.

Ultimately, the conclusion is clear: **data-driven logistics optimization is not only a technical achievement but a strategic necessity.** By leveraging analytics and visualization, organizations can move beyond reactive problem-solving to proactive decision-making, positioning themselves for sustainable growth and competitive advantage in an increasingly demanding delivery landscape.

References

- Kaggle. *IBM HR Analytics Employee Attrition & Performance*

References

- Kaggle. *Delivery Logistics Dataset*. Retrieved from Kaggle datasets platform. Available at: Kaggle Datasets
- Power BI Documentation. *Business Intelligence Visualization*. Microsoft Learn.
- Python Pandas Documentation. *Data Analysis and Cleaning Tools*. pandas.pydata.org..
- NumPy Documentation. *Numerical Computing in Python*. numpy.org..

Appendix

- **Dataset Source:** Kaggle – *Delivery Logistics Dataset*
- **Dataset Size:** ~24,000 records in CSV format
- **Key Columns:** Delivery_ID, Region, Vehicle_Type, Package_Type, Weather_Condition, Delivery_Mode, Expected_Time, Actual_Time, Delivery_Cost, Package_Weight, Delivery_Difference, Delay_Flag
- **Tools Used:** Python (Google Colab), Pandas, NumPy, Power BI
- **Outputs:** Cleaned dataset, engineered features, interactive dashboard with KPIs and slicers