## **SCANPAN CODEBASE Internal Development**

### **Details**

Version: 1.0.23.09261414 Publisher: SCANPAN

Codebase for Internal development delivered by Scanpan

### **Objects**

### Codeunit

• ScanpanMiscellaneous (ID 50002)

Codeunit "SCANPANmisc" (ID 50002).

• <u>PIMimages (ID 50000)</u>

Codeunit SCANPAN\_CodeBase (ID 50000).

• LTSautomate (ID 50005)

Codeunit LTSautomate (ID 50005).

- JSONMethods (ID 50007)
- DSVAPI (ID 50006)

undefined

• CompanyTestDetection (ID 50003)

Codeunit "TestCompany" (ID 50003).

• SubscriberCU (ID 50001)

Codeunit "SCANPAN\_Subscriber\_CU" (ID 50001).

#### **Table**

• MandatoryFieldSetup2 (ID 50018)

Table MandatoryFieldSetup (ID 50017).

• MandatoryFieldSetup (ID 50017)

Table MandatoryFieldSetup (ID 50017).

- <u>Item (ID 27)</u>
- IDYS Transport Order Line (ID 11147670)
- Sales Line (ID 37)
- Purchase Header (ID 38)
- Sales Header (ID 36)
- Purchase Line (ID 39)

- Capacity Ledger Entry (ID 5832)
- <u>Vendor (ID 23)</u>

### Page

• ProdControllingRoutingLine (ID 50021)

Page SCANPANProdFoundry (ID 50021).

• ProductionControlling (ID 50013)

Page SCANPANProductionLines (ID 50013).

• ProdControlListRoutingLine (ID 50036)

Page ProdControlListRoutingLine (ID 50036).

• ProdControllingPanPlan (ID 50030)

Page ProdControllingPanPlan (ID 50030).

Picture URL Dialog (ID 50001)

Page Picture URL Dialog (ID 50001).

• MandatoryFieldSetup (ID 50003)

Page MandatoryFieldSetup (ID 50003).

• InventoryJournalStatusSC (ID 50026)

Page InventoryJournalShelfSC (ID 50026).

• IICTracking BC (ID 50022)

Page "SCANPANIICTracking" (ID 50022).

• ExtSalesLinesSC (ID 50014)

Page SCANPANNotInvoicedSalesSubPage (ID 50014).

• ExtSalesItemListSC (ID 50018)

Page SCANPANItemListSalesExt (ID 50018).

• ExtSalesCustomerSales (ID 50024)

Page "ExtSalesCustomerSales" (ID 50024).

- DSVAPI (ID 50007)
- CreateMultipleBarcodes (ID 50000)

Page SCANPAN Create Item Barcode (ID 50000).

• CampaignSales (ID 50037)

Page Campaign Sales (ID 50037).

• Addresses (ID 50005)

Page Addresses (ID 50005).

• WMSPickBinBalance SC (ID 50019)

Page "SCANPANWMSPickBinBalance" (ID 50019).

• WebServiceSalesPriceListSource (ID 50028)

Page PriceListSource (ID 50028).

• WebServiceOrderFormItems (ID 50031)

Page WebServiceOrderFormItems (ID 50031).

• ShiplTdebug (ID 50029)

Page ShipITdebug (ID 50029).

SearchAndReplace (ID 50038)

Page SearchAndReplace (ID 50038).

• SalespriceSubPageSC (ID 50012)

Page "SCANPAN\_Salesprice\_SubPage" (ID 50012).

• Salespricelist Card SC (ID 50011)

Page "SCANPAN\_Salespricelist\_Card" (ID 50011).

• SalesLine Subform (ID 50033)

Page SalesLine Subform (ID 50033).

• SalesLine1 (ID 50034)

Page "SCANPANSalesLine" (ID 50020).

SalesLine (ID 50020)

Page "SCANPANSalesLine" (ID 50020).

Sales Commission (ID 50035)

Page Invoice Lines (ID 50035).

• PurchLines SC (ID 50017)

Page PurchLines\_SC (ID 50017).

#### Query

• SalesOrderForm PriceList (ID 50000)

Query SalesOrderForm PriceList (ID 50000).

• Query SalesInvoice (ID 50001)

Query QueryTest (ID 50001).

• Query SalesCreditNote (ID 50002)

Query QueryTest (ID 50001).

• ProdRoutingLinesList (ID 50003)

Query ProdRoutingLines (ID 50003).

### Report

• Varelabel (ForNAV) (ID 50001)

Report Varelabel (ForNAV) (ID 50001).

• <u>Varelabel (ID 50000)</u>

Report Varelabel (ID 50000).

• Vareenhedsliste 50006 (ID 50006)

Report Vareenhedsliste 50006 (ID 50006).

• Scanpan Pallelabel (ID 50004)

50004 "Scanpan Pallelabel"

Salgsprisliste 50008 (ID 50008)

Report Salgsprisliste 50008 (ID 50008).

• Palleliste Eksport 50011 (ID 50011)

Report Palleliste Eksport 50011 (ID 50011).

• Ordrebeholdning 50010 (ID 50010)

Report Ordrebeholdning 50010 (ID 50010).

• Licenseplate 50007 (ID 50007)

Report Licenseplate 50007 (ID 50007).

• Hyldelabel (ForNAV) (ID 50003)

Report Hyldelabel (ForNAV) (ID 50003).

• Faktura Varekoder 50009 (ID 50009)

Report Faktura Varekoder 50009 (ID 50009).

• Customs Declaration 50002 (ID 50002)

Report Customs Declaration 50002 (ID 50002).

• Adresselabel 50005 (ID 50005)

Report Adresselabel 50005 (ID 50005).

#### **Enum**

• Sales Line Type (ID 37)

#### **TableExtension**

- ITI IIC Sales Header (ID 20020750)
- ITI IIC Purchase Header (ID 20020754)

### **PageExtension**

• SalesLineFactBox (ID 50081)

PageExtension SalesLineFactBox (ID 50081) extends Record Sales Line FactBox.

PostedSalesInvoice (ID 50056)

PageExtension "PostedSalesInvoiceExtSC" (ID 50056) extends Record Posted Sales Invoice.

PlanningWorksheetExtSC (ID 50036)

PageExtension PlanningWorksheetExtSC (ID 50036) extends Record Planning Worksheet.

NOTOTransferOrderLinesExtSC (ID 50050)

PageExtension "NOTOTransferOrderLinesExtSC" (ID 50050) extends Record NOTO Transfer Order Lines.

• ItemPictureExtSC (ID 50025)

PageExtension ItemPictureExtSC (ID 50025) extends Record Item Picture.

• ItemList (ID 50005)

50005 "ItemListExtSC" extends "Item List"

• ItemCard (ID 50041)

PageExtension ItemCardExtSC (ID 50041) extends Record Item Card.

• IDYSTransportOrderCard (ID 50073)

PageExtension IDYSTransportOrderCard (ID 50073) extends Record IDYS Transport Order Card.

• IDYSTranspOrderLstExtSC (ID 50039)

PageExtension "IDYSTranspOrderLstExtSC" (ID 50039) extends Record IDYS Transport Order List.

BinContentsExtSC (ID 50053)

PageExtension BinContentsExtSC (ID 50053) extends Record Bin Content.

• ProdBOMWhereUsed (ID 50080)

PageExtension ProdBOMWhereUsed (ID 50080) extends Record Prod. BOM Where-Used.

• ReleasedProductionOrder (ID 50065)

PageExtension ReleasedProductionOrder (ID 50065) extends Record Released Production Order.

ReleasedProdOrderLines (ID 50066)

PageExtension ReleasedProdOrderLines (ID 50066) extends Record Released Prod. Order Lines.

• SalesPriceListsExtSC (ID 50030)

PageExtension "SalesPriceListsExtSC" (ID 50030) extends Record Sales Price Lists.

• SalesOrderSubform (ID 50013)

PageExtension SalesOrderSubformExtSC (ID 50013) extends Record Sales Order Subform.

• SalesOrderList (ID 50011)

PageExtension SalesOrderList (ID 50011) extends Record Sales Order List.

• SalesOrder (ID 50012)

PageExtension SalesOrderExtSC (ID 50012) extends Record Sales Order.

• ReqWorksheetExtSC (ID 50043)

PageExtension "ReqWorksheetExtSC" (ID 50043) extends Record Req. Worksheet.

• WarehousePicks (ID 50078)

PageExtension WarehousePicks (ID 50078) extends Record Warehouse Picks.

### **Dependencies**

System Application by Microsoft

Version: 15.0.0.0

Base Application by Microsoft

Version: 15.0.0.0 **Scanpan Base** by Notora Version: 1.2.101.0 **ShipIT 365** by IDYN B.V. Version: 18.8.1790.0

Mobile WMS by Tasklet Factory

Version: 5.36.180.218

Mobile WMS - Pack & Ship - ShipIT 365 Connector by Tasklet Factory

Version: 1.14.180.118

Mobile WMS - Pack & Ship by Tasklet Factory

Version: 1.15.180.115

OIOUBL by Microsoft

Version: 18.7.31790.0

Advanced Intercompany by IT.integro sp. z o.o.

Version: 2.2.1.1 **ForNAV Core** by ForNAV

Version: 16.0.0.0

. . . .

Customizable Report Pack by ForNAV

Version: 6.3.0.1

Continia Document Output 365 by Continia Software

Version: 5.2.0.0

Continia Document Capture 365 by Continia Software

Version: 9.4.0.0

TrueCommerce EDI and eCommerce (DK/UK) by TrueCommerce

Version: 8.9.0.66

## MandatoryFieldSetup2

Table MandatoryFieldSetup (ID 50017).

### **Remarks**

2023.08 Jesper Harder 045 Mandatory Fields setup

### **Properties**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	50018
Accessibility Level	Public

### **Procedures**

CheckMandatoryFields()

### **Syntax**

CheckMandatoryFields(var MandatoryFieldSetup2: Record MandatoryFieldSetup2, RecordRef: RecordRef)

#### **Parameters**

MandatoryFieldSetup2

Type: Record MandatoryFieldSetup2

RecordRef

Type: RecordRef

### CheckMandatoryFields()

### **Syntax**

CheckMandatoryFieldSetup2: Record MandatoryFieldSetup2: RecordMandatoryFieldSetup2, RecordRef: RecordRef)

#### **Parameters**

MandatoryFieldSetup2

Type: Record MandatoryFieldSetup2

RecordRef

Type: RecordRef

#### NewRecord()

26.09.2023 15.13

Page 7 of 105

NewRecord.
Syntax
NewRecord()
CheckItem()
CheckItem.
Syntax
CheckItem(Item: Record Item)
Parameters
Item Type: Record Item
Record Item.
CheckCust()
CheckCust.
Syntax
CheckCust(Customer: Record Customer)
Parameters
Customer
Type: Record Customer
Record Customer.
CheckVend()
CheckVend.
Syntax
CheckVend(Vendor: Record Vendor)
Parameters
Vendor
Type: Record Vendor
Record Vendor.

# MandatoryFieldSetup

Table MandatoryFieldSetup (ID 50017).

### **Remarks**

2023.08 Jesper Harder 045 Mandatory Fields setup

### **Properties**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	50017
Accessibility Level	Public

### **Important**

Changes to PK keys

### **Procedures**

CheckMandatoryFields()

### Syntax

CheckMandatoryFields(var MandatoryFieldSetup: Record MandatoryFieldSetup2, RecordRef: RecordRef)

### **Parameters**

 ${\it MandatoryFieldSetup}$ 

Type: Record MandatoryFieldSetup2

RecordRef

Type: RecordRef

### NewRecord()

NewRecord.

### **Syntax**

NewRecord()

#### CheckItem()

CheckItem.

### **Syntax**

26.09.2023 15.13 Page 9 of 105

powered by AL XML Documentation for Visual Studio Code

Parameters
ltem .
Type: Record Item
Record Item.
CheckCust()
CheckCust.
Syntax
CheckCust(Customer: Record Customer)
Parameters
Customer
Type: Record Customer
Record Customer.
CheckVend()
CheckVend.
Syntax
CheckVend(Vendor: Record Vendor)

#### **Parameters**

Vendor

Type: Record Vendor

CheckItem(Item: Record Item)

Record Vendor.

# Varelabel (ForNAV)

Report Varelabel (ForNAV) (ID 50001).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50001
Accessibility Level	Public

# Varelabel

Report Varelabel (ID 50000).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50000
Accessibility Level	Public

## Vareenhedsliste 50006

Report Vareenhedsliste 50006 (ID 50006).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50006
Accessibility Level	Public

# Scanpan Pallelabel

50004 "Scanpan Pallelabel"

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50004
Accessibility Level	Public

# Salgsprisliste 50008

Report Salgsprisliste 50008 (ID 50008).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50008
Accessibility Level	Public

# Palleliste Eksport 50011

Report Palleliste Eksport 50011 (ID 50011).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50011
Accessibility Level	Public

### SalesOrderForm PriceList

Query SalesOrderForm PriceList (ID 50000).

### **Remarks**

 $\frac{https://community.dynamics.com/business/f/dynamics-365-business-central-forum/471027/group-by-in-al-query-like-sql}{https://yzhums.com/14547/} \\ \frac{https://yzhums.com/14547/}{https://learn.microsoft.com/en-us/dynamics365/business-central/dev-itpro/webservices/use-filter-expressions-in-odata-uris}$ 

 $\frac{http://srvbcapp1.scanpan.dk:7148/BC\ DRIFT/ODataV4/Company('SCANPAN%20Danmark')/SalesprislisteKildeData?}{sfilter=No%20eq%20%2700104815\%27}?$ 

\$filter=LanguageCode%20eq%20%27DEU%27%20and%20AssetNo%20eq%20%2728001200%27

Property	Value
Object Type	Query
Object Subtype	Normal
Object ID	50000
Accessibility Level	Public

# **Ordrebeholdning 50010**

Report Ordrebeholdning 50010 (ID 50010).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50010
Accessibility Level	Public

# **Query SalesInvoice**

Query QueryTest (ID 50001).

## **Remarks**

2023.05.01 Jesper Harder 028 SalesCommision

Property	Value
Object Type	Query
Object Subtype	Normal
Object ID	50001
Accessibility Level	Public

# **Query SalesCreditNote**

Query QueryTest (ID 50001).

## **Remarks**

2023.05.01 Jesper Harder 028 SalesCommision

Property	Value
Object Type	Query
Object Subtype	Normal
Object ID	50002
Accessibility Level	Public

# ProdRoutingLinesList

Query ProdRoutingLines (ID 50003).

## **Remarks**

2023.05.11 Jesper Harder 030 List All Routing Lines

Property	Value
Object Type	Query
Object Subtype	Normal
Object ID	50003
Accessibility Level	Public

# **Licenseplate 50007**

Report Licenseplate 50007 (ID 50007).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50007
Accessibility Level	Public

# **Hyldelabel (ForNAV)**

Report Hyldelabel (ForNAV) (ID 50003).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50003
Accessibility Level	Public

## **Faktura Varekoder 50009**

Report Faktura Varekoder 50009 (ID 50009).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50009
Accessibility Level	Public

## **Customs Declaration 50002**

Report Customs Declaration 50002 (ID 50002).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50002
Accessibility Level	Public

## **Adresselabel 50005**

Report Adresselabel 50005 (ID 50005).

Property	Value
Object Type	Report
Object Subtype	Normal
Object ID	50005
Accessibility Level	Public

# **SalesLineFactBox**

PageExtension SalesLineFactBox (ID 50081) extends Record Sales Line FactBox.

## **Remarks**

2023.07.24 Jesper Harder 039 Factbox Item Availability FUTURE

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Sales Line FactBox
Object ID	50081
Accessibility Level	Public

# **ProdControllingRoutingLine**

Page SCANPANProdFoundry (ID 50021).

### **Remarks**

2023.03.21 Jesper Harder 010 List Production Orders in STØBERI 2023.03.28 Jesper Harder 010 Added CapLedgEntries OutputQty by Operation

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50021
Accessibility Level	Public

# **ProductionControlling**

Page SCANPANProductionLines (ID 50013).

## **Remarks**

2023.03.13 Jesper Harder 001 Production Controlling

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50013
Accessibility Level	Public

## **PostedSalesInvoice**

PageExtension "PostedSalesInvoiceExtSC" (ID 50056) extends Record Posted Sales Invoice.

## **Remarks**

2023.08 Jesper Harder 044 LTS Export Invoice Warehouse

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Posted Sales Invoice
Object ID	50056
Accessibility Level	Public

# ${\bf Prod Control List Routing Line}$

 $Page\ Prod Control List Routing Line\ (ID\ 50036).$ 

## **Remarks**

2023.05.11 Jesper Harder 030 List All Routing Lines

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50036
Accessibility Level	Public

# ProdControllingPanPlan

Page ProdControllingPanPlan (ID 50030).

### **Remarks**

2023.04.10 Jesper Harder 022 Porting the PanPlan project to AL/Code.

### **Properties**

Property	Value
Object Type Page	
Object Subtype	Normal
Object ID 50030	
Accessibility Level	Public

### **Procedures**

### BuildPanPlanInputData()

BuildPanPlanInputData.

### **Syntax**

 $\verb|BuildPanPlanInputData| (var RecProdControllingPanPlan: Record ProdControllingPanPlan)|$ 

### **Parameters**

 ${\it RecProdControllingPanPlan}$ 

Type: Record ProdControllingPanPlan

Record ProdControllingPanPlan.

### EnumProductionOrderStatusLoop()

### **Syntax**

[Text] := EnumProductionOrderStatusLoop(EnumValueID: Integer)

### **Parameters**

EnumValueID

Type: Integer

# ${\bf Planning Work sheet Ext SC}$

 $Page Extension\ Planning Worksheet Ext SC\ (ID\ 50036)\ extends\ Record\ Planning\ Worksheet.$ 

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Planning Worksheet
Object ID	50036
Accessibility Level	Public

## **Picture URL Dialog**

Page Picture URL Dialog (ID 50001).

### **Remarks**

Version list 2022.12 Jesper Harder 0193 Added modifications 2022.12.25 Jesper Harder 0193 SOAP Workings by Magnus Harder, great code understanding and icebraker..

### **Properties**

Property	Value
Object Type Page	
Object Subtype	Normal
Object ID 50001	
Accessibility Level	Public

### **Procedures**

GetItemImages()

GetItemImages.

#### **Syntax**

GetItemImages()

### SetItemInfo()

SetItemInfo.

### Syntax

SetItemInfo(NewItemNo: Code[20], NewItemDesc: Text[100])

### **Parameters**

NewItemNo

Type: Code[20]

Code[20].

NewItemDesc

Type: Text[100]

Text[100].

# ${\bf Mandatory Field Setup}$

Page MandatoryFieldSetup (ID 50003).

## **Remarks**

2023.08 Jesper Harder 045 Mandatory Fields setup

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50003
Accessibility Level	Public

## **NOTOTransferOrderLinesExtSC**

PageExtension "NOTOTransferOrderLinesExtSC" (ID 50050) extends Record NOTO Transfer Order Lines.

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	NOTO Transfer Order Lines
Object ID	50050
Accessibility Level	Public

# InventoryJournalStatusSC

Page InventoryJournalShelfSC (ID 50026).

### **Remarks**

2023.03.27 Jesper Harder 017 Inventory Journal StockStatus Add Code

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50026
Accessibility Level	Public

# IICTracking\_BC

Page "SCANPANIICTracking" (ID 50022).

### **Remarks**

2023.03.22 Jesper Harder 012 IIC tracking Norway Denmark.

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50022
Accessibility Level	Public

### **ExtSalesLinesSC**

Page SCANPANNotInvoicedSalesSubPage (ID 50014).

#### **Remarks**

2023.03.08 Jesper Harder 0292 Salesperson Salesorder tools.

https://community.dynamics.com/business/b/that-nav-quy/posts/style-color

#### **Properties**

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50014
Accessibility Level	Public

#### **Procedures**

ToggleNotInvoicedQty()

UpdateLines.

#### Syntax

ToggleNotInvoicedQty(ToggleNotInvoicedQtyBoolean: Boolean)

#### **Parameters**

Toggle Not Invoiced Qty Boolean

Type: Boolean

Boolean.

#### FillSalesLines()

#### **Syntax**

FillSalesLines(var RecExtSalesLines: Record ExtSalesLines)

#### **Parameters**

RecExtSalesLines

Type: Record ExtSalesLines

GetCustomerTotal()

#### **AL Source Code Documentation**

#### Syntax

[Decimal] := GetCustomerTotal(SellToCustomerNo: code[20])

#### **Parameters**

SellToCustomerNo
Type: code[20]

#### GetOrderTotal()

#### **Syntax**

[Decimal] := GetOrderTotal(DocumentNoOrderTotal: code[20])

#### **Parameters**

DocumentNoOrderTotal
Type: code[20]

#### GetSalesTotal()

#### **Syntax**

[Decimal] := GetSalesTotal()

#### SetFilterChainGroup()

#### **Syntax**

SetFilterChainGroup()

# **ExtSalesItemListSC**

Page SCANPANItemListSalesExt (ID 50018).

### **Remarks**

2023.03.12 Jesper Harder 0292 Sales Tools Item List Available.

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50018
Accessibility Level	Public

## **ExtSalesCustomerSales**

Page "ExtSalesCustomerSales" (ID 50024).

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50024
Accessibility Level	Public

## **DSVAPI**

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50007
Accessibility Level	Public

# CreateMultipleBarcodes

Page SCANPAN Create Item Barcode (ID 50000).

### **Remarks**

Version list 2022.12 Jesper Harder 0193 Added modifications

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50000
Accessibility Level	Public

# CampaignSales

Page Campaign Sales (ID 50037).

### **Remarks**

2023.06.12 Jesper Harder 034 Campaign statistics

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50037
Accessibility Level	Public

### **Addresses**

Page Addresses (ID 50005).

### **Remarks**

2023.08 Jesper Harder 046 Addresses Customer and Vendor

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50005
Accessibility Level	Public

### **ItemPictureExtSC**

PageExtension ItemPictureExtSC (ID 50025) extends Record Item Picture.

### **Remarks**

Version list 2022.12 Jesper Harder 0193 Added modifications

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Item Picture
Object ID	50025
Accessibility Level	Public

### **ItemList**

50005 "ItemListExtSC" extends "Item List"

#### **Remarks**

Version list 2022.12 Jesper Harder 0193 Added modifications 2022.12 Jesper Harder 0193 Fields added and rearrangede 2022.12 Jesper Harder 0193 OnOpenPage - Set page filters according to Selected User Role Center 2023.03 Jesper Harder 007 Added flowfield identifying Warehouse orders from Auning to Ryom Rec."Trans. RYOM-AUNING (Qty.)" 2023.07.23 Jesper Harder 042 Salesprice based on PurchasePrice Markup

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Item List
Object ID	50005
Accessibility Level	Public

## **ItemCard**

 $Page Extension\ Item Card Ext SC\ (ID\ 50041)\ extends\ Record\ Item\ Card.$ 

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Item Card
Object ID	50041
Accessibility Level	Public

# ${\bf IDYSTransportOrderCard}$

 ${\it Page Extension\ IDYS Transport Order Card\ (ID\ 50073)\ extends\ Record\ IDYS\ Transport\ Order\ Card.}$ 

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	IDYS Transport Order Card
Object ID	50073
Accessibility Level	Public

# IDYS TranspOrder Lst Ext SC

 $Page Extension \ "IDYS TranspOrder L st Ext SC" \ (ID\ 50039) \ extends \ Record\ IDYS\ Transport\ Order\ L ist\ .$ 

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	IDYS Transport Order List
Object ID	50039
Accessibility Level	Public

### **BinContentsExtSC**

PageExtension BinContentsExtSC (ID 50053) extends Record Bin Content.

#### **Remarks**

///

2023.03.18 Jesper Harder 009 Bin Content Added flowfield Inventory Posting Group, Product Line

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Bin Contents
Object ID	50053
Accessibility Level	Public

# $WMSPickBinBalance\_SC$

Page "SCANPANWMSPickBinBalance" (ID 50019).

### **Remarks**

2023.03 Jesper Harder 002 Added

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50019
Accessibility Level	Public

## WebServiceSalesPriceListSource

Page PriceListSource (ID 50028).

### **Remarks**

2023.03.30 Jesper Harder 020 PriceList Source Data Code start.

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50028
Accessibility Level	Public

## WebServiceOrderFormItems

Page WebServiceOrderFormItems (ID 50031).

### **Remarks**

2023.04.18 Jesper Harder 024 SalesOrderForm WebServices used in Excel Sales Order Forms.

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50031
Accessibility Level	Public

# **ShipITdebug**

Page ShiplTdebug (ID 50029).

### **Remarks**

2023.04.04 Jesper Harder 021 Shows debuginfo for inconsistent Sales Lines and Transport Order Lines

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50029
Accessibility Level	Public

# SearchAndReplace

Page SearchAndReplace (ID 50038).

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50038
Accessibility Level	Public

# SalespriceSubPageSC

Page "SCANPAN\_Salesprice\_SubPage" (ID 50012).

#### **Properties**

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50012
Accessibility Level	Public

#### **Procedures**

FillTempTable()

FillTempTable.

#### **Syntax**

```
FillTempTable(CustomerPriceGropup: code[20], MyGenProdPostingGroup: Code[20], MyItemProductLineCode: Code[20], MyLanguageCode: code[20], ItemInSortiment: Boolean, CustomerForItemNumber: code[20])
```

#### **Parameters**

CustomerPriceGropup

Type: code[20]

code[20].

MyGenProdPostingGroup

Type: Code[20]

Code[20].

MyItemProductLineCode

Type: Code[20]

Code[20].

MyLanguageCode

Type: code[20]

code[20].

ItemInSortiment

Type: Boolean

Boolean.

#### **AL Source Code Documentation**

```
CustomerForItemNumber
Type: code[20]
code[20].
```

#### BarcodeGet()

#### **Syntax**

```
[code[20]] := BarcodeGet(MyItemNo: Code[20], GetType: Enum EnumItemCrossReferenceTypes)
```

#### **Parameters**

MyItemNo

Type: Code[20]

GetType

Type: Enum EnumItemCrossReferenceTypes

#### CustomerItemNoGet()

#### **Syntax**

```
[Code[20]] := CustomerItemNoGet(CustNo: code[20], MyItemNo: Code[20])
```

#### **Parameters**

CustNo

Type: code[20]

MyItemNo

Type: Code[20]

#### ItemDescriptionGet()

#### **Syntax**

```
[Text] := ItemDescriptionGet(MyItemNo: code[20], MyLanguageCode: Code[20])
```

#### **Parameters**

MyltemNo

Type: code[20]

MyLanguageCode

Type: Code[20]

#### ItemUnitsGet()

#### **Syntax**

```
[Code[20]] := ItemUnitsGet(MyItemNo: code[20], ItemUnit: code[20], GetType: Enum
EnumItemUnitOfMeasure)
```

#### **Parameters**

26.09.2023 15.13

Page 59 of 105

#### **AL Source Code Documentation**

MyItemNo

Type: code[20]

ItemUnit

Type: code[20]

GetType

Type: Enum EnumItemUnitOfMeasure

#### ItemUnitsGetColli()

#### Syntax

[code[20]] := ItemUnitsGetColli(MyItemNo: code[20], ItemBaseUnit: code[20], GetType: Enum
EnumItemUnitOfMeasure)

#### **Parameters**

MyltemNo

Type: code[20]

*ItemBaseUnit* 

Type: code[20]

GetType

Type: Enum EnumItemUnitOfMeasure

# Salespricelist\_Card\_SC

Page "SCANPAN\_Salespricelist\_Card" (ID 50011).

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50011
Accessibility Level	Public

## **SalesLine Subform**

Page SalesLine Subform (ID 50033).

### **Remarks**

https://ivansingleton.dev/a-simple-way-to-filter-pages-in-business-central-using-filterpagebuilder/

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50033
Accessibility Level	Public

## SalesLine1

Page "SCANPANSalesLine" (ID 50020).

### **Remarks**

2023.03 Jesper Harder 005 Added 2023.03.27 Jesper Harder 015 Flowfield Tariff - SalesLine

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50034
Accessibility Level	Public

## **SalesLine**

Page "SCANPANSalesLine" (ID 50020).

### **Remarks**

2023.03 Jesper Harder 005 Added 2023.03.27 Jesper Harder 015 Flowfield Tariff - SalesLine

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50020
Accessibility Level	Public

### **Sales Commission**

Page Invoice Lines (ID 50035).

### **Remarks**

2023.05.01 Jesper Harder 028 SalesCommision 2023.06.15 Jesper Harder 028 Changes to layout

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50035
Accessibility Level	Public

# **PurchLines\_SC**

Page PurchLines\_SC (ID 50017).

Property	Value
Object Type	Page
Object Subtype	Normal
Object ID	50017
Accessibility Level	Public

## **ProdBOMWhereUsed**

PageExtension ProdBOMWhereUsed (ID 50080) extends Record Prod. BOM Where-Used.

### **Remarks**

2023.08 Jesper Harder 043 Batch Delete BOM item.

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Prod. BOM Where-Used
Object ID	50080
Accessibility Level	Public

## ReleasedProductionOrder

PageExtension ReleasedProductionOrder (ID 50065) extends Record Released Production Order.

### **Remarks**

2023.04.27 Jesper Harder 026 Add Location Code from ProdOrdHeader to Lines 27.4.2023

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Released Production Order
Object ID	50065
Accessibility Level	Public

## ReleasedProdOrderLines

PageExtension ReleasedProdOrderLines (ID 50066) extends Record Released Prod. Order Lines.

### **Remarks**

2023.04.27 Jesper Harder 026 Add Location Code from ProdOrdHeader to Lines 27.4.2023

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Released Prod. Order Lines
Object ID	50066
Accessibility Level	Public

## **SalesPriceListsExtSC**

PageExtension "SalesPriceListsExtSC" (ID 50030) extends Record Sales Price Lists.

### **Remarks**

2023.1 Jesper Harder 0193 Extends page - Adds saved filter 'ActiveSalesPriceLists'

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Sales Price Lists
Object ID	50030
Accessibility Level	Public

## SalesOrderSubform

PageExtension SalesOrderSubformExtSC (ID 50013) extends Record Sales Order Subform.

#### **Remarks**

Version list 2022.12 Jesper Harder 0193 Added modifications 2022.12 Jesper Harder 0193 Added Scanpan Group, added SystemUser created, modified 2023.01 Jesper Harder 0193 Added field for Barcode on sales order line ref. FLowField in TableExt 50002 SCANPAN\_SalesLine

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Sales Order Subform
Object ID	50013
Accessibility Level	Public

### **SalesOrderList**

PageExtension SalesOrderList (ID 50011) extends Record Sales Order List.

#### **Remarks**

Version list 2022.12 Jesper Harder 0193 Added modifications 2023.03.23 Jesper Harder 013 Display DropShip Purchase Order No. On Sales Order List 2023.05.11 Jesper Harder 013 Display DropShip changed to customer 1916 2023.06.12 Jesper Harder 033 Warning ITI IIC Status Code

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Sales Order List
Object ID	50011
Accessibility Level	Public

## **SalesOrder**

PageExtension SalesOrderExtSC (ID 50012) extends Record Sales Order.

## **Remarks**

Version list 2022.12 Jesper Harder 0193 Added modifications 2022.12 Jesper Harder 0193 Added Scanpan Group, added SystemUser created, modified 2023.06 Jesper Harder 032 Warning Imerco DropShip

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Sales Order
Object ID	50012
Accessibility Level	Public

## ReqWork sheet Ext SC

 $\label{pageExtension} \textit{PageExtension "ReqWorksheetExtSC" (ID 50043) extends Record Req. Worksheet.}$ 

## **Remarks**

2023.03.08 Jesper Harder 0193 Toggle Action Selection

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Req. Worksheet
Object ID	50043
Accessibility Level	Public

## WarehousePicks

PageExtension WarehousePicks (ID 50078) extends Record Warehouse Picks.

## **Remarks**

2023.07.18 Jesper Harder 038 WarehousePicks - Delete selected Lines

Property	Value
Object Type	PageExtension
Object Subtype	Normal
Extending	Warehouse Picks
Object ID	50078
Accessibility Level	Public

## ScanpanMiscellaneous

Codeunit "SCANPANmisc" (ID 50002).

## Remarks

Version list 2023.02 Jesper Harder 0193 UpdateRequestedOrderDate, used from Subscriber CU 2023.02 Jesper Harder 0193 CheckItemJournalLinePreviousOutputQuantiy, used to ensure output qty not over previous 2023.02 Jesper Harder 0193 Update GTIN on Item Card 2023.02 Jesper Harder 0193 CheckIsUserInCompany MASTER 2023.03 Jesper Harder Updates Purchase and Planning Worksheet 2023.03 Jesper Harder 002 Warehouse Pick Balance 2023.03 Jesper Harder 005 Sales Lines Page 2023.03.27 Jesper Harder 015 Flowfield Tariff - SalesLine 2023.03.27 Jesper Harder 017 Inventory Journal StockStatus Add Code 2023.06 Jesper Harder 032 Warning Imerco DropShip 2023.07.23 Jesper Harder 042 Salesprice based on PurchasePrice Markup

## **Properties**

Property	Value
Object Type	Codeunit
Object Subtype	Normal
Object ID	50002
Accessibility Level	Public

## **Procedures**

## UpdateRequestedOrderDate()

UpdateRequestedOrderDate.

### **Syntax**

UpdateRequestedOrderDate(var SalesHeader: Record "Sales Header")

### **Parameters**

SalesHeader

Type: Record "Sales Header"

VAR Record "Sales Header".

### CheckItemJournalLinePreviousOutputQuantiy()

CheckItemJournalLinePreviousOutputQuantiy.

#### **Syntax**

CheckItemJournalLinePreviousOutputQuantiy(var ItemJournalLine: Record "Item Journal Line")

#### Parameters

26.09.2023 15.13

Page 76 of 105

*ItemJournalLine* 

Type: Record "Item Journal Line"

VAR Record "Item Journal Line".

## UpdateShipmentGetTextOnInvoiceLine()

Update Shipment Get Text On Invoice Line.

### **Syntax**

UpdateShipmentGetTextOnInvoiceLine(var SalesLine: Record "Sales Line", SalesShipmentLine: Record
"Sales Shipment Line")

### **Parameters**

SalesLine

Type: Record "Sales Line"

VAR Record "Sales Line".

SalesShipmentLine

Type: Record "Sales Shipment Line"

Record "Sales Shipment Line".

### UpdateAllItemsWithGTIN()

Update All Items With GTIN.

## **Syntax**

UpdateAllItemsWithGTIN()

## UpdateGTINItemCard()

Update GTIN on Item Card.

## Syntax

UpdateGTINItemCard(ItemsNo: code[20])

## **Parameters**

ItemsNo

Type: code[20]

VAR code[20].


### CheckIsUserInCompany()

CheckIsUserInCompany.

## **Syntax**

26.09.2023 15.13

Page 77 of 105



26.09.2023 15.13 Page 78 of 105

Parameters
<i>EANCode</i>
Type: Code[20]
Code[20].
Return
Boolean
Return value of type Boolean.
CreateBarCode()
CreateBarCode.
Syntax
CreateBarCode(Item: Record Item)
Parameters
ltem
Type: Record Item
Record Item.
CreateUOMBarcode()
CreateUOMBarcode.
Syntax
CreateUOMBarcode(ItemNo: code[20], UOMCode: Code[10], EAN: Boolean)
Parameters
ltemNo
Type: code[20]
code[20].
UOMCode Type: Code[10]
Code[10].
EAN Type: Boolean
Boolean.
fillBarcodeTable()
fillBarcodeTable.
inibal code labie.

26.09.2023 15.13 Page 79 of 105

## **Syntax**

fillBarcodeTable(var RecBarCodesTmpSC: Record BarCodesTmpSC, ItemNo: code[20])

### **Parameters**

RecBarCodesTmpSC

Type: Record BarCodesTmpSC

VAR Record "SCANPAN Temptable BarCodes".

ItemNo

Type: code[20]

code[20].

## IsEANCodeUnique()

IsEANCodeUnique.

### **Syntax**

[Boolean] := IsEANCodeUnique(EANCode: Code[20])

#### **Parameters**

**EANCode** 

Type: Code[20]

Code[20].

### Return

Boolean

Return value of type Boolean.

## IsUCCCodeUnique()

Is UCCCode Unique.

## **Syntax**

[Boolean] := IsUCCCodeUnique(UCCCode: code[20])

## **Parameters**

UCCCode

Type: code[20]

code[20].

### Return

Boolean

Return value of type Boolean.

26.09.2023 15.13

Page 80 of 105

powered by AL XML Documentation for Visual Studio Code

### ToggleActionMessage()

ToggleActionMessage.

## **Syntax**

ToggleActionMessage(var RecRequisitionLine: record "Requisition Line", State: Boolean)

#### **Parameters**

RecRequisitionLine

Type: record "Requisition Line"

VAR record "Requisition Line".

State

Type: Boolean

Boolean.

## FillPickBalanceDataTable()

FillPickBalanceDataTable.

15.3.2023 002 Warehouse Pick Balance

## **Syntax**

FillPickBalanceDataTable(var RecWMSPickBinBalanceTMP: Record WMSPickBinBalanceTMP, FilterDate: Date)

## **Parameters**

RecWMSPickBinBalanceTMP

Type: Record WMSPickBinBalanceTMP

VAR Record WMSPickBinBalanceTMP.

FilterDate

Type: Date

Date.

## FillSalesLineListPage()

FillSalesLineListPage.

2023.03.27 015 Flowfield Tariff - SalesLine

### **Syntax**

```
FillSalesLineListPage(var RecSalesLineTMP: Record SalesLineTMP, ShowShippedNotInvd: Boolean, SalespersonFilter: text[50], CountryFilter: text[50], CustomerFilter: text[50], OutstandingQuantityFilter: Boolean, ToggleHeadlines: Boolean)
```

#### **Parameters**

26.09.2023 15.13 Page 81 of 105

powered by AL XML Documentation for Visual Studio Code

RecSalesLineTMP Type: Record SalesLineTMP
Record SCANPANTMPSalesLine.
ShowShippedNotInvd
Type: Boolean
Boolean.
SalespersonFilter Type: text[50]
text[50].
CountryFilter
Type: text[50]
text[50].
CustomerFilter
Type: text[50]
text[50].
OutstandingQuantityFilter Type: Boolean
Boolean.
ToggleHeadlines Type: Boolean
Boolean.
<pre>InventoryJournalFillITable()</pre>
InventoryJournalFillITable.
Syntax
<pre>InventoryJournalFillITable(var RecInventoryJournalStatus: Record InventoryJournalStatus, JournalBatchName: text[50])</pre>
Parameters
RecInventoryJournalStatus  Type: Record InventoryJournalStatus
Record InventoryJournalStatus.
JournalBatchName Type: text[50]
text[50].
InventoryJournalWriteBack()

26.09.2023 15.13 Page 82 of 105

InventoryJournalWriteBack.

### **Syntax**

InventoryJournalWriteBack(InventoryJournalStatus: Record InventoryJournalStatus, JournalName:
code[20])

#### **Parameters**

InventoryJournalStatus

Type: Record InventoryJournalStatus

Record InventoryJournalStatus.

JournalName

Type: code[20]

code[20].

### WarningCheckImercoDropShip()

CheckImercoDropShip.

### **Syntax**

WarningCheckImercoDropShip(var RecSalesHeader: Record "Sales Header")

#### **Parameters**

RecSalesHeader

Type: Record "Sales Header"

Record "Sales Header".

## CampaignSalesGetSalesOrders()

GetSalesOrders.

### **Syntax**

CampaignSalesGetSalesOrders(var RecCampaignStatistics: Record CampaignStatistics, DateRangeTxt: Text, var LineNo: Integer)

### **Parameters**

RecCampaignStatistics

Type: Record CampaignStatistics

VAR Record CampaignStatistics.

DateRangeTxt

Type: Text

Text[100].

LineNo Type: Integer
VAR Integer.
CampaignSalesGetPostedSalesInvoice()
GetPostedSalesInvoice.
Syntax
CampaignSalesGetPostedSalesInvoice(var RecCampaignStatistics: Record CampaignStatistics, DateRangeTxt: Text, var LineNo: Integer)
Parameters
RecCampaignStatistics Type: Record CampaignStatistics
VAR Record CampaignStatistics.
DateRangeTxt Type: Text
Text[100].
LineNo Type: Integer
VAR Integer.
CampaignSalesGetSalesForecasts()
GetSalesForecasts.
Syntax
CampaignSalesGetSalesForecasts(var RecCampaignStatistics: Record CampaignStatistics, DateRangeTxt: Text, LineNo: Integer)
Parameters
RecCampaignStatistics Type: Record CampaignStatistics
VAR Record CampaignStatistics.
DateRangeTxt Type: Text
Text[100].
LineNo Type: Integer
Integer.

26.09.2023 15.13 Page 84 of 105

## CampaignSalesGetChain()

### **Syntax**

CampaignSalesGetChain(CustomerNo: code[20], var ChainDimName: text[100], var ChainGroupDimName: text[100])

### **Parameters**

CustomerNo

Type: code[20]

ChainDimName

Type: text[100]

ChainGroupDimName

Type: text[100]

### ItemCalculatePurchaseLandedPrice()

Item Calculate Purchase Landed Price.

## **Syntax**

[Decimal] := ItemCalculatePurchaseLandedPrice(var Item: Record Item)

### **Parameters**

Item

Type: Record Item

VAR Record Item.

### Return

CalculatedVendorPrice: Decimal

Return variable CalculatedVendorPrice of type Decimal.

## **PIMimages**

Codeunit SCANPAN\_CodeBase (ID 50000).

## **Remarks**

Version list 2022.12 Jesper Harder 0193 Base Scanpan Codeunit 2022.12 Jesper Harder 0193 Implements Item.Picture

## **Properties**

Property	Value
Object Type	Codeunit
Object Subtype	Normal
Object ID	50000
Accessibility Level	Public

## **Procedures**

formatGUIDtoURL()

formatGUIDtoURL.

## **Syntax**

[Text] := formatGUIDtoURL(GuidStr: Text, Width: Integer, Height: Integer)

## **Parameters**

GuidStr

Type: Text

Text.

Width

Type: Integer

Integer.

Height

Type: Integer

Integer.

## Return

ImageURL: Text

Return variable ImageURL of type Text.

## GetImageURL()

GetImageURL.

## **Syntax**

```
[Text] := GetImageURL(ItemNo: code[20], Width: Integer, Height: Integer)
```

#### **Parameters**

ItemNo

Type: code[20]

code[20].

Width

Type: Integer

Integer.

Height

Type: Integer

Integer.

### Return

ImageURL: Text

Return variable ImageURL of type Text.

## GetItemImagesFromFilter()

Get Item Images From Filter.

## Syntax

```
GetItemImagesFromFilter(ItemInventoryGroupFilter: Text, OverwriteExistingImage: Boolean)
```

## **Parameters**

*ItemInventoryGroupFilter* 

Type: Text

Text.

OverwriteExistingImage

Type: Boolean

Boolean.

## ImportItemPictureFromURL()

ImportItemPictureFromURL.

## **Syntax**

26.09.2023 15.13

Page 87 of 105

ImportItemPictureFromURL(ItemNo: code[20], PictureURL: Text) **Parameters** 

ItemNo

Type: code[20]

code[20].

PictureURL

Type: Text

Text.

## MakeRequest()

MakeRequest.

## Syntax

[Text] := MakeRequest(uri: Text, payload: Text)

## **Parameters**

uri

Type: Text

Text.

payload

Type: Text

Text.

### Return

responseText: Text

Return variable responseText of type Text.

## **LTSautomate**

Codeunit LTSautomate (ID 50005).

## **Remarks**

2023.08 Jesper Harder 044 LTS Export Invoice Warehouse

Property	Value
Object Type	Codeunit
Object Subtype	Normal
Object ID	50005
Accessibility Level	Public

## **JSONMethods**

Property	Value
Object Type	Codeunit
Object Subtype	Normal
Object ID	50007
Accessibility Level	Public

## **DSVAPI**

## **Remarks**

2023.09 Jesper Harder 048 API stack for DSV API

## **Properties**

Property	Value
Object Type	Codeunit
Object Subtype	Normal
Object ID	50006
Accessibility Level	Public

## **Procedures**

## TestCall()

## **Syntax**

TestCall()

## HttpCallStack()

### **Syntax**

```
[HttpResponseMessage] := HttpCallStack(HttpRequestType: Enum "Http Request Type", Uri: Text, HttpContentText: Text, Username: Text, Password: Text)
```

## **Parameters**

HttpRequestType

Type: Enum "Http Request Type"

Uri

Type: Text

HttpContentText

Type: Text

Username

Type: Text

Password

Type: Text

## GETOrders()

26.09.2023 15.13

Page 91 of 105

## **Syntax**

GETOrders()

## POSTAPISearchCriteria()

APISearchCriteria.

## **Syntax**

POSTAPISearchCriteria()

## ReadJson()

### **Syntax**

ReadJson(JsonObjectText: Text)

### **Parameters**

JsonObjectText
Type: Text

### Base64EncodeUserPwd()

## **Syntax**

[Text] := Base64EncodeUserPwd(UserName: Text[50], Password: Text[50])

## **Parameters**

UserName

Type: Text[50]

Password

Type: Text[50]

## CreatePurchaseOrderJson()

## **Syntax**

CreatePurchaseOrderJson()

## CompanyTestDetection

Codeunit "TestCompany" (ID 50003).

## **Remarks**

2023.07 Jesper Harder 041 Test for Company environment

Property	Value
Object Type	Codeunit
Object Subtype	Normal
Object ID	50003
Accessibility Level	Public

## **Sales Line Type**

Property	Value
Object Type	Enum
Object Subtype	Normal
Object ID	37
Accessibility Level	Public

## Item

## **Properties**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	27
Accessibility Level	Public

## Important

Use the field Qty. on Component Lines instead

# **IDYS Transport Order Line**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	11147670
Accessibility Level	Public

## **Sales Line**

## **Properties**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	37
Accessibility Level	Public

## Important

Cross-Reference replaced by Item Reference feature.

## **ITI IIC Sales Header**

Property	Value
Object Type	TableExtension
Object Subtype	Normal
Extending	Sales Header
Object ID	20020750
Accessibility Level	Public

## **ITI IIC Purchase Header**

Property	Value
Object Type	TableExtension
Object Subtype	Normal
Extending	Purchase Header
Object ID	20020754
Accessibility Level	Public

## **Purchase Header**

## **Properties**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	38
Accessibility Level	Public

## Important

This functionality will be replaced by the systemID field

## **Sales Header**

## **Properties**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	36
Accessibility Level	Public

## Important

Microsoft Invoicing is not supported in Business Central

## **Purchase Line**

## **Properties**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	39
Accessibility Level	Public

## Important

Cross-Reference replaced by Item Reference feature.

## **Capacity Ledger Entry**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	5832
Accessibility Level	Public

## **Vendor**

## **Properties**

Property	Value
Object Type	Table
Object Subtype	Normal
Object ID	23
Accessibility Level	Public

## Important

Replaced by Image field

## **SubscriberCU**

Codeunit "SCANPAN\_Subscriber\_CU" (ID 50001).

## **Remarks**

Version list 2023.01 Jesper Harder 0193 CUBAGE Modification from NAV carried over to BC (Fixed in NOTORA code) 2023.02 Jesper Harder 0193 SalesHeader, Requested Delivery Data calculated from Shipping Time formula 2023.02 Jesper Harder 0193 Implement check for output quantity not greater then previous 2023.02 Jesper Harder 0193 TRUECOMMERCE EDI 2023.02 Jesper Harder 0193 Event CU GetShipmentLinjes to SalesInvoice - External document no. 2023.03 Jesper Harder 0193 Event for Bank Account postings with Sales - Payment ID added 2023.03 Jesper Harder 0193 Event for Calculate BOM Tree 2023.03.29 Jesper Harder 018 Report "Notification Email"; //1320; 2023.07.14 Jesper Harder 035 Post TransportOrderID through 2023.07.17 Jesper Harder 037 SalesOrder - Salesperson from Sell-To Customer 2023.07.25 Jesper Harder 040 Warning salesline quantity Availability 2023.06.12 Jesper Harder 034 Campaign statistics 2023.08 Jesper Harder 045 Mandatory Fields setup 2023.09 Jesper Harder 047 Restrict changes to user setup and General ledger posting dates 2023.09 Jesper Harder 049 Restrict changes to Warehouse Source Filter (5771) 2023.09 Jesper Harder 051 Set DropShip in Norway Company 2023.09 Jesper Harder 052 Get external reference ID from Norway SalesOrder

Shift + Alt + E

Property	Value
Object Type	Codeunit
Object Subtype	Normal
Object ID	50001
Accessibility Level	Public