# Surprise study pilot 13

Marjan Biria

2024-01-16

#### Study description

This study has the same version as pilots 10 and 11, however, we have now added bigger negative PE's once per judge. More specifically, we have replaced one negative PE per judge by subtracting 10 from the smallest negative PE we had before for each judge. So this is how the feedback was calculated before to have 2 positive, 2 negative, and 2 neutral PE's per judge (8 judges x 6 trials= 48 trials).

The Gorilla experiment is the following: https://app.gorilla.sc/admin/project/119459 The task is the following: https://app.gorilla.sc/admin/task/736716/editor

Goal: we would like to see whether having a bigger range for PE's would influence the relationship between subj-PE and anxiety.

I will write this here as well for us to have, if we forget again:

**Positive PE:** we selected numbers from a normal distribution ranging from 12-20, added this number to the mean of the histogram.

**Negative PE:** we selected numbers from a normal distribution ranging from 12-20, subtracted this number to the mean of the histogram.

Big positive PE: Per judge, we added 10 to the biggest positive feedback we had generated before.

Big negative PE: Per judge, we subtracted 10 to the smallest negative feedback we had generated before. Neutral PE: we added -1, 0, 1 to the mean of the histograms


Notes: In this pilot, some people did the questionnaires but had technical difficulties so could not do the task, so we must remember to merge by ID's in the task rather than mini-SPIN/CES-D. Also, we start counting mood and anxiety from instructions and also BL, so we need to create a column naming the within experiment mood and anxiety "trials", the very first one "instructions", and the second one "BL", in the first one they are explained what they need to do, and in BL they are instructed to rate their anxiety and mood. It would be good to compare "instruction", "BL" and also the first ratings in the task using ICC, and also look at the relationship between questionnaires and each of these ratings.

## [1] "It seems everyone has done all the 48 trials, except subject SUPPRF02872 who has done 40 trials

```
## # A tibble: 31 x 2
##
      Random ID
                   Trial_Count
##
      <chr>
                         <int>
##
    1 SUPPRF02872
                            40
##
    2 SUPPRF04224
                            48
##
    3 SUPPRF09101
                            48
##
    4 SUPPRF10027
                            48
    5 SUPPRF12886
                            48
##
##
    6 SUPPRF19283
                            48
    7 SUPPRF32005
                            48
##
    8 SUPPRF32044
                            48
    9 SUPPRF37836
                            48
## 10 SUPPRF41451
                            48
## # i 21 more rows
```

# Relationship between Anxiety and SubjPE


## [1] "average correlation between anxiety and SubjPE: -0.104554949994515"



SubjPE: feedback - prediction

# Relationship between Mood and SubjPE


## [1] "average correlation between mood and SubjPE: 0.251218558358129"




SubjPE: feedback - prediction


# Relationship between Mood and feedback

## [1] "average correlation between mood and feedback: 0.295775403389545"




Feedback






The group plot for the relationship between Mood and feedback



# Relationship between Mood and prediction


## [1] "average correlation between mood and prediction: 0.0648355378279982"



Prediction

## Relationship between Anxiety and prediction


## [1] "average correlation between anxiety and prediction: 0.0265268018396027"



Prediction

### Relationship between Anxiety and feedback


## [1] "average correlation between anxiety and feedback: -0.0852575447136245"




Feedback

### Relationship between mean histogram and prediction

## [1] "average correlation between histogram mean and prediction: -0.0762699408316812"




Prediction



#### Mood over time

Our trials were numbered from 1-50, but the mood and anxiety in trial 1 were asked during the instructions as the task was explained and the one in trial 2, were asked during practice run and before performing the task. It would be interesting to see how these change, especially relevant if at the start they assumed talking to real people but then they change abruptly once they learn/believe they are not talking to real people.


#### Mood across time



**Trial Number** 

# Anxiety over time

# Anxiety across time



**Trial Number**