# Attention pilots

Marjan Biria

2023-12-09

### Attention pilot 1: study description

In this pilot we tested people on the attention pilot, where no feedback was provided and no prediction was collected. We have m\_hist, anxiety, mood and certainty ratings for this pilot. This is the experiment on Gorilla: https://app.gorilla.sc/admin/project/115369 This is the task version used: https://app.gorilla.sc/admin/task/712861/editor?version=3

The Externally focused attention condition was presented first, followed by the internally focused attention. Each condition had 24 trials. I will keep the mood and anxiety ratings before they start the task to look at baseline anxiety and mood in the following analysis.


#### Anxiety and Mood ratings within subjects


There were 3 people that had given the same rating across all trials. Some people show the pattern we expect (lower anxiety, higher mood from IN to OUT conditions) but not everyone.


**QUESTION**: How can we best plot the group plot? We cannot plot the individual points anymore, as they would become hard to read; we could average within subjects but again not sure if this is the best approach? I also wonder maybe the fact that there was no feedback (per trial, only at the end) was not stressful enough. It would be interesting to pilot it with the feedback and prediction.


Let's also think how to have the feedback across both conditions: we do want to keep feedback constant to be comparable between conditions, right? If so, we would need to have 2 x 48 trials?


## [1] "21 subjects out of 29 had high social anxiety"




















































































### Relationship between mini\_SPIN and momentary anxiety ratings

The plot below show the relationship between the (average) anxiety ratings on the task and total  $mini\_SPIN$  scores.


## [1] "correlation between mini\_SPIN\_total and average anxiety ratings: 0.371658363191696"



### Relationship between mini\_SPIN and momentary mood ratings

The plot below show the relationship between (average) mood ratings on the task and the total  $mini\_SPIN$  scores.


## [1] "correlation between mini\_SPIN\_total and average anxiety ratings: -0.244178582278169"



#### Average Anxiety in IN and OUT attention conditions

The plot below show the average anxiety ratings in IN and OUT attention conditions where people paid internal and external attention respectively. I think without the outlier (black dot), the difference becomes bigger, will test it later.


#### Average anxiety ratings in IN and OUT attention conditions



# Average Mood in IN and OUT attention conditions

The plot below show the average mood ratings in IN and OUT attention conditions where people paid internal and external attention respectively.


### Average mood ratings in IN and OUT attention conditions




#### Repeating the group plots after excluding outliers

I have excluded the following subjects to see how the group plots change: "SUPPRF09833", "SUPPRF54499", "SUPPRF50800". They all had rated the same scores for anxiety and mood throughout the task (their histograms above are flat).

#### Average anxiety ratings in IN and OUT attention conditions



# Average mood ratings in IN and OUT attention conditions



#### Between condition tests

Since in this version we only had the mood and anxiety ratings without feedback and prediction, let's have a look at between condition differences per emotion rating (Mood and Anxiety) using two paired t-tests. We could look at the slopes for both attention conditions using a model with only the intercept?


```
##
##
   Paired t-test
##
## data: Mood_IN and Mood_OUT
## t = -2.4443, df = 28, p-value = 0.02107
## alternative hypothesis: true mean difference is not equal to 0
## 95 percent confidence interval:
## -8.7567902 -0.7715971
## sample estimates:
## mean difference
##
        -4.764194
##
##
  Paired t-test
##
## data: Anxiety_IN and Anxiety_OUT
## t = 1.4346, df = 28, p-value = 0.1625
## alternative hypothesis: true mean difference is not equal to 0
## 95 percent confidence interval:
## -1.282521 7.277064
## sample estimates:
## mean difference
##
          2.997272
```


#### Attention pilot 2: study description


This pilot was the same as before but we had 59 people counterbalancing the order of conditions between them. Another difference with previous attention pilot is that around 51% of people had high social anxiety scores, and this was 72% in attention pilot 1.


This was the Gorilla experiment: https://app.gorilla.sc/admin/experiment/157047/design This was the task used: https://app.gorilla.sc/admin/task/725729/editor?version=10


## [1] "30 subjects out of 58 had high social anxiety"












































































































































































#### Average anxiety ratings in IN (internal) & OUT (external) attention condition



##	#	A tibble: 4 x 4			
##	#	Groups: counterbalance.af8t [2]			
##		counterbalance.af8t	Display	mean_response	sd_response
##		<chr></chr>	<chr></chr>	<dbl></dbl>	<dbl></dbl>
##	1	External_attention_first	Anxiety_IN	36.6	24.0
##	2	External_attention_first	Anxiety_OUT	36.7	21.8
##	3	${\tt Self\_focused\_attention\_first}$	Anxiety_IN	45.5	26.4
##	4	Self focused attention first	Anxiety OUT	42.4	30.0

#### Average mood ratings in IN (internal) & OUT (external) attention conditions




```
## # A tibble: 4 x 4
## # Groups:
               counterbalance.af8t [2]
##
     counterbalance.af8t
                                   Display
                                            mean_response sd_response
     <chr>
                                   <chr>
                                                    <dbl>
                                                                 <dbl>
## 1 External_attention_first
                                   Mood_IN
                                                     60.9
                                                                  23.6
## 2 External_attention_first
                                                                  21.6
                                   Mood OUT
                                                     60.7
## 3 Self_focused_attention_first Mood_IN
                                                                  20.9
                                                     51.4
## 4 Self_focused_attention_first Mood_OUT
                                                     48.5
                                                                  23.8
```

#### Relationship between mini\_SPIN and momentary mood ratings

The plot below show the relationship between (average) mood ratings on the task and the total  $mini\_SPIN$  scores.

## [1] "correlation between mini\_SPIN\_total and average mood ratings: -0.409460955665047"



#### Relationship between mini\_SPIN and momentary mood ratings

The plot below show the relationship between (average) anxiety ratings on the task and the total  $mini\_SPIN$  scores.

## [1] "correlation between mini\_SPIN\_total and average anxiety ratings: 0.144019737741781"

