


Data Collection

**STATS 8, Week 1
Supplemental**





“Players’ **height measurements** were much more rigorous **entering 2026** than in previous years”

“teams used to source players’ heights from their physicals, from the prior year’s height or just **from the players themselves**”

“Now, the height measuring process is comprehensive and standardized across the league: Players were measured three times, by lasers and by hand”

In MLB, they’re all short kings now: new ABS measurements shrink half of all hitters



The new ABS system is requiring precise measurements of every player. That made 250 hitters suddenly shorten to their true heights. Illustration: Kelsea Petersen / The Athletic; iStock



By **Sam Blum**

March 30, 2026

“Of the 430 hitters on Opening Day rosters, **225 lost at least one inch off their previously listed heights** in 2024 and 2025, according to data compiled by The Athletic through players’ official and historical heights on MLB.com. Six have lost three inches, 48 have lost two inches, and 171 lost one inch. On the other side, 45 players gained an inch, and two players gained two.”

“In total, **baseball players lost nearly 20 feet worth of height** thanks to the more precise measurements.”

CDC's CASPER

PollEv.com/stats8




Figures and Tables

Figure 1: CASPER Sampling Frame with Selected Census Tracts by Division

Long Beach City Boundary with Selected Census Blocks

- Community Assessment for Public Health Emergency Response for Zika in Long Beach ([source](#))
- Assess residents' knowledge about Zika & mosquito-borne diseases, educate them, manage mosquito breeding sites
- 4,811 census blocks in LB, researchers randomly sampled blocks to interview
- **What type of sampling is this? (A: cluster)**



CDC's CASPER

PollEv.com/stats8




Figures and Tables

Figure 1: CASPER Sampling Frame with Selected Census Tracts by Division

Long Beach City Boundary with Selected Census Blocks

- Community Assessment for Public Health Emergency Response for Zika in Long Beach ([source](#))
- 4,811 census blocks in LB, researchers randomly sampled blocks to interview
- They actually used a two-stage sampling plan: after sampling blocks, researchers randomly selected a housing unit to start with, then interviewed every k th housing unit in the block
- **What type of sampling is the second stage? (A: systematic)**



From the text below, choose 5 words. Compute the average number of letters in those 5 words (sum of letters / 5). Select the appropriate range for your result on [PollEv.com/stats8](https://www.poll-ev.com/stats8) (note that there is no “correct” answer).

When in the Course of human events, it becomes necessary for one people to dissolve the political bands which have connected them with another, and to assume among the powers of the earth, the separate and equal station to which the Laws of Nature and of Nature's God entitle them, a decent respect to the opinions of mankind requires that they should declare the causes which impel them to the separation.

Alleviating some of your concerns

(From the welcome survey)

- I'm bad at math
- I've never taken stats
- I'm scared of R/programming
- I'm scared of hard exams
- My mental health is not good