FOUNDER DOCUMENTARY · M.S. PRODUCT INNOVATION · UNIVERSITY OF ARKANSAS

BEAR WITH ME
THE READY KIT

Session record: checking the booklet and app against a real car.

October 30–31, 2026 · Jessica Boyd, working with Claude

What we worked through, the prompts, the testing, each round of changes, and Jessica's decisions, with the full conversation at the end.

AT A GLANCE

In about 45 minutes of working time, the pocket booklet and the Ask the Bear app went from untested advice to advice checked against the test car's owner's manual, with safety wording made stricter in seven places and the booklet resized for binding.

When (Central)	What happened
Oct 30, 11:00 PM	Jessica asks for a safety and accuracy review of the booklet against her RAV4's manual, and names the pages she pre-read. **No edits yet.**
11:00–11:01 PM	Jessica attaches the 741-page owner's manual and corrects the year: it's a **2017** RAV4.
11:01–11:03 PM	Claude reads her pages (77–82, 554–557, 675) and follows the manual's cross-references to the "what to do" pages (615–634, 662–663).
11:03 PM	Review delivered: 4 places the booklet was softer than Toyota, lights this car shows as screen messages, 3 missing lights, accuracy details, unbacked claims, 5 questions.
11:13 PM	Jessica decides: stay generic, take Toyota's stricter stop advice, add the triangle and messages. Sends photos of the door sticker, dashboard light check and dipstick.
11:14 PM	Claude reads the photos, gives the full change list and 3 open decisions.
11:20–11:21 PM	Jessica decides the 3 and sets a rule: **ask questions if unsure.**
11:22–11:30 PM	Two question cards. Jessica adds her own layout changes from the printed proof: car numbers to p. 2, no repeated oil card on p. 10, roadside line on p. 18, **4 × 5 in** for spine room.
11:31–11:36 PM	Booklet rebuilt; every page rendered at size and fitted over five rounds; published.
11:38–11:41 PM	App updated and tested; Claude version republished; 4 × 5 print proof rebuilt and checked.
11:41–11:45 PM	Content doc and verification checklist updated; build record logged; unmerged record updates recovered.
Oct 31, 12:31–12:49 AM	Wrap-up, then this record requested.

WHERE THE WORK LIVES

- Booklet design: the "Bear With Me Booklet" canvas in Claude
- Page-by-page content and verification checklist: the "Bear With Me Booklet Content" doc
- App: GitHub `jessboydd/bear-with-me` (pull request #3) and the "Ask the Bear" artifact in Claude
- Build record and print proofs: GitHub `jessboydd/Founder-Documentary-Project-V2` (pull request #5)

JESSICA'S JUDGMENT

The decisions that shaped this session, in her words where possible.

Testing with a real car	Chose her own RAV4 as the test car, pre-read the manual and pointed to the exact pages for lights, tire pressure and oil.
Review before changing	"Make no edits to the booklet or app yet. I would like us to just check and review." Separated finding problems from fixing them.
Getting the source right	Caught that her car and manual are a 2017, not a 2027, within a minute.
Generic, but stricter	Kept the booklet for any car while adopting Toyota's stricter "stop" advice wherever cars differ.
Bringing evidence	Photographed the door sticker, the dashboard light check and the dipstick to confirm colors, symbols and numbers.
Keeping the color logic	Kept amber lights on amber pages and added a red STOP callout, rather than breaking "the color is your first clue."
Simplicity over false precision	Replaced "within 1–2 PSI" (no source) with "at your number."
Designing for every tester	Kept oil type generic: "not everyone drives a Toyota."
Setting the working rule	"Ask me any questions if you are unsure or run into something we haven't discussed."
Learning from the printed proof	Moved car numbers to p. 2, removed the repeated oil card, swapped notes for a roadside phone line, and widened to 4 × 5 in for binding room, with the extra space at the spine.
Delegating the small stuff	Left the triangle's placement and the ice warning to Claude ("no preference").

TESTING

1 · BOOKLET VS. THE 2017 RAV4 OWNER'S MANUAL

Pages read: 77–82 and 554–557 and 675 (chosen by Jessica), plus 615–634 and 662–663 (the manual's "what to do" pages). Page numbers are the manual's printed numbers.

Topic	Booklet said	Manual says	Change
Battery / charging	"Head somewhere safe now"	"Immediately stop the vehicle in a safe place" (p. 629)	Pull over when safe and call for help
ABS	Amber, "check soon"; "normal brakes still work"	Message: "Immediately stop... may be dangerous" (p. 628)	Red STOP callout; unbacked claim removed
Low tire pressure	Check soon (next few days)	"Stop... as soon as possible" (p. 622)	Red STOP callout; avoid hard braking
Check engine, airbag	"Get it checked soon"	"Inspected immediately" (p. 615)	"Get it checked right away"
Oil pressure, overheating, charging	Shown as lights only	Shown as screen messages with a triangle ! (pp. 625–632)	Triangle card on p. 4; messages named
Power steering	Missing	Steering may get extremely heavy (pp. 616, 622)	New half page, red
Overheating	Pull over, turn it off	Turn off the A/C first; wait out steam (pp. 662–663)	Steps added
Brake, ABS, check engine symbols	Circle versions	US cars: BRAKE, ABS, engine with CHECK (p. 79; dashboard photo)	US symbols
Tire numbers	Not stated	33 front/rear, 60 compact spare (p. 675; door sticker)	PSI tip; spare may differ; check monthly incl. spare
Oil check	"Wait a few minutes"; add if below low	Wait 5+ min; add if below or near low (pp. 555–556)	Wording matched

2 · EVIDENCE FROM THE REAL CAR

Jessica's photos confirmed the door sticker (33 / 33 / 60 PSI, labeled in kPa and PSI, English and French), the dashboard colors and symbols (BRAKE red, ABS amber letters, engine with CHECK, power steering red, airbag red, triangle amber), and a yellow round dipstick handle.



Jessica's RAV4 during the start-up light check: most warning lights come on for a few seconds, which made it possible to check every color and symbol at once.

3 · FIT TESTING AT REAL SIZE

Every page was rendered at its printed size after each change. Five rounds were needed before all 20 pages fit at 4 × 5 in:

Where	Problem	Fix
Pages 4, 5, 8, 11	Ran over the page edge	Tighter spacing; p. 4 title on one line; corner bear removed
Pages 13, 15, 16	A few pixels over	Smaller drawings, shorter lines
Page 4 triangle card	Title poked out of its card	Shortened to "Triangle !"
Page 6 and app BRAKE tile	Word too wide for its tile	Smaller type

4 · APP TESTING


- The light lookup shows 15 lights plus the triangle, grouped by color, with red STOP tags on low tire pressure and ABS.
- Choosing ABS opens the chat with the red stop box; choosing the triangle opens with "What does the message say?"
- The server piece was tested with a stand-in AI: tester code required, photo passed through, saved car numbers included, phone number and insurance never sent.
- The "BRAKE" tile was clipped, then fixed and re-checked.

5 · SAFE PUBLISHING AND RECORDS


- Before publishing over the booklet canvas, all 21 published files were compared against the last known copies: nothing had been changed by hand, so nothing was lost.
- The 4 × 5 print proof's page order was checked sheet by sheet (20|1, 18|3, 2|19, 4|17…).
- An earlier build-record pull request had been merged before its last three updates arrived; those updates (including the Founder decisions section) were recovered into the new pull request.

ITERATION: WHAT CHANGED

Part	Before	After
Size	3.5 × 5 in	4 × 5 in, extra half inch at the staples
Pages 2–3	Start here, then car numbers	Car numbers (p. 2), then Start here (p. 3)
Page 4	3 color cards + bear	4 cards incl. Triangle !; amber card notes the red STOP
Page 7	Check engine + low tire	Power steering (red half) + check engine ("right away")
Page 8	ABS + traction	Low tire + ABS, each with a red STOP callout
Page 10	Oil light vs. wrench comparison	Low fuel + service reminder; one-line pointer to p. 5
Page 11	High beams, seatbelt, door	Same, with "bag on seat" and "picture of the car"
Pages 13–17	Tire and oil steps	PSI tip, monthly incl. spare, "at your number," 5+ min wait, "below or near"
Page 18	Notes lines	Roadside help phone line
App	14 lights	15 lights + triangle; red STOP tags; US symbols



Before: the 20-page booklet at 3.5 × 5 in (Oct 25).



After: the booklet at 4 × 5 in with the manual review changes (Oct 30).

STILL OPEN

- Flashing check engine "treat like red": ask a mechanic.
- Oil color meanings: ask a mechanic.
- Staying in the car vs. getting out on a busy road: state driver's handbook.
- What counts as "cold" tires: NHTSA or a tire maker.
- QR scan at the printed 4 × 5 size: a real scan test.
- Merge the two open pull requests; print and test-fold the 4 × 5 proof.

THE CONVERSATION

Jessica's prompts are shown word for word in dark bubbles. Claude's main replies are shown in full; short progress updates between steps appear as grey notes. Times are Central.

JESSICA · OCT 30, 11:00 PM

For this project and testing, I will be using my 2027 Toyota RAV4 with the participants. Let's review the safety and accuracy of the booklet to the RAV's manual. Here are the pages I reviewed for us: pages 77- 82 of the manual, page 675 for PSI tire information, and pages 554-557 for oil & dipstick details. Ask me any questions you have; make no edits to the booklet or app yet. I would like us to just check and review the safety and accuracy of the information we have.

> **Oct 30, 11:00 PM** Starting the review against your RAV4 manual. First I'll find the pages you shared.

JESSICA · OCT 30, 11:01 PM

(Attached the 2017 Toyota RAV4 owner's manual, a 741-page PDF.)

JESSICA · OCT 30, 11:01 PM

Sorry 2017

> **Oct 30, 11:01 PM** The file is named "2017 Toyota RAV4," but you mentioned a 2027. I'll check which year the manual covers as I read. Starting with the pages you named:
>
> **Oct 30, 11:01 PM** The PDF's page numbers drift by one from the printed numbers in this part of the manual. Reading the printed pages 557 and 675:
>
> **Oct 30, 11:01 PM** The pages on warning lights and what to do are clear. Next, the master warning light and the display messages, where this car shows oil pressure, overheating and charging problems:
>
> **Oct 30, 11:01 PM** Clear answers on oil pressure ("Stop in a safe place"), charging ("immediately stop") and the maintenance message. Last, the overheating steps:

CLAUDE · OCT 30, 11:03 PM

I read the pages you named, then followed the manual's cross-references to its "what to do" pages (printed pp. 615–634 and 662–663). That's where it says what each light means and what to do. Following your instructions, I haven't edited the booklet or the app.

SAFETY ISSUES: THE BOOKLET IS SOFTER THAN TOYOTA

These are the ones that matter most, because the booklet could lead someone to keep driving when Toyota says stop.

Topic	Booklet / app says	2017 RAV4 manual says
Battery / charging (p. 6)	Turn things off, "head somewhere safe now"; pull over only if you can't get there soon	"Immediately stop the vehicle in a safe place... Continuing to drive the vehicle may be dangerous" (p. 629)
ABS (p. 8)	Amber, "Check soon." "Normal brakes still work"	The ABS message says "Immediately stop the vehicle in a safe place... may be dangerous" (p. 628). The manual never says normal brakes still work.
Low tire pressure (p. 7)	Filed under Check soon ("next few days")	"Stop your vehicle in a safe place as soon as possible. Adjust the tire inflation pressure immediately." Avoid hard braking and sharp turns (p. 622)
Check engine, airbag (SRS) (pp. 7, 9)	"Get it checked soon"	"Have the vehicle inspected... **immediately**" (p. 615)

The red brake light, oil pressure and overheating guidance all match Toyota's "stop in a safe place."

HOW THIS CAR SHOWS THINGS DIFFERENTLY

- **Oil pressure, overheating and charging aren't separate dashboard lights on this car.** They show up as **messages on the screen between the gauges**, together with a **triangle "!" (master warning light)** and a buzzer (pp. 625–632). The booklet doesn't mention the triangle or the screen messages at all, and a tester could see a triangle and not find it in the booklet.
- **Brake and ABS symbols:** US cars show the words **BRAKE** and **ABS**. The booklet draws the circle versions, which are the Canadian symbols on this car (p. 79).
- **Check engine:** the US symbol includes the word **CHECK** under the engine outline (p. 79).
- **Service reminder:** no wrench. It's a text message, "**Maintenance Required Soon**," which comes back about every 4,500 miles (p. 634). Page 10's comparison still works, but it shouldn't promise a wrench for this car.
- **Door open:** a picture of the car on the screen showing which door is open. At about 3 mph, the triangle flashes and a buzzer sounds (p. 627).

LIGHTS THIS CAR HAS THAT THE BOOKLET DOESN'T

- **Master warning light (triangle !):** the most important gap for this car.
- **Electric power steering (steering wheel with !):** "Steering wheel may become extremely heavy"; have it inspected immediately (pp. 616, 622).
- **Ice warning (snowflake):** flashes about 10 seconds at 37°F or below (p. 82). It's harmless, but it could worry a beginner.

ACCURACY DETAILS TO TIGHTEN

- **Tire pressure (p. 675):** 33 psi front and rear for 17-inch tires, 32 psi for 18-inch. The **compact spare is 60 psi**, very different, which makes page 3's "Spare" line important. The manual also says to check every tire **monthly, including the spare** (p. 623), and the booklet doesn't say how often to check tires.
- **Compact spare:** it has no pressure sensor, so the tire light **stays on** while it's mounted (p. 620). That's worth a line so nobody panics.
- **Oil check (p. 555):** check it warm, then wait **more than 5 minutes** after turning the engine off. The booklet says "a few minutes."
- **Adding oil (p. 556):** add if the level is **below or near** the low mark (the booklet says only "below"). It's 1.6 quarts from low to full, so "add a little" is right.
- **Dipstick marks:** Toyota labels the zones Low / Normal / Excessive. Our drawing says FULL / LOW, which is fine but doesn't match the manual's words.
- **Overheating:** Toyota's first step is to **turn off the A/C**, then the engine. Wait until the steam stops before opening the hood, and never loosen the **coolant reservoir cap** while hot (pp. 662–663). The app's "wait at least 30 minutes" isn't from the manual.
- **Check engine:** Toyota also says to check for an **empty fuel tank** alongside a loose gas cap (p. 619).

IN THE BOOKLET BUT NOT IN THE MANUAL

These may be fine, but nothing in the manual backs them up, so they need another source or a mechanic's read: - Oil color guidance (milky, foamy, gritty or dark) - "Within 1–2 PSI" counting as on target - "Flashing check engine: treat it like red" - The app's "about 10 minutes" before checking oil after an oil pressure warning

MATCHES THE MANUAL

- **Brake warning:** check the parking brake first, then stop (p. 615).
- **Traction / slip light:** flashing means it's working, staying on means a problem (p. 616).
- **Seatbelt:** a bag on the passenger seat can set it off (p. 619).

- **Low fuel:** about 2.4 gallons left when it comes on (p. 616).
- **Tire light that blinks for a minute, then stays on:** the sensor system has a problem (p. 618).
- **Cold weather** can trigger the tire light (p. 620).
- **Oil check steps:** flat ground, wipe, reinsert, read, don't overfill.

QUESTIONS FOR YOU

1. **Generic or RAV4?** Should the booklet stay general for any car, or match your RAV4 for testing? My suggestion: keep it general, but adopt Toyota's stricter "stop" calls everywhere (when in doubt, the safer rule should win), and add the triangle and screen messages, since most newer cars have them.
2. **Your door sticker:** is it on the driver's door frame, and does it say 33 or 32 psi? Is the spare a 60 psi compact spare?
3. **Your dipstick:** what color is the handle, and is the stick flat or shaped? The manual covers both kinds.
4. **A quick photo would answer a lot:** turn the car to ON without starting the engine. Most warning lights come on for a few seconds as a system check (p. 80). A photo of the dashboard then would show the real colors and symbols for the airbag, high beam and the rest.
5. **Oil type:** do you want me to read p. 671 so page 3's example matches your car exactly?

I can also turn this into a review page you can share with your professor or a mechanic.

JESSICA · ATTACHED PHOTOS

Three photos: the tire and loading sticker on the RAV4's driver's door frame, the RAV4 dashboard during the start-up light check, and a picture of the RAV4 dipstick.

JESSICA · OCT 30, 11:13 PM

1. Generic, adopt Toyota's stricter "stop" calls, and yes, let's add the triangle and screen messages 2. Yes, driver's door frame, 33, spare is 60 3. Dipstick is yellow circular top handle 4. Attached picture of the driver's door frame tire details, my RAV4 dashboard with lights, and toyota rav4 dipstick

CLAUDE · OCT 30, 11:14 PM

The photos confirm several things and answer most of my questions.

WHAT YOUR PHOTOS SHOW

Door sticker: front 33, rear 33, spare 60 PSI, exactly matching the manual's table for 17-inch tires. One thing for the booklet: the real label is busier than our drawing. It's titled "Tire and Loading Information," shows each number twice (kPa and PSI) in English and French, and has the tire size (225/65R17) in the next column. A beginner could easily read 230 or 225 by mistake. A one-line tip would help: "use the number ending in **PSI**, under **Cold tire pressure**."

Dashboard (light check at start-up):

Light	Color on your car	Booklet today
Triangle ! (master warning)	Amber	Missing
Airbag (SRS)	**Red**	Says red or amber ✓
BRAKE (the word)	Red	Draws the circle-! version
Steering wheel ! (power steering)	**Red**	Missing
Engine with **CHECK**	Amber	Draws the engine without "CHECK"
ABS (letters only)	Amber	Draws ABS inside a circle
Tire pressure (horseshoe !)	Amber	✓

Light	Color on your car	Booklet today
Slip / traction	Amber	✓

The US symbols on your car (the words BRAKE and ABS, and the engine with CHECK) are the ones testers in Arkansas will see on most cars, so I'd switch the booklet to those. Power steering showing **red** settles where it belongs: in Stop soon.

Dipstick: yellow round handle that says "ENGINE OIL," with two small holes as the marks, matching the booklet's "bright yellow or orange loop." The photo is a parts-store picture rather than your engine, so take a quick look under your hood to confirm. The booklet's drawing of the marks (lines labeled FULL / LOW) could switch to two dots to match.

THE FULL CHANGE LIST (NOTHING EDITED YET)

Stricter "stop" calls 1. **Battery / charging:** "Stop when it's safe and call for help. Driving on may be dangerous." Remove "head somewhere safe now." 2. **ABS:** stop when it's safe and call for help. Remove "normal brakes still work." 3. **Low tire pressure:** stop somewhere safe as soon as you can and check all four, avoiding hard braking and sharp turns. 4. **Check engine and airbag:** "get it checked **right away**," not "soon." 5. **Power steering (new, red):** "Steering may suddenly feel very heavy. Hold the wheel firmly, pull over when safe, call for help."

Triangle and screen messages (new)

6. **Page 4:** "See a triangle **!**? Read the message on your screen. It tells you what's wrong and how serious it is."
7. **In each light entry:** note the message version where it applies, like "may show as a message: **Oil Pressure Low**," "**Maintenance Required Soon**," or a picture of the car with the open door.

Accuracy fixes

8. **Overheating:** turn off the A/C, then the engine. If there's steam, wait before opening the hood. Never open the radiator or coolant cap hot.
9. **Check engine:** add "Empty tank? Fill up" next to the gas cap tip.
10. **Tire talk and Check it:** add the PSI tip; a spare can be very different (yours is 60); check monthly, including the spare; with a small spare on, the tire light stays on, and that's expected.
11. **Oil:** wait more than 5 minutes, or as your manual says; add oil if the level is **below or near** the low mark; show the marks as two dots.
12. **The app:** the same changes, plus removing its unbacked "30 minutes" and "10 minutes" waits.

Optional: the snowflake ice warning (it comes on at 37°F or below) in "Just so you know."

THREE DECISIONS BEFORE I EDIT

1. **Amber lights that mean stop (ABS, tire pressure).** Page 4 teaches "the color is your first clue," and these two break that rule. My suggestion: keep them on the amber pages, but give each a red "Stop" callout, and add a line to page 4: "A few amber lights still mean stop. Look for the red callout." The other option is moving them to the red pages, which keeps the urgency clear but breaks the color logic.
2. **Room for power steering.** The red pages are full with four lights. Adding a fifth means tightening pages 5–6, or putting power steering on its own half-page. Is that okay?
3. **"Within 1–2 PSI is fine."** Nothing in the manual backs this up. Should I simplify it to "at your number," or keep it and add it to the mechanic's checklist?

I also still haven't read the oil-type page (p. 671). Want page 3's example to match your car exactly?

JESSICA · OCT 30, 11:20 PM

1. yes, let's give each a red stop callout on the amber pages 2. own half page is fine 3. Simplify to "at your number" For oil-type I want to keep that generic since all cars may be different, not everyone drives a toyota

Oct 30, 11:21 PM Making the changes now: booklet pages first, then the app, then the content doc.

Oct 30, 11:21 PM Writing the new light pages:

JESSICA · OCT 30, 11:21 PM

Ask me any questions if you are unsure or run into something we haven't discussed.

Oct 30, 11:21 PM Thanks. Two things came up while laying out the pages that we haven't settled, so I'll check before building.

QUESTION CARD FROM CLAUDE · ANSWERED OCT 30, 11:27 PM

There's no empty half page in the light section, so making room for power steering means moving things. Which layout do you prefer?

- **Split page 7 (Recommended)** · Page 7: power steering (red Stop soon) on top, check engine (amber) below. Low fuel moves to 'Just so you know' as 'amber, but not a problem: fill up.' Oil vs. wrench page stays.
- **Drop the oil vs. wrench page** · Keep every light in its color group; fold a short 'Not the wrench' note into the oil pressure entry and put the service reminder in 'Just so you know.'

JESSICA'S ANSWER
Here is my answer and additional recommendations for the layout updates: Put my car’s numbers on page 2, Put start here on page 3, Page 10 don’t need to repeat the oil pressure, remove notes section on page 18 and put roadside help number option, make the booklet size 4×5 now to increase the spine margin breathing room for binding purposes. Ask me any questions you have before making these edits.

Where should the triangle ! (master warning) and screen messages be explained?

- **A card on page 4 (Recommended)** · A fourth card under the color key: 'Triangle ! with a message? Read the screen. It tells you what's wrong and how serious.' Plus each light entry notes its message, like 'Oil Pressure Low'.
- **Its own half page** · More room for examples of messages, but only fits with the 'Drop the oil vs. wrench page' layout.

JESSICA'S ANSWER
[No preference]

Add the snowflake ice warning (comes on at 37°F or below) to 'Just so you know'?

- **Skip for now** · Not every car has it, and the FYI page is already full.
- **Add it** · A one-line row: 'Snowflake: it's near freezing; roads may be icy. Drive gently.'

JESSICA'S ANSWER
[No preference]

Oct 30, 11:28 PM Got it, those are good changes. A few need a quick answer before I rebuild.

QUESTION CARD FROM CLAUDE · ANSWERED OCT 30, 11:30 PM

With the oil pressure card gone from page 10, here's how I'd fit everything in color order. Okay?

- **Yes, this layout (Recommended)** · Red stays first, amber next, FYI last. Triangle ! explained in a card on page 4. Ice warning skipped.
- **Power steering on page 10** · Page 7 stays two amber lights; page 10 holds power steering (red) and the service reminder. Puts one red light after the amber pages.

JESSICA'S ANSWER
Yes, this layout (Recommended)

Page 18: replace the notes lines with what?

- **Write-in line (Recommended)** · 'Roadside help: _____' with 'Via ☐ insurance ☐ car maker ☐ other', matching page 2, right next to the QR.
- **Just a phone line** · A single 'Roadside help phone: _____' line, no checkboxes.

JESSICA'S ANSWER
Just a phone line

For 4 × 5 in, where should the extra half inch of width go?

- **All to the spine side (Recommended)** · Text and pictures stay the size they are now; the inner margin by the staples grows. Tabs stay on the outer edge. Note: two 8 × 5 spreads fill a letter sheet almost edge to edge, so home printing leaves little room for trim marks.
- **Split it** · Some to the spine, some to make text areas a bit wider.

JESSICA'S ANSWER
All to the spine side (Recommended)

> **Oct 30, 11:31 PM** Now page 4 (color key with the triangle card), the page 2/3 swap, and the tire, oil, page 18 and back cover edits:
>
> **Oct 30, 11:31 PM** All page references check out. Now the 4 × 5 widening, adding the extra half inch on the staple side of every page:
>
> **Oct 30, 11:32 PM** Most pages fit. Three overflow slightly (pages 4, 5 and 11, plus page 8 by a hair), and "BRAKE" is tight in its tile. Tightening those:
>
> **Oct 30, 11:33 PM** Pages 5, 6, 8 and 11 now fit. Page 4 still runs over, so I'm putting its title on one line and shortening the triangle card:
>
> **Oct 30, 11:34 PM** Pages 1, 12, 14, 17, 18, 19 and 20 look right. Four still need fitting: the triangle card title on page 4, and pages 13, 15 and 16, which run a little over:
>
> **Oct 30, 11:35 PM** Pages 13 and 16 fit now. Page 4's triangle title still pokes out, and page 15 is a few pixels over:
>
> **Oct 30, 11:35 PM** Every page fits now. Publishing the booklet:
>
> **Oct 30, 11:36 PM** The booklet canvas has a newer version than my last update. Let me check what changed before publishing over it:
>
> **Oct 30, 11:36 PM** Nothing was changed on the canvas since my last update, so publishing won't overwrite anything. The canvas asks that its instructions be read before any change, so reading those first:
>
> **Oct 30, 11:38 PM** The booklet is updated on the canvas. Next, the app, so its lights match the booklet:
>
> **Oct 30, 11:38 PM** Now the app's symbols, the red STOP tag on urgent amber lights, and the page 2 references:
>
> **Oct 30, 11:39 PM** The app shows the STOP tags and opens ABS with the stop banner. One fix: "BRAKE" is clipped in its tile.
>
> **Oct 30, 11:40 PM** The app's code modules don't load from a plain file, so I'm checking it through the local test server instead:
>
> **Oct 30, 11:40 PM** BRAKE fits now. Saving the app changes and rebuilding the Claude version:
>
> **Oct 30, 11:40 PM** Both versions of the app are updated, and the Claude version kept its photo and storage permissions. Since the size changed, I'm rebuilding the print-ready proof at 4 × 5 in:
>
> **Oct 30, 11:41 PM** The print proof is rebuilt at 4 × 5 in, and every page lands in the right place. Last, the content doc. Reading its current version:
>
> **Oct 30, 11:43 PM** The content doc is updated. Last, the project repo: build record entry, new print proof, and the updated app copy.
>
> **Oct 30, 11:44 PM** The files are saved, but the build-record step didn't find its section, so the note didn't go in. Checking what's on main:
>
> **Oct 30, 11:44 PM** PR #4 was merged before my last three build-record updates were pushed: the founder decisions section and the Claude-version updates. I'm bringing those into this branch so nothing is lost:

CLAUDE · OCT 30, 11:45 PM

I've made all the changes from the manual review across the booklet, the app, the content doc and your project repo. booklet-4×5.png shows every spread, and Bear-With-Me-Booklet-Print-Proof-4×5.pdf is ready to print.

Booklet - **Size:** 4 × 5 in. The extra half inch is all on the staple side, so text and pictures stay the same size. - **Pages 2 and 3:** My car's numbers first, then Start here. - **Page 4:** a fourth card, "Triangle !: read the message on your screen. It says Stop? Stop." The amber card notes that a few amber lights still mean stop. - **Pages 5–6 (Stop soon):** each light names the screen message some cars show. Overheating turns off the A/C first. Battery now says pull over and call for help. Brake shows the word BRAKE. - **Page 7:** power steering on its own half page under a red bar, with check engine below it marked "get it checked right

away." - **Page 8:** low tire pressure and ABS, each with a red STOP callout. - **Page 9:** traction, and airbag marked "right away." - **Page 10:** low fuel and service reminder. The oil pressure card is gone, replaced by a one-line pointer: "Red oil can instead? → p. 5." - **Page 11:** high beams, seatbelt and door open. - **Tire pages:** the PSI tip, "check once a month, including the spare," "right at your number," and the small-spare note. - **Oil pages:** "wait 5+ minutes," "below or near the low mark," and dots for the dipstick marks. - **Page 18:** a roadside help phone line where the notes were.

Every page fits at 4 × 5, and the print proof's page order checks out. In the print file, the spreads now fill almost the whole letter sheet, so the cutting marks are close to the paper edge. If your printer cuts some off, cut along the page edges instead.

App - Both versions have the same changes, including the power steering and triangle lights. - Tire pressure and ABS show a red STOP tag and open with the stop box. - The changes are in the Claude version now. The standalone app's changes are waiting in a pull request in `bear-with-me`.

Content doc: the page-by-page text and verification checklist match. 17 facts are confirmed from the manual. Five still need a source: - flashing check engine - oil color - staying in the car on a busy road - what counts as "cold" tires - the QR scan at print size

Project repo: one catch here. The earlier build-record pull request was merged before my last few updates reached it, so the founder decisions section never made it into your main project. The new pull request in your project repo brings those back, along with today's review entry and the new print proof.

Next, print the new proof and do a test fold to check the spine room before I make the print-shop version.

JESSICA · OCT 31, 12:31 AM

Okay, thank you

CLAUDE · OCT 31, 12:31 AM

You're welcome. The next steps are waiting on you:

- **Merge the two pull requests:** the app update in `bear-with-me` and the build record in your project repo.
- **Print the 4 × 5 proof and do a test fold** to see how the new spine room feels.

When you've marked up the proof, send me your notes (photos are fine), and I'll make the edits and the print-shop version.

JESSICA · OCT 31, 12:49 AM

Can I have a downloadable pdf of our chat from yesterday and today with all that we have worked through, prompts, testing, iteration, and my judgment?