FOUNDER DOCUMENTARY · M.S. PRODUCT INNOVATION · UNIVERSITY OF ARKANSAS

BEAR WITH ME
THE READY KIT

Build log: real-car review, a live app, and printing at home.

October 26 – November 8, 2026 · Jessica Boyd, working with Claude

What we worked through, the prompts, the testing, each round of changes, and Jessica's decisions, with the conversation at the end. Follows the Oct 13–25 record.

AT A GLANCE

In three working sessions, the booklet was checked against the test car's owner's manual and resized to 4 × 5 in, the Ask the Bear app went live on Vercel as an installable phone app, and the booklet reached version 3 with an orange cover, a QR code straight to the live app, and a print file tuned to Jessica's home printer.

When (Central)	What happened
Oct 26–29	No build sessions logged. Printed 3.5 × 5 proof in hand; Jessica pre-reads her RAV4 manual pages.
Oct 30, ~11:40 PM – Oct 31, 12:40 AM	**Separate Claude Code session on the app:** installable phone app with offline support; the bear keeps seeing a photo on follow-up messages; booklet QR forwarder pointed at the live Vercel app; tester-code fixes. Jessica merges app pull requests #3–#8.
Oct 30, 11:00–11:45 PM	**Safety review against the 2017 RAV4 owner's manual.** Stricter stop advice in seven places, power steering and triangle ! added, US symbols. Jessica's layout changes from the printed proof: car numbers to p. 2, roadside line on p. 18, **4 × 5 in** with the extra width at the spine. 4 × 5 proof built. (Full detail in the Oct 30–31 record.)
Oct 31, 12:31–1:02 AM	Session records for Oct 30–31 and Oct 13–25. Privacy check of both PDFs; project repo found to be public; Jessica keeps it public for now.
Nov 1, 7:59–8:05 AM	**Booklet v3:** orange cover, back cover QR under the 911 box, QR straight to the live app, one spread per printed page.
Nov 1, 8:23–8:30 AM	Home duplex test: 1/8 in bleed added; back pages nudged **1 mm right** for her printer.
Nov 2–8	No build sessions logged. Pull requests waiting to merge: project #6 and #7, app #9 and #10.

How this log was made. Oct 30–31 and Nov 1 come from this chat: Jessica's prompts word for word, Claude's progress notes, and the build record. The app work on Oct 30–31 happened in a separate Claude Code chat whose prompts aren't stored here; it is described from its pull requests on GitHub. The Oct 30–31 session record has Claude's full replies for the manual review.

WHERE THE WORK LIVES

- Booklet design: "Bear With Me Booklet" canvas in Claude
- Live app: https://bear-with-me-xi.vercel.app/app/ · code in GitHub `jessboydd/bear-with-me`
- Claude version of the app: "Ask the Bear" artifact
- Print proofs, build record and session records: GitHub `jessboydd/Founder-Documentary-Project-V2`

JESSICA'S JUDGMENT

The decisions that shaped these two weeks, in her words where possible.


Testing with a real car	Chose her own RAV4 as the test car, pre-read the manual and named the exact pages to check.
Review before changing	"Make no edits to the booklet or app yet. I would like us to just check and review."
Getting the source right	Caught within a minute that her car and manual are a 2017, not a 2027.
Generic, but stricter	Kept the booklet for any car while adopting Toyota's stricter "stop" advice where cars differ, and kept oil type generic: "not everyone drives a toyota."
Bringing evidence	Photographed the door sticker, the dashboard light check and the dipstick.
Keeping the color logic	Kept amber lights on amber pages with a red STOP callout, rather than breaking "the color is your first clue."
Simplicity over false precision	"Simplify to 'at your number'" in place of an unsourced "within 1–2 PSI."
Setting the working rule	"Ask me any questions if you are unsure or run into something we haven't discussed."
Learning from paper	Used the printed proof to move car numbers to p. 2, drop the repeated oil card, swap notes for a roadside line, and widen to 4 × 5 in for binding room.
Taking the app live	Went ahead with the live app on Vercel, the step she had chosen to put off on Oct 25, so testers can use it without a Claude account. Phone testing of the live app led to the photo-memory and tester-code fixes.
Documenting as she goes	Asked for session records with prompts, testing, iteration and her judgment, and for them to be saved in the project repo.
Checking before sharing	"Is the pdf safe to save to the repo for me?" On learning the repo is public: "It's fine for now."
Brand at a glance	Changed the cover from lavender to orange.
Simplifying the back cover	Removed the roadside fill-in line there (p. 18 keeps its own) so the QR code and Ask the Bear sit right under 911.
Direct link	Chose to point the QR at the live app address itself.
Printing for real	Asked for one spread per printed page, printed double-sided at home, measured the 1 mm shift, and corrected the nudge direction when Claude got it backwards.

TESTING

When	What was tested	Found	Result
Oct 30	Booklet vs. RAV4 manual (pp. 77–82, 554–557, 615–634, 662–663, 675)	Booklet softer than Toyota in 4 places; 3 lights missing; some lights are screen messages	Stricter wording, new cards, US symbols
Oct 30	Jessica's photos of her car	Door sticker 33 / 33 / 60 PSI; light colors and symbols; yellow round dipstick	Matched in booklet and app
Oct 30	Every page rendered at 4 × 5 in	Pages 4, 5, 8, 11, 13, 15, 16 ran over; BRAKE tile clipped	Five rounds of fitting
Oct 30	App light lookup and server with a stand-in AI	15 lights + triangle, red STOP tags; tester code, photos and private numbers handled correctly	Passed
Oct 30–31	App on a phone (separate session)	Bear "took back" a correct photo description on the next message	Newest photo now goes with every message
Oct 30–31	App with no tester code saved (separate session)	First message dropped; code box out of view	Code box shows on open; wrong code caught at once; waiting message sends after
Oct 31	Privacy scan of both session PDFs	Nothing private found; repo is public	Jessica kept it public
Nov 1	New QR scanned from the 300 dpi print file	Opens https://bear-with-me-xi.vercel.app/app/	Passed
Nov 1	Double-sided home print (Jessica)	Back side about 1 mm off	Bleed added; back pages moved 1 mm right
Nov 1	Page positions measured in the final file	Back pages 1 mm right of the fronts, as asked	Passed; paper check still to do




Jessica's RAV4 during the start-up light check (Oct 30), used to confirm every light's color and symbol.




Nov 1 print file: one spread per page, with color running 1/8 in past the trim marks.

ITERATION: WHAT CHANGED

Part	Before	After
Booklet size	3.5 × 5 in	4 × 5 in, extra half inch at the spine
Safety wording	Softer "check soon" on ABS, low tire, charging	Toyota's stricter stop calls, red STOP callouts
Lights	14	15 plus the triangle !, US symbols
Pages 2–3	Start here, then car numbers	Car numbers, then Start here
Page 18	Notes lines	Roadside help phone line
Front cover	Lavender	Orange
Back cover	911, roadside fill-in line, QR	911, then QR and Ask the Bear
QR code	GitHub Pages forwarding address	Live app address directly
Print proof	Two spreads per side	One spread per landscape page, 1/8 in bleed, back pages nudged 1 mm right
App	Web page; photo only on first message; tester code asked late	Installable with offline support; photo kept in the conversation; code checked on open



Before: the 20-page booklet at 3.5 × 5 in (Oct 25).



After the manual review: 4 × 5 in (Oct 30).



Version 3 (Nov 1): orange cover; back cover with the QR code under 911.

STILL OPEN

- Print one sheet of the nudged proof and check the corner marks against a window.
- Merge pull requests: project #6 (session records) and #7 (booklet v3); app #9 (README) and #10 (QR files).
- Five unverified safety points: flashing check engine, oil colors, staying in the car vs. getting out, what counts as "cold" tires, and the QR scan at printed size on a phone.
- Resize the organizer pocket for the 4 × 5 booklet.
- Run usability tests with the test kit.

THE CONVERSATION

Dark bubbles are Jessica's words, as she typed them. Lighter bubbles describe something she attached. Yellow boxes are her answers to Claude's question cards. Grey notes are Claude's progress notes or a summary of what Claude did. Times are Central.

OCTOBER 26–29

> No build sessions are logged on these days. Jessica had the printed 3.5 × 5 proof (Oct 25) to mark up, and pre-read the pages of her RAV4 owner's manual that she brought to the Oct 30 review.

OCTOBER 30–31 · A SEPARATE CLAUDE CODE SESSION ON THE APP

> **Oct 30, ~11:40 PM – Oct 31, 12:40 AM** In another Claude Code chat (its prompts aren't stored in this one), the standalone app was made installable and fixed after phone testing. Jessica merged each change on GitHub as it was ready: app pull requests #4 to #8. Details are in Testing and Iteration.

OCTOBER 30–31 · CHECKING THE BOOKLET AND APP AGAINST HER RAV4

JESSICA · OCT 30, 11:00 PM

For this project and testing, I will be using my 2027 Toyota RAV4 with the participants. Let's review the safety and accuracy of the booklet to the RAV's manual. Here are the pages I reviewed for us: pages 77- 82 of the manual, page 675 for PSI tire information, and pages 554-557 for oil & dipstick details. Ask me any questions you have; make no edits to the booklet or app yet. I would like us to just check and review the safety and accuracy of the information we have.

> **Oct 30, 11:00 PM** Starting the review against your RAV4 manual. First I'll find the pages you shared.

JESSICA · OCT 30, 11:01 PM

(Attached the 2017 Toyota RAV4 owner's manual, a 741-page PDF.)

JESSICA · OCT 30, 11:01 PM

Sorry 2017

> **Oct 30, 11:01 PM** The file is named "2017 Toyota RAV4," but you mentioned a 2027. I'll check which year the manual covers as I read. Starting with the pages you named:
>
> **Oct 30, 11:01 PM** The PDF's page numbers drift by one from the printed numbers in this part of the manual. Reading the printed pages 557 and 675:
>
> **Oct 30, 11:01 PM** The pages on warning lights and what to do are clear. Next, the master warning light and the display messages, where this car shows oil pressure, overheating and charging problems:
>
> **Oct 30, 11:01 PM** Clear answers on oil pressure ("Stop in a safe place"), charging ("immediately stop") and the maintenance message. Last, the overheating steps:
>
> **Oct 30, 11:03 PM** I read the pages you named, then followed the manual's cross-references to its "what to do" pages (printed pp. 615–634 and 662–663). That's where it says what each light means and what to do. Following your instructions, I haven't edited the booklet or the app. ## Safety issues: the booklet is softer than Toyota These are the ones that matter most, because the booklet could lead someone to keep driving when Toyota ...

JESSICA · ATTACHED PHOTOS

Three photos: the tire sticker on the RAV4's driver's door frame, the RAV4 dashboard during the start-up light check, and a picture of the RAV4 dipstick.

JESSICA · OCT 30, 11:13 PM

1. Generic, adopt Toyota's stricter "stop" calls, and yes, let's add the triangle and screen messages 2. Yes, driver's door frame, 33, spare is 60 3. Dipstick is yellow circular top handle 4. Attached picture of the driver's door frame tire details, my RAV4 dashboard with lights, and toyota rav4 dipstick

> **Oct 30, 11:14 PM** The photos confirm several things and answer most of my questions. ## What your photos show **Door sticker:** front 33, rear 33, spare 60 PSI, exactly matching the manual's table for 17-inch tires. One thing for the booklet: the real label is busier than our drawing. It's titled "Tire and Loading Information," shows each number twice (kPa and PSI) in English and French, and has the tire size (225/65R17) in the next...

JESSICA · OCT 30, 11:20 PM

1. yes, let's give each a red stop callout on the amber pages 2. own half page is fine 3. Simplify to "at your number" For oil-type I want to keep that generic since all cars may be different, not everyone drives a toyota

> **Oct 30, 11:21 PM** Making the changes now: booklet pages first, then the app, then the content doc.
>
> **Oct 30, 11:21 PM** Writing the new light pages:

JESSICA · OCT 30, 11:21 PM

Ask me any questions if you are unsure or run into something we haven't discussed.

> **Oct 30, 11:21 PM** Thanks. Two things came up while laying out the pages that we haven't settled, so I'll check before building.

QUESTION CARD ANSWERED · OCT 30, 11:27 PM

"There's no empty half page in the light section, so making room for power steering means moving things. Which layout do you prefer?"="Here is my answer and additional recommendations for the layout updates: Put my car’s numbers on page 2, Put start here on page 3, Page 10 don’t need to repeat the oil pressure, remove notes section on page 18 and put roadside help number option, make the booklet size 4×5 now to increase the spine margin breathing room for binding purposes. Ask me any questions you have before making these edits.", "Where should the triangle ! (master warning) and screen messages be explained?"="[No preference]", "Add the snowflake ice warning (comes on at 37°F or below) to 'Just so you know'?"="[No preference]"

> **Oct 30, 11:28 PM** Got it, those are good changes. A few need a quick answer before I rebuild.

QUESTION CARD ANSWERED · OCT 30, 11:30 PM

"With the oil pressure card gone from page 10, here's how I'd fit everything in color order. Okay?"="Yes, this layout (Recommended)", "Page 18: replace the notes lines with what?"="Just a phone line", "For 4 × 5 in, where should the extra half inch of width go?"="All to the spine side (Recommended)".

> **Oct 30, 11:31 PM** Now page 4 (color key with the triangle card), the page 2/3 swap, and the tire, oil, page 18 and back cover edits:
>
> **Oct 30, 11:31 PM** All page references check out. Now the 4 × 5 widening, adding the extra half inch on the staple side of every page:
>
> **Oct 30, 11:32 PM** Most pages fit. Three overflow slightly (pages 4, 5 and 11, plus page 8 by a hair), and "BRAKE" is tight in its tile. Tightening those:
>
> **Oct 30, 11:33 PM** Pages 5, 6, 8 and 11 now fit. Page 4 still runs over, so I'm putting its title on one line and shortening the triangle card:
>
> **Oct 30, 11:34 PM** Pages 1, 12, 14, 17, 18, 19 and 20 look right. Four still need fitting: the triangle card title on page 4, and pages 13, 15 and 16, which run a little over:
>
> **Oct 30, 11:35 PM** Pages 13 and 16 fit now. Page 4's triangle title still pokes out, and page 15 is a few pixels over:
>
> **Oct 30, 11:35 PM** Every page fits now. Publishing the booklet:
>
> **Oct 30, 11:36 PM** The booklet canvas has a newer version than my last update. Let me check what changed before publishing over it:
>
> **Oct 30, 11:36 PM** Nothing was changed on the canvas since my last update, so publishing won't overwrite anything. The canvas asks that its instructions be read before any change, so reading those first:
>
> **Oct 30, 11:38 PM** The booklet is updated on the canvas. Next, the app, so its lights match the booklet:
>
> **Oct 30, 11:38 PM** Now the app's symbols, the red STOP tag on urgent amber lights, and the page 2 references:
>
> **Oct 30, 11:39 PM** The app shows the STOP tags and opens ABS with the stop banner. One fix: "BRAKE" is clipped in its tile.
>
> **Oct 30, 11:40 PM** The app's code modules don't load from a plain file, so I'm checking it through the local test server instead:

> **Oct 30, 11:40 PM** BRAKE fits now. Saving the app changes and rebuilding the Claude version:

> **Oct 30, 11:40 PM** Both versions of the app are updated, and the Claude version kept its photo and storage permissions. Since the size changed, I'm rebuilding the print-ready proof at 4 × 5 in:

> **Oct 30, 11:41 PM** The print proof is rebuilt at 4 × 5 in, and every page lands in the right place. Last, the content doc. Reading its current version:

> **Oct 30, 11:43 PM** The content doc is updated. Last, the project repo: build record entry, new print proof, and the updated app copy.

> **Oct 30, 11:44 PM** The files are saved, but the build-record step didn't find its section, so the note didn't go in. Checking what's on main:

> **Oct 30, 11:44 PM** PR #4 was merged before my last three build-record updates were pushed: the founder decisions section and the Claude-version updates. I'm bringing those into this branch so nothing is lost:

> **Oct 30, 11:45 PM** I've made all the changes from the manual review across the booklet, the app, the content doc and your project repo. booklet-4×5.png shows every spread, and Bear-With-Me-Booklet-Print-Proof-4×5.pdf is ready to print. **Booklet** - **Size:** 4 × 5 in. The extra half inch is all on the staple side, so text and pictures stay the same size. - **Pages 2 and 3:** My car's numbers first, then Start here. - **Page 4:** a fo...

JESSICA · OCT 31, 12:31 AM

Okay, thank you

> **Oct 31, 12:31 AM** You're welcome. The next steps are waiting on you: - **Merge the two pull requests:** the app update in `bear-with-me` and the build record in your project repo. - **Print the 4 × 5 proof and do a test fold** to see how the new spine room feels. When you've marked up the proof, send me your notes (photos are fine), and I'll make the edits and the print-shop version.

JESSICA · OCT 31, 12:49 AM

Can I have a downloadable pdf of our chat from yesterday and today with all that we have worked through, prompts, testing, iteration, and my judgment?

> **Oct 31, 12:49 AM** First session record (Oct 30–31) delivered as a 13-page PDF.

JESSICA · OCT 31, ~12:50 AM

Save it in the repo and can you also give me one for all those same items, but for what we have done from the start to October 25?

> **12:50–12:59 AM** Rebuilt the Oct 13–25 record from the build record, commit history, her briefs and saved prompts (Claude's word-for-word replies from those dates weren't stored). Both PDFs saved to the project repo, pull request #6.

JESSICA · OCT 31, 12:59 AM

Is the pdf safe to save to the repo for me?

> **1:00 AM** Scanned both PDFs: no emails, phone numbers, passwords, keys, VIN, plate or odometer. Found the project repo is **public**, not private as assumed. Laid out what a public reader would see and the options.

JESSICA · OCT 31, 1:01 AM

It's fine for now.

> **1:02 AM** Kept the repo public; corrected the build record line that said it was private.

NOVEMBER 1 · BOOKLET V3 AND PRINTING AT HOME

JESSICA · NOV 1, 7:59 AM

Remove the roadside help fill-in line on the back cover, put the back cover QR code, and ask the Bear part under the 911 box. Update the link for the app to this: https://bear-with-me-xi.vercel.app/app/ And make the cover of the booklet orange instead of purple. For printing, put one spread per printed page. For example, backcover and front cover on one printed page, page 18 & 3 on one printed page, etc.

> **8:00–8:05 AM** Cover made orange (the bear's wave mark switched to cream). Roadside line removed from the back cover. New QR code for the Vercel address on p. 18 and the back cover, scanned from the print file at 300 dpi to confirm. One-spread-per-page proof built (10 landscape pages). Canvas, project repo (pull request #7) and app repo (pull request #10) updated.

JESSICA · NOV 1, 8:23 AM

The printing was a tiny bit off when printing it doublesided

> **8:24 AM** Added 1/8 in bleed: page colors, edge tabs and the cover checkers now run past the trim marks so a small shift trims away. Asked which way and how far the back was off.

JESSICA · NOV 1, 8:26 AM

it's a mm off to the right

> **8:27 AM** Moved the back-side pages 1 mm left.

JESSICA · NOV 1, 8:29 AM

Sorry no those need to be moveda mm to the right not the left

> **8:30 AM** Moved the back-side pages 1 mm right instead, checked the shift in the file, and corrected the build record.

NOVEMBER 2–8

> No build sessions logged. The booklet canvas and app files are unchanged since Nov 1.

JESSICA · NOV 8, 5:27 PM

Can you provide me a build log for October 26 to now of what all that we have worked through, prompts, testing, iteration, and my judgment?