n8n Jira Integration

1. Workflow Overview

The workflow implements a Category-1 automation that supports user story UCIPS-10 (US-06: SLA Enforcement and Response-Time Alerting). It automatically creates a Jira ticket whenever an inbound client message or inquiry is received, ensuring that the SLA monitoring process is triggered without manual intervention.

2. User Story Reference

Issue	Details
Jira ID	UCIPS-10
Title	US-06: SLA Enforcement and Response-Time Alerting
Epic	UCIPS-2 – AI-Powered Communication and Automation
Sprint	Sprint 2 – Core Integrations
Label	Category-1
Priority	High
As a...	Carolina Nami (CEO)
I want...	The system to automatically flag client inquiries approaching the 4-hour response SLA
So that...	The team consistently meets our response-time KPI and no client inquiry goes unanswered

3. Workflow Architecture Diagram

The workflow follows a linear two-node pipeline:

Each box represents one n8n node. The arrows show the direction of data flow — from left to right.

4. Node Details

Node 1 – Webhook (Trigger)

Node Type	Webhook (n8n core)
HTTP Method	POST

Purpose	Listens for incoming HTTP POST requests that simulate the arrival of a client email or message
Input	JSON body with fields: client_name, message, received_at
Output	Raw JSON data passed to the next node
Test URL	https://jessicadipasquale.app.n8n.cloud/webhook-test/a0e38fb1-...

Node 2 – Jira: Create an Issue

Node Type	Jira Software (n8n integration)
Operation	Create Issue
Credential	Jira SW Cloud account (Basic Auth)
Project	Unified Client Intelligence Platform — SilverTrust (UCIPS)
Issue Type	Story
Summary	SLA Alert: {{$json.body.client_name}} – {{$json.body.message}}
Description	Dynamic: client name, received_at timestamp, message, and SLA status note
Parent Issue Key	UCIPS-2 (AI-Powered Communication and Automation)

5. How to Trigger the Workflow

The workflow is published and active. To trigger it in production, send a POST request to the Production URL with the following JSON payload:

```
curl -X POST "<PRODUCTION_WEBHOOK_URL>" \
  -H "Content-Type: application/json" \
  -d '{"client_name":"Acme Corp","message":"Invoice overdue","received_at":"2026-03-11T10:00:00Z"}'
```

After triggering, verify in Jira (UCIPS project, list view) that a new Story has been created under epic UCIPS-2 with the correct summary and description.

6. Screenshot



7. Category 1 vs Category 2 Analysis

This workflow is entirely Category-1 (n8n-native). The table below outlines what falls into each category for the full SLA enforcement feature:

✅ Category 1 – n8n Native (Built)	⚠️ Category 2 – Custom Code (Future)
Webhook trigger to receive data	Intelligent triage of message urgency
Data mapping and JSON parsing	Sentiment analysis on client message tone
Jira API integration via Basic Auth	Automatic categorization by issue type
Issue creation with dynamic fields	AI-generated summary from raw email thread
Parent/Epic linking (UCIPS-2)	Multi-step reasoning to assign account manager
Workflow activation & versioning	SLA breach prediction based on historical data

8. Implementation Plan – Next Workflows

Based on the remaining user stories in the UCIPS project, here is the suggested roadmap for future workflows:

#	User Story	Proposed Workflow	Category
1	UCIPS-5: Multi-Channel Data Aggregation	Scheduled trigger → fetch CRM/email data → create Jira tickets	Category 1
2	UCIPS-10: SLA Enforcement (extension)	Jira webhook → IF status still open after 3h → Slack alert to manager	Category 1
3	UCIPS-12: Proactive Churn-Risk Alerts	Scheduled scan of Jira tickets → IF risk score high → create alert ticket	Category 1 + 2
4	UCIPS-8: AI Weekly Status Drafts	Scheduled trigger → fetch tickets → LLM summarization → draft email	Category 2
5	UCIPS-9: AI Pre-Call Briefing	Webhook → fetch client history → LangChain summarization → Jira note	Category 2

9. Technical Constraints & Recommendations

What n8n handles natively (Category 1)

- HTTP webhook triggers with configurable methods and paths
- Jira REST API calls via pre-built node (no code required)
- Dynamic field mapping using expression syntax ({{$json.body.field}})
- Workflow versioning and activation via Publish button
- Error handling via dedicated error workflow (configurable)

What requires custom code (Category 2)

- LLM-based text summarization or classification
- Multi-step reasoning across multiple data sources
- Sentiment analysis on client message content
- Predictive churn scoring based on behavioral patterns