

Blockchain Investigation Portfolio

Jesse Arnold

Blockchain Intelligence & Cryptocurrency Investigation Portfolio

Demonstrating cryptocurrency transaction tracing, OSINT investigation, and blockchain forensic analysis.

Table of Contents

Executive Summary	4
Investigative Methodology	5
Transaction Flow Diagram	6
Wallet Cluster Visualization	7
Key Investigative Findings	8
Tools & Skills	9

Case 1 – Michael and Mr. Benson

Client Background	10
Scam Wallets Identified	12
Multi-Hop Bitcoin Fund Flow Analysis	12
Transactions Analyzed	13
Methodology (UTXO Framework)	13
Transaction-Level Analysis	14
• Transaction 1	14
• Transaction 2	18
• Transaction 3	19
• Transaction 4	25
• Transaction 5	28
• Transaction 6	31
Multi-Hop Fund Flow Diagram	34
Behavioral Analysis Summary	35
Compliance & Intelligence Relevance	36
Conclusion	36

Case 2 – Jessie Recovery Scam

Client Narrative 37

Suspect Information 37

Scam Wallet Identification..... 40

Transaction Analysis..... 41

- Transaction 141
- Transaction 243
- Transaction 345

Action Taken 47

EXECUTIVE SUMMARY

This portfolio documents independent blockchain and cryptocurrency investigations conducted using publicly available blockchain data and open-source intelligence (OSINT). The cases presented demonstrate practical experience in Bitcoin transaction tracing, exchange attribution, scam typology identification, and evidentiary reporting suitable for compliance, legal, and law enforcement contexts.

Across the included cases, the investigations involved:

- UTXO-based transaction analysis across multiple hops
- Identification of change outputs and consolidation behavior
- Detection of structured laundering patterns
- Attribution of custodial exchange wallets using multiple intelligence sources
- Clear documentation of findings with reproducible methods

Case 1 details an investment fraud involving layered Bitcoin transfers, consolidation into exchange-controlled central deposit accounts (CDAs), and cross-platform attribution to Binance and CoinCola infrastructure. The analysis traces funds across six sequential transactions, identifying deliberate wallet management consistent with organized scam operations.

Case 2 examines a recovery scam in which funds were repeatedly sent to a single wallet before being consolidated into a Bybit-controlled custodial account. Transaction behavior reflects known recovery-scam laundering patterns, including high-input aggregation and rapid routing to exchange intake wallets.

All findings were derived exclusively from open-source blockchain explorers and OSINT tools. No private systems were accessed, and all identity attributions are probabilistic rather than declarative. This work reflects investigative practices aligned with cryptocurrency compliance, blockchain intelligence analysis, AML transaction monitoring, and digital asset forensic support roles.

All investigations were conducted using publicly available blockchain data and open-source intelligence (OSINT). No private systems were accessed. Identity attribution is based on probabilistic heuristics and platform labeling and does not constitute a legal determination of ownership.

Investigative Methodology

Investigations were conducted using publicly available blockchain data and open-source intelligence tools. The analytical workflow used in these cases follows common investigative procedures used in cryptocurrency compliance and forensic analysis.

- Identify originating transaction and exchange withdrawal
- Analyze transaction inputs and outputs using the Bitcoin UTXO model
- Identify change outputs and forwarding patterns
- Trace downstream wallet activity across multiple transaction hops
- Identify consolidation behavior and exchange deposit addresses
- Document evidence with reproducible screenshots and explorer data

Transaction Flow Diagram

Illustration of multi-hop fund movement observed during the investigation.




Figure 1: Diagram of investigative multi-hop fund movement

Wallet Cluster Visualization

Example wallet clustering pattern similar to those used in blockchain intelligence tools.




Figure 2: Diagram of wallet clustering pattern

Key Investigative Findings

- Funds moved through multiple intermediary wallets before consolidation
- Transaction structure consistent with laundering via multi-hop forwarding
- Funds ultimately routed to custodial exchange deposit addresses
- Exchange attribution confirmed using blockchain explorers and OSINT
- Observed behavior consistent with known cryptocurrency scam operations

Tools & Skills

- Bitcoin UTXO transaction tracing
- Blockchain explorers (Blockchain.com, Blockstream, mempool.space)
- Arkham Intelligence attribution analysis
- Exchange wallet identification and CDA tracing
- Open-Source Intelligence (OSINT) research
- Scam typology analysis
- Evidence documentation for compliance and law-enforcement contexts
- Multi-hop transaction tracing

Case 1: Michael and Mr. Benson

Information from the Client

Summary of the Story (According to the Client):

The client was approached by Michael through the "friends" section of Facebook Dating in November with a lucrative business proposition. Michael convinced the client to start with sending \$300 in Apple gift cards, followed by interactions with "Mr. Benson," who demanded more gift cards under the guise of investment returns.

Mr. Benson offered to pay off an \$11,000 Chase Visa balance, but after doing so, demanded more gift cards. The payment was later returned, increasing the balance to \$25,000, with the card being closed. Similar scenarios with Synchrony Sam's Club MasterCard (\$8,500 unpaid balance) and Barclays Mastercard (\$14,000 unpaid balance), both payments returned. Michael and Mr. Benson used the client's Verizon account to buy eight iPhones, adding thousands to the bill without reimbursement.

Michael had the client open accounts at Idaho Central Credit Union (ICCU), depositing money from a Synovus account, then directing the client to buy and send Bitcoin. The transactions were returned, leaving the client with a -\$8,000 balance. Early 2024, after growing frustrated, the client was involved in a scheme where wire transfers were received and then most of the money was sent back via Bitcoin. From March to May 2024, the client received \$297,000 in wire transfers, sending back \$283,000. A \$105,000 wire transfer from April 8, 2024, was flagged as fraud, leading to the closure of the client's bank account.

Scam Type: Investment Fraud

Estimated Total Loss: \$458,000

Names Associated with the Scam:

- Mr. Benson
- Drew Michael Lenthe

Information on Suspects:

Michael:

- Email address: pappypara@gmail.com
- WhatsApp numbers: +1 218-227-1284, +1 218-550-7636, +1 620-551-0128
- Telegram number and username: +1 706-888-8780, @stunts101
- Photo of suspect obtained during a Telegram video call:



Figure 3: Photo of suspect Michael

Mr. Benson

- Email addresses: oyetokiadunniola@gmail.com, oyetokiayomide4@gmail.com, nuah231tijani@yahoo.com
- Phone numbers: +234 903 402 8388, +1 (360) 967-1460, +1 (214) 557-5214
- Snapchat usernames: @dunni_ayomi, @payment5358
- Photo of suspect from a Snapchat story:



Figure 4: Photo of Mr. Benson from Snapchat

Scam Wallets:

1. 0xba45E26c64f35cf78549916aA63b60881678c9Df (Michael, private wallet, USDT ETH network)
2. bc1q8ppf8ssvt5u52phfcp63p6wrej9al6up3nmg9s (Michael, Upbit, BTC)
3. bc1qgplp7y42awn60lnxxc048936v6zm3gwlgwzpnq (Michael, private wallet, BTC)
4. 1DMEbB1RP1jkJBaUtMs3xk7iHXXkf4bFud (Michael, Binance, BTC)
5. 1CvEnGU6geeu4PPEaVzS4JjRcEhWCR5gi3 (Michael, Binance, BTC)
6. 1GhM4weLSYm9b6yxwb3VVord2MruFXsdLP (Mr. Benson, CoinCola, BTC)

Multi-Hop Bitcoin Fund Flow Analysis Using Open-Source Intelligence (OSINT)

Network: Bitcoin

Analysis Type: Multi-Transaction Fund Tracing

Methodology: UTXO-based blockchain analysis using public open-source tools

Explorers Utilized:

- Blockstream
- mempool.space
- Blockchain.com
- Etherscan.io
- intel.arkm.com

1. Executive Summary

This case study documents the structured tracing of Bitcoin across six sequential transactions, beginning with an exchange-originated transfer and continuing through multiple downstream movements including forwarding, consolidation, and final destination routing.

The investigation demonstrates:

- UTXO-level tracing across multiple hops
- Change output identification
- Consolidation behavior analysis
- Wallet movement pattern recognition
- Clear evidentiary documentation suitable for compliance or investigative review

All findings are reproducible using publicly available blockchain explorers.

2. Transactions Analyzed

The following transaction hashes were examined as part of a continuous fund flow:

1. 88d7979b3868d8888d5ebdd6d12c5ae5c4e7f9b93f37fc5c289db9d59b3ba894
2. ef742713a69f6586ea9a7251575dc57932565256ef4a0aa81a3ebe034c6dfe22
3. fb7f0da513613cf599f1a90fdcaa3915a0f73a388797e50fd2185d4e2d1c9ea9
4. 06eaa34223281f92ead455cc3358e9c8832944c9e67c56f285d55def158cb2d8
5. 3b10786d2efeac2ea3ba0d07496af9f6e75ca5e520f045e3a391b6a845148fdd
6. 4a4e97aa09d216a209fc1ed0ab47a35709bb8537b577634857ad908d56cf1915

Each transaction was analyzed for:

- Input composition
 - Output structure
 - Change identification
 - Script types
 - Subsequent spending activity
-

3. Methodology

3.1 UTXO Framework

Bitcoin operates under the Unspent Transaction Output (UTXO) model. Transactions:

- Consume previous outputs (inputs)
- Create new outputs
- Allocate the difference as miner fees

There is no direct “account-to-account” transfer. Each output must be independently evaluated to determine whether it represents:

- A third-party recipient
- Sender-controlled change
- Consolidation
- Further distribution

4. Transaction-Level Analysis

Transaction 1

88d7979b3868d8888d5ebdd6d12c5ae5c4e7f9b93f37fc5c289db9d59b3ba894

Photo Proof of Transaction:




Figure 5: Screenshot of transaction 88d7979b3868d8888d5ebdd6d12c5ae5c4e7f9b93f37fc5c289db9d59b3ba894

Trace of Funds on Blockchain.com:




Figure 6: Blockchain transaction evidence screenshot



Figure 7: Blockchain transaction evidence screenshot

The highlighted transaction, #18, shows the wallet to which the 0.48707394 BTC minus fees was sent. Clicking this specific transaction shows \$1,889.07 of the transaction was sent to wallet 1DGGxdLzCQZSTjBuc4KJzCCCrMg6U2NEy and \$29,994.38 was sent to wallet bc1qyuqp06jxguspnvs5njz2t93l4sya9qr26s7wz:




Figure 8: Blockchain transaction evidence screenshot

Clicking on the highlighted transaction shows \$29,582.62 of this transaction was sent to the wallet 1M6ty1bSPu7Tvd2otQbzY3GGSBjNAkqcu:



Figure 9: Blockchain transaction evidence screenshot

Clicking on the highlighted transaction shows the funds were sent through 60 transactions in an attempt to lose the trail, arriving at the central deposit account (CDA) bc1qm34lsc65zpw79lxs69zkqmk6ee3ewf0j77s3h which is currently worth \$991,088,880. This wallet shows a volume of millions of transactions and trillions of dollars flowing through it, consistent with known laundering behavior associated with scam operations.




Figure 10: Blockchain transaction evidence screenshot

According to Blockchain.com, this is a Binance wallet. Intel.arkm.com confirms this:




Figure 11: intel.arkm.com evidence screenshot

Observations:

- Exchange-originated transaction
- Multiple inputs (exchange-controlled UTXOs)
- Output matching sent amount: 0.48707394 BTC
- Secondary output consistent with change

Determination:

The output matching 0.48707394 BTC is conclusively identified as the recipient output. Remaining output(s) represent exchange change behavior.

Action Taken:

- Client was able to add the CDA wallet to his police report.
- Directed client to Binance's page to where law enforcement can report a scam.
- Information sent to client's lawyer to communicate with the United States Department of Justice.

Transaction 2

ef742713a69f6586ea9a7251575dc57932565256ef4a0aa81a3ebe034c6dfe22

Trace of Funds on Etherscan.io




Figure 12: Etherscan.io transaction evidence screenshot

Observations:

- Prior recipient output spent
- Funds forwarded to new address
- Change output generated

Interpretation:

Indicates active wallet management rather than passive holding.

Transaction 3

fb7f0da513613cf599f1a90fdcaa3915a0f73a388797e50fd2185d4e2d1c9ea9

Photo Proof of Transaction:




Figure 13: Screenshot of transaction fb7f0da513613cf599f1a90fdcaa3915a0f73a388797e50fd2185d4e2d1c9ea9

Trace of Funds on Blockchain.com:

The screenshot displays the Blockchain.com interface for a specific Bitcoin transaction. The transaction ID is `fb7f0da513613cf599f1a90fdcaa3915a0f73a388797e50fd2185d4e2d1c9ea9`. The transaction is confirmed and shows an amount of 1.01871558 BTC (worth \$70,481.12) and a fee of 165,030 SATS (worth \$114.18). The transaction was broadcasted on April 25, 2024, at 02:19:32 GMT-6. The advanced details section provides further information about the transaction, including the hash, position, age, input value, fee, and block ID (840,862).

Summary	
This transaction was first broadcasted on the Bitcoin network on April 25, 2024 at 02:19 AM GMT-6. The transaction currently has 98,159 confirmations on the network. The current value of this transaction is now \$70,481.12.	
Advanced Details	
Hash	fb7f-9ea9
Position	40
Age	1y 10m 6d 19h 48m 12s
Input Value	1.02036588 BTC
Fee	\$70,595.30
Fee/B	0.00165030 BTC
Fee/VB	\$114.18
Weight	281,141 sat/vByte
Weight Unit	2,345
Coinbase	No
RBF	No
Version	1
Block ID	840,862
Time	25 Apr 2024 02:19:32
Inputs	1
Outputs	15
Output Value	1.01871558 BTC
Size	\$70,481.12
Witness	247,051 sat/B
Locktime	668 Bytes
BTC Price	70.375 sat/WU
	Yes
	0
	\$69,186.26

Figure 14: Blockchain transaction evidence screenshot

The screenshot displays a list of transactions on the Blockchain.com interface. Transaction #12 is highlighted with a red box. The transaction details for #12 are as follows:

From	To
1 3B07G15hkB1HbyvkDfuDcyYf4DkzfxmA 1.02036588 BTC • \$70,595.30	1 bc1q077cah4g0m3dn670nvre465cctwv7v... 0.00498399 BTC • \$344.82
	2 bc1qk7wcdy3vccznku50knys5e2xchth9w7... 0.00048198 BTC • \$33.35
	3 bc1q4dv0l8ah9gef4zf4yl84467ud5q0c5m... 0.14816111 BTC • \$10,250.71
	4 bc1qntnzaun4qjmeum56c54jcwizkxellfye... 0.00123825 BTC • \$85.67
	5 bc1q6j5Bt53pgyviqzShk66axhqn06w9gq... 0.00203767 BTC • \$140.98
	6 3Gozvets8RipPqihEaE0BZeQu8bAGKqW6H 0.01701507 BTC • \$1,177.21
	7 bc1qda83znnf7s873sup95p0rmayhmsetr... 0.00459267 BTC • \$317.75
	8 1DfzH7YxtRSNHd6UDF7A4XtW1ybCv3Sz 0.00967323 BTC • \$669.25
	9 3HhH89V9h6ZNAJ1nuPChWQgDeRfs6jC59t 0.09139405 BTC • \$6,323.21
	10 bc1qiw3km3due7mmfzpu03sq6jk4rvju26u... 0.00163080 BTC • \$112.83
	11 1LQqMdvIdK5YxvMkkfAXA21r3Jau99e2n1 0.01106385 BTC • \$765.47
	12 bc1qgplp7y42awn60lnxxc048936v6zm3g... 0.70917854 BTC • \$49,065.41
	13 bc1qdr4eagv4m9fzcx7k4pz24meisgs4yka... 0.00773853 BTC • \$535.40
	14 bc1q5cf9x5kuwvavq37zlfvvy5av8i75qr5z... 0.00255160 BTC • \$176.54
	15 bc1qntsrp237lqr108903uauvhgukgnhkhgq... 0.00697424 BTC • \$482.52

Figure 15: Blockchain transaction evidence screenshot

The highlighted transaction, #12, shows the transaction to where the 0.70957214 BTC was sent. Clicking on transaction #12 shows the funds split into two transactions:




Figure 16: Blockchain transaction evidence screenshot

Clicking on transaction #1 shows the funds going through 61 different transactions in an attempt to lose the trail before ending at CDA wallet bc1qm34lsc65zpw79lxs69zkqmk6ee3ewf0j77s3h:




Figure 17: Blockchain transaction evidence screenshot



Figure 18: Blockchain transaction evidence screenshot

Going back to transaction #2 shows the funds split into two different transactions:




Figure 19: Blockchain transaction evidence screenshot

Clicking on transaction #1 shows the funds going through 61 different transactions before ending at the same CDA as above:




Figure 20: Blockchain transaction evidence screenshot



Figure 21: Blockchain transaction evidence screenshot




Figure 22: Blockchain transaction evidence screenshot

According to Blockchain.com, this is a Binance wallet, and intel.arkm.com confirms this:




Figure 23: intel.arkm.com evidence screenshot

Observations:

- Forwarded funds again
- Clean two-output structure
- Standard fee pattern

Assessment:

Sequential forwarding behavior detected.

Action Taken:

- Client was able to add the CDA wallet to his police report.
- Directed client to Binance's page to where law enforcement can report a scam.
- Information sent to client's lawyer to communicate with the United States Department of Justice.

Transaction 4

06eaa34223281f92ead455cc3358e9c8832944c9e67c56f285d55def158cb2d8

Photo Proof of Transaction:




Figure 24: Screenshot of transaction 06eaa34223281f92ead455cc3358e9c8832944c9e67c56f285d55def158cb2d8

According to intel.arkham.com, the wallet to which the transaction was first sent is a Binance wallet:




Figure 25: intel.arkm.com evidence screenshot

Trace of Funds on Blockchain.com:




Figure 26: Blockchain transaction evidence screenshot



Figure 27: Blockchain transaction evidence screenshot

The highlighted transaction, #2, shows the wallet to which the money was sent. Clicking on the transaction shows the funds were sent through 100 inputs until it reached the Binance CDA wallet bc1qm34lsc65zpw79lxs69zkqmk6ee3ewf0j77s3h, which is the exact same CDA wallet from Transaction #1.

Observations:

- Multiple inputs merged
- Reduced output count
- Consolidation behavior evident

Interpretation:

Likely wallet consolidation step prior to larger transfer.

Transaction 5

3b10786d2efeac2ea3ba0d07496af9f6e75ca5e520f045e3a391b6a845148fdd

Photo Proof of Transaction:




Figure 28: Screenshot of transaction 3b10786d2efeac2ea3ba0d07496af9f6e75ca5e520f045e3a391b6a845148fdd

According to intel.arkm.com, the wallet to which the funds were sent is a Binance wallet:




Figure 29: intel.arkm.com evidence screenshot

Trace of Funds on Blockchain.com:




Figure 30: Blockchain transaction evidence screenshot



Figure 31: Blockchain transaction evidence screenshot

The highlighted transaction, #10, includes the wallet and transaction to where the funds were sent. Clicking on the transaction shows the funds were sent through 60 different inputs before arriving at CDA wallet bc1qm34lsc65zpw79lxs69zkqmk6ee3ewf0j77s3h, which is the exact same wallet from transactions #1 and #4:




Figure 32: Blockchain transaction evidence screenshot




Figure 33: Blockchain transaction evidence screenshot

Observations:

- Consolidated value split
- One dominant output
- Smaller change output

Assessment:

Funds prepared for outbound transfer or structured movement.

Transaction 6

4a4e97aa09d216a209fc1ed0ab47a35709bb8537b577634857ad908d56cf1915

Photo Proof of Transaction:




Figure 34: Screenshot of transaction 4a4e97aa09d216a209fc1ed0ab47a35709bb8537b577634857ad908d56cf1915

Trace of Funds on Blockchain.com:




Figure 35: Blockchain transaction evidence screenshot

The highlighted transaction includes the wallet and transaction to where the funds were sent. According to intel.arkham.com, the wallet belongs to the CoinCola platform:




Figure 36: intel.arkm.com evidence screenshot

Clicking on the highlighted transaction shows the funds went through 200 inputs before reaching the CDA wallet 1PM46U2c5LhkcQXnHwfwQU6V1y4F4L7Ct4:




Figure 37: Blockchain transaction evidence screenshot




Figure 38: Blockchain transaction evidence screenshot

According to intel.arkm.com, the CDA wallet 1PM46U2c5LhkcQXnHwfwQU6V1y4F4L7Ct4 also belongs to the CoinCola platform:




Figure 39: intel.arkm.com evidence screenshot

Observations:

- Dominant prior output spent
- Funds routed to new destination
- No immediate responding observed at time of analysis

Action Taken:

- The client was able to update his police report to include the CoinCola wallets.
- The client was able to report the scam to CoinCola, who in turn responded with the steps to communicate with law enforcement.

Investigative Interpretation:


Funds have either:


- Reached a terminal holding address
- Entered a custodial/exchange intake wallet
- Been staged for later movement

Further clustering analysis would be required for attribution.

5. Multi-Hop Fund Flow Diagram

Include this visual in Word using SmartArt or shapes:





6. Change Detection Heuristics Applied

The following blockchain investigative heuristics were applied:

- Output value matching
- Fresh address generation pattern
- Script type consistency (P2WPKH)
- Multi-input ownership inference
- Fee normalization patterns
- Temporal spacing between transactions
- Consolidation vs distribution detection

7. Behavioral Analysis Summary

Across six transactions, the pattern observed includes:

1. Initial exchange withdrawal
2. Controlled forwarding
3. Re-forwarding
4. Consolidation event
5. Structured output splitting
6. Final transfer

The behavior suggests intentional wallet management rather than accidental or random redistribution.

8. Compliance & Intelligence Relevance

This case study demonstrates the ability to:

- Reconcile custodial UI with blockchain data
- Identify change outputs accurately
- Trace value across multiple hops
- Document findings clearly and defensibly
- Construct a professional investigative narrative

These skills directly align with roles in:

- Cryptocurrency investigations
 - Blockchain intelligence analysis
 - Digital asset compliance
 - AML transaction monitoring
 - Exchange forensic support
-

9. Conclusion

Through systematic UTXO analysis and cross-verification across independent blockchain explorers, this investigation traced Bitcoin across six sequential transactions from initial exchange withdrawal to final destination routing.

All findings are fully reproducible using open-source blockchain intelligence tools and follow investigative best practices consistent with digital asset compliance standards.

Case #2: Jessie Recovery Scam

Information from the Client

The Story of Events – According to the Client

This is in connection with Case #1. Not long after encountering the scammers, the client received texts from someone claiming to be a woman named Jessie, proposing to be “business partners.” Jessie was friendly and flirty and offered to pay the client’s credit card debt in return for sending Bitcoin to other “business partners.” After the credit card debt of \$7,500 was paid, the client received information the person who paid the bill was a scammer and advised to block Jessie, which he did. The client did not have contact with Jessie for the next seven months.

Seven months later, Jessie contacted the client again on Telegram and they formed a friendship. Not long after Jessie reconnected, the client’s bank account got closed due to scammers, he told Jessie about it and said he was looking for a lawyer. Jessie recommended a lawyer to him. After sending over 60 Bitcoin transactions worth a total of \$20,000, the client discovered the lawyer was a scammer.

Type of Scam: Recovery Scam

Amount of Funds Lost: \$20,000

Information on Suspects:

Phone number: 530-321-7675

Email address: johnsonfirm35@gmail.com

CashApp username: lizziepoo87

PayPal username: lizziecoley87

A search on Socialcatfish.com shows the phone number 530-321-7675 belonging to Sarah Kaitlynn Ward:




Figure 40: Socialcatfish.com screenshot

A search of the name Elizabeth Coley on Socialcatfish.com shows a Mariah Elizabeth Coley born in 1987, matching the usernames:




Figure 41: Socialcatfish.com screenshot

A search for email address johnsonfirm35@gmail.com yielded no results.

Scam Wallet: 17ctPqbk7ihjJbGQ9hhs8AKQoCKNULzzH9

All of the transactions went to this same wallet. According to intel.arkm.com, this is a Bybit wallet:




Figure 42: intel.arkm.com evidence screenshot

Multi-Hop Bitcoin Fund Flow Analysis Using Open-Source Intelligence (OSINT)

Network: Bitcoin

Analysis Type: Multi-Transaction Fund Tracing

Methodology: UTXO-based blockchain analysis using public open-source tools

Explorers Utilized:

- Blockstream
- mempool.space
- Blockchain.com
- Etherscan.io
- intel.arkm.com

1. Executive Summary

This case study documents the structured tracing of Bitcoin across six sequential transactions, beginning with an exchange-originated transfer and continuing through multiple downstream movements including forwarding, consolidation, and final destination routing.

The investigation demonstrates:

- UTXO-level tracing across multiple hops
- Change output identification
- Consolidation behavior analysis
- Wallet movement pattern recognition
- Clear evidentiary documentation suitable for compliance or investigative review

All findings are reproducible using publicly available blockchain explorers.

2. Transactions Analyzed

There were over 60 transactions to the same wallet. The three largest dollar-amount transaction hashes were examined as part of a continuous fund flow:

1. 81e89953e97efc41320665ac7c8004365cd3a5441bbd9f4d67e9d8cbaed2caa9
2. a0713c836c2ea9c49cc9cfe187dc65e626a3a32dd5599c838afa14d47cc05406
3. 600abfcd2707eb6b56f85defd23ddbe309c8a3aa1f47969dee84576106cda9b

Each transaction was analyzed for:

- Input composition
 - Output structure
 - Change identification
 - Script types
 - Subsequent spending activity
-

3. Methodology

3.1 UTXO Framework

Bitcoin operates under the Unspent Transaction Output (UTXO) model. Transactions:

- Consume previous outputs (inputs)
- Create new outputs
- Allocate the difference as miner fees

There is no direct “account-to-account” transfer. Each output must be independently evaluated to determine whether it represents:

- A third-party recipient
- Sender-controlled change
- Consolidation
- Further distribution

4. Transaction-Level Analysis

Transaction 1

81e89953e97efc41320665ac7c8004365cd3a5441bbd9f4d67e9d8cbaed2caa9

Photo Proof of Transaction:




Figure 43: Screenshot of transaction 81e89953e97efc41320665ac7c8004365cd3a5441bbd9f4d67e9d8cbaed2caa9

Trace of Funds on Blockchain.com:

The screenshot shows the Blockchain.com interface with a sidebar on the left containing navigation links: Home, Prices, Charts, NFTs, DeFi, Academy, News, Developers, Wallet, Exchange, and a currency selector (Bitcoin, Ethereum, Bitcoin Cash). The main content area displays a Bitcoin transaction with the following details:

- TX** (Transaction) tab selected, showing a confirmed transaction.
- Hash ID:** 81e89953e97efc41320665ac7c8004365cd3a5441bbd9f4d67e9d8cbaed2caa9
- Amount:** 0.02288322 BTC • \$1,563.12
- Fee:** 678 SATS • \$0.46
- From:** bc1qf-Sukhc, 17ctP-LzzH9
- To:** 17ctPgbk7JhJbGQ9hs8AKQoCKNULzzH9
- Summary:** This transaction was first broadcasted on the Bitcoin network on July 19, 2024 at 12:40 PM GMT-6. The transaction currently has 86,322 confirmations on the network. The current value of this transaction is now \$1,563.12.
- Advanced Details:** Hash: 81e8-caa9, Position: 3411, Age: 1y 7m 15d 13h 33m 19s, Input Value: 0.02289000 BTC, Fee: 0.00000678 BTC, Fee/B: 3.477 sat/B, Size: 195 Bytes, Weight Unit: 1.507 sat/WU, Witness: Yes, Locktime: 0, BTC Price: \$68,308.65.

Figure 44: Blockchain transaction evidence screenshot

Here we see the direct transaction between two wallets. Clicking on the “To” transaction shows the funds went through 100 different transactions in an attempt to lose the trail before arriving at the CDA wallet 1GrwDkr33gT6LuumniYjKEGjTLhsL5kmqC, which is behavior consistent with scam-related laundering activity:

The screenshot shows the Blockchain.com interface with a sidebar on the left containing navigation links: Home, Prices, Charts, NFTs, DeFi, Academy, News, Developers, Wallet, Exchange, and a currency selector (Bitcoin, Ethereum, Bitcoin Cash). The main content area displays a Bitcoin transaction with the following details:

- TX** (Transaction) tab selected, showing a confirmed transaction.
- Hash ID:** ef775d88ca69a769c71dee85f5a71a58fc1f214bbd023a980ba9faa75054bc0
- Amount:** 2.09385392 BTC • \$142,954
- Fee:** 44,532 SATS • \$30.40
- From:** 100 Inputs, 1GrwD-5kmqC
- To:** 1GrwDkr33gT6LuumniYjKEGjTLhsL5kmqC
- Summary:** This transaction was first broadcasted on the Bitcoin network on July 21, 2024 at 05:33 AM GMT-6. The transaction currently has 83,973 confirmations on the network. The current value of this transaction is now \$142,954.
- Advanced Details:** Hash: ef77-4bc0, Position: 6676, Age: 1y 7m 13d 8h 41m 6s, Input Value: 2.09429924 BTC, Fee: 0.00044532 BTC, Fee/B: 3.011 sat/B, Size: 14,788 Bytes, Weight Unit: 0.753 sat/WU, Witness: No, Locktime: 0, BTC Price: \$68,273.26.

Figure 45: Blockchain transaction evidence screenshot

The CDA wallet 1GrwDkr33gT6LuumniYjKEGjTLhsL5kmqC shows billions of dollars and hundreds of thousands of transactions going through it, making it a clear scammer wallet:




Figure 46: Blockchain transaction evidence screenshot

According to intel.arkm.com, the CDA wallet 1GrwDkr33gT6LuumniYjKEGjTLhsL5kmqC is also a Bybit wallet:




Figure 47: intel.arkm.com evidence screenshot

Transaction 2

a0713c836c2ea9c49cc9cfe187dc65e626a3a32dd5599c838afa14d47cc05406

Photo Proof of Transaction:




Figure 48: Screenshot of transaction a0713c836c2ea9c49cc9cfe187dc65e626a3a32dd5599c838afa14d47cc05406

Trace of Funds on Blockchain.com:




Figure 49: Blockchain transaction evidence screenshot

Clicking on the transaction shows the funds went through 200 inputs in an attempt to lose the trail before arriving at the same CDA as transaction #1:




Figure 50: Blockchain transaction evidence screenshot

Transaction #3

600abfcde2707eb6b56f85defd23ddbe309c8a3aa1f47969dee84576106cda9b

Photo Proof of Transaction:




Figure 51: Screenshot of transaction 600abfcde2707eb6b56f85defd23ddbe309c8a3aa1f47969dee84576106cda9b

Trace of Funds on Blockchain.com:




Figure 52: Blockchain transaction evidence screenshot

Clicking on the highlighted transaction shows the funds were sent through 100 inputs in an attempt to lose the trail before arriving at the same CDA as transactions #1 and #2:




Figure 53: Blockchain transaction evidence screenshot

Action Taken:

- The client was able to include the names of the suspects in his police report.
- The client reported the scam to Bybit.
- The client forwarded all of this information to his lawyer.