



RegisterFunction

```
-tempTotal: double
-customerTotal: double
-order: Order
-customerPennies: int
-customerNickles: int
-customerDimes: int
-customerQuarters: int
-customerAllDollar: int
-customerDollarCoin: int
-customerOnes: int
-customerTwos: int
-customerFives: int
-customerTens: int
-customerTwenties: int
-customerFifties: int
-customerHundreds: int
-changePennies: int
-changeDimes: int
-changeNickles: int
-changeQuarters: int
-changeHalfDollar: int
-changeDollarCoin: int
-changeOnes: int
-changeTwos: int
-changeFives: int
-changeTens: int
-changeTwenties: int
-changeFifties: int
-changeHundreds: int
+PropertyChangeg: event PropertyChangedEventHandler
+RegisterFunction() {Order}
+Pennies: int<get,set>
+Nickles: int<get,set>
+Dimes: int<get,set>
+Quarters: int<get,set>
+HalfDollars: int<get,set>
+DollarCoin: int<get,set>
+Ones: int<get,set>
+Twos: int<get,set>
+Fives: int<get,set>
+Tens: int<get,set>
+Twenties: int<get,set>
+Fifties: int<get,set>
+Hundreds: int<get,set>
+ChangePennies: int<get,set>
+ChangeNickles: int<get,set>
+ChangeDimes: int<get,set>
+ChangeQuarters: int<get,set>
+ChangeHalfDollar: int<get,set>
+ChangeDollarCoin: int<get,set>
+ChangeOnes: int<get,set>
+ChangeTwos: int<get,set>
+ChangeFives: int<get,set>
+ChangeTens: int<get,set>
+ChangeTwenties: int<get,set>
+ChangeFifties: int<get,set>
+ChangeHundreds: int<get,set>
+CustomerPennies: int<get,set>
+CustomerNickles: int<get,set>
+CustomerDimes: int<get,set>
+CustomerQuarters: int<get,set>
+CustomerAllDollars: int<get,set>
+CustomerDollarCoin: int<get,set>
+CustomerOnes: int<get,set>
+CustomerTwos: int<get,set>
+CustomerFives: int<get,set>
+CustomerTens: int<get,set>
+CustomerTwenties: int<get,set>
+CustomerFifties: int<get,set>
+CustomerHundreds: int<get,set>
```

PrintReceipt

```
-order: Order
-register: RegisterFunction
-paymentOption: string
-items: List<string>
+PrintReceipt() {Order, cash, CashPaymentScreen}
+PrintReceipt() {Order, string, payment}
+GetItems() {List<OrderItems>}
+PrintItems()
```

```
CustomCombo
-: OrderComponent
+CustomCombo() {OrderComponent}
+DoubleTroubleClick(sender: object, e: RoutedEventArgs): void
+MadPhillyClick(sender: object, e: RoutedEventArgs): void
+CancelClick(sender: object, e: RoutedEventArgs): void
+SailorSpecialClick(sender: object, e: RoutedEventArgs): void
```

```
OrderComponent
-menu: MenuSelectionComponent
-order: OrderSum
-orderNum: int
+OrderComponent()
+SwapToMenu(): void
+SwapToParent(target: DependencyObject): void
```

```
OrderSum
-order: Order
-oc: OrderComponent
+OrderSumComponent() {OrderComponent}
+CompletedOrderClick(sender: object, e: RoutedEventArgs): void
+RemoveOrderClick(sender: object, e: RoutedEventArgs): void
+CancelOrderClick(sender: object, e: RoutedEventArgs): void
+EditOrderClick(sender: object, e: RoutedEventArgs): void
```

```
MenuSelectionComponent
+ItemSelected: event EventHandler<MenuSelectionComponentEventArgs>
+MenuSelectionComponent()
+BrianheartBurgerClick(sender: object, e: RoutedEventArgs)
+DoubleDraguaClick(sender: object, e: RoutedEventArgs)
+ThaimorTripleClick(sender: object, e: RoutedEventArgs)
+SmokehouseSkeletonClick(sender: object, e: RoutedEventArgs)
+PhillyPoacherClick(sender: object, e: RoutedEventArgs)
+ThugsTBoneClick(sender: object, e: RoutedEventArgs)
+SailorSodaClick(sender: object, e: RoutedEventArgs)
+PhillyPoacherClick(sender: object, e: RoutedEventArgs)
+MarkarthMilkClick(sender: object, e: RoutedEventArgs)
+ArretinoAppleJuiceClick(sender: object, e: RoutedEventArgs)
+CandleheartCoffeeClick(sender: object, e: RoutedEventArgs)
+WarriorWaterClick(sender: object, e: RoutedEventArgs)
+DragonbornWaffleFriesClick(sender: object, e: RoutedEventArgs)
+MadOtarGritsClick(sender: object, e: RoutedEventArgs)
+FriedMiraakClick(sender: object, e: RoutedEventArgs)
+VokunSaladClick(sender: object, e: RoutedEventArgs)
+ComboClick(sender: object, e: RoutedEventArgs)
```

PointOfSale: Entree

```
CustomizationBrianheartBurger
-: OrderComponent
+CustomizationBrianheartBurger() {OrderComponent, burg: BrianheartBurger}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomizationDrauger
-: OrderComponent
+CustomizationDrauger() {OrderComponent, dt: DoubleDrauger}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomizationGardenOrc
-: OrderComponent
+CustomizationGardenOrc() {OrderComponent, go: GardenOrcOmelette}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomizationPhilly
-: OrderComponent
+CustomizationPhilly() {OrderComponent, poach: PhillyPoacher}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomSmokehouse
-: OrderComponent
+CustomizationSmokehouse() {OrderComponent, ss: SmokehouseSkeleton}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomThaimor
-: OrderComponent
+CustomizationThaimor() {OrderComponent, tt: ThaimorTriple}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomThugsTBone
-: OrderComponent
+CustomizationThugsTBone() {OrderComponent, tb: ThugsTBone}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomArretinoAppleJuice
-: OrderComponent
+CustomizationArretinoAppleJuice() {OrderComponent, aj: ArretinoAppleJuice}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomCandleheartCoffee
-: OrderComponent
+CustomizationCandleheartCoffee() {OrderComponent, cc: CandleheartCoffee}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomMarkarthMilk
-: OrderComponent
+CustomizationMarkarthMilk() {OrderComponent, mm: MarkarthMilk}
+MenuScreen()
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomSailorSoda
-: OrderComponent
+CustomizationSailorSoda() {OrderComponent, ss: SailorSoda}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomWarriorWater
-: OrderComponent
+CustomizationWarriorWater() {OrderComponent, ww: WarriorWater}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

PointOfSale: Side

```
CustomDragonbornWaffleFries
-: OrderComponent
+CustomizationDragonbornWaffleFries() {OrderComponent, dwf: DragonbornWaffleFries}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomMadOtarGrits
-: OrderComponent
+CustomizationMadOtarGrits() {OrderComponent, mog: MadOtarGrits}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomFriedMiraak
-: OrderComponent
+CustomizationFriedMiraak() {OrderComponent, fm: FriedMiraak}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomVokunSalad
-: OrderComponent
+CustomizationVokunSalad() {OrderComponent, vs: VokunSalad}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

PointOfSale: Combo

```
SailorSpecial
-: OrderComponent
-bb: BrianheartBurger
-ss: SailorSoda
-dwf: DragonbornWaffleFries
-combo: Combo
+SailorSpecial() {OrderComponent}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+SailorSodaClick(sender: object, e: RoutedEventArgs): void
+DragonbornClick(sender: object, e: RoutedEventArgs): void
```

```
CustomMadPhillyGrits
-: OrderComponent
-mad: MadOtarGrits
-can: CandleheartCoffee
-phl: PhillyPoacher
-combo: Combo
+CustomMadPhillyGrits() {OrderComponent}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MadClick(sender: object, e: RoutedEventArgs): void
+PhillyClick(sender: object, e: RoutedEventArgs): void
```

```
CustomOmeletteCombo
-: OrderComponent
-mm: MarkarthMilk
-orc: GardenOrcOmelette
-sal: VokunSalad
-combo: Combo
+CustomOmeletteCombo() {OrderComponent}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+GardenClick(sender: object, e: RoutedEventArgs): void
+MilkClick(sender: object, e: RoutedEventArgs): void
+SaladClick(sender: object, e: RoutedEventArgs): void
```

```
CustomDoubleTroubleTwo
-: OrderComponent
-dd: DoubleDraug
-aj: ArretinoAppleJuice
-dwf: DragonbornWaffleFries
-combo: Combo
+CustomDoubleTroubleTwo() {OrderComponent}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+DoubleDraguaClick(sender: object, e: RoutedEventArgs): void
+ArretinoClick(sender: object, e: RoutedEventArgs): void
+DragonbornClick(sender: object, e: RoutedEventArgs): void
```

PointOfSale: Combos, Combination

```
CustomWaffleFries
-: OrderComponent
-fries: DragonbornWaffleFries
+CustomizationDragonbornWaffleFries() {OrderComponent, dwf: DragonbornWaffleFries, combo: SailorSpecial}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomCandleCombo
-: OrderComponent
-can: CandleheartCoffee
-combo: SailorSpecial
+CustomizationCandleheartCoffee() {OrderComponent, cc: CandleheartCoffee, combo: CustomMadPhillyGrits}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomMadCombo
-: OrderComponent
-mad: MadOtarGrits
-phl: CustomMadPhillyGrits
+CustomizationMadOtarGrits() {OrderComponent, mog: MadOtarGrits, combo: CustomMadPhillyGrits}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomMilkCombo
-: OrderComponent
-milk: MarkarthMilk
-cc: CustomOmeletteCombo
+CustomizationMarkarthMilk() {OrderComponent, mm: MarkarthMilk, combo: CustomOmeletteCombo}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
+MenuScreen()
```

```
CustomGardenOrcCombo
-: OrderComponent
-orc: GardenOrcOmelette
-dtf: CustomDoubleTroubleTwo
+CustomizationGardenOrc() {OrderComponent, go: GardenOrcOmelette, combo: CustomDoubleTroubleTwo}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomDraugCombo
-: OrderComponent
-dd: DoubleDraug
+CustomizationDrauger() {OrderComponent, dt: DoubleDrauger, combo: CustomDoubleTroubleTwo}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomBurgerCombo
-: OrderComponent
-bb: BrianheartBurger
-ss: SailorSpecial
+CustomizationBrianheartBurger() {OrderComponent, burg: BrianheartBurger, combo: SailorSpecial}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomSailorCombo
-: OrderComponent
-soda: SailorSoda
-combo: SailorSpecial
+CustomizationSailorSoda() {OrderComponent, ss: SailorSoda, special: SailorSpecial}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomPhillyCombo
-: OrderComponent
-poa: PhillyPoacher
-co: CustomMadPhillyGrits
+CustomizationPhilly() {OrderComponent, poach: PhillyPoacher, combo: CustomMadPhillyGrits}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomVokunCombo
-: OrderComponent
-sal: VokunSalad
+CustomizationVokunSalad() {OrderComponent, vs: VokunSalad, combo: CustomOmeletteCombo}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomDragonCombo
-: OrderComponent
-fries: DragonbornWaffleFries
+CustomizationDragonbornWaffleFries() {OrderComponent, dwf: DragonbornWaffleFries, combo: CustomDoubleTroubleTwo}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

```
CustomArretinoCombo
-: OrderComponent
-juice: ArretinoAppleJuice
-dtf: CustomDoubleTroubleTwo
+CustomizationArretinoAppleJuice() {OrderComponent, aj: ArretinoAppleJuice, combo: CustomDoubleTroubleTwo}
+DoneClick(sender: object, e: RoutedEventArgs)
+CancelClick(sender: object, e: RoutedEventArgs)
```

Pages

About

```
- _logger: ILogger<IndexModel>
-----
+IndexModel(logger: ILogger<IndexModel>)
+OnGet(): void
```

Index

```
- _logger: ILogger<IndexModel>
-----
+IndexModel(logger: ILogger<IndexModel>)
+OnGet(): void
```

Error

```
- _logger: ILogger<IndexModel>
+ShowRequestId: string <<get>>
+RequestId: string <<get,set>>
-----
+IndexModel(logger: ILogger<IndexModel>)
+OnGet(): void
```

Privacy

```
- _logger: ILogger<IndexModel>
-----
+IndexModel(logger: ILogger<IndexModel>)
+OnGet(): void
```