

Gaze sequences reveal how people gradually arrive at a solution to a word puzzle (anagram)


Jesse Murray; Adwik Rahematpura; Minjoon Kouh, Ph.D.
Neuroscience Program, Drew University

Abstract

In many problem-solving tasks, a solution tends to emerge gradually, rather than “popping out”. Even a Eureka-moment is compared to a culminating act of putting the last puzzle piece in place after the extensive prior work of assembling most of the pieces [Cite: “Myth of Innovation”].

In this study, subjects were asked to unscramble randomly-scattered letters that formed a word (anagram), while their gaze locations were measured by an eye tracker. A similar eye-tracking study [Ellis et al., 2011] revealed that 2.4 seconds before reaching a solution, subjects gradually began to view solution letters for longer than distractor letters, illustrating that solution knowledge forms gradually rather than suddenly. This was the case even when subjects reported the solution as suddenly ‘popping out’, indicating that the partial solution knowledge was beneath the threshold for awareness.

We extended this experimental paradigm by analyzing gaze sequences which reveal letter combinations that a subject is considering during the solution-seeking process. We show that the first and last two-letter combinations (bigrams) that are part of the solution word are viewed more frequently prior to a solution.



An example stimulus with a 6-letter anagram. Three gaze positions are shown in red.


Can you find a solution to this anagram?

Methods

- Subjects: 29 undergraduate students
- Tobii T60 Eye Tracker with Tobii Studio
- One candy reward for every solved anagram
- Data analysis in Python (pandas)

Method Improvement: handling ambiguous fixations.

During pilot experiments, we found that subjects tended to not look directly at the letters on the screen (presumably because they could still read the letters using their non-foveal vision). As a result, it was difficult to infer which letters subjects were looking at. We lowered the contrast and changed the size and location of the letters, making them more difficult to read with peripheral vision. These changes led to a significant improvement in the quality of the data.



Results

Example gaze sequence (solved trial):

UJONRIUJNOIURUJNJOURNOJUINOJUORINRURUJIORNRIOJURIORJUNONJURNRJU



Solution Word: JUNIOR
First Bigram Last Bigram

JU average location = 0.72 OR average location = 0.66

For solved trials, the first and last solution word bigrams tend to be located closer to the end of the letter sequence.


Solved Trial Unsolved Trial

The following plots show the normalized location in the letter sequence of all **first** and **last** solution word bigrams in **solved** and **unsolved** trials.





The average normalized location of the **first** and **last** solution word bigrams is significantly greater in **solved trials** than in **unsolved trials**.

In all the following plots, the dots give averages and the error bars give 95% confidence intervals.



In the latter portion of the letter sequence, the likelihood of reading the **first** and **last** solution word bigrams becomes significantly greater in **solved trials** than in **unsolved trials**.



Discussion

Our results suggest that the first and last bigrams of the solution word are important pieces of partial solution knowledge. This partial solution knowledge is detected early in the problem-solving process, likely before it is accessible to subjective phenomenal awareness [1]. In future experiments, we will seek to compare the relevance to solution knowledge of more frequent bigrams in the English language - such as ‘th’ or ‘er’ - to less frequent bigrams.

Contact Information: jmurray@drew.edu

References

- Ellis et al. (2011). “Eye movements reveal solution knowledge prior to insight” Consciousness and Cognition, 20, 768-776.

Acknowledgements:

- Drew Summer Science Institute
- Justin Kim and Nikki Cilenti