
Relay turns a manual hand-off into a dependable workflow

A quieter way to automate high-stakes operational work

Illustrative Product Team August 2026



14 → 3

minutes per request, from intake to a ready decision

Today, analysts copy information across four tools before the actual work can begin.

Illustrative workflow benchmark, shown in minutes

Relay assembles the context before a person makes the decision


PRODUCT

Automate the preparation, preserve human judgment


Relay captures a request, validates required evidence, and routes one decision-ready record.

Design principle · Explain every automated step; keep the final decision human.

Technology template · Illustrative



One calm path replaces repeated searching and re-entry



The workflow is modular at the edges and opinionated at the decision point

**Policy-aware
orchestration layer**

Inputs

Forms · email · APIs · documents

Decision record

Evidence · checks · recommendation · audit trail

Outputs

Case systems · notifications · analytics

Illustrative logical architecture; connectors represent data flow rather than deployment topology.

Three capabilities make automation trustworthy enough for daily use

Explainable checks

Every validation shows the rule, evidence, and outcome.


Human control

Users can override a recommendation with recorded rationale.

Operational learning

Exceptions become visible patterns, not hidden manual work.


Decision readiness is visible before the case enters the queue



Illustrative product interface

ADOPTION

Weekly active use accelerates after teams see the first time saving



Illustrative six-week pilot adoption

Technology template · Illustrative

Policy is versioned as data, not buried in workflow code

```
const decision = evaluate({  
  policy: 'supplier-risk@2026-08',  
  evidence,  
})  
  
await recordDecision({ decision, rationale })
```

Every decision remains reproducible.

The record binds policy version, evidence, actor, and any human override.

Relay reduces manual coordination without creating a black box

SCRIPTED AUTOMATION

Fast until conditions change


- Logic distributed across integrations
- Exceptions fall back to email
- Limited decision provenance
- Hard to review policy changes

RELAY WORKFLOW

Designed for governed change

- Policy versioned explicitly
- Exceptions visible in one queue
- Evidence linked to every outcome
- Human override recorded by design

The roadmap prioritises trust before breadth



Trust will fail if the product is accurate but operationally opaque

Risk	Product response	Proof point
Incorrect source evidence	Preserve source and confidence	Reviewer can inspect origin
Policy changes silently	Version and diff every rule set	Decision shows active version
Automation stalls	Explicit retry and human queue	No request disappears
Adoption becomes mandatory	Start with opt-in pilot teams	Usage grows through value

Illustrative product risk framework

NEXT STEPS

Three decisions unlock the next 12 weeks

-
- | | | |
|----|--|----------------------|
| 01 | Select the first governed workflow | Product + Operations |
| 02 | Nominate two pilot teams | Business sponsor |
| 03 | Approve the evidence and audit standard | Risk + Technology |
-

Automate the preparation. Keep the decision human.

Relay is ready for a focused pilot with one workflow, two teams, and one measurable promise: reduce preparation time without weakening control.