

Mass Spectrometry-based Multi-Omics: Combined Studies of Proteomics, Metabolomics, and/or Lipidomics

This manuscript ([permalink](#)) was automatically generated from [jessegmeyerlab/2022-multi-omics-review@0d73ac8](#) on December 30, 2021.

Authors

- **Yuming Jiang**

 [XXXX-XXXX-XXXX-XXXX](#) ·  [janeroe](#)

Department of Something, University of Whatever; Department of Whatever, University of Something

- **Quinn Dickinson**

 [XXXX-XXXX-XXXX-XXXX](#) ·  [janeroe](#)

Department of Something, University of Whatever; Department of Whatever, University of Something

- **Amanda Momenzadeh**

 [0000-0002-8614-0690](#) ·  [amandamomenzadeh](#)

Department of Biochemistry, Medical College of Wisconsin

- **Jesse G. Meyer**

 [0000-0003-2753-3926](#) ·  [jessegmeyerlab](#) ·  [j_my_sci](#)

Department of Biochemistry, Medical College of Wisconsin · Funded by Grant R21 AG074234; Grant R35 GM142502

Abstract

Studies that integrate unbiased measurements across at least two omics layers are often referred to as “multiomics”. Measurable “omes” include the genome, transcriptome, proteome, and metabolome. Any combination of omic measures can be referred to as multiomics; for the scope of this review we focus on research combining proteomics and metabolomics. Mass spectrometry is the leading technique for analysis of the proteome and the metabolome. Due to improvements in sample preparation and data collection, more studies are incorporating both mass spectrometry-based proteomics and metabolomics. In this review, we discuss the perceived value of multiomics, advances in sample preparation and data collection, the current state of multiomic data integration, and clinical examples of multiomic analysis. Finally, we explore major barriers preventing democratization of mass spectrometry based multiomics to the same level as nucleic acid analysis, and we suggest solutions to break these barriers.

Introduction

A major goal of biomedical research is understanding how changes in biomolecule compositions of cells and tissues lead to disease phenotypes. The genome serves as a library of possible transcripts, some of which are instructions for proteins, and proteins act on metabolites. The genome thus indirectly determines the set of possible cellular phenotypic states, and the exact cellular state at any given time depends on interaction between the genome with endogenous and exogenous environmental cues. To understand how the genome connects to phenotype, measurement of the genome must be accompanied by measurement of downstream layers of the central dogma of biochemistry (Figure 1?).

Most RNAs encode for proteins, and aside from noncoding RNA and ribozymes, most of the potential functions encoded in a genome are carried out by proteins. Although extensive research has nearly commoditized RNA measurement or transcriptomics [cite transcriptomics review], multiple studies have found poor correlation between proteins and their corresponding mRNA (add citations especially work from christine vogel, maybe add figure here showing poor correlation of CPTAC mRNA/protein data?). Therefore, functional understanding of a biological state demands quantitations of all proteins that are present. Large scale study of the proteins in a biological system is known as proteomics. Proteomics can include

Many argue that quantities of proteins is not enough. The presence of a protein does not necessarily equal the presence of that protein's function. Protein functions are regulated in many ways, including allosteric feedback by metabolites and post-translational modifications such as phosphorylation, acylation, or proteolysis (cite something). A large proportion (what proportion are predicted to be metabolic?) of cellular proteins act on metabolites that are intermediates for cell proliferation or catabolism and energy production. The large scale measurement of the cellular metabolite pools is known as metabolomics, which is sometimes further separated into polar metabolomics and lipidomics.

Measurement of multiple omic layers is known as multiomics. Mass spectrometry can measure peptides (or proteins, cite top down review) for proteomic analysis, and also metabolites for metabolomic analysis. Over the last decade we have seen an increase in measuring both proteomes and metabolomes from the same sample. Although multiomics can refer to measuring at least any two omes, throughout this review we focus on multiomic measurements between proteomes and metabolomes.

Integrating data from multiomics should provide more information about the cellular state than the sum of each dataset. Multiomic data integration methods have been developed with different classes of goals. More work is needed to develop methods that take advantage of multiomic data to discover new biological insights into how systems work.

In this review we cover the following topics related to multiomics:

- sample preparation methods
- data collection methods
- data integration
- applications to model organisms
- applications to clinical studies

6. Other reviews

Multiomic studies in mitochondria [1]

- discussion of how to prepare samples, QC, and methods to analyze the samples by MS
- includes mention of linking to functional (phenotype) readout

Multi-omics approaches to disease [2]

- overview of each omic technology
- first section is discusses considerations for before multiomic studies: consider the exact disease, sample size, human samples versus model organisms, plan for analysis strategy before collecting data
- second section is focus on methods for omic integration:
- third is future directions:

Integrated omics: tools, advances and future approaches[3]

List of Planned Figures: 1. overview of how omic layers are related showing different 'flavors' of each omic analysis * genomics: transcription factor binding (chip-seq), long range structure (ATAC seq?), etc * transcriptomics: microarrays, RNA-seq, long read nanopore or pacbio * proteomics: interactomics, structural proteomics (thermal proteome profiling or CETSA), PTMomics * metabolomics: polar metabolomics, lipidomics,

2.

Sample Preparation for Multi-Omic Analysis

As with any methodology, the first but also a crucial step for analytical success is proper sample preparation. This is particularly important for mass spectrometry-based multi-omic analysis, the selected sample preparation strategy is a key determinant for information that will be obtained. Given the great diversity and complexity of biological samples being tested in proteomics and metabolomics, even subtle differences in sample preparation methods can have profound effects on the types of molecules being extracted, which further affect the retention time, signal stability and ionization efficiency. For example, analysis of different types of biomolecules requires specific sample extraction procedures. The most efficient extraction protocols often only cover a restricted type of biomolecules due to their different physicochemical properties.

1, Sample preparation for proteomics

Protein preparation for MS analysis can be accomplished by many methods, so it is important to understand the steps leading to analysis. While intact proteins are typically studied by gel electrophoresis, the most common mass spectrometry workflows for complex protein samples analyze peptides, which are easier than proteins to fractionate by LC. Peptides also ionize and fragment more efficiently than whole proteins, resulting in spectra that are easier to interpret for protein identification. Peptide preparation involves reduction and alkylation of cysteines, digestion of the sample into peptides, desalting and concentration of the peptides and final analysis of these peptides by ionization (e.g., ESI) plus orbitrap-based MS.

2, Sample preparation for metabolomics

2.1 non-targeted metabolomics

[4]

2.2 targeted metabolomics

2.3 lipidomics

[\[5\]](#)

3, Integrative sample preparation for multi-omics

In the context of multi-omics analyses, being able to perform multiple measurements on the same sample can also decrease experimental variation. In this section, we will review several integrative sample preparation technical advances that increased the capabilities of multiomic analysis. One important goal is to decrease the variation between different samples, ultimately to .

[\[6\]](#)

[\[7\]](#)

-“An Integrated, High-Throughput Strategy for Multiomic Systems Level Analysis” [\[8\]](#)

-“Detergent-Free Simultaneous Sample Preparation Method for Proteomics and Metabolomics” [\[9\]](#)

-“MPLEx: a Robust and Universal Protocol for Single-Sample Integrative Proteomic, Metabolomic, and Lipidomic Analyses” [\[10\]](#)

-“Single-platform ‘multi-omic’ profiling: unified mass spectrometry and computational workflows for integrative proteomics–metabolomics analysis” [\[11\]](#)

-“Three-in-One Simultaneous Extraction of Proteins, Metabolites and Lipids for Multi-Omics” [\[12\]](#)

..”

-

New developments of mass spectrometry-based methods for multi-omics

4.1 proteomics

4.1.1 Traditional standard methods for proteomics

(Remember to mention here)

4.1.2 Direct infusion methods for proteome analysis (high-throughput methods)

For current proteomic analysis methods, time-consuming chromatographic separation (typically requiring 30–60 min per sample or even longer) is required to protect the coverage, repeatability, robustness and quantification ability. However, with the rapid application of multiomics results in drug development, biomarker discovery studies and clinical diagnosis. High-throughput methods is highly desirable to boost these fields forward.[\[13\]](#)

(as a high-throughput method, MALDI based proteome analysis should be mentioned here, for example, the application of MALDI for identification of species of bacteria and fungus through their specific peptides)

4.2 metabolomics

To accurately and reliably interpret data derived from metabolomics and lipidomics studies, enormous mass spectrometry based methods were developed during the past decades. (remember to mention the application of MALDI for metabolites analysis, although the drawback of MALDI-tof is obvious.)

Drawbacks: 1, the background of organic matrix in the low molecular weight region 2, the obtained information of MALDI is still very limited, no more than 300 identified metabolites, and also quantification is difficult.

3, as a non-consistent ion source, currently TOF is the typical mass analyser for MALDI, which still suffers from relative low resolution. FTICR can connect MALDI)

4.2.2 Direct infusion mass spectrometry methods for high-throughput analysis of metabolites.()

(direct infusion and so called flow injection MS. do not know the differences, seems saying the same thing.) In typical metabolomic analysis workflow, MS is typically coupled with liquid or gas chromatography, enables separating metabolites within a complex sample and further increases the overall sensitivity by minimizing the ion suppression effect. However, this approach also brings for metabolomics analysis is that chromatographic separation is time-consuming (20–60 min per sample), preventing its application for high-throughput metabolomic screens of large scale samples that required for biomarker discovery studies and clinical analysis.

[\[5\]](#)

[\[5\]](#)

4.4 Integrated Strategy for Mass Spectrometry-Based Multiomics

Mass spectrometry (MS) serves as the centerpiece technology for proteome and metabolome analysis. To gain a better understanding of the multifaceted networks of myriad actions in complex organisms, integration of different multiomic layers is increasingly explored such as joint methods of different omics.

[\[14\]](#)

[\[15\]](#), =pdf]

[\[16\]](#), =pdf]

Multi-Omic Data Integration

Argonaut data integration manuscript - [\[17\]](#)

“Integration strategies of multi-omics data for machine learning analysis” [\[18\]](#)

“Multi-omics data integration considerations and study design for biological systems and disease” [\[19\]](#)

mixomics R tools [[20](#)/journal.pcbi.1005752]

“Multi-omics Data Integration, Interpretation, and Its Application” [[21](#)]

Mass Spectrometry-based Multi-Omics Applied to Model Organisms

“Multiomics Method Enabled by Sequential Metabolomics and Proteomics for Human Pluripotent Stem-Cell-Derived Cardiomyocytes” [[22](#)]:

Multi-omics Reveal Specific Targets of the RNA-Binding Protein Puf3p and Its Orchestration of Mitochondrial Biogenesis [[23](#)]

Mitochondrial protein functions elucidated by multiomic mass spectrometry [[24](#)]

Multi-omic mitoprotease profiling reveals role for oct1p [[25](#)]

“An integrative systems genetic analysis of mammalian lipid metabolism” [[26](#)] * proteomics and lipidomics of mouse liver across 107 genetically different strains *

Clinical applications of multi-omics (proteomics, metabolomics, and/or lipidomics)

Literature currently focused on proteogenomics (integration of genome, transcriptome, and proteome)“Clinical multi-omics strategies for the effective cancer management”[[27](#)]

Holistic approach has the ability to improve prognostics and predictive accuracy of disease phenotypes to aid in better treatment and prevention “Multi-omics Data Integration, Interpretation, and Its Application”[[28](#)]

Approaches in cancer research: - “Integration of Proteomics and Metabolomics Revealed Metabolite-Protein Networks in ACTH-Secreting Pituitary Adenoma” [[27](#)]: gas chromatography-mass spectrometry (GC-MS) for metabolomics, plus nano liquid chromatography tandem-mass spectrometry(nanoLC-MS/MS) proteomics. Using metabolomic and proteomic data to identify signaling pathways important in metabolic regulation of tumorigenesis. Reveal biomarkers for disease diagnosis, monitoring and therapeutic targets. Looking for changes in tumor on the pituitary gland (adrenocorticotrophic hormone-secreting pituitary adenomas (ACTH-PA)). Downregulated glycolysis and fatty acid synthesis. Myc signaling pathway significantly participated in the metabolic changes and tumorigenesis of ACTH-PA. - “Integration of metabolomics and proteomics in multiple sclerosis: From biomarkers discovery to personalized medicine” [[29](#)]: majority of biomarkers for MS are not sensitive and/or specific enough to be used for population screening. From the 188 proposed biomarker candidates for MS found in CSF, only 10 (5%) have been successfully verified, while 20 have been falsified. This is likely due to the inter-individual variation. Integrating omics approaches may help with this pitfall; proteomics in combination with the other “omics” may synergize to provide a more precise spectrum of information capable of better characterizing a phenotype. When proteins alone, metabolites alone and proteins and metabolites together were uploaded into the ingenuity pathway analysis (IPA) tool, number of matched molecules for “proteins and metabolites” is higher than the sum of molecules matched in the separate searches. - “Proteomic and Metabolomic Characterization of COVID-19 Patient Sera” [[30](#)]: proteomic and metabolomic profiling of serum from 46 COVID-19 patients. Stable isotope labeled proteomics TMTpro (16plex) and and ultra performance liquid chromatography/tandem mass

spectrometry (UPLC-MS/MS) untargeted metabolomics to analyze samples. Dysregulation of macrophage, platelet degranulation, complement system, and metabolic suppression in severe COVID-19 patients, useful for selection of biomarkers for severity evaluation. Implemented machine learning model using expression levels of 22 serum proteins and 7 metabolites with overall accuracy of 93.5% in the training set. - "High-throughput mediation analysis of human proteome and metabolome identifies mediators of post-bariatric surgical diabetes control"[[31](#)] patients with type 2 diabetes randomized to RYGB vs nonsurgical diabetes/weight management; fasting plasma proteome and metabolome were assayed up to 3 years. Plasma proteome profiling was performed using the high-throughput DNA aptamer-based SOMAscan assay platform. Plasma metabolomics were profiled using a commercial semi-quantitative mass spectrometry-based platform (Metabolon, Inc.) using UPLC-MS/MS. Main mediator of improved glycemic control was GHR, which was reduced 3 months after RYGB. GH signaling = diabetogenic effects. - "Concurrent lipidomics and proteomics on malignant plasma cells from multiple myeloma patients: Probing the lipid metabolome" [[32](#)] comparing targeted and untargeted lipidomics and proteomics between relapsed and newly diagnosed MM patients - "Proteometabolomics of bladder cancer: Current and future prospects" [[33](#)]: simultaneous proteome and metabolome data from urine and blood for urinary bladder cancer patient surveillance to aid in early detection of bladder cancer - - "Grade-Dependent Metabolic Reprogramming in Kidney Cancer Revealed by Combined Proteomics and Metabolomics Analysis" [[34](#)] - - "L-Arginine Modulates T Cell Metabolism and Enhances Survival and Anti-tumor Activity" [[35](#)]

multi-omics for covid-19 research

Any reviews on this??

Guo paper: [[36](#)]

Jaitovich paper: [[37](#)]

References

1. **Mass-spectrometric multi-omics linked to function – State-of-the-art investigations of mitochondria in systems medicine**
TrAC Trends in Analytical Chemistry
(2019-10-01) <https://www.sciencedirect.com/science/article/pii/S0165993619303668>
DOI: [10.1016/j.trac.2019.115635](https://doi.org/10.1016/j.trac.2019.115635)
2. **Multi-omics approaches to disease**
Yehudit Hasin, Marcus Seldin, Aldons Lusic
Genome Biology (2017-05-05) <https://doi.org/10.1186/s13059-017-1215-1>
DOI: [10.1186/s13059-017-1215-1](https://doi.org/10.1186/s13059-017-1215-1)
3. **Integrated omics: tools, advances and future approaches**
Biswapriya B Misra, Carl Langefeld, Michael Olivier, Laura A Cox
Journal of Molecular Endocrinology (2019-01) <https://doi.org/gfx8hg>
DOI: <https://doi.org/10.1530/jme-18-0055>
4. **Development of a plasma pseudotargeted metabolomics method based on ultra-high-performance liquid chromatography-mass spectrometry**
Fujian Zheng, Xinjie Zhao, Zhongda Zeng, Lichao Wang, Wangjie Lv, Qingqing Wang, Guowang Xu
Nature Protocols (2020-08) <https://www.nature.com/articles/s41596-020-0341-5>
DOI: [10.1038/s41596-020-0341-5](https://doi.org/10.1038/s41596-020-0341-5)
5. **A complete workflow for high-resolution spectral-stitching nanoelectrospray direct-infusion mass-spectrometry-based metabolomics and lipidomics**
Andrew D Southam, Ralf JM Weber, Jasper Engel, Martin R Jones, Mark R Viant
Nature Protocols (2017-02) <https://www.nature.com/articles/nprot.2016.156>
DOI: [10.1038/nprot.2016.156](https://doi.org/10.1038/nprot.2016.156)
6. **Multiomic analysis of a dried single-drop plasma sample using an integrated mass spectrometry approach**
Weina Gao, Qiaoyun Zhang, Yiran Su, Peiwu Huang, Xue Lu, Qinyue Gong, Wendong Chen, Ruilian Xu, Ruijun Tian
Analyst (2020-10-12) <https://pubs.rsc.org/en/content/articlelanding/2020/an/d0an01149e>
DOI: [10.1039/d0an01149e](https://doi.org/10.1039/d0an01149e)
7. <https://doi.org/10.3389/fgene.2021.635971>
8. **An Integrated, High-Throughput Strategy for Multiomic Systems Level Analysis**
Danielle B Gutierrez, Randi L Gant-Branum, Carrie E Romer, Melissa A Farrow, Jamie L Allen, Nikesh Dahal, Yuan-Wei Nei, Simona G Codreanu, Ashley T Jordan, Lauren D Palmer, ... Richard M Caprioli
Journal of Proteome Research (2018-08-16) <https://doi.org/gfhjtv>
DOI: [10.1021/acs.jproteome.8b00302](https://doi.org/10.1021/acs.jproteome.8b00302) · PMID: [30114907](https://pubmed.ncbi.nlm.nih.gov/30114907/) · PMCID: [PMC6469931](https://pubmed.ncbi.nlm.nih.gov/PMC6469931/)
9. **Detergent-Free Simultaneous Sample Preparation Method for Proteomics and Metabolomics**
Alexandre Zougman, John P Wilson, Lee D Roberts, Rosamonde E Banks
Journal of Proteome Research (2019-11-19) <https://doi.org/gnxfr9>
DOI: <https://doi.org/10.1021/acs.jproteome.9b00662>

10. **MPLEX: a Robust and Universal Protocol for Single-Sample Integrative Proteomic, Metabolomic, and Lipidomic Analyses**
Ernesto S Nakayasu, Carrie D Nicora, Amy C Sims, Kristin E Burnum-Johnson, Young-Mo Kim, Jennifer E Kyle, Melissa M Matzke, Anil K Shukla, Rosalie K Chu, Athena A Schepmoes, ... Thomas O Metz
mSystems (2016-06-28) <https://doi.org/gk7gvg>
DOI: <https://doi.org/10.1128/msystems.00043-16>
11. **Single-platform 'multi-omic' profiling: unified mass spectrometry and computational workflows for integrative proteomics-metabolomics analysis**
Benjamin C Blum, Fatemeh Mousavi, Andrew Emili
Molecular Omics (2018) <https://doi.org/ghcv4s>
DOI: [10.1039/c8mo00136g](https://doi.org/10.1039/c8mo00136g) · PMID: [30211418](https://pubmed.ncbi.nlm.nih.gov/30211418/)
12. **Three-in-One Simultaneous Extraction of Proteins, Metabolites and Lipids for Multi-Omics**
Jianing Kang, Lisa David, Yangyang Li, Jing Cang, Sixue Chen
Frontiers in Genetics (2021-04-15) <https://doi.org/gnxfsb>
DOI: <https://doi.org/10.3389/fgene.2021.635971>
13. **Quantitative shotgun proteome analysis by direct infusion**
Jesse G Meyer, Natalie M Niemi, David J Pagliarini, Joshua J Coon
Nature Methods (2020-12) <https://www.nature.com/articles/s41592-020-00999-z>
DOI: [10.1038/s41592-020-00999-z](https://doi.org/10.1038/s41592-020-00999-z)
14. **An Integrated Strategy for Mass Spectrometry-Based Multiomics Analysis of Single Cells**
Yuanyuan Li, Hang Li, Yuping Xie, Shuo Chen, Ritian Qin, Hangyan Dong, Yongliang Yu, Jianhua Wang, Xiaohong Qian, Weijie Qin
Analytical Chemistry (2021-10-13) <https://pubs.acs.org/doi/abs/10.1021/acs.analchem.0c05209>
DOI: [10.1021/acs.analchem.0c05209](https://doi.org/10.1021/acs.analchem.0c05209)
15. **Multi-Omic Single-Shot Technology for Integrated Proteome and Lipidome Analysis**
Yuchen He, Edrees H Rashan, Vanessa Linke, Evgenia Shishkova, Alexander S Hebert, Adam Jochem, Michael S Westphall, David J Pagliarini, Katherine A Overmyer, Joshua J Coon
Analytical Chemistry (2021-02-22) <https://pubs.acs.org/doi/abs/10.1021/acs.analchem.0c04764>
DOI: [10.1021/acs.analchem.0c04764](https://doi.org/10.1021/acs.analchem.0c04764)
16. **An Integrated Strategy for Mass Spectrometry-Based Multiomics Analysis of Single Cells**
Yuanyuan Li, Hang Li, Yuping Xie, Shuo Chen, Ritian Qin, Hangyan Dong, Yongliang Yu, Jianhua Wang, Xiaohong Qian, Weijie Qin
Analytical Chemistry (2021-10-13) <https://pubs.acs.org/doi/abs/10.1021/acs.analchem.0c05209>
DOI: [10.1021/acs.analchem.0c05209](https://doi.org/10.1021/acs.analchem.0c05209)
17. <https://doi.org/10.1016/j.patter.2020.100122>
18. **Integration strategies of multi-omics data for machine learning analysis.**
Milan Picard, Marie-Pier Scott-Boyer, Antoine Bodein, Olivier Périn, Arnaud Droit
Computational and structural biotechnology journal (2021-06-22)
<https://www.ncbi.nlm.nih.gov/pubmed/34285775>
DOI: [10.1016/j.csbj.2021.06.030](https://doi.org/10.1016/j.csbj.2021.06.030) · PMID: [34285775](https://pubmed.ncbi.nlm.nih.gov/34285775/) · PMCID: [PMC8258788](https://pubmed.ncbi.nlm.nih.gov/PMC8258788/)
19. **Multi-omics data integration considerations and study design for biological systems and disease.**
Stefan Graw, Kevin Chappell, Charity L Washam, Allen Gies, Jordan Bird, Michael S Robeson, Stephanie D Byrum

Molecular omics (2021-04-19) <https://www.ncbi.nlm.nih.gov/pubmed/33347526>
DOI: [10.1039/d0mo00041h](https://doi.org/10.1039/d0mo00041h) · PMID: [33347526](https://pubmed.ncbi.nlm.nih.gov/33347526/) · PMCID: [PMC8058243](https://pubmed.ncbi.nlm.nih.gov/PMC8058243/)

20. <https://journals.plos.org/ploscompbiol/article?id>
21. **Multi-omics Data Integration, Interpretation, and Its Application**
Indhupriya Subramanian, Srikant Verma, Shiva Kumar, Abhay Jere, Krishanpal Anamika
Bioinformatics and Biology Insights (2020-01-31) <https://doi.org/ggn3c8>
DOI: <https://doi.org/10.1177/1177932219899051>
22. **Multimomics Method Enabled by Sequential Metabolomics and Proteomics for Human Pluripotent Stem-Cell-Derived Cardiomyocytes**
Elizabeth F Bayne, Aaron D Simmons, David S Roberts, Yanlong Zhu, Timothy J Aballo, Benjamin Wancewicz, Sean P Palecek, Ying Ge
Journal of Proteome Research (2021-10-01)
<https://pubs.acs.org/doi/10.1021/acs.jproteome.1c00611>
DOI: [10.1021/acs.jproteome.1c00611](https://doi.org/10.1021/acs.jproteome.1c00611)
23. **Multi-omics Reveal Specific Targets of the RNA-Binding Protein Puf3p and Its Orchestration of Mitochondrial Biogenesis.**
Christopher P Lapointe, Jonathan A Stefely, Adam Jochem, Paul D Hutchins, Gary M Wilson, Nicholas W Kwiecien, Joshua J Coon, Marvin Wickens, David J Pagliarini
Cell systems (2017-12-13) <https://www.ncbi.nlm.nih.gov/pubmed/29248374>
DOI: [10.1016/j.cels.2017.11.012](https://doi.org/10.1016/j.cels.2017.11.012) · PMID: [29248374](https://pubmed.ncbi.nlm.nih.gov/29248374/) · PMCID: [PMC5799006](https://pubmed.ncbi.nlm.nih.gov/PMC5799006/)
24. **Mitochondrial protein functions elucidated by multi-omic mass spectrometry profiling.**
Jonathan A Stefely, Nicholas W Kwiecien, Elyse C Freiburger, Alicia L Richards, Adam Jochem, Matthew JP Rush, Arne Ulbrich, Kyle P Robinson, Paul D Hutchins, Mike T Veling, ... Joshua J Coon
Nature biotechnology (2016-09-26) <https://www.ncbi.nlm.nih.gov/pubmed/27669165>
DOI: [10.1038/nbt.3683](https://doi.org/10.1038/nbt.3683) · PMID: [27669165](https://pubmed.ncbi.nlm.nih.gov/27669165/) · PMCID: [PMC5101133](https://pubmed.ncbi.nlm.nih.gov/PMC5101133/)
25. **Multi-omic Mitoprotease Profiling Defines a Role for Oct1p in Coenzyme Q Production.**
Mike T Veling, Andrew G Reidenbach, Elyse C Freiburger, Nicholas W Kwiecien, Paul D Hutchins, Michael J Drahnak, Adam Jochem, Arne Ulbrich, Matthew JP Rush, Jason D Russell, ... David J Pagliarini
Molecular cell (2017-12-07) <https://www.ncbi.nlm.nih.gov/pubmed/29220658>
DOI: [10.1016/j.molcel.2017.11.023](https://doi.org/10.1016/j.molcel.2017.11.023) · PMID: [29220658](https://pubmed.ncbi.nlm.nih.gov/29220658/) · PMCID: [PMC5730362](https://pubmed.ncbi.nlm.nih.gov/PMC5730362/)
26. **An integrative systems genetic analysis of mammalian lipid metabolism.**
Benjamin L Parker, Anna C Calkin, Marcus M Seldin, Michael F Keating, Elizabeth J Tarling, Pengyi Yang, Sarah C Moody, Yingying Liu, Eser J Zerenturk, Elise J Needham, ... Brian G Drew
Nature (2019-02-27) <https://www.ncbi.nlm.nih.gov/pubmed/30814737>
DOI: [10.1038/s41586-019-0984-y](https://doi.org/10.1038/s41586-019-0984-y) · PMID: [30814737](https://pubmed.ncbi.nlm.nih.gov/30814737/) · PMCID: [PMC6656374](https://pubmed.ncbi.nlm.nih.gov/PMC6656374/)
27. <https://doi.org/10.3389/fendo.2018.00678>
28. **Multi-omics Data Integration, Interpretation, and Its Application:**
Indhupriya Subramanian, Srikant Verma, Shiva Kumar, Abhay Jere, Krishanpal Anamika
Bioinformatics and Biology Insights (2020-01-31)
<https://journals.sagepub.com/doi/10.1177/1177932219899051>
DOI: [10.1177/1177932219899051](https://doi.org/10.1177/1177932219899051)
29. **Integration of metabolomics and proteomics in multiple sclerosis: From biomarkers discovery to personalized medicine**

Piero Del Boccio, Claudia Rossi, Maria di Ioia, Ilaria Cicalini, Paolo Sacchetta, Damiana Pieragostino

PROTEOMICS – Clinical Applications (2016-04-01)

<https://onlinelibrary.wiley.com/doi/10.1002/prca.201500083>

DOI: [10.1002/prca.201500083](https://doi.org/10.1002/prca.201500083)

30. <https://doi.org/10.1016/j.cell.2020.05.032>

31. **High-throughput mediation analysis of human proteome and metabolome identifies mediators of post-bariatric surgical diabetes control**

Jonathan M Dreyfuss, Yixing Yuchi, Xuehong Dong, Vissarion Efthymiou, Hui Pan, Donald C Simonson, Ashley Vernon, Florencia Halperin, Pratik Aryal, Anish Konkar, ... Mary Elizabeth Patti
Nature Communications (2021-11-29) <https://www.nature.com/articles/s41467-021-27289-2>

DOI: [10.1038/s41467-021-27289-2](https://doi.org/10.1038/s41467-021-27289-2)

32. **Concurrent lipidomics and proteomics on malignant plasma cells from multiple myeloma patients: Probing the lipid metabolome**

Ahmed Mohamed, Joel Collins, Hui Jiang, Jeffrey Molendijk, Thomas Stoll, Federico Torta, Markus R Wenk, Robert J Bird, Paula Marlton, Peter Mollee, ... Michelle M Hill

PLOS ONE (2020-01-08) [https://journals.plos.org/plosone/article?](https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0227455)

[id=10.1371/journal.pone.0227455](https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0227455)

DOI: [10.1371/journal.pone.0227455](https://doi.org/10.1371/journal.pone.0227455)

33. **Proteometabolomics of bladder cancer: Current and future prospects**

Navneeta Bansal, Ashish Gupta, Satya Narain Sankhwar

Cancer Biomarkers (2015-06-02) <https://doi.org/gnw6ft>

DOI: [10.3233/cbm-150479](https://doi.org/10.3233/cbm-150479) · PMID: [25792474](https://pubmed.ncbi.nlm.nih.gov/25792474/)

34. **Grade-Dependent Metabolic Reprogramming in Kidney Cancer Revealed by Combined Proteomics and Metabolomics Analysis**

Hiromi I Wettersten, AARI Hakimi, Dexter Morin, Cristina Bianchi, Megan E Johnstone, Dallas R Donohoe, Josephine F Trott, Omran Abu Aboud, Steven Stirdivant, Bruce Neri, ... Robert H Weiss
Cancer Research (2015-06-15) <https://doi.org/f7h8zh>

DOI: [10.1158/0008-5472.can-14-1703](https://doi.org/10.1158/0008-5472.can-14-1703) · PMID: [25952651](https://pubmed.ncbi.nlm.nih.gov/25952651/) · PMCID: [PMC4470795](https://pubmed.ncbi.nlm.nih.gov/PMC4470795/)

35. **L-Arginine Modulates T Cell Metabolism and Enhances Survival and Anti-tumor Activity**

Roger Geiger, Jan C Rieckmann, Tobias Wolf, Camilla Basso, Yuehan Feng, Tobias Fuhrer, Maria Kogadeeva, Paola Picotti, Felix Meissner, Matthias Mann, ... Antonio Lanzavecchia

Cell (2016-10) <https://doi.org/f88qkm>

DOI: <http://dx.doi.org/10.1016/j.cell.2016.09.031>

36. **Proteomic and Metabolomic Characterization of COVID-19 Patient Sera**

Bo Shen, Xiao Yi, Yaoting Sun, Xiaojie Bi, Juping Du, Chao Zhang, Sheng Quan, Fangfei Zhang, Rui Sun, Liujia Qian, ... Tiannan Guo

Cell (2020-07) <https://doi.org/gg2cck>

DOI: <https://doi.org/10.1016/j.cell.2020.05.032>

37. <https://doi.org/10.1016/j.cels.2020.10.003>