

# VeroConnect API Documentation

## swagger

2.0

### info: title

VeroConnect API

### info: description

This *\*Verocity API Integration Module\** provides resources and definitions used by the *\*\*VeroConnect\*\** integration implementation.

### info: version

v1.1

### info: contact

contact: {}

### host

verocity-api.screening.services

### basePath

/api/v1/integration

## VeroConnect API Documentation

### schemes

['https']

### securityDefinitions: basicAuth

basicAuth:

description: "\*\*\*Authorization\*\*\n\nThis resource uses Basic Authentication using\n\n \ an apiKey for username (password is not required)which will be given to you\n\n \ by deverus. The colon is required when generating your Basic Auth key.\n\n\nExample:\n\nBase64 ( 04D4CD8E-A4B8-4F95-BD21-CF3658665D96: )\n\nHeader Key:\n\n \ Authorization: Basic LKJHSDLFKKFJH23423K4JHWKJHS=="

in: header

name: Authorization

type: apiKey

### securityDefinitions: bearerToken

bearerToken:

description: This resource requires a JWT bearer token and is only available for\n\ncustom integrations with Integration Manager.

in: header

name: Authentication

type: apiKey

### definitions: order

order:

description: The POST body to an orders resource

properties:

applicant:

## VeroConnect API Documentation

description: This is for the applicant data

properties:

address:

description: required by configuration

properties:

addressLine1:

description: The applicant's street address

type: string

city:

description: The applicant's city

type: string

state:

description: The two-character abbreviation applicant's state

type: string

zipCode:

description: The applicant's zip code

type: string

required:

- addressLine1

- city

- state

- zipCode

type: object

basicInformation:

description: Applicant's Basic Information

## VeroConnect API Documentation

properties:

dob:

description: The 10-character (mm/dd/yyyy) applicant's date of birth.

This will be required by configuration (based on searchType or package details)

type: string

email:

description: The applicant's email address

type: string

firstName:

description: The applicant's first name

type: string

lastName:

description: The applicant's last name

type: string

middleName:

description: The applicant's middle name

type: string

phoneNumber:

description: The applicant's phone number with no dashes or leading

country code. This will be required by configuration (based on searchType or package details)

type: string

ssn:

description: The applicant's Social Security Number. This will be required

## VeroConnect API Documentation

by configuration (based on searchType or package details)

type: string

required:

- firstName
- lastName
- email

type: object

driversLicense:

description: May be required depending on searchType or package details

properties:

dlNumber:

description: The driver's license number. ID is validated based on  
state formatting rules

type: string

dlState:

description: The 2-character abbreviation of the state of issuance

type: string

required:

- dlNumber
- dlState

type: object

education:

description: May be required depending on searchType or package details

items:

properties:

## VeroConnect API Documentation

country:

description: The institution full-name country--not the two letter

abbreviation

type: string

degree:

description: The degree

type: string

endDate:

description: The 10-character (mm/dd/yyyy) start date. If day is

unknown, use "01"

type: string

fieldOfStudy:

description: The field of study

type: string

graduated:

description: Whether or not the applicant graduated

type: boolean

institutionName:

description: The institution name

type: string

startDate:

description: The 10-character (mm/dd/yyyy) start date. If day is

unknown, use "01"

type: string

state:

## VeroConnect API Documentation

description: The two-character abbreviation institution state REQUIRED

if country is "United States"

type: string

required:

- institutionName

type: object

type: array

employment:

description: May be required depending on searchType or package details

items:

properties:

city:

description: The job location city

type: string

companyContact:

description: The employer contact person

type: string

contactEmployer:

description: Permission to contact this employer

type: boolean

country:

description: The job location full-name country--not the two letter

abbreviation

type: string

employerName:

## VeroConnect API Documentation

description: The employer name

type: string

endDate:

description: The 10-character (mm/dd/yyyy) start date. If day is unknown, use "01". REQUIRED if employment is NOT current

type: string

jobTitle:

description: The job title

type: string

phoneNumber:

description: The 10-character employer contact phone number without dashes or country code (5556667777)

type: string

salary:

description: The applicant's salary for this job

type: string

startDate:

description: The 10-character (mm/dd/yyyy) start date. If day is unknown, use "01"

type: string

state:

description: The two-character abbreviation job location state

type: string

supervisor:

description: The supervisor name



## VeroConnect API Documentation

type: string

zipcode:

description: The job location zip code

type: string

required:

- employerName

type: object

type: array

uniqueItems: false

professionalLicenses:

description: May be required depending on searchType or package details

items:

properties:

expireDate:

description: The 10 character (mm/dd/yyyy) expiration date of the  
license. If day is unknown, use "01"

type: string

licenseNumber:

description: The alpha-numeric license numberThe license number

type: string

licenseType:

description: The type of license

type: string

organizationName:

description: The organization providing the license

## VeroConnect API Documentation

type: string

receiveDate:

description: The 10-character (mm/dd/yyyy) date the license was received.

If day is unknown, use "01"

type: string

state:

description: The two character abbreviation state in which the license  
was granted/is valid

type: string

required:

- organizationName

- licenseType

type: object

type: array

refId:

description: The unique Id of the applicant provided by the requestor

type: string

references:

description: May be required depending on searchType or package details

items:

properties:

refEmail:

description: The contact email for the reference

type: string

refName:

## VeroConnect API Documentation

description: The name of the reference

type: string

refPhone:

description: The The 10-character reference contact phone number without dashes or country code (5556667777)

type: string

refRelationship:

description: The relationship of the reference

type: string

referenceType:

description: The type of reference (personal or professional)

type: string

relationshipLength:

description: The length of relationship with the reference

type: string

required:

- refName

- refPhone

type: object

type: array

sendReportCopy:

example: true

type: boolean

required:

- basicInformation

## VeroConnect API Documentation

- address

type: object

applicationRefId:

description: The application reference ID from the calling system

type: string

billingRefId:

description: The billing reference ID to be used for invoicing. ID appears  
at report and search-levels

type: string

documents:

description: An array of objects for uploading documents. Total size of all  
documents must be less than 5 MBs. Feature is NOT available for SwiftHire

items:

\$ref: '#/definitions/document'

type: array

locationId:

description: The locationId

type: string

packageId:

description: The packageId

type: string

refId:

description: The reference ID from the calling system -- typically a unique  
order id or something similar

type: string

## VeroConnect API Documentation

user:

description: If this user does not exist in the system, order routes to default user of locationId. If auto-provisioning is turned on in the UI, user profile is created.

properties:

email:

description: The email

type: string

firstName:

description: The firstName

type: string

lastName:

description: The lastName

type: string

refId:

description: The userId

type: string

required:

- firstName
- lastName
- email

type: object

webhookURL:

description: The webhook URL of the calling system. Used for reportResponse delivery

## VeroConnect API Documentation

type: string

required:

- packageId
- locationId
- user
- applicant

title: Order

type: object

### definitions: orderResponse

orderResponse:

description: 'The representation of an order after a POST to an orders resource '

properties:

applicantRefId:

type: string

applicationRefId:

type: string

billingRefId:

type: string

completeDate:

description: The date the report was completed

type: string

decision:

description: The adjudication decision of the report

type: string

documents:

## VeroConnect API Documentation

properties:

data:

items:

\$ref: '#/definitions/documentResourceShort'

type: array

messages:

description: Only exists if `success` is false. Contains messages about why the documents were unable to be uploaded

items:

type: string

type: array

success:

description: Indicates if the document upload(s) were successful or not

type: boolean

type: object

isIntegratedReport:

description: Indicates whether or not the report originated from an integration

type: boolean

mvpld:

description: The unique identifier of the CRA

type: integer

orderDate:

description: The date the report was created

type: string

packageld:

## VeroConnect API Documentation

description: The package ID used for the order

type: string

primaryWebhookUrl:

description: This is an optional property that is only available when isIntegratedReport

= true

type: string

refId:

description: The unique Id of the applicant provided by the requestor

type: string

reportId:

description: The unique identifier of the report

type:

- integer

- 'null'

reportUrl:

description: The Url used to access the report

type: string

secondaryWebhookUrl:

description: This is an optional property that is only available when isIntegratedReport

= true

type: string

status:

description: The new status of the report

type: string

swifthireRequestId:



## VeroConnect API Documentation

description: The unique identifier of a Swifthire order

type:

- integer
- 'null'

userRefId:

type: string

required:

- mvpld
- reportId
- swifthireRequestId
- reportUrl
- status
- orderDate
- isIntegratedReport
- packageId

title: Order Response

type: object

### definitions: document

document:

properties:

content:

description: raw file content in base64 format

example: LAKSDJF2OL3IJ423LKJASDLKFJASD==

type: string

documentType:

## VeroConnect API Documentation

description: The type of document. As of version 1.1 the only type being processed is "consent"

example: Consent

type: string

fileName:

description: Name of the file without the file extension. File extensions should be communicated in the `mimeType` property

example: mydocumentfilename

type: string

fileTitle:

description: An optional display title for the file

example: mydocumentfilename

type: string

mimeType:

description: The `mimeType` will indicate the file extension. File extensions should not be included anywhere else. The mime-type of the file. Supported document types are PDF, PNG, JPG

example: PDF

type: string

required:

- fileName
- mimeType
- documentType
- content
- fileTitle

## VeroConnect API Documentation

title: Document

type: object

### definitions: documentResourceShort

documentResourceShort:

properties:

fileName:

type: string

id:

format: uuid

type: string

title: Document Short

type: object

### paths: /orders

/orders:

post:

consumes:

- application/json

description: The Orders Path To Create A New Request For A Background Check

operationId: Order

parameters:

- in: body

name: body

required: true

schema:

## VeroConnect API Documentation

\$ref: '#/definitions/order'

x-examples:

application/json:

applicant:

address:

addressLine1: 111 Somewhere Dr.

city: Austin

state: TX

zipCode: '78727'

basicInformation:

dob: 01/01/1989

email: jdog@targaryen.org

firstName: John

lastName: Snow

middleName: Francis

phoneNumber: '5556667777'

ssn: 545-89-1567

driversLicense:

dlNumber: '12121212'

dlState: TX

education:

- country: United States

degree: Computer Science

endDate: 05/01/2016

fieldOfStudy: Network Security

## VeroConnect API Documentation

graduated: true

institutionName: Univerity of Texas

startDate: 08/01/2012

state: TX

employment:

- city: Austin

companyContact: Joe Bob

contactEmployer: true

country: United States

employerName: The Home Depot

endDate: 01/01/2012

jobTitle: Head Boss

phoneNumber: '5556667777'

salary: a bazillion doll hairs

startDate: 01/01/2011

state: TX

supervisor: Barak Obama

zipcode: '78727'

professionalLicenses:

- expireDate: 01/01/2090

licenseNumber: e9823t043

licenseType: Level 5

organizationName: Organization for Giving Out Professional Licenses

receiveDate: 01/01/1990

state: TX

## VeroConnect API Documentation

refId: 44F8AC36-75A0-425E-87FF-724AB7F20C25

references:

- refEmail: MarionMorrison@theduke.com

refName: John Wayne

refPhone: '5556667777'

refRelationship: Best friend

referenceType: personal

relationshipLength: 5 years

sendReportCopy: false

applicationRefId: 13B38A4C-5AF5-432D-A52B-6C63D3CD82E3

billingRefId: F2479EF4-B8C1-48B8-9433-D889D27FA035

documents:

- content: LAKSDJF2OL3IJ423LKJASDLKFJASD==

documentType: consent

fileName: mydocumentfilename.pdf

fileTitle: 2020 Consent Form

contentType: application/pdf

locationId: Techia

packageId: 117AB

refId: CFEC1533-5FE3-481F-BCC8-F4392BA7ABC7

user:

email: johnsmith@us.gov

firstName: John

lastName: Smith

refId: '1234'

## VeroConnect API Documentation

webhookURL: https://ats.example.com

produces:

- application/json

responses:

'200':

description: "

examples:

application/json:

applicantRefId: '1234'

applicationRefId: '1234'

billingRefId: '1234'

completeDate: "

decision: ut

documents:

data:

- fileName: FE7D2A33-E40D-4667-B68E-5C33D6BC1B97

id: testDocument1.pdf

- fileName: 94F95E6B-22EF-4AAB-BDB2-333A0F2D7BF3

id: testDocument.2pdf

messages:

- The document is not one of the accepted mime-types

- The file name cannot contain an extension

success: true

isIntegratedReport: true

mvpld: 30609263

## VeroConnect API Documentation

orderDate: May, 01 2020 15:47:00 -0500

packageId: '3083111'

primaryWebhookUrl: https://yourVendorDomainNam.com

refId: 40f1e4ab-910c-4ced-8767-532bf2c41671

reportId: 5956458

reportUrl:

[https://Verocity.screening.services/mvp/login\\_form.cfm?viewreport=10868&usertype=client](https://Verocity.screening.services/mvp/login_form.cfm?viewreport=10868&usertype=client)

secondaryWebhookUrl: "

status: pending

swifthireRequestId: null

userRefId: d1234

schema:

\$ref: '#/definitions/orderResponse'

security:

- basicAuth: []

summary: Orders

tags:

- Orders

### paths: /locations

/locations:

get:

description: The Locations Path

operationId: Locations

parameters:

- description: the search string for filtering the result (minimum 3 characters)



## VeroConnect API Documentation

in: query

name: searchString

type: string

produces:

- application/json

responses:

'200':

description: The response body

schema:

example:

- id: deverusTEST

name: deverus

- id: deverussupport

name: Deverus

- id: deverusSupportBranchTest

name: x

items:

properties:

id:

description: The location id

type: string

name:

description: The location name

type: string

required:

## VeroConnect API Documentation

- id

- name

type: object

type: array

security:

- basicAuth: []

tags:

- Locations

### **paths: /locations/{locationId}/packages**

/locations/{locationId}/packages:

get:

description: The Packages By Location ID Path

operationId: PackagesByLocation

produces:

- application/json

responses:

'200':

description: The response body

schema:

example:

- id: 6025

isBundle: false

name: Drug Search Test

type: Customer

- id: 8010

## VeroConnect API Documentation

isBundle: false

name: Single SSNT

type: Customer

- id: 6909

isBundle: false

name: Special Package

type: CustomerType

- id: 4012

isBundle: true

name: i9

type: Client

- id: 7171

isBundle: true

name: Special Bundle

type: Customer Type

items:

properties:

id:

type: number

isBundle:

type: boolean

name:

type: string

type:

type: string

## VeroConnect API Documentation

required:

- id
- name
- type
- isBundle

type: object

type: array

security:

- basicAuth: []

tags:

- Packages

parameters:

- description: the optional locationId for returning packages

in: path

name: locationId

required: true

type: string

**paths: /locations/{locationId}/packages/{id}**

/locations/{locationId}/packages/{id}:

get:

description: The Locations by Location ID and Package By Package ID Path

operationId: PackagesByLocationAndPackage

produces:

- application/json

responses:

## VeroConnect API Documentation

'200':

description: The response body

examples:

application/json:

id: 6025

isBundle: false

name: Drug Search Test

searches:

- id: 2345

name: Motor Vehicle Report

type: MVR

- id: 2399

name: County Criminal

type: COCR

type: Customer

schema:

example:

id: 6025

isBundle: false

name: Drug Search Test

type: Customer

properties:

id:

type: number

isBundle:

## VeroConnect API Documentation

type: boolean

name:

type: string

searches:

items:

properties:

id:

type: number

name:

type: string

type:

type: string

required:

- id

- name

- type

type: object

type: array

type:

type: string

required:

- id

- name

- type

- isBundle

## VeroConnect API Documentation

type: object

tags:

- Packages

parameters:

- in: path

name: id

required: true

type: string

- description: the optional locationId for returning packages

in: path

name: locationId

required: true

type: string

### **paths: /packages**

/packages:

get:

description: The Packages Path

operationId: Packages

parameters: []

produces:

- application/json

responses:

'200':

description: The response body

examples:

## VeroConnect API Documentation

application/json:

- id: 6025

isBundle: false

name: Drug Search Test

type: Customer

- id: 8010

isBundle: false

name: Single SSNT

type: Customer

- id: 6909

isBundle: false

name: Special Package

type: CustomerType

- id: 4012

isBundle: true

name: i9

type: Client

- id: 7171

isBundle: true

name: Special Bundle

type: Customer Type

schema:

example:

- id: 6025

isBundle: false



## VeroConnect API Documentation

name: Drug Search Test

type: Customer

- id: 8010

isBundle: false

name: Single SSNT

type: Customer

- id: 6909

isBundle: false

name: Special Package

type: CustomerType

- id: 4012

isBundle: true

name: i9

type: Client

- id: 7171

isBundle: true

name: Special Bundle

type: Customer Type

items:

properties:

id:

type: number

isBundle:

type: boolean

name:

## VeroConnect API Documentation

type: string

type:

type: string

required:

- id

- name

- type

- isBundle

type: object

type: array

security:

- basicAuth: []

tags:

- Packages

### **paths: /packages/{id}**

/packages/{id}:

get:

description: The Packages By ID Path

operationId: PackagesByID

produces:

- application/json

responses:

'200':

description: The response body

examples:

## VeroConnect API Documentation

application/json:

id: 6025

isBundle: false

name: Drug Search Test

searches:

- id: 2345

name: Motor Vehicle Report

type: MVR

- id: 2399

name: County Criminal

type: COCR

type: Customer

schema:

example:

id: 6025

isBundle: false

name: Drug Search Test

type: Customer

properties:

id:

type: number

isBundle:

type: boolean

name:

type: string

## VeroConnect API Documentation

searches:

items:

properties:

id:

type: number

name:

type: string

type:

type: string

required:

- id

- name

- type

type: object

type: array

type:

type: string

required:

- id

- name

- type

- isBundle

- searches

type: object

security:

## VeroConnect API Documentation

- basicAuth: []

tags:

- Packages

parameters:

- in: path

name: id

required: true

type: string

**paths: /widgets/order-forms/simple**

/widgets/order-forms/simple: {}

**paths: /widgets/report-viewer/{reportId}**

/widgets/report-viewer/{reportId}:

get:

description: The Widget Report Viewer By Report ID Path

operationId: ReportByReportID

produces:

- text/html

responses:

'200':

description: Get the full html background report.

schema:

example: '<html>

<head>

## VeroConnect API Documentation

<title>Employment Screening Services: Report Results</title>

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">

</head>

<body><table border="0" cellpadding="0" cellspacing="0"><tr> <td valign="top">

<style type="text/css">table {width:630px!important;}</style> <style type="text/css">.application\_header

{color: #000000;font-family: Verdana, Arial, Helvetica, sans-serif;font-size:

12px;font-weight: bold;padding: 1px;margin-bottom:

15px;text-align:center;}.progress{BACKGROUND:

#F5F5F5;BORDER: #cccccc 1pt solid;color: #000000;FONT-FAMILY: Verdana;FONT-SIZE:

8.5pt;PADDING-TOP: 3px;PADDING-BOTTOM: 3px;}.progress2{BACKGROUND:

#003063;BORDER:

#cccccc 1pt solid;color: #ffffff;FONT-FAMILY: Verdana;FONT-SIZE: 8.5pt;PADDING-TOP:

3px;PADDING-BOTTOM: 3px;font-weight:bold;}.progress\_active{BACKGROUND:

#ECECEC;BORDER: #cccccc 1pt solid;color: #000000;FONT-FAMILY:

Verdana;FONT-SIZE:

8.5pt;PADDING-TOP: 3px;PADDING-BOTTOM: 3px;}.progress\_bar{BACKGROUND:

#999999;BORDER-TOP: #999999 1pt solid;BORDER-BOTTOM: #999999 1pt solid;COLOR:

#666666;FONT-FAMILY: Verdana;FONT-SIZE: 8.5pt;FONT-WEIGHT:

BOLD;TEXT-DECORATION:

none;padding: 2px 3px 2px 3px;}P.pagebreakhere {page-break-before: always}body

## VeroConnect API Documentation

```
{margin-top: 5px;padding: 0px;text-align:center;margin-left: auto;margin-right:
auto;margin-bottom: 25px;}.md-icon{ color: rgb(117,117,117);}.menubarcolor{background:
;}.menubartext{color: ;font-family: Verdana;font-size: 10.5pt;FONT-WEIGHT:
none;TEXT-DECORATION: underline;}.namebarcolor{background: ;}.namebartext{color:
;font-family: Verdana;FONT-SIZE: 8.5pt;FONT-WEIGHT: none;TEXT-DECORATION:
none;}.footerbartext{color: black;font-family: Verdana;font-size: 8.5pt;FONT-WEIGHT:
none;TEXT-DECORATION: none;}.footerbarcolor{background:
white;}.sidebarcolor{background:
;}.menusectioncolor{background: ;}.menusectioncolorcolor{color: ;}.menusectiontext{color:
;font-family: Verdana;font-size: 9pt;FONT-WEIGHT: none;TEXT-DECORATION:
none;}.menusectiontextlink{color: ;FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt;
FONT-WEIGHT: none;}.menusectiontextlink:hover {color: ;}.tablerowcolor{background:
EDEDED;}.searchheadings{color : black;}.searchlinks{color :
black;}#table1{position:relative;float:right;
top:0px; margin-top : 0px;
}#pull1{visibility:hide;visibility:hidden;position:absolute;top:0;right:0px}#pull2{visibility:hide;visibility:hi
dden;position:absolute;top:0;right:0px;}#pull3{visibility:hide;visibility:hidden;position:absolute;top:0;ri
ght:0px;}#pull4{visibility:hide;visibility:hidden;position:absolute;top:0;right:0px}#pull5{visibility:hide;vis
ibility:hidden;position:absolute;top:0;right:0px}#text
{position:absolute;top:100px;left:0px;}/* buttons */a.btnlink {text-decoration:
none}.btn { position: relative; display: block; margin: 18px auto; overflow:
hidden; border-width: 0; outline: none; cursor: pointer; border-radius:
2px; box-shadow: 0 1px 4px rgba(0, 0, 0, .6); background: rgb(10, 154,
14); color: #ecf0f1; text-align: center; text-transform: uppercase; transition:
background-color .3s;}.btnsm {padding:6px 12px; font-size:10px;}.btnmd
```

## VeroConnect API Documentation

```
{padding:8px 18px; font-size:14px;}.btnlg {padding:12px 24px; font-size:18px;}.btn:hover,  
.btn:focus { background: #27ae60; color:#ecf0f1;}.btn > * { position:  
relative;}.btn span { display: block; padding: 12px 24px;}.btn:before  
{ content: ""; position: absolute; top: 50%; left: 50%; display: block;  
width: 0; padding-top: 0; border-radius: 100%; background-color: rgba(236,  
240, 241, .3); -webkit-transform: translate(-50%, -50%); -moz-transform:  
translate(-50%, -50%); -ms-transform: translate(-50%, -50%); -o-transform:  
translate(-50%, -50%); transform: translate(-50%, -50%);}.btn:active:before  
{ width: 120%; padding-top: 120%; transition: width .2s ease-out, padding-top  
.2s ease-out;}.btn.grey { background: #e8e8e8; color: #7f7f7f;}.btn.grey:hover,  
.btn.grey:focus { background-color: #ccc;}.btn.orange { background-color:  
#e67e22;}.btn.orange:hover, .btn.orange:focus { background-color: #d35400;}.btn.red  
{ background-color: #e74c3c;}.btn.red:hover, .btn.red:focus { background-color:  
#c0392b;}.standardfont{ COLOR: BLACK; FONT-FAMILY: Verdana; FONT-SIZE:  
8.5pt; FONT-WEIGHT: none; TEXT-DECORATION: none;}.standardfontbold{ COLOR:
```

```
BLACK; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD;
```

TEXT-DECORATION:

```
none;}.standardfontinverse{ COLOR: WHITE; FONT-FAMILY: Verdana; FONT-SIZE:  
8.5pt; FONT-WEIGHT: none; TEXT-DECORATION: none;}.standardfontinversebold{  
COLOR: WHITE; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD;  
TEXT-DECORATION: none;}.standardfontsmaller{ COLOR: BLACK; FONT-FAMILY:
```

```
Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: none; TEXT-DECORATION:
```

```
none;}.standardfontsmallerbold{
```

```
COLOR: BLACK; FONT-FAMILY: Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: BOLD;
```

```
TEXT-DECORATION: none;}.standardfontsmaller2{ COLOR: BLACK; FONT-FAMILY:
```



## VeroConnect API Documentation

```
Verdana; FONT-SIZE: 6.5pt; FONT-WEIGHT: none; TEXT-DECORATION:
none;}.standardfontsmaller2bold{
    COLOR: BLACK; FONT-FAMILY: Verdana; FONT-SIZE: 6.5pt; FONT-WEIGHT: BOLD;
    TEXT-DECORATION: none;}.standardfontlarger{ COLOR: BLACK; FONT-FAMILY:
    Verdana; FONT-SIZE: 10pt; FONT-WEIGHT: none; TEXT-DECORATION:
    none;}.standardfontlargerbold{
    COLOR: BLACK; FONT-FAMILY: Verdana; FONT-SIZE: 10pt; FONT-WEIGHT: BOLD;
    TEXT-DECORATION: none;}.standardfontlarger2bold{ COLOR: BLACK; FONT-FAMILY:
    Verdana; FONT-SIZE: 13pt; FONT-WEIGHT: BOLD; TEXT-DECORATION:
    none;}.standardfontvalidation{
    COLOR: #CD0000; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: none;
    TEXT-DECORATION: none;}.standardfontvalidationbold{ COLOR: #CD0000;
    FONT-FAMILY:
    Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD; TEXT-DECORATION:
    none;}.standardfontsmallervalidation{
    COLOR: #CD0000; FONT-FAMILY: Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: none;
    TEXT-DECORATION: none;cursor: help;}.standardfontsmallervalidationbold{
    COLOR: #CD0000; FONT-FAMILY: Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: BOLD;
    TEXT-DECORATION: none;}.standardfontlargervalidationbold{ COLOR: #CD0000;
    FONT-FAMILY: Verdana; FONT-SIZE: 10pt; FONT-WEIGHT: BOLD; TEXT-DECORATION:
    none;}.standardfontvalidation_information{ COLOR: #595959; FONT-FAMILY:
    Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: none; TEXT-DECORATION:
    none;}.informationcolorbox{
    BACKGROUND: #FFFFD9;COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt;
    FONT-WEIGHT: none; TEXT-DECORATION: none;}.informationcolorboxsmaller{
```

## VeroConnect API Documentation

BACKGROUND: #FFFFD9;COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE: 7.5pt;

FONT-WEIGHT: none; TEXT-DECORATION: none;}.standardfontinactive{ COLOR:

#999999; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: none;

TEXT-DECORATION:

none;}.standardlink, .standardlinkbigger{ COLOR: black; FONT-FAMILY: Verdana;

FONT-SIZE: 8.5pt; FONT-WEIGHT: none;}.standardlinkbigger{font-size:

10pt;}.standardlink:hover,.standardlinkbigger:hover{color:#666666;}.standardlinksmaller{

COLOR: BLACK; FONT-FAMILY: Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT:

none;}.standardlinksmaller:hover

{color:#666666;}.tablecoloractive { BACKGROUND: #E9E9E9;}.standardlinkbodytabon

{ BACKGROUND: #FFFFFF; COLOR: BLACK; FONT-FAMILY: Verdana; FONT-SIZE:

8.5pt; FONT-WEIGHT: BOLD; TEXT-DECORATION: none;}.standardlinkbodytabon:hover

{color: #666666;}.standardlinkbodytaboff { BACKGROUND: #CCCCCC; COLOR:

black; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: Normal;

TEXT-DECORATION:

none;}.standardlinkbodytaboff:hover {color: #666666;}.standardlinkbodytaboffpriority

{ BACKGROUND: #CCCCCC; COLOR: #CD0000; FONT-FAMILY: Verdana; FONT-SIZE:

8.5pt; FONT-WEIGHT: Normal; TEXT-DECORATION: none;}.inittabsidepriority{

BACKGROUND: #CCCCCC; BORDER-TOP: #999999 1pt solid; BORDER-BOTTOM:

#999999

1pt solid; BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT: #999999 1pt solid;

COLOR: #cccccc; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: normal;

PADDING-TOP: 1px; TEXT-DECORATION: none;}.adminInitTab{ BACKGROUND: white;

BORDER-TOP: #999999 1pt solid; BORDER-BOTTOM: #000000 1pt solid; BORDER-LEFT:

#999999 1pt solid; BORDER-RIGHT: #999999 1pt solid; COLOR: #cccccc; FONT-FAMILY:

## VeroConnect API Documentation

```
Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD; PADDING: 3px 3px 2px 3px;
TEXT-DECORATION: none;}.adminSellInitTab{ BACKGROUND: #F0F0F0; BORDER-TOP:
#000000 1pt solid; BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT: #000000
1pt solid; COLOR: WHITE; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT:
bold; PADDING: 3px 3px 2px 3px; TEXT-DECORATION: none;}.inittab{ BACKGROUND:
white; BORDER-TOP: #999999 1pt solid; BORDER-BOTTOM: #000000 1pt solid;
BORDER-LEFT: #999999 1pt solid; BORDER-RIGHT: #999999 1pt solid; COLOR:
#cccccc; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD; PADDING:
5px 12px 2px 12px; TEXT-DECORATION: none;}.selinittab{ BACKGROUND: #F0F0F0;
BORDER-TOP: #000000 1pt solid; BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT:
#000000 1pt solid; COLOR: WHITE; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt;
FONT-WEIGHT: bold; PADDING: 5px 12px 2px 12px; TEXT-DECORATION:
none;}.menuchoicesbar{
BACKGROUND:#F0F0F0;BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT: #000000
1pt solid;}.menuchoicesbar_admin{ BACKGROUND: #F0F0F0; BORDER-BOTTOM:
#000000 1pt solid;}.menubarmainbackground{ BACKGROUND: #D30000;
}.menubarmainfontcolor
{ FONT-FAMILY: Verdana;font-size : x-small; FONT-SIZE: 8.5pt;color :white;
text-decoration : none;font-weight : normal;}.footerbarbackground{ BACKGROUND:
#F0F0F0;BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT: #000000 1pt
solid;}.footerbarfont
{ FONT-FAMILY: Verdana;font-size : x-small; FONT-SIZE: 8.5pt;color : black;text-decoration
: none; text-transform : capitalize;;font-weight : normal;}.standardlinktoptaboff
{ BACKGROUND: white; COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt;
FONT-WEIGHT: BOLD; TEXT-DECORATION: none;}.standardlinktoptaboff_newclient
```

## VeroConnect API Documentation

```
{ COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD;
TEXT-DECORATION: none;}.standardlinktoptaboff_newclient:hover {COLOR:
black;}.standardlinktoptaboff:hover {COLOR: black;}.standardlinktoptabon
{ BACKGROUND: #F0F0F0; COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE:
8.5pt; FONT-WEIGHT: BOLD; TEXT-DECORATION: none;}.standardlinktoptabon_newclient
{ COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD;
TEXT-DECORATION: none;}.standardlinktoptabon_newclient:hover {
COLOR:black;}.standardlinktoptaboff_admin:hover
{ COLOR: black;}.standardlinktoptaboff_admin { BACKGROUND: white; COLOR:
black; FONT-FAMILY: Verdana; FONT-SIZE: 7pt; TEXT-DECORATION:
none;}.standardlinktoptaboff_admin:hover
{ COLOR: black;}.standardlinktoptabon_admin { BACKGROUND: #F0F0F0; COLOR:black;
FONT-FAMILY: Verdana; FONT-SIZE: 7pt; TEXT-DECORATION: none;}.linktabtopmenu
{ FONT-FAMILY: Verdana;font-size : x-small; FONT-SIZE: 8.5pt;color :black;text-decoration
: none; text-transform : capitalize;;font-weight : normal;}.linktabtopmenu:hover
{color :black;}.linktabtopmenumouseover { FONT-FAMILY: Verdana;font-size
: x-small; FONT-SIZE: 8.5pt;color :#006bb3;text-decoration : none; text-transform
: capitalize;;font-weight : normal;}.linktabtopmenumouseover:hover {color
:#006bb3;}.hiddentabside_desktop{ BACKGROUND: white; BORDER-left: #000000
1pt solid; COLOR: white;FONT-FAMILY: Verdana; FONT-SIZE:
3pt;}.tabbodyside_nobottom{
BACKGROUND:white; FONT-SIZE: .5pt; BORDER-LEFT: #000000 1pt solid;}
.hiddentabside_desktop{
BACKGROUND: white; BORDER-left: #000000 1pt solid; COLOR: white;FONT-FAMILY:
Verdana; FONT-SIZE: 3pt;}.desktopbackgroundcolor{ BACKGROUND:
```

## VeroConnect API Documentation

white;}.desktopstandardfont{BACKGROUND:

white; COLOR: black;FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT:

none; TEXT-DECORATION: none;}.desktopbackgroundfont{COLOR: black;FONT-FAMILY:

Verdana; FONT-SIZE: 9.5pt;font-weight: bold;} .hiddentabbody\_desktop{

BACKGROUND: white; BORDER-BOTTOM: #000000 1pt solid; COLOR: white;}

.hiddentabbody\_desktop\_admin{

BACKGROUND: white; BORDER-BOTTOM: #000000 1pt solid; COLOR: white;}

.statusboxtitle{

BACKGROUND: #F0F0F0; COLOR: black;FONT-FAMILY: Verdana; FONT-SIZE:

8.5pt;FONT-WEIGHT:

normal;}.textarea {width:100%;}.custominputbutton { background: #078A44;

outline: none; padding: 6px 10px; margin: 0px auto; text-transform: uppercase;

border: none; border-radius: 2px; color: white; display: block; box-shadow:

0 1px 4px rgba(0, 0, 0, .6);}.custominputbuttonsmaller { background: #078A44;

outline: none; padding: 6px 10px; margin: 0px auto; text-transform: uppercase;

border: none; border-radius: 2px; color: white; display: block; box-shadow:

0 1px 4px rgba(0, 0, 0, .6);}.custominputbutton:hover, .custominputbuttonsmaller:hover

{ background: #27ae60;}.inittabbody{ BACKGROUND: #CCCCCC; BORDER-TOP:

#999999 1pt solid; BORDER-BOTTOM: #000000 1pt solid; BORDER-LEFT: #999999

1pt solid; BORDER-RIGHT: #999999 1pt solid; COLOR: #cccccc; FONT-FAMILY:

Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: normal; PADDING: 3px 4px 3px 4px;

TEXT-DECORATION: none;}.inittabbodytop{ BACKGROUND: #CCCCCC;

BORDER-TOP:

#999999 1pt solid; BORDER-LEFT: #999999 1pt solid; BORDER-RIGHT: #999999

1pt solid; COLOR: #cccccc; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT:

## VeroConnect API Documentation

```
normal; PADDING-TOP: 3px; TEXT-DECORATION: none;}.selinittabbody{ BACKGROUND:
#FFFFFF; BORDER-TOP: #000000 1pt solid; BORDER-LEFT: #000000 1pt solid;
BORDER-RIGHT: #000000 1pt solid; COLOR: BLACK; FONT-FAMILY: Verdana;
FONT-SIZE:
8.5pt; FONT-WEIGHT: BOLD; PADDING: 3px 4px 3px 4px; TEXT-DECORATION:
none;}.hiddentab{
BACKGROUND:#FFFFFF; BORDER-BOTTOM: #000000 1pt solid; COLOR:
white;}.tabbodynew{
BACKGROUND: #FFFFFF; BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT: #000000
1pt solid;BORDER-BOTTOM: #000000 1pt solid;}.tabbodyside{ BACKGROUND:
#FFFFFF; BORDER-LEFT: #000000 1pt solid;BORDER-BOTTOM: #000000 1pt
solid;}.inittabside{
BACKGROUND: #CCCCCC; BORDER-TOP: #999999 1pt solid; BORDER-BOTTOM:
#999999
1pt solid; BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT: #999999 1pt solid;
COLOR: #cccccc; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: normal;
PADDING-TOP: 1px; TEXT-DECORATION: none;}.selinittabside{ BACKGROUND:
#FFFFFF; BORDER-TOP: #000000 1pt solid; BORDER-BOTTOM: #000000 1pt solid;
BORDER-RIGHT: #000000 1pt solid; COLOR: BLACK; FONT-FAMILY: Verdana;
FONT-SIZE:
8.5pt; FONT-WEIGHT: BOLD; TEXT-DECORATION: none;}.tabbody_level2{
BACKGROUND:
#F4f4f4; BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT: #000000 1pt
solid;BORDER-BOTTOM:
#000000 1pt solid;}.selectedtabbody_level2{ BACKGROUND: #F4f4f4; BORDER-TOP:
```

## VeroConnect API Documentation

```
#000000 1pt solid; BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT: #000000
1pt solid; COLOR: BLACK; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT:
BOLD; PADDING-TOP: 3px; TEXT-DECORATION: none}.selectedtabbody_level2:hover
{Color: #666666;}.standardlinkbodytabon_level2 { BACKGROUND: #F4f4f4;
COLOR: BLACK; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD;
TEXT-DECORATION: none;}.standardlinkbodytabon_level2:hover
{color:#666666;}.hiddentab_level2{
    BACKGROUND: #f4f4f4; BORDER-BOTTOM: #000000 1pt solid; COLOR:
white;}.tabbodyside{
    BACKGROUND: #FFFFFF; BORDER-LEFT: #000000 1pt solid;BORDER-BOTTOM:
#000000
1pt solid;}.inittabside{ BACKGROUND: #CCCCCC; BORDER-TOP: #999999 1pt
solid; BORDER-BOTTOM: #999999 1pt solid; BORDER-RIGHT: #999999 1pt solid;
COLOR: #cccccc; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: normal;
PADDING-TOP: 1px; TEXT-DECORATION: none;height : 10px;}.selinittabside{
    BACKGROUND: #FFFFFF; BORDER-TOP: #000000 1pt solid; BORDER-BOTTOM:
#000000
1pt solid; BORDER-RIGHT: #000000 1pt solid; COLOR: BLACK; FONT-FAMILY:
Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD; TEXT-DECORATION:
none;}.whitebutton{background:
#FFFFFF;border-style: solid;border-width: 1; COLOR: #000000; FONT-FAMILY:
Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: none; TEXT-DECORATION:
none;}.adminbutton{background:
#DFEDDD;border-style: solid;border-width: 1; COLOR: #000000; FONT-FAMILY:
Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: none; TEXT-DECORATION:
```

## VeroConnect API Documentation

none;border-color:

black;}.adminbuttonsmaller{background: #EDF1F5;border-style: solid;border-width:

1; COLOR: #000000; FONT-FAMILY: Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT:

none; TEXT-DECORATION: none;}.inputfield{background: #F4F5F5;border-style:

solid;border-color: #666666;border-width: 1; FONT-FAMILY: Verdana; FONT-SIZE:

8.5pt; FONT-WEIGHT: none; TEXT-DECORATION: none;}.inputfield\_validation{background:

#FFFFD7;border-style: solid;border-color: #666666;border-width: 1; FONT-FAMILY:

Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: none; TEXT-DECORATION:

none;}.inputfieldsmaller{background:

#F4F5F5;border-style: solid;border-color: #666666;border-width: 1; FONT-FAMILY:

Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: none; TEXT-DECORATION:

none;}.inputfieldsmaller\_validation{background:

#FFFFD7;border-style: solid;border-color: #666666;border-width: 1; FONT-FAMILY:

Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: none; TEXT-DECORATION:

none;}.HeaderTab{

BACKGROUND: #f4f0e1; BORDER-TOP: #000000 1pt solid; BORDER-LEFT: #000000

1pt solid; BORDER-RIGHT: #000000 1pt solid; COLOR: #000000; FONT-FAMILY:

Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD; PADDING-TOP: 3px;

TEXT-DECORATION:

none;}.SnapshotTab{ BACKGROUND: #adb5ff; BORDER-TOP: #000000 1pt solid;

BORDER-LEFT: #000000 1pt solid; BORDER-RIGHT: #000000 1pt solid; COLOR:

#000000; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD;

PADDING-TOP:

3px; TEXT-DECORATION: none;}.BottomBorderBlack{ COLOR: #000000; FONT-FAMILY:

Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT: BOLD; PADDING-TOP: 3px;



## VeroConnect API Documentation

### TEXT-DECORATION:

none;BORDER-BOTTOM: #000000 1pt solid;}/\*\*\*\*\*//\*

CLIENT JOB ADMIN STYLES \*/\*\*\*/.client\_location\_header{

BACKGROUND: white; BORDER-TOP: #999999 1pt solid; BORDER-BOTTOM: #999999

1pt solid; COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT:

BOLD; TEXT-DECORATION: none;}.client\_job\_board{ BORDER: #000000 1pt

solid;}.client\_job\_board\_header{

BACKGROUND: #F0F0F0; BORDER-BOTTOM: #000000 1pt solid; PADDING-TOP:

2px;PADDING-BOTTOM:

2px;}.client\_job\_board\_header a{text-decoration: underline;color: black;

FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt; FONT-WEIGHT:

bold;}.client\_job\_row{BACKGROUND:

#ffffff;color: #000000; FONT-FAMILY: Verdana; FONT-SIZE:

8.5pt;}.client\_job\_row\_alternate{BACKGROUND:

whitesmoke;color: #000000; FONT-FAMILY: Verdana; FONT-SIZE:

8.5pt;}/\*\*\*\*\*//\*

DOCUMENT UPLOAD STYLES \*/\*\*\*/fieldset{padding:

5px;}.form\_element{padding: 2px;width: 100%;}.form\_element input{COLOR:

BLACK; FONT-FAMILY: Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: none;

### TEXT-DECORATION:

none;}.form\_label{float: left;width: 20%;COLOR: BLACK; FONT-FAMILY: Verdana;

FONT-SIZE: 7.5pt; FONT-WEIGHT: none; TEXT-DECORATION: none;text-align:

right;padding-right: 5px;}.form\_label\_validation{float: left;width: 20%;COLOR:

#CD0000; FONT-FAMILY: Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: none;

### TEXT-DECORATION:

## VeroConnect API Documentation

none;text-align: right;padding-right: 5px;cursor: help;}/\*\*\*\*\*//\*

RECRUITING STYLES \*/\*\*\*\*\*/.dashboard\_header{ BACKGROUND:

#F0F0F0; COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE: 8.5pt;FONT-WEIGHT:

bold;padding: 1px;margin-bottom: 2px;} .dashboard\_item{FONT-FAMILY: Verdana;

FONT-SIZE: 8.5pt;width: 100%;padding-left: 2px;padding-bottom: 15px;}.standardfontlight{

COLOR: #999999; FONT-FAMILY: Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: bold;

TEXT-DECORATION: none;}.standardfontmedium{ COLOR: #666666; FONT-FAMILY:

Verdana; FONT-SIZE: 7.5pt; FONT-WEIGHT: bold; TEXT-DECORATION:

none;}/\*\*\*\*\*//\*

BLANK LAYOUT \*/\*\*\*\*\*/#masthead{text-align: center;padding:

10px 0px 0px 0px;width: 8in;height: auto;}#leftBar{float: left;padding-left:

0px;height: 85%;width: 0in;}#rightBar{float: right;padding-right: 0px;height:

85%;width: 0in;}#content{float: left;text-align: center;height: 85%;padding-bottom:

25px;width: 8in;}#siteInfo{text-align: center;font-size: 75%;color: #cccccc;height:

5%;clear: both;height: 0in;}#siteInfo img{padding: 2px 2px 2px 2px;}/\*\*\*\*\*//\*

BLANK LAYOUT \*/\*\*\*\*\*/.reportHeader {text-align: center;

BACKGROUND: white; COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE:

7pt;font-weight:

bold; TEXT-DECORATION: none;width: 13%;border-top: 1px solid #cccccc;border-right:

1px solid #999999;}.reportFooter {text-align: center; BACKGROUND: white;

COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE: 7pt;font-weight: bold;

TEXT-DECORATION: none;width: 13%;border-bottom: 1px solid #cccccc;border-right:

1px solid #999999;}.reportData {text-align: center; COLOR: black; FONT-FAMILY:

Verdana; FONT-SIZE: 8pt; TEXT-DECORATION: none;font-weight: bold;width:

13%;}.reportDataMoney {text-align: right; COLOR: black; FONT-FAMILY: Verdana;

## VeroConnect API Documentation

FONT-SIZE: 8pt; TEXT-DECORATION: none;font-weight: bold;width: 13%;padding-right:

5px;}.reportDataSubMoney { COLOR: black; FONT-FAMILY: Verdana; FONT-SIZE:

8pt; TEXT-DECORATION: none;font-weight: bold;width: 13%;}.reportDataRed

{text-align: center; COLOR: Red; FONT-FAMILY: Verdana; FONT-SIZE: 8pt;

TEXT-DECORATION: none;font-weight: bold;width: 13%;}.reportDataGreen {text-align:

center; COLOR: Green; FONT-FAMILY: Verdana; FONT-SIZE: 8pt; TEXT-DECORATION:

none;font-weight: bold;width: 13%;}.reportSubData {text-align: center;

COLOR:black; FONT-FAMILY: Verdana; FONT-SIZE: 8pt; TEXT-DECORATION:

none;font-style:

italic;width: 13%;}.reportSubDataMoney {text-align: right; COLOR: black;

FONT-FAMILY: Verdana; FONT-SIZE: 8pt; TEXT-DECORATION: none;font-style:

italic;width: 13%;padding-right: 5px;}.reportSubDataSubMoney { COLOR:

black; FONT-FAMILY: Verdana; FONT-SIZE: 8pt; TEXT-DECORATION: none;font-style:

italic;width: 13%;}.reportSubDataRed {text-align: center; COLOR: Red;

FONT-FAMILY: Verdana; FONT-SIZE: 8pt; TEXT-DECORATION: none;font-style:

italic;width: 13%;}.reportSubDataGreen {text-align: center; COLOR: green;

FONT-FAMILY: Verdana; FONT-SIZE: 8pt; TEXT-DECORATION: none;font-style:

italic;width: 13%;}.reportDataRow td {border-top: 1px solid #cccccc;border-right:

1px solid #999999;}#wrapper {clear:both;background: white;text-align:center;margin:0

auto; margin-top:-80px;width:960px;line-height:normal; box-shadow: 0 1px

2px rgba(0, 0, 0, 0.1);padding: 20px 0;}#tabsJ {clear:both;margin-left:

auto;margin-right: auto;margin-bottom: 0px;margin-top: 0px;width:

960px;line-height:normal;position:relative;text-align:center;}#tabsJ

ul {margin-left:105px;margin-right:auto;margin-bottom: 0px;margin-top:

0px;list-style: none;padding: 0px 0px 0px 0px;text-align: center;}#tabsJ

## VeroConnect API Documentation

```
li {display:inline;margin:0 auto;text-align: center;padding:0px 0px 0px
0px;font-family:Arial, Helvetica, sans-serif;}#tabsJ a
{display:block;text-align:center;float:left;background:url("/mvp/includes/images/palettes/tab_left_white.gif")
e.gif")
no-repeat left top;margin:0 auto;padding:0 0 0 5px;text-decoration:none;}#tabsJ
a span
{float:left;display:block;background:url("/mvp/includes/images/palettes/tab_right_white.gif")
no-repeat right top;padding:5px 15px 4px 6px;color: black;}#tabsJ a span
{float:none;}#tabsJ a:hover span {color: white;}#tabsJ a:hover
{background:url("/mvp/includes/images/palettes/tab_left_red_md.gif")
no-repeat left top;}#tabsJ a:hover span
{background:url("/mvp/includes/images/palettes/tab_right_red_md.gif")
no-repeat right top;}#tabsJ li.active a
{background:url("/mvp/includes/images/palettes/tab_left_red_md.gif")
no-repeat left top;}#tabsJ li a span.active
{background:url("/mvp/includes/images/palettes/tab_left_red_md.gif")
no-repeat left top;color:
white;background:url("/mvp/includes/images/palettes/tab_right_red_md.gif")
no-repeat right top;}#secondnav {background: #D30000;color: #D30000;font-size:
88%;text-align: center;clear: both;width: 962px;margin: 0 auto;position:
relative;}#secondnav ul {margin:0 auto;padding:5px 10px 5px
5px;list-style:none;}#secondnav
li {display:inline;margin:0;padding:0px 5px 10px 0;font-family:Arial,
Helvetica, sans-serif;font-size:88%;color: white;}#secondnav span {color:
white;}#secondnav a {text-decoration:none;}#secondnav a:hover span{color:
```

## VeroConnect API Documentation

```
#C5C5C5;}#secondnav li.active a span {color: #C5C5C5;}#tabsClient {clear:both;margin-left:
auto;margin-right: auto;margin-bottom: 0px;margin-top: 0px;width:
960px;line-height:normal;position:relative;text-align:center;}#tabsClient
ul {margin-left:105px;margin-right:auto;margin-bottom: 0px;margin-top:
0px;list-style: none;padding: 0px 0px 0px 0px;text-align: center;}#tabsClient
li {display:inline;margin:0 auto;text-align: center;padding:0px 0px 0px
0px;font-family:Arial, Helvetica, sans-serif;}#tabsClient a
{display:block;text-align:center;float:left;background:url("/mvp/includes/images/palettes/tab_left_tran
sparent.png")
no-repeat left top;margin:0 auto;padding:0 0 0 5px;text-decoration:none;}#tabsClient
a span
{float:left;display:block;background:url("/mvp/includes/images/palettes/tab_right_transparent.png")
no-repeat right top;padding:5px 15px 4px 6px;color: black;}#tabsClient
a span {float:none;}#tabsClient a:hover span {color: white;}#tabsClient
a:hover {background:url("/mvp/includes/images/palettes/tab_left_transparent.png")
no-repeat left top;background-color:#F0F0F0;}#tabsClient a:hover span
{background:url("/mvp/includes/images/palettes/tab_right_transparent.png")
no-repeat right top;}#tabsClient li.active a
{background:url("/mvp/includes/images/palettes/bg_transparent.png")
no-repeat left top;}#tabsClient li a span.active
{background:url("/mvp/includes/images/palettes/tab_left_transparent.png")
no-repeat left top;color:
white;background:url("/mvp/includes/images/palettes/tab_right_transparent")
no-repeat right top;}#tabsClient li.inactive a
{background:url("/mvp/includes/images/palettes/bg_transparent.png")
```

## VeroConnect API Documentation

```
no-repeat left top;background-color:white;}#tabsClient li a span.inactive
{background:url("/mvp/includes/images/palettes/tab_left_transparent.png")
                                no-repeat    left    top;color:
white;background:url("/mvp/includes/images/palettes/tab_right_transparent")
                                no-repeat right top;}a {color:#666666;}a:hover {color:#666666;}.menuLink{color:
                                #666666;font-family:arial,helvetica,sans-serif;font-size:10pt;}div
{font-size:10pt;color:#000000;font-family:arial,helvetica,sans-serif;}div.myelanceMenu
                                {background-color:#FFFFFF;background-position:right
center;background-repeat:repeat-y;margin-top:20px;padding:0px;}.header5
                                {color:#D30000;font-size:15px;font-weight:bold;}.control
{font-family:arial,helvetica,sans-serif;font-size:10px;font-weight:bold;}table.myelanceLayout
                                {border:medium none;margin:0px;padding:0px;width:960px;}.dashboardTable
                                {color:#000000;font-family:arial,helvetica,sans-serif;font-size:10pt;border-collapse:
                                collapse;}.dashboardTable    td
{color:#000000;font-family:arial,helvetica,sans-serif;font-size:10pt;border-collapse:
                                collapse;}table.myelanceLayout    .Inav    {border:medium
none;height:500px;margin:0px;padding:0px;vertical-align:top;}table.myelanceLayout
                                .topBorder,table.myelanceLayout    .leftBorder    {border-top:1px    solid
#7B7B7B;}table.myelanceLayout
                                .leftBorder {border-left:1px solid #7B7B7B;}table.myelanceLayout .mainContent
                                {margin:0px;padding-left:15px;padding-top:15px;vertical-align:top;}table.myelanceLayout
                                .rightContent
{margin:0px;padding-left:15px;padding-top:15px;vertical-align:top;}.menulcon_reportManagement
                                {background:transparent url(/mvp/includes/images/menuicons.gif) no-repeat
                                scroll left -75px;height:20px;}.menulcon_reports {background:transparent
```

## VeroConnect API Documentation

```
url(/mvp/includes/images/menuicons.gif) no-repeat scroll left
-150px;height:20px;}.menulcon_accounting
{background:transparent url(/mvp/includes/images/menuicons.gif) no-repeat
scroll left -100px;height:20px;}.menulcon_provider {background:transparent
url(/mvp/includes/images/menuicons.gif) no-repeat scroll left
-125px;height:20px;}.menulcon_client
{background:transparent url(/mvp/includes/images/menuicons.gif) no-repeat
scroll left -175px;height:20px;}.menulcon_gear {background:transparent
url(/mvp/includes/images/menuicons.gif) no-repeat scroll left -225px;height:20px;}.ruleColor
{color:#B5B5B5;}.sortDown
{background-image:url("/mvp/includes/images/sort-arrow-down.gif");background-position:100%
50%;background-repeat:no-repeat;padding-right:6px;}.sortSpacer
{padding-right:6px;}.tablecolheader
{color:#333333;font-size:12px;font-weight:bold;}.clickable
{color:#1B6CCD;cursor:pointer;}.widgetborder
{border-color:#D7D7D7 rgb(215, 215, 215) rgb(172, 172,
172);border-style:solid;border-width:1px
1px 2px;padding:5px;}.widgetbody {background:#FEFEFE
url(/mvp/includes/images/1px-gradient-box.jpg)
repeat-x scroll left top;margin: 0 3px 0 0;}.widgetbordernarrow {border-color:#D7D7D7
rgb(215, 215, 215) rgb(172, 172, 172);border-style:solid;border-width:1px
1px 2px;}.widgetbodynarrow {background:#FEFEFE
url(/mvp/includes/images/1px-gradient-box.jpg)
repeat-x scroll left top;margin: 0 3px 0 0;}.widgetborderBlackZone
{border-color:#666666;border-style:solid;border-width:0px
```

## VeroConnect API Documentation

10px 10px 10px;padding:5px;}.widgetborderRedZone

{border-color:#A64B3A;border-style:solid;border-width:0px

10px 10px 10px;padding:5px;}.widgetborderYellowZone

{border-color:#D4AF30;border-style:solid;border-width:0px

10px 10px 10px;padding:5px;}.widgetborderGreenZone

{border-color:#869467;border-style:solid;border-width:0px

10px 10px 10px;padding:5px;}.widgetborderAllZones

{border-color:#b8b8b8;border-style:solid;border-width:0px

10px 10px 10px;padding:5px;}.widget-panel{margin-bottom: 20px;}.panelHeader{height:

25px;width:

100%;}.panelLeft{background-image:url("/mvp/includes/images/palettes/tab\_left\_white.gif");width:

5px;height: 25px;float:

left;}.panelMiddle{background-image:url("/mvp/includes/images/palettes/tab\_middle\_white.gif");height:

25px;float:

left;color:black;font-family:arial,helvetica,sans-serif;font-size:12px;font-weight:normal;text-align:left;vertical-align:middle;padding:

5px;}.panelRight{background-image:url("/mvp/includes/images/palettes/tab\_right\_white.gif");background-position:

top right;height: 25px;width: 5px;float:

left;}.panelLeft\_client{background-image:url("/mvp/includes/images/palettes/bg\_transparent.png");width:

5px;height: 25px;float: left;background-color:

#F0F0F0;}.panelMiddle\_client{background-image:url("/mvp/includes/images/palettes/bg\_transparent



## VeroConnect API Documentation

.png");height:

15px;float:

left;color:black;font-family:arial,Helvetica,sans-serif;font-size:12px;font-weight:normal;text-align:left;v

ertical-align:middle;padding:

5px;background-color: #F0F0F0;}.panelRight\_client{background-color:

#F0F0F0;background-image:url("/mvp/includes/images/palettes/bg\_transparent.png");background-p

osition:

top right;height: 25px;width: 5px;float:

left;}.panelLeftBlackZone{background-image:url("/mvp/includes/images/palettes/tab\_left\_blackzone.

gif");width:

5px;height: 25px;float:

left;}.panelLeftNontabBlackZone{background-image:url("/mvp/includes/images/palettes/nontab\_left\_

blackzone.gif");width:

5px;height: 25px;float:

left;}.panelMiddleBlackZone{background-image:url("/mvp/includes/images/palettes/tab\_middle\_blac

kzone.gif");height:

25px;float:

left;color:white;font-family:arial,Helvetica,sans-serif;font-size:12px;font-weight:normal;text-align:left;v

ertical-align:middle;padding:

5px;}.panelRightBlackZone{background-image:url("/mvp/includes/images/palettes/tab\_right\_blackzo

ne.gif");background-position:

top right;height: 25px;width: 5px;float:

left;}.panelRightNontabBlackZone{background-image:url("/mvp/includes/images/palettes/nontab\_rig

ht\_blackzone.gif");background-position:

## VeroConnect API Documentation

```
top    right;height:    25px;width:    4px;float:
left;}.panelLeftRedZone{background-image:url("/mvp/includes/images/palettes/tab_left_redzone.gif")
;width:
5px;height:    25px;float:
left;}.panelLeftNontabRedZone{background-image:url("/mvp/includes/images/palettes/nontab_left_r
edzone.gif");width:
5px;height:    25px;float:
left;}.panelMiddleRedZone{background-image:url("/mvp/includes/images/palettes/tab_middle_redzo
ne.gif");height:
25px;float:
left;color:white;font-family:arial,Helvetica,sans-serif;font-size:12px;font-weight:normal;text-align:left;v
ertical-align:middle;padding:
5px;}.panelRightRedZone{background-image:url("/mvp/includes/images/palettes/tab_right_redzone.
gif");background-position:
top    right;height:    25px;width:    5px;float:
left;}.panelRightNontabRedZone{background-image:url("/mvp/includes/images/palettes/nontab_right
_redzone.gif");background-position:
top    right;height:    25px;width:    5px;float:
left;}.panelLeftYellowZone{background-image:url("/mvp/includes/images/palettes/tab_left_yellowzon
e.gif");width:
5px;height:    25px;float:
left;}.panelLeftNontabYellowZone{background-image:url("/mvp/includes/images/palettes/nontab_left
_yellowzone.gif");width:
5px;height:    25px;float:
```

## VeroConnect API Documentation

```
left;}.panelMiddleYellowZone{background-image:url("/mvp/includes/images/palettes/tab_middle_yell  
owzone.gif");height:
```

```
25px;float:
```

```
left;color:white;font-family:arial,Helvetica,sans-serif;font-size:12px;font-weight:normal;text-align:left;v  
ertical-align:middle;padding:
```

```
5px;}.panelRightYellowZone{background-image:url("/mvp/includes/images/palettes/tab_right_yellow  
zone.gif");background-position:
```

```
top right;height: 25px;width: 5px;float:
```

```
left;}.panelRightNontabYellowZone{background-image:url("/mvp/includes/images/palettes/nontab_r  
ight_yellowzone.gif");background-position:
```

```
top right;height: 25px;width: 5px;float:
```

```
left;}.panelLeftGreenZone{background-image:url("/mvp/includes/images/palettes/tab_left_greenzone  
.gif");width:
```

```
5px;height: 25px;float:
```

```
left;}.panelLeftNontabGreenZone{background-image:url("/mvp/includes/images/palettes/nontab_left  
_greenzone.gif");width:
```

```
5px;height: 25px;float:
```

```
left;}.panelMiddleGreenZone{background-image:url("/mvp/includes/images/palettes/tab_middle_gre  
enzone.gif");height:
```

```
25px;float:
```

```
left;color:white;font-family:arial,Helvetica,sans-serif;font-size:12px;font-weight:normal;text-align:left;v  
ertical-align:middle;padding:
```

```
5px;}.panelRightGreenZone{background-image:url("/mvp/includes/images/palettes/tab_right_greenz
```

## VeroConnect API Documentation

one.gif");background-position:

top right;height: 25px;width: 5px;float:

left;}.panelRightNontabGreenZone{background-image:url("/mvp/includes/images/palettes/nontab\_right\_greenzone.gif");background-position:

top right;height: 25px;width: 5px;float:

left;}.panelLeftAllZones{background-image:url("/mvp/includes/images/palettes/tab\_left\_grey.gif");width:

5px;height: 25px;float:

left;}.panelLeftNontabAllZones{background-image:url("/mvp/includes/images/palettes/nontab\_left\_grey.gif");width:

5px;height: 25px;float:

left;}.panelMiddleAllZones{background-image:url("/mvp/includes/images/palettes/tab\_middle\_grey.gif");height:

25px;float:

left;color:white;font-family:arial,Helvetica,sans-serif;font-size:12px;font-weight:normal;text-align:left;vertical-align:middle;padding:

5px;}.panelRightAllZones{background-image:url("/mvp/includes/images/palettes/tab\_right\_grey.gif");background-position:

top right;height: 25px;width: 5px;float:

left;}.panelRightNontabAllZones{background-image:url("/mvp/includes/images/palettes/nontab\_right\_grey.gif");background-position:

top right;height: 25px;width: 4px;float: left;}.panelNarrow{margin-bottom:

5px;}.panelNarrowHeader{height: 25px;width:

100%;}.panelNarrowLeft{background-image:url("/mvp/includes/images/palettes/tab\_left\_white.gif");w

## VeroConnect API Documentation

```
idth:
5px;height: 25px;float:
left;}.panelNarrowMiddle{background-image:url("/mvp/includes/images/palettes/tab_middle_white.gif
");height:
15px;float:
left;color:black;font-family:arial,Helvetica,sans-serif;font-size:12px;font-weight:normal;text-align:left;v
ertical-align:middle;padding:
5px;}.panelNarrowRight{background-image:url("/mvp/includes/images/palettes/tab_right_white.gif");
background-position:
top right;height: 25px;width: 5px;float: left;}.dataDesc
{height:20px;color:#000000;font-family:arial,Helvetica,sans-serif;font-size:8pt;border-collapse:
collapse;}.dataStat
{font-weight:bold;text-align:right;color:#000000;font-family:arial,Helvetica,sans-serif;font-size:8pt;bor
der-collapse:
collapse;}.dataHeader
{font-weight:bold;color:#000000;font-family:arial,Helvetica,sans-serif;font-size:8pt;border-collapse:
collapse;}.dataHeaderBorder {border-bottom: dashed 1px
#dcdcdc;font-weight:bold;color:#000000;font-family:arial,Helvetica,sans-serif;font-size:8pt;}table.data
Table
th#firstcol {border-bottom:1px solid #AAAAAA;border-left:1px solid #AAAAAA;border-top:1px
solid #AAAAAA;}table.dataTable th#midcol {border-bottom:1px solid
#AAAAAA;border-top:1px
solid #AAAAAA;}table.dataTable th#lastcol {border-bottom:1px solid
#AAAAAA;border-right:1px
```

## VeroConnect API Documentation

```
solid #AAAAAA;border-top:1px solid #AAAAAA;}table.dataTable th
{background-color:#FFFFFF;background-image:url(/mvp/includes/images/tableHeaderGradient.png)
;background-position:center
```

```
bottom;background-repeat:repeat-x;font-size:12px;font-weight:bold;padding:3px
```

```
6px;text-align:left;}table.dataTable td {border-bottom:1px solid
#AAAAAA;font-size:11px;padding:5px;vertical-align:top;}.loading{background-image:url("/mvp/includ
es/images/loading.gif");width:
```

```
16px;height: 16px;position: relative;}.loadingContainer{display: none;}.datapanelDesc
```

```
{height:20px;text-align:left;color:#000000;font-family:arial,Helvetica,sans-serif;font-size:8pt;border-co
llapse:
```

```
collapse;border-bottom: dashed 1px #dcdcdc;}.datapanelTitle
```

```
{height:20px;text-align:left;color:#000000;font-family:arial,Helvetica,sans-serif;font-size:8pt;border-co
llapse:
```

```
collapse;border-bottom: dashed 1px #dcdcdc;}.datapanel_gradient { background:
```

```
#F2F2F2 url(/mvp/includes/images/palettes/datapanel_gradient.gif) repeat-x
```

```
top left;}.datapanel_top div { background:
```

```
url(/mvp/includes/images/palettes/datapanel_topleft.gif)
```

```
no-repeat top left;}.datapanel_top { background: transparent
```

```
url(/mvp/includes/images/palettes/datapanel_topright.gif)
```

```
no-repeat top right;}.datapanel_bottom div { background:
```

```
url(/mvp/includes/images/palettes/datapanel_bottomleft.gif)
```

```
no-repeat bottom left;}.datapanel_bottom { background: transparent
```

```
url(/mvp/includes/images/palettes/datapanel_bottomright.gif)
```

```
no-repeat bottom right;}.datapanel_top div, .datapanel_top,.datapanel_bottom
```

## VeroConnect API Documentation

```
div, .datapanel_bottom { width: 100%; height: 30px; font-size: 1px; }.datapanel_content
    { margin: 0 30px; }.datapanel_content_narrower { margin: 0 10px;
}.pagetitle{color:#666666;font-size:15px;font-weight:bold;}/ *For
                                color    picker    page    Verocity    2009
settings*/#content2{overflow:hidden;height:1%;}#main{max-width:590px;position:relative;margin-left:
auto;margin-right:auto;}#main
    .bg-t{background:url(/mvp/includes/images/ClientModule/main-t.png) repeat-x;margin:0
                                19px    0    14px;height:34px;}#main
.bg-tl{background:url(/mvp/includes/images/ClientModule/main-tl.png)
    no-repeat;margin-left:-14px;float:left;width:14px;height:34px;position:relative;overflow:
    hidden;}#main .bg-tr{background:url(/mvp/includes/images/ClientModule/main-tr.png)
no-repeat;margin-right:-19px;width:19px;float:right;height:34px;position:relative;overflow:hidden;}#co
ntainer{background-color:#E4E3E3;padding:0
        0 0 1px;overflow:hidden;height:1%;}#content-area{padding:0 7px 0
20px;}.holder{width:100%;overflow:hidden;}#content-area
    .box-wrapper{background:url(/mvp/includes/images/ClientModule/box-t.gif)
                    repeat-x;margin:4px 0 0 0;}#content-area
.box-wrapper:before{background:url(/mvp/includes/images/ClientModule/box-tr.gif)
                    no-repeat 100%
0;content:url(/mvp/includes/images/ClientModule/box-tl.gif);display:block;height:11px;font:0px/0px
                    sans-serif;}#content-area
.box-outer{background:url(/mvp/includes/images/ClientModule/box-l.gif)
            repeat-y;}#content-area .box{background:url(/mvp/includes/images/ClientModule/box-r.gif)
            repeat-y 100% 0;overflow:hidden;}#content-area
```

## VeroConnect API Documentation

```
.box-innerx{background:url(/mvp/includes/images/ClientModule/box-b.gif)
                                repeat-x    0    100%;}#content-area
.box-innerx:after{background:url(/mvp/includes/images/ClientModule/box-br.gif)
                                no-repeat    100%
0;content:url(/mvp/includes/images/ClientModule/box-bl.gif);display:block;height:14px;font:0px/0px
                                sans-serif;}#content-area .box-content{margin:0    7px    0
4px;min-height:60px;background-color:#fff;}#content-area
    .heading{background:#006bb3 url(/mvp/includes/images/ClientModule/heading-mid.png)
repeat-x;margin:0 13px 0 6px;height:47px;position:relative;}#main .bg-right{background:
url(/mvp/includes/images/ClientModule/main-r.png) repeat-y 100% 0;padding:0
8px 0 4px;}* html #main .bg-right {background-image:none;}#content-area

.left-corn{position:absolute;left:0;top:0;width:10px;background:url(/mvp/includes/images/ClientModul
e/heading-left.png)
                                no-repeat;height:47px;}#content-area
.right-corn{position:absolute;right:-1px;top:0;width:11px;background:url(/mvp/includes/images/Client
Module/heading-right.png)
                                no-repeat;height:47px;}#content-area .heading
h2{margin:0;font-size:23px;line-height:27px;float:left;color:#fff;padding:7px
                                0    0
11px;} .arrow_up,.arrow_down,.arrow_up_icons,.arrow_down_icons,.arrow_spacer,.arrow_spacer_ic
ons{margin:5px
                                3px    0
0;width:9px;height:23px;} .arrow_up,.arrow_up_icons{background:url(/mvp/includes/images/ClientMo
dule/arrow3.gif)}
```



## VeroConnect API Documentation

```
no-repeat;}.arrow_down,.arrow_down_icons{background:url(/mvp/includes/images/ClientModule/arrow2.gif)
no-repeat;}.arrow_up_icons,.arrow_down_icons,.arrow_spacer_icons{margin:5px
-5px 0
0;}.arrow_spacer,.arrow_spacer_icons{background:url(/mvp/includes/images/ClientModule/spacer.gif)
f)
no-repeat;}.adminContainer{padding:0 25px 0 25px;}.head{border-bottom:1px
solid gray;margin:0;padding:0px 0
0px;list-style:none;font-size:13px;font-weight:bold;color:gray;width:100%;overflow:hidden;}.head
li{float:left;cursor:pointer;}.pager{clear:both;font-size:11px;color:gray;padding:15px
24px 0 15px;}.pager .setrows{float:left;padding:0 0 0 15px;}.pager .setrows
a{font-size:10pt;text-decoration:none;}.pager .nav{float:right;padding:
5px 0 0 0;}.pager .nav ul{margin:0;padding:0;list-style:none;display:inline;}.pager
.nav ul li{display:inline;background:url(/mvp/includes/images/ClientModule/sep2.gif)
no-repeat 0 67%;padding:0 3px 0 6px;}#content-area .pager .nav ul
li:first-child{background:none;}#content-area
.pager .nav ul li a{text-decoration:none;}.pageTitle{text-align:center;padding:10px
0 10px 0;}.tableDataRow{display:block;border-bottom:1px solid silver;padding:
5px 0 5px 0;}.tableDataColumn{padding: 0 5px 5px 5px;}.tableDataColumnLeft{padding:
0 5px 5px 5px;}.tableDataRowHover {background-color: #E6F2E6;}.tableDataRowSelected
{background-color: #F8FCCA;}* html
#main{width:expression(document.documentElement.clientWidth
< 561 ? "561px" : "100%");/* Screened Vendors search styles */.vendorListSearchAction
{width: 947px;margin-right:20px;font-size:8.5pt;text-align:right;}#vendorListSearchContact,
```

## VeroConnect API Documentation

```
#vendorListSearchCompany {display:none;margin-left:25px;font-size:8.5pt;border:
    solid 1px gainsboro;height:70px;width:917px;margin-bottom:
5px;}#vendorListSearchCompany
    {height:130px;}#vendorListSearchContact.active, #vendorListSearchCompany.active
        {display:block;}.vendorListSearchTitle, .vendorListSearchClose
{float:left;color:black;font-family:verdana;font-size:10pt;font-weight:bold;height:20px;}.vendorListSearchTitle
{width:890px;}.vendorListSearchClose {float:right;border:solid 1px gainsboro;height:
11px;width: 10px;margin-top:1px;padding: 0px 5px 5px 5px;margin:1px 1px
    0 0;background-color:whitesmoke;}.vendorListSearchClose a
{text-decoration:none;}.vendorListSearchLabel
        {padding: 0 0 5px
0;float:left;margin-right:5px;font-size:8.5pt;width:65px;text-align:right;}.vendorListSearchLabel.short
        {width:65px;}.vendorListSearchField
{-x-system-font:none;border-color:#CECDCD;border-style:solid;border-width:2px
        1px 1px
2px;color:#7F7F7F;font-family:Arial,Tahoma,Verdana,sans-serif;font-size:13px;font-size-adjust:none
;font-stretch:normal;font-style:normal;font-variant:normal;font-weight:normal;line-height:normal;width
:
70px;height:20px;float:left;margin-right:5px;}.vendorListSearchFieldSelect
{-x-system-font:none;border-color:#CECDCD;border-style:solid;border-width:2px
        1px 1px
2px;color:#7F7F7F;font-family:Arial,Tahoma,Verdana,sans-serif;font-size:13px;font-size-adjust:none
;font-stretch:normal;font-style:normal;font-variant:normal;font-weight:normal;line-height:normal;height:
t:20px;float:left;margin-right:5px;}/*
```



## VeroConnect API Documentation

Completed:&nbsp;&nbsp;&nbsp;</td><td>

class="standardfont">05/10/2018</td></tr><td width="630" colspan="2"><hr

width="630" size="1px"></td><tr><td class="standardfont" colspan="2">

</td></tr></table></td><tr><td width="630" colspan="2" class="standardfontbold"

style="padding-top: 8px;">\* Document(s) Attached</td></tr><tr><td width="630"

colspan="2" align="center"><table><tr><td class="standardfontbold">&nbsp;&nbsp;&nbsp;</td><td

width="10px">&nbsp;&nbsp;&nbsp;</td><td class="standardfontbold">&nbsp;&nbsp;&nbsp;</td><td

width="10px">&nbsp;&nbsp;&nbsp;

</td></tr></table></td></tr><tr><td width="630" colspan="2">&nbsp;&nbsp;&nbsp;</td></tr><tr><td

width="630" colspan="2" class="standardfontbold">The following are included

in this report:</td></tr><tr><td width="630" colspan="2"><table width="630"

border="1" cellspacing="0" cellpadding="2" bordercolor="#EDEDED"><tr

class="standardfontsmallerbold"

bgcolor="black"><td width="30%"><font color="white">Search

Type</font>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td><td

width="30%"><font color="white">Detail</font>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td><td

width="30%" nowrap="nowrap"><font color="white">Status</font>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td>

</tr><tr class="standardfont"><td >Social Security

Report&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td><td>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td>

<td >Complete</td></tr><tr class="standardfont"><td >County

Criminal&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td><td>Collin,

Texas&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td><td >Complete - No Record</td></tr><tr

class="standardfont"><td >County Criminal&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td><td>Dallas,

Texas&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td><td >Complete - No Record</td></tr><tr

class="standardfont"><td >County Criminal&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td><td>Denton,

Texas	Complete - No Record
-------	----------------------

Motor Vehicle Report Texas

(license 13212114)&nbsp;&nbsp;&nbsp;</td><td>Complete</td></tr><tr>
---

 Global Plus | \_\_Global |

	Complete
Plus	


width="630" border="0" cellspacing="0" cellpadding="0" align="center"><tr><td
---

<b>Social Security Report</b>

width="630" color="black" size="1px"&gt;&lt;/hr&gt;&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt;&lt;td&gt; &lt;script

```
language="JavaScript" type="text/javascript"><!--function
```

```
JS_pop_window(window_location,window_name,window_properties)
```

```
{var window_location = window_location;var window_name = window_name;var
```

window\_properties =

```
window_properties;New_Window=window.open(window_location,window_name,window_properties
```

```
);New_Window.focus();}function
```

```
descpop_it(desc_location) {var page_location =
```

```
desc_location;win2=window.open(page_location
```

```
,"Zippy","width=350,height=300,resizable=yes,scrollbars=yes");win2.focus();}//--></SCRIPT>
```

--

  |  |  || **standardfontbold** | | |

nowrap="nowrap">Social	Security	Number</td><td>&nbsp;   </td><td>
------------------------	----------	-----------------------------------

078-05-****	

 **Name** |  |  |

class="standardfont">Doe

John	class="standardfontbold"
------	--------------------------

## VeroConnect API Documentation

```
nowrap="nowrap">DOB</td><td>&nbsp;</td><td>
class="standardfont" nowrap="nowrap" colspan="2">01/01/****</td></tr><tr><td
class="standardfontbold" nowrap="nowrap">Search ID</td><td>&nbsp;</td><td>
class="standardfont" nowrap="nowrap">642</td></tr><tr><td class="standardfontbold"
nowrap="nowrap">Date Ordered</td><td>&nbsp;</td><td class="standardfont"
nowrap="nowrap" colspan="2">05/10/2018 </td></tr><tr><td class="standardfontbold"
nowrap="nowrap">Date Completed</td><td>&nbsp;</td><td class="standardfont"
nowrap="nowrap" colspan="2">05/10/2018 </td></tr><tr><td colspan="3" height="6">
</td></tr><tr><td colspan="3" class="standardfontbold" nowrap="nowrap">Results</td></tr>
<tr><td colspan="3" class="standardfont"> This search was performed for
location purposes </td></tr></table></td></tr><tr><td>&nbsp;</td></tr>
</table><table width="630" border="0" cellpadding="0" cellspacing="0"
align="center"><tr><td class="standardfontlargerbold" align="center">County
Criminal</td></tr><tr><td><hr width="630" color="black" size="1px"></hr></td></tr>
<tr><td> <script language="JavaScript" type="text/javascript"><!--function
JS_pop_window(window_location,window_name,window_properties) {var window_location
= window_location;var window_name = window_name;var window_properties
=
window_properties;New_Window=window.open(window_location,window_name,window_properties
);New_Window.focus();}function
descpop_it(desc_location) {var page_location =
desc_location;win2=window.open(page_location
,"Zippy","width=350,height=300,resizable=yes,scrollbars=yes");win2.focus();}--></SCRIPT>
<style></style> <table width="100%" cellpadding="0" cellspacing="1" border="0"><tr><td
width="5%"> </td><td width="8%"> </td><td width="10%"> </td><td> </td></tr>
```

## VeroConnect API Documentation

Jurisdiction	
Collin, Texas	
Name Searched	
Doe John	
DOB Searched	
01/01/****	
Search ID	
636	
Date Ordered	
05/10/2018	
Date Completed	
05/10/2018	
Records Searched	
30 years - Felony and Misdemeanor	
Years Searched	
30 years	
Status	
No Records Found	

Search results are based on information obtainable and number of years allowed by specific state law regardless of years requested.

County Criminal
-----------------

## VeroConnect API Documentation

```
width="630" color="black" size="1px"></hr></td></tr> <tr><td> <script
                                language="JavaScript"    type="text/javascript"><!--function
JS_pop_window(window_location,window_name,window_properties)
                                {var window_location = window_location;var window_name = window_name;var
                                window_properties      =
window_properties;New_Window=window.open(window_location,window_name,window_properties
);New_Window.focus();}function
                                descpop_it(desc_location)  {var    page_location    =
desc_location;win2=window.open(page_location
                                ,"Zippy", "width=350,height=300,resizable=yes,scrollbars=yes");win2.focus();}//--></SCRIPT>
<style></style> <table width="100%" cellpadding="0" cellspacing="1" border="0"><tr><td
width="5%"> </td><td width="8%"> </td><td width="10%"> </td><td> </td></tr>
                                <tr><td class="standardfontbold" nowrap="nowrap">Jurisdiction
Searched&nbsp;</td><td>&nbsp;</td><td>
                                colspan="2" class="standardfont">Dallas, Texas</td></tr><tr><td class="standardfontbold"
                                nowrap="nowrap">Name Searched</td><td>&nbsp;</td><td class="standardfont"
                                nowrap="nowrap" colspan="2">Doe John</td></tr><tr><td class="standardfontbold"
                                nowrap="nowrap">DOB Searched</td><td>&nbsp;</td><td class="standardfont"
                                nowrap="nowrap" colspan="2">01/01/****</td></tr><tr><td class="standardfontbold"
                                nowrap="nowrap">Search ID</td><td>&nbsp;</td><td class="standardfont"
                                nowrap="nowrap" colspan="2">637</td></tr><tr><td class="standardfontbold"
                                nowrap="nowrap">Date Ordered</td><td>&nbsp;</td><td class="standardfont"
                                nowrap="nowrap" colspan="2">05/10/2018 </td></tr><tr><td class="standardfontbold"
                                nowrap="nowrap">Date Completed</td><td>&nbsp;</td><td class="standardfont"
                                nowrap="nowrap" colspan="2">05/10/2018 </td></tr><tr><td class="standardfontbold"
```



## VeroConnect API Documentation

```
nowrap="nowrap">Records Searched</td><td>&nbsp;</td><td class="standardfont"
nowrap="nowrap" colspan="2">30 years - Felony and Misdemeanor</td></tr><tr><td
class="standardfontbold" nowrap="nowrap">Years Searched</td><td>&nbsp;</td><td
class="standardfont" nowrap="nowrap" colspan="2">30 years</td></tr><tr><td
class="standardfontbold" nowrap="nowrap">Status</td><td>&nbsp;</td><td
class="standardfont" nowrap="nowrap" colspan="2">No Records
Found</td></tr></table></td></tr><tr><td>&nbsp;</td></tr><tr>
```

```
<td width="630" class="standardfont"> Search results are based on information
obtainable and number of years allowed by specific state law regardless
of years requested. </td></tr><tr><td>&nbsp;</td></tr> </table><table
width="630" border="0" cellspacing="0" cellpadding="0" align="center"><tr><td
class="standardfontlargerbold" align="center">County Criminal</td></tr><tr><td><hr
width="630" color="black" size="1px"></hr></td></tr> <tr><td> <script
language="JavaScript" type="text/javascript"><!--function
JS_pop_window(window_location,window_name,window_properties)
{var window_location = window_location;var window_name = window_name;var
window_properties =
window_properties;New_Window=window.open(window_location,window_name,window_properties
);New_Window.focus();}function
descpop_it(desc_location) {var page_location =
desc_location;win2=window.open(page_location
,"Zippy","width=350,height=300,resizable=yes,scrollbars=yes");win2.focus();}--></SCRIPT>
<style></style> <table width="100%" cellpadding="0" cellspacing="1" border="0"><tr><td
width="5%"> </td><td width="8%"> </td><td width="10%"> </td><td> </td></tr>
<tr><td class="standardfontbold" nowrap="nowrap">Jurisdiction
```

## VeroConnect API Documentation

Searched

Denton, Texas		
Name Searched		
Doe John		
DOB Searched		
01/01/****		
Search ID		
638		
Date Ordered		
05/10/2018		
Date Completed		
05/10/2018		
Records Searched		
30 years - Felony and Misdemeanor		
Years Searched		
30 years		
Status		
No Records		

Found

Search results are based on information obtainable and number of years allowed by specific state law regardless

of years requested.

Motor Vehicle Report

## VeroConnect API Documentation

```
language="JavaScript" type="text/javascript"><!--function
```

```
JS_pop_window(window_location,window_name,window_properties)
```

```
{var window_location = window_location;var window_name = window_name;var
```

```
window_properties =
```

```
window_properties;New_Window=window.open(window_location,window_name,window_properties
```

```
);New_Window.focus();}function
```

```
descpop_it(desc_location) {var page_location =
```

```
desc_location;win2=window.open(page_location
```

```
,"Zippy","width=350,height=300,resizable=yes,scrollbars=yes");win2.focus();}--></SCRIPT>
```

```
<style></style> <table width="100%" cellpadding="0" cellspacing="0" border="0"><tr><td
```

```
width="10%"> </td><td width="8%"> </td><td> </td></tr> <tr><td class="standardfontbold"
```

```
nowrap="nowrap">State</td><td>&nbsp;</td><td
```

```
class="standardfont">Texas</td></tr><tr><td
```

```
class="standardfontbold" nowrap="nowrap">License</td><td>&nbsp;</td><td
```

```
class="standardfont" nowrap="nowrap">13212114</td></tr><tr><td
```

```
class="standardfontbold"
```

```
nowrap="nowrap">Name Searched</td><td>&nbsp;</td><td class="standardfont"
```

```
nowrap="nowrap" colspan="2">Doe John</td></tr><tr><td class="standardfontbold"
```

```
nowrap="nowrap">DOB Searched</td><td>&nbsp;</td><td class="standardfont"
```

```
nowrap="nowrap" colspan="2">01/01/****</td></tr><tr><td class="standardfontbold"
```

```
nowrap="nowrap">SSN Searched</td><td>&nbsp;</td><td class="standardfont"
```

```
nowrap="nowrap" colspan="2">078-05-****</td></tr><tr><td class="standardfontbold"
```

```
nowrap="nowrap">Search ID</td><td>&nbsp;</td><td class="standardfont"
```

```
nowrap="nowrap">641</td></tr><tr><td class="standardfontbold" nowrap="nowrap">Date
```

```
Ordered</td><td>&nbsp;</td><td class="standardfont" nowrap="nowrap"
```

## VeroConnect API Documentation

colspan="2">05/10/2018

</td></tr><tr><td class="standardfontbold" nowrap="nowrap">Date

Completed</td><td>&nbsp;</td><td

class="standardfont" nowrap="nowrap" colspan="2">05/10/2018 </td></tr><tr><td

colspan="3" height="6"> </td></tr><tr><td colspan="3" class="standardfontbold"

nowrap="nowrap">Results</td></tr><tr><td colspan="3" class="standardfontsmaller">

<table class="standardfontsmaller" border="0" width="630"><TR bgcolor="#e9e9e9"><TD

class="standardfontbold">Result File</TD></TR><TR><TD class="standardfont">State

Requested: TX<br />License Requested: 13212114<br />Message Information:

</TD></TR></table> </td></tr></table></td></tr><tr><td>&nbsp;</td></tr>

</table><table width="630" border="0" cellspacing="0" cellpadding="0"

align="center"><tr><td class="standardfontlargerbold" align="center">Global

Plus</td></tr><tr><td><hr width="630" color="black" size="1px"></hr></td></tr>

<tr><td> <script language="JavaScript" type="text/javascript"><!--function

JS\_pop\_window(window\_location,window\_name,window\_properties) {var window\_location

= window\_location;var window\_name = window\_name;var window\_properties

=

window\_properties;New\_Window=window.open(window\_location,window\_name,window\_properties

);New\_Window.focus();}function

descpop\_it(desc\_location) {var page\_location =

desc\_location;win2=window.open(page\_location

, "Zippy", "width=350,height=300,resizable=yes,scrollbars=yes");win2.focus();}//--></SCRIPT>

<style></style> <table width="100%" cellpadding="0" cellspacing="0" border="0">

<tr><td class="standardfontbold" nowrap="nowrap"

width="1%">State&nbsp;</td><td>&nbsp;</td><td

## VeroConnect API Documentation

```
colspan="2" class="standardfont">__ Global Plus</td></tr><tr><td class="standardfontbold"
    nowrap="nowrap">Name</td><td>&nbsp;</td><td class="standardfont">Doe
John</td></tr><tr><td
    class="standardfontbold" nowrap="nowrap">DOB</td><td>&nbsp;</td><td
class="standardfont"
    nowrap="nowrap" colspan="2">01/01/****</td></tr><tr><td class="standardfontbold"
    nowrap="nowrap">SSN</td><td>&nbsp;</td><td class="standardfont" nowrap="nowrap"
    colspan="2">078-05-****</td></tr><tr><td class="standardfontbold"
nowrap="nowrap">Search
    ID</td><td>&nbsp;</td><td class="standardfont" nowrap="nowrap">639</td></tr><tr><td
class="standardfontbold" nowrap="nowrap">Date Ordered</td><td>&nbsp;</td><td
class="standardfont" nowrap="nowrap" colspan="2">05/10/2018 </td></tr><tr><td
class="standardfontbold" nowrap="nowrap">Date Completed</td><td>&nbsp;</td><td
class="standardfont" nowrap="nowrap" colspan="2">05/10/2018 </td></tr>
<tr><td colspan="3" height="6"> </td></tr><tr><td colspan="3" class="standardfontbold"
nowrap="nowrap">Results</td></tr><tr><td colspan="3" class="standardfont">
TEST</td></tr></table></td></tr><tr><td>&nbsp;</td></tr> </table></td></tr><tr><td
    width="630" colspan="2">&nbsp;</td></tr><tr><td width="630"
colspan="2">&nbsp;</td></tr><tr><td
    width="630" colspan="2" class="standardfont">emailed final report to applicant
at az-inbox@outlook.com on 5/10/2018 10:23 AM</td></tr></table></td></tr></table>
</td></tr></table>

</body>
```

## VeroConnect API Documentation

</html> '

type: string

security:

- basicAuth: []

summary: Report Viewer

tags:

- Widgets

parameters:

- in: path

name: reportId

required: true

type: integer

### **paths: /orders/{id}**

/orders/{id}:

get:

description: Request status for an order by providing a reportId path parameter.

operationId: OrderReportStatus

parameters:

- in: path

name: id

required: true

type: string

produces:

- application/json

responses:

## VeroConnect API Documentation

'200':

description: "

examples:

application/json:

applicantRefId: mollit laborum ad laboris

applicationRefId: et commodo elit qui

billingRefId: id nulla esse magna

completeDate: consectetur

decision: amet dolor quis ut velit

isIntegratedReport: false

orderDate: amet

primaryWebhookUrl: non commodo anim

refId: laboris adipisicing non commodo

reportId: 23111994

reportUrl: vero75.screening.services

screenings:

- flagged: false

screeningId: 1649222

status: elit culpa

type: id

- flagged: false

screeningId: 97213354

status: do irure nisi exercitation dolore

type: dolore ut proident minim adipisicing

- flagged: true

## VeroConnect API Documentation

screeningId: 47801233

status: ut

type: incididunt elit ad cupidatat nisi

secondaryWebhookUrl: ut

status: pending

userRefId: minim

schema:

description: The response of a GET call to an orders report resource

properties:

applicantRefId:

type: string

applicationRefId:

type: string

billingRefId:

type: string

completeDate:

type: string

decision:

type: string

isIntegratedReport:

type: boolean

orderDate:

type: string

primaryWebhookUrl:

type: string



## VeroConnect API Documentation

refId:

type: string

reportId:

type: integer

reportUrl:

type: string

screenings:

items:

properties:

flagged:

type: boolean

screeningId:

type: integer

status:

type: string

type:

type: string

type: object

type: array

secondaryWebhookUrl:

type: string

status:

type: string

userRefId:

type: string

## VeroConnect API Documentation

title: Order Report Status

type: object

security:

- bearerToken: []

summary: Order Report Status

tags:

- Orders

x-private: true

parameters:

- in: path

name: id

required: true

type: string

### tags

[{'name': 'Orders'}, {'name': 'Packages'}, {'name': 'Locations'}, {'name': 'Widgets'}]

### consumes

['application/json']

### produces

['application/json']

### security

[{'basicAuth': []}, {'bearerToken': []}]