

deverus CRA Module API Documentation

swagger

2.0

info: title

deverus CRA Module API

info: version

v1

host

verocity-api.screening.services

basePath

/api/v1/cra/{cra_uri}

schemes

['https']

x-amf-baseUriParameters: cra_uri

cra_uri:

required: true

type: string

externalDocs: description

Welcome to the _deverus CRA Module API_ Documentation. The _deverus CRA Module API_ allows your front-end to connect to our CRA module services and provide

VeroConnect API Documentation

the user with capabilities to manage the research process.

Base URI

`https://verocity-api.deverus.com/api/v1/cra/{cra_uri}`

externalDocs: x-amf-title

Home

paths: /alerts

/alerts:

get:

responses:

'200':

description: "

schema:

example:

- clientID: abcdefg

clientName: AutoNation

errorMessage: SSN is malformed.

integratedPartner: ICMS

integratedPartnerId: 12

status: Validation Error

- clientID: '12345'

clientName: Walmart

errorMessage: A connection could not be made.

integratedPartner: SuccessFactors

VeroConnect API Documentation

integratedPartnerId: 9

status: Connection Error

items:

additionalProperties: true

type: object

type: array

x-amf-mediaType: application/json

security:

- jwt: []

x-amf-description: This request is used to retrieve recent alerts.

paths: /boards

/boards:

get:

responses:

'200':

description: "

schema:

items:

additionalProperties: true

properties:

id:

type: string

label:

type: string

required:

VeroConnect API Documentation

- id

- label

type: object

type: array

x-amf-examples:

value:

- id: 6271056aa3d54bceaf7254329cc6fd1c

label: WorkNumber Results

- id: 719f8cf88bbf4fbf86d75b76c0a7fea5

label: Integration Orders

- id: 1bf8badcc5ab4a58aef6fb36660ffe51

label: Quality Review

x-amf-mediaType: application/json

security:

- jwt: []

paths: /boards/{id}

/boards/{id}:

get:

parameters:

- in: path

name: id

required: true

type: string

responses:

'200':

VeroConnect API Documentation

description: "

schema:

additionalProperties: true

properties:

boardName:

type: string

bulkActions:

items:

additionalProperties: true

properties:

bulkActionRenderer:

type: string

props:

additionalProperties: true

properties:

queryString:

type: string

required:

- queryString

type: object

required:

- bulkActionRenderer

- props

type: object

type: array

VeroConnect API Documentation

columns:

items:

additionalProperties: true

properties:

cellRenderer:

type: string

cellRendererProps:

additionalProperties: true

properties:

dataField:

type: string

resource:

type: string

target:

type: string

required:

- resource

type: object

checkboxSelection:

type: boolean

colId:

type: string

field:

type: string

filter:

VeroConnect API Documentation

type: string

filterParams:

additionalProperties: true

properties:

filterOptions:

type: array

inRangeInclusive:

type: boolean

suppressAndOrCondition:

type: boolean

required:

- filterOptions

type: object

headerName:

type: string

pinned:

type: string

suppressFilter:

type: boolean

suppressSorting:

type: boolean

width:

type: integer

type: object

type: array

VeroConnect API Documentation

filterId:

type: string

filterUri:

type: string

filters:

items:

additionalProperties: true

properties:

filterRenderer:

type: string

props:

additionalProperties: true

properties:

field:

type: string

type: object

required:

- filterRenderer

type: object

type: array

id:

type: string

isActive:

type: boolean

label:

VeroConnect API Documentation

type: string

owner:

type: string

ownerTypeId:

type: integer

sidebar:

items:

additionalProperties: true

properties:

props:

additionalProperties: true

properties:

filterAggregate:

type: string

menuItemType:

type: string

required:

- filterAggregate

- menuItemType

type: object

sidebarRenderer:

type: string

required:

- sidebarRenderer

type: object

VeroConnect API Documentation

type: array

type:

type: string

required:

- id
- boardName
- ownerTypeId
- owner
- label
- type
- isActive
- filterId
- filterUri
- bulkActions
- columns
- filters
- sidebar

type: object

x-amf-examples:

value:

boardName: QA Manager Board

bulkActions:

- bulkActionRenderer: assignSearch

props:

queryString: ?hasQAPermission=true

VeroConnect API Documentation

columns:

- checkboxSelection: true

pinned: left

suppressFilter: true

suppressSorting: true

width: 35

- cellRenderer: linkRenderer

cellRendererProps:

resource: searches

colId: this.SysSearch_Id

field: id

headerName: Id

pinned: left

suppressFilter: true

width: 75

- cellRenderer: linkRenderer

cellRendererProps:

dataField: id

resource: qaReviews

target: _self

colId: report.Report_Name

field: fullName

headerName: Subject Name

pinned: left

suppressFilter: true

VeroConnect API Documentation

- cellRenderer: assigneeRenderer

colId: this.assignedUser

field: assignedUser

filter: agTextColumnFilter

filterParams:

filterOptions:

- equals

suppressAndOrCondition: true

headerName: Assignee

- colId: this.reporttype

field: typeName

filter: agTextColumnFilter

filterParams:

filterOptions:

- equals

suppressAndOrCondition: true

headerName: Type

- cellRenderer: linkRenderer

cellRendererProps:

dataField: clientId

resource: clients

colId: customer.clientName

field: clientName

filter: agTextColumnFilter

filterParams:

VeroConnect API Documentation

filterOptions:

- equals

suppressAndOrCondition: true

headerName: Client

- cellRenderer: linkRenderer

cellRendererProps:

dataField: vendorId

resource: vendors

colId: vendor.VendorName

field: vendorName

filter: agTextColumnFilter

filterParams:

filterOptions:

- equals

suppressAndOrCondition: true

headerName: Researcher

- cellRenderer: momentRenderer

colId: this.dateposted

field: createdOn

filter: agDateColumnFilter

filterParams:

filterOptions:

- inRange

inRangeInclusive: true

suppressAndOrCondition: true

VeroConnect API Documentation

headerName: Created On

- colId: workflowStatus.displayName

field: workflowStatus

headerName: Status

suppressFilter: true

- cellRenderer: locationRenderer

colId: this.summary

field: summary

headerName: Location

suppressFilter: true

- colId: report.ssn

field: ssn

headerName: SSN

suppressFilter: true

- colId: report.dob

field: dob

headerName: DOB

suppressFilter: true

- colId: report.email

field: email

headerName: Email

suppressFilter: true

- cellRenderer: momentRenderer

colId: this.datecompleted

field: completedOn

VeroConnect API Documentation

filter: agDateColumnFilter

filterParams:

filterOptions:

- inRange

inRangeInclusive: true

suppressAndOrCondition: true

headerName: Completed On

- colId: customerUser.username

field: clientUserName

headerName: Created By

suppressFilter: true

filterId: 2452f11f22b54cab8c9accba9e02bbbf

filterUri: filters/2452f11f22b54cab8c9accba9e02bbbf

filters:

- filterRenderer: clientType

props: {}

- filterRenderer: client

props: {}

- filterRenderer: dateRange

props:

field: report.date_ordered

id: 1bf8badcc5ab4a58aef6fb36660ffe51

isActive: true

label: Quality Review

owner: testOwner

VeroConnect API Documentation

ownerTypeId: 3

sidebar:

- props:

filterAggregate: workflowStatus

menuItemType: workflow

sidebarRenderer: aggregatorFilter

type: search

x-amf-mediaType: application/json

paths: /clients

/clients:

get:

responses:

'200':

description: "

schema:

example:

- clientId: ApexSystems

clientName: Apex Systems

- clientId: grandhotel

clientName: The Grand Hotel

items:

additionalProperties: true

type: object

type: array

x-amf-mediaType: application/json

VeroConnect API Documentation

security:

- jwt: []

x-amf-description: This request is used to retrieve all clients for a CRA. This is a call to the customers table. Only want to return master-level clients - that is where clientID is not in branchID of customer_branch table.

paths: /employment-verifications

/employment-verifications:

x-amf-description: The employment verification search results

paths: /employment-verifications/{searchId}/results

/employment-verifications/{searchId}/results:

description: Entity representing a result.

patch:

parameters:

- in: path

name: searchId

required: true

type: number

- in: body

name: generated

schema:

additionalProperties: true

properties:

comments:

type: string

VeroConnect API Documentation

employmentStatus:

type: string

matchFound:

description: This field is only relevant if WorkNumber results are being matched. If a match is found, then it is true. If no match is found, then it is false

type: boolean

methodVerified:

enum:

- Name and DOB
- Name and SSN
- Name Only
- Name, DOB, and SSN

type: string

originalhiredate:

type: string

verificationStatus:

description: This should be included if matchFound is true

enum:

- Verified
- 'Verified w/ Discrepancy '
- w/ Consumer Supplied Documentation
- Not Verified

type: string

verifiedCompanyName:

VeroConnect API Documentation

type: string

verifiedEndDate:

type: string

verifiedLocation:

type: string

verifiedPosition:

type: string

verifiedStartDate:

type: string

type: object

x-amf-mediaType: application/json

responses:

'200':

description: "

schema:

additionalProperties: true

properties:

additionalCost:

type: number

attendance:

enum:

- Excellent

- Good

- Fair

- Poor

VeroConnect API Documentation

- Not Asked

- No Comment

type: string

comments:

type: string

companyName:

type: string

companyPhone:

type: string

contact:

type: string

disciplinary:

description: Describes how many times, if ever, the applicant was subject to disciplinary action

enum:

- Often

- Twice

- Once

- Never

- No Comment

- Not Asked

type: string

employmentGapExplanation:

type: string

employmentStatus:

VeroConnect API Documentation

type: string

endDate:

type: string

habits:

enum:

- Excellent
- Good
- Fair
- Poor
- Not Asked

type: string

location:

type: string

methodVerified:

enum:

- Name and DOB
- Name and SSN
- Name Only
- Name, DOB, and SSN

type: string

notContacted:

type: boolean

notes:

type: string

originalhiredate:

VeroConnect API Documentation

type: string

others:

description: Describes how well the applicant works with other people

enum:

- Definitely
- Most of the Time
- Sometimes
- Not at All
- No Comment
- Not Asked

type: string

performance:

enum:

- '1'
- '2'
- '4'
- '6'
- '7'
- '8'
- '9'
- '10'
- Not Asked

type: string

position:

type: string

VeroConnect API Documentation

reasonForGap:

type: string

reasonLeft:

enum:

- Currently Employed
- Terminated
- Laid Off
- Voluntary Departure
- No Comment
- Not Asked

type: string

rehire:

enum:

- Definitely
- 'Yes'
- Possibly
- Not at this Time
- 'No'
- No Comment
- Not Asked

type: string

savedResults:

type: boolean

searchId:

description: unique identifier

VeroConnect API Documentation

type: number

skills:

enum:

- Excellent
- Good
- Fair
- Poor
- No Comment
- Not Asked

type: string

startDate:

type: string

timeofservice:

type: string

unableToVerifyReason:

type: string

verificationStatus:

enum:

- Completed - Not Verified
- Completed - Verified
- Completed - Verified w/Discrepancy

type: string

verifiedCompPhone:

type: string

verifiedCompanyName:

VeroConnect API Documentation

type: string

verifiedContact:

type: string

verifiedEndDate:

type: string

verifiedLocation:

type: string

verifiedPosition:

type: string

verifiedStartDate:

type: string

required:

- searchId

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

VeroConnect API Documentation

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

VeroConnect API Documentation

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

summary: Submit employment verification results

tags:

- Search Results

x-amf-description: 'Partially update an existing result entity.'

VeroConnect API Documentation

paths: /integratedPartners

/integratedPartners:

get:

responses:

'200':

description: "

examples:

application/json:

- id: 7

label: iCIMS

logoURL: <https://s3.amazonaws.com/deverus-prod-app/IntegratedPartnerLogos/icims.jpg>

name: ICIMS

settings:

is1681bEnabled: false

- id: 8

label: Jobvite

logoURL:

<https://s3.amazonaws.com/deverus-prod-app/IntegratedPartnerLogos/jobviteLogo.png>

name: Jobvite

settings:

is1681bEnabled: false

schema:

items:

VeroConnect API Documentation

additionalProperties: true

example:

id: 115

label: Jobvite

logoURL:

<https://s3.amazonaws.com/deverus-prod-app/IntegratedPartnerLogos/jobviteLogo.png>

name: Jobvite

properties:

id:

type: number

label:

type: string

logoURL:

type: string

name:

type: string

settings:

properties:

is1681bEnabled:

type: boolean

required:

- is1681bEnabled

type: object

required:

- name

VeroConnect API Documentation

- id
- logoURL
- label
- settings

type: object

type: array

x-amf-examples:

value:

- id: 115

label: Jobvite

logoURL:

<https://s3.amazonaws.com/deverus-prod-app/IntegratedPartnerLogos/jobviteLogo.png>

name: Jobvite

- id: 116

label: SuccessFactors

logoURL:

<https://s3.amazonaws.com/deverus-prod-app/IntegratedPartnerLogos/successfactorsLogo.png>

name: SuccessFactors

x-amf-mediaType: application/json

security:

- jwt: []

x-amf-description: This request is used to retrieve all connected integration partners

for a CRA on the requestor side (ATS or HRIS). This will be a call to the Integrated_Partner_Available table.

VeroConnect API Documentation

paths: /integratedPartners/{integratedPartnerId}/requestors

/integratedPartners/{integratedPartnerId}/requestors:

get:

description: "

parameters:

- in: path

name: integratedPartnerId

required: true

type: string

- in: query

name: searchString

type: string

- in: query

name: healthStatusFilter

type: string

responses:

'200':

description: "

schema:

items:

example:

clientId: '222222'

clientName: Walmart

customerType: Default

duplicateDetection: 60

VeroConnect API Documentation

fullHTML: true

isActive: true

logoURL: /mvp/tools/file_viewer.cfm?lid=49

parsed: true

password: thepassword

reportLink: true

requestorId: 12

sendResult: true

status: Healthy

summary: true

swifthire: true

transactionTotal: 1000

unparsed: true

userId: Default

properties:

clientId:

type: string

clientName:

type: string

customerType:

type: string

duplicateDetection:

type: integer

fullHTML:

type: boolean

VeroConnect API Documentation

integratedPartnerId:

type: integer

x-stoplight:

id: ckn69etjouuls

isActive:

type: boolean

logoURL:

type: string

parsed:

type: boolean

password:

type: string

reportLink:

type: boolean

requestorId:

type: integer

sendResult:

type: boolean

status:

type: string

summary:

type: boolean

swifthire:

type: boolean

transactionTotal:

VeroConnect API Documentation

type: integer

unparsed:

type: boolean

userId:

type: string

required:

- requestorId
- clientId
- clientName
- customerType
- transactionTotal
- status
- isActive
- logoURL
- userId
- password
- sendResult
- fullHTML
- reportLink
- summary
- parsed
- unparsed
- swifthire
- duplicateDetection
- integratedPartnerId

VeroConnect API Documentation

type: object

type: array

x-amf-examples:

value:

- clientId: '222222'

clientName: Walmart

customerType: Default

duplicateDetection: 60

fullHTML: true

isActive: true

logoURL: /mvp/tools/file_viewer.cfm?lid=49

parsed: true

password: thepassword

reportLink: true

requestorId: 12

sendResult: true

status: Healthy

summary: true

swifthire: true

transactionTotal: 1000

unparsed: true

userId: Default

- clientId: abcdefg

clientName: AutoNation

customerType: Default

VeroConnect API Documentation

duplicateDetection: 60

fullHTML: true

isActive: true

logoURL: /mvp/tools/file_viewer.cfm?lid=99

parsed: true

password: thepassword

reportLink: true

requestorId: 13

sendResult: true

status: Healthy

summary: true

swifthire: true

transactionTotal: 900

unparsed: true

userId: Default

x-amf-mediaType: application/json

security:

- jwt: []

x-amf-description: This request is used to retrieve all requestor data (including integration settings) for a given integration partner. This will be a call to the Integration_Partner table

paths: /integratedPartners/requestors

/integratedPartners/requestors:

get:

description: This endpoint will list requestors filtered by client name using

VeroConnect API Documentation

the searchString query parameter

parameters:

- in: path

name: integratedPartnerId

required: true

type: string

- in: query

name: searchString

type: string

- in: query

name: healthStatusFilter

type: string

responses:

'200':

description: "

schema:

items:

example:

clientId: '222222'

clientName: Walmart

customerType: Default

duplicateDetection: 60

fullHTML: true

isActive: true

logoURL: /mvp/tools/file_viewer.cfm?lid=49

VeroConnect API Documentation

parsed: true

password: thepassword

reportLink: true

requestorId: 12

sendResult: true

status: Healthy

summary: true

swifthire: true

transactionTotal: 1000

unparsed: true

userId: Default

properties:

clientId:

type: string

clientName:

type: string

customerType:

type: string

duplicateDetection:

type: integer

fullHTML:

type: boolean

integratedPartnerId:

type: integer

isActive:

VeroConnect API Documentation

type: boolean

logoURL:

type: string

parsed:

type: boolean

password:

type: string

reportLink:

type: boolean

requestorId:

type: integer

sendResult:

type: boolean

status:

type: string

summary:

type: boolean

swifthire:

type: boolean

transactionTotal:

type: integer

unparsed:

type: boolean

userId:

type: string

VeroConnect API Documentation

required:

- requestorId
- clientId
- clientName
- customerType
- transactionTotal
- status
- isActive
- logoURL
- userId
- password
- sendResult
- fullHTML
- reportLink
- summary
- parsed
- unparsed
- swifthire
- duplicateDetection
- integratedPartnerId

type: object

type: array

x-amf-examples:

value:

- clientId: '222222'

VeroConnect API Documentation

clientName: Walmart

customerType: Default

duplicateDetection: 60

fullHTML: true

isActive: true

logoURL: /mvp/tools/file_viewer.cfm?lid=49

parsed: true

password: thepassword

reportLink: true

requestorId: 12

sendResult: true

status: Healthy

summary: true

swifthire: true

transactionTotal: 1000

unparsed: true

userId: Default

- clientId: abcdefg

clientName: AutoNation

customerType: Default

duplicateDetection: 60

fullHTML: true

isActive: true

logoURL: /mvp/tools/file_viewer.cfm?lid=99

parsed: true

VeroConnect API Documentation

password: thepassword

reportLink: true

requestorId: 13

sendResult: true

status: Healthy

summary: true

swifthire: true

transactionTotal: 900

unparsed: true

userId: Default

x-amf-mediaType: application/json

security:

- jwt: []

summary: List Requestors By Client Name

x-stoplight:

id: 7zofrvk5bnceb

parameters: []

x-amf-description: This request is used to retrieve all requestor data (including integration settings) for a given integration partner. This will be a call to the Integration_Partner table

paths: /integratedPartners/{integratedPartnerId}/requestors/{requestorId}

/integratedPartners/{integratedPartnerId}/requestors/{requestorId}:

get:

operationId: get-integratedPartners-integratedPartnerId-requestors-requestorId

responses:

VeroConnect API Documentation

'200':

description: "

schema:

items:

example:

clientId: '222222'

clientName: Walmart

customerType: Default

duplicateDetection: 60

fullHTML: true

isActive: true

logoURL: /mvp/tools/file_viewer.cfm?lid=49

parsed: true

password: thepassword

reportLink: true

requestorId: 12

sendResult: true

status: Healthy

summary: true

swifthire: true

transactionTotal: 1000

unparsed: true

userId: Default

properties:

clientId:

VeroConnect API Documentation

type: string

clientName:

type: string

customerType:

type: string

duplicateDetection:

type: integer

fullHTML:

type: boolean

integratedPartnerId:

type: integer

x-stoplight:

id: 7g68frcve5hpm

isActive:

type: boolean

logoURL:

type: string

parsed:

type: boolean

password:

type: string

reportLink:

type: boolean

requestorId:

type: integer

VeroConnect API Documentation

sendResult:

type: boolean

status:

type: string

summary:

type: boolean

swifthire:

type: boolean

transactionTotal:

type: integer

unparsed:

type: boolean

userId:

type: string

required:

- requestorId
- clientId
- clientName
- customerType
- transactionTotal
- status
- isActive
- logoURL
- userId
- password

VeroConnect API Documentation

- sendResult
- fullHTML
- reportLink
- summary
- parsed
- unparsed
- swifthire
- duplicateDetection
- integratedPartnerId

type: object

type: array

x-amf-examples:

value:

- clientId: '222222'

clientName: Walmart

customerType: Default

duplicateDetection: 60

fullHTML: true

isActive: true

logoURL: /mvp/tools/file_viewer.cfm?lid=49

parsed: true

password: thepassword

reportLink: true

requestorId: 12

sendResult: true

VeroConnect API Documentation

status: Healthy

summary: true

swifthire: true

transactionTotal: 1000

unparsed: true

userId: Default

- clientId: abcdefg

clientName: AutoNation

customerType: Default

duplicateDetection: 60

fullHTML: true

isActive: true

logoURL: /mvp/tools/file_viewer.cfm?lid=99

parsed: true

password: thepassword

reportLink: true

requestorId: 13

sendResult: true

status: Healthy

summary: true

swifthire: true

transactionTotal: 900

unparsed: true

userId: Default

x-amf-mediaType: application/json

VeroConnect API Documentation

summary: "

x-stoplight:

id: j1jg8j28enq9k

parameters:

- in: path

name: integratedPartnerId

required: true

type: string

- in: path

name: requestorId

required: true

type: string

paths: /integratedPartners/{integratedPartnerId}/requestors/{requestorId}/credentials

/integratedPartners/{integratedPartnerId}/requestors/{requestorId}/credentials:

get:

description: Retrieve all requestor credentials for a given integration partner.

This is a call to the API Auth Service.

parameters:

- in: path

name: integratedPartnerId

required: true

type: string

- in: path

name: requestorId

required: true

VeroConnect API Documentation

type: string

responses:

'200':

description: "

schema:

additionalProperties: true

example:

partnerMetadata:

customerId: 6271

password: V7WbUK78

username: deverusapiuser

requestorId: 34598745843wifsad2134543589defgusdf

verocityMetadata:

integratedPartner: ICIMS

integratedPartnerId: 1

mvpld: 75

requestorId: 1

type: object

x-amf-mediaType: application/json

paths: /integratedPartners/{integratedPartnerId}/requestors/{requestorId}/locations

/integratedPartners/{integratedPartnerId}/requestors/{requestorId}/locations:

get:

description: Tables involved - integration_partner, customers, customers_external,

customer_branch. May have to traverse branch hierarchy to determine the full

list of locations (clients) under the parent client and the display order. customers_external

VeroConnect API Documentation

contains existing location mappings, customers contains the active field (must = 1) and the clientName (possibly more recent than customers_external clientName).

Integration_partner contains the clientId used for the filter. Will display

Location (clientName), System Location ID (clientId), and if a mapping exists,

ATS Location ID (externalClientID). If no mapping exists, the ATS Location ID

will be fillable text box.

parameters:

- in: path

name: integratedPartnerId

required: true

type: string

- in: path

name: requestorId

required: true

type: string

responses:

'200':

description: "

schema:

items:

additionalProperties: true

example:

clientId: '222222'

clientName: Deverus Demo

externalClientID: theATSCientID

VeroConnect API Documentation

externalCustomerId: 10

properties:

clientId:

type: string

clientName:

type: string

externalClientId:

type: string

externalCustomerId:

type: integer

required:

- clientId
- externalClientId
- clientName

type: object

type: array

x-amf-examples:

value:

- clientId: '222222'

clientName: Deverus Demo

externalClientId: theATSCientID

externalCustomerId: 10

- clientId: deverusSales

clientName: Areas

externalClientId: "

VeroConnect API Documentation

externalCustomerId: 0

- clientId: sample1

clientName: Child

externalClientId: "

externalCustomerId: 0

x-amf-mediaType: application/json

x-amf-description: Retrieve all requestor locations for a given integration partner.

paths: /integratedPartners/{integratedPartnerId}/requestors/{requestorId}/packages

/integratedPartners/{integratedPartnerId}/requestors/{requestorId}/packages:

get:

description: Call to packages table checking for the following - PackageType =

CustomerType and PackageType_Detail = customertype from customer table using

clientId from integration_partner OR PackageType = Customer and PackageType_Detail

= clientId from integration_partner OR PackageType = All. Will be left outer

join to package_external to pull existing package mappings. Will display Package

(packageName), System Package ID (packageId), and if a mapping exists, ATS Package

ID (externalPackageKey). If no mapping exists, the ATS Package ID will be fillable

text box.

parameters:

- in: path

name: integratedPartnerId

required: true

type: string

- in: path

name: requestorId

VeroConnect API Documentation

required: true

type: string

responses:

'200':

description: "

schema:

items:

additionalProperties: true

example:

externalPackageId: 9

externalPackageKey: ATS1109

packageId: 1109

packageName: Single SSNT

properties:

externalPackageId:

type: integer

externalPackageKey:

type: string

packageId:

type: integer

packageName:

type: string

required:

- packageName

- packageId

VeroConnect API Documentation

type: object

type: array

x-amf-examples:

value:

- externalPackageId: 9

externalPackageKey: ATS1109

packageId: 1109

packageName: Single SSNT

- externalPackageId: 0

externalPackageKey: "

packageId: 66

packageName: Standard Search

- externalPackageId: 8

externalPackageKey: ATS109

packageId: 109

packageName: Test Package

x-amf-mediaType: application/json

x-amf-description: Retrieve all requestor packages for a given integration partner.

paths: /integratedPartners/{integratedPartnerId}/requestors/{requestorId}/package-mappings

/integratedPartners/{integratedPartnerId}/requestors/{requestorId}/package-mappings:

get:

description: Retrieve all requestor package mappings for a given integration partner

parameters:

- in: path

name: integratedPartnerId

VeroConnect API Documentation

required: true

type: string

- in: path

name: requestorId

required: true

type: string

responses:

'200':

description: "

schema:

items:

additionalProperties: true

example:

externalPackageId: 9

externalPackageKey: ATS1109

packageId: 1109

packageName: Single SSNT

properties:

externalPackageId:

type: integer

externalPackageKey:

type: string

packageId:

type: integer

packageName:

VeroConnect API Documentation

type: string

required:

- packageName

- packageId

type: object

type: array

x-amf-examples:

value:

- externalPackageId: 9

externalPackageKey: ATS1109

packageId: 1109

packageName: Single SSNT

- externalPackageId: 0

externalPackageKey: "

packageId: 66

packageName: Standard Search

- externalPackageId: 8

externalPackageKey: ATS109

packageId: 109

packageName: Test Package

x-amf-mediaType: application/json

post:

description: add new package mappings for a given requestor and integration partner

parameters:

- in: path

VeroConnect API Documentation

name: integratedPartnerId

required: true

type: string

- in: path

name: requestorId

required: true

type: string

- in: body

name: generated

schema:

example:

- externalPackageId: 0

externalPackageKey: somePackageIdentifier

packageId: 1

packageName: Test Package

items:

additionalProperties: true

example:

externalPackageId: 9

externalPackageKey: ATS1109

packageId: 1109

packageName: Single SSNT

properties:

externalPackageId:

type: integer

VeroConnect API Documentation

externalPackageKey:

type: string

packageId:

type: integer

packageName:

type: string

required:

- packageName

- packageId

type: object

type: array

x-amf-mediaType: application/json

responses:

'201':

description: "

x-amf-description: External mappings for package ids to a given requestor for a
given integration partner

paths: /filters/{id}

/filters/{id}:

get:

parameters:

- in: path

name: id

required: true

type: string

VeroConnect API Documentation

responses:

'200':

description: "

schema:

additionalProperties: true

properties:

aggregates:

additionalProperties: true

properties:

workflowStatus:

additionalProperties: true

properties:

calcField:

type: string

displayField:

type: string

function:

type: string

required:

- calcField

- function

- displayField

type: object

required:

- workflowStatus

VeroConnect API Documentation

type: object

criteria:

additionalProperties: true

properties:

prepStatus:

type: string

required:

- prepStatus

type: object

entity:

type: string

id:

type: string

name:

type: string

propertyProjections:

type: string

relationships:

items:

additionalProperties: true

properties:

entity:

type: string

joinType:

type: string

VeroConnect API Documentation

required:

- entity
- joinType

type: object

type: array

sortOrder:

type: string

workflowSchemeId:

type: integer

workflowSchemeUri:

type: string

required:

- id
- name
- entity
- propertyProjections
- workflowSchemeUri
- workflowSchemeId
- sortOrder
- criteria
- aggregates
- relationships

type: object

x-amf-examples:

value:

VeroConnect API Documentation

aggregates:

workflowStatus:

calcField: SysSearch_Id

displayField: workflowStatus.displayName

function: COUNT

criteria:

prepStatus: review

entity: search

id: 2452f11f22b54cab8c9accba9e02bbbf

name: 'QA: default queue'

propertyProjections:

this.SysSearch_Id,this.reporttype,this.summary,customer.clientName,customer.clientId,report.firstName,report.middleName,report.lastName,report.ssn,report.dob,report.email,this.datePosted,this.dateCompleted,customerUser.counter,customerUser.username,userInfo.userName,userInfo.firstName,userInfo.lastName,workflowStatus.displayName,vendor.VendorName,vendor.VendorId

relationships:

- entity: report

joinType: INNER_JOIN

- entity: report.customer

joinType: INNER_JOIN

- entity: customerUser

joinType: INNER_JOIN

- entity: userInfo

joinType: INNER_JOIN

- entity: workflowStatus

VeroConnect API Documentation

joinType: INNER_JOIN

- entity: vendor

joinType: INNER_JOIN

sortOrder: this.datecompleted asc

workflowSchemeId: 4

workflowSchemeUri: workflowSchemeStatuses/?workflowSchemeId=4&withVisibleStatus

x-amf-mediaType: application/json

paths: /filters/{id}/aggregates

/filters/{id}/aggregates:

parameters:

- in: path

name: id

required: true

type: string

paths: /filters/{id}/aggregates/{key}

/filters/{id}/aggregates/{key}:

get:

description: The schema back from this resource is dynamic based on the defined secondary statuses for the given workflow.

parameters:

- in: path

name: id

required: true

type: string

VeroConnect API Documentation

- in: path

name: key

required: true

type: string

responses:

'200':

description: "

schema:

additionalProperties: true

properties:

aggregate:

additionalProperties: true

properties:

calculation:

type: integer

id:

type: string

type: object

all:

type: integer

required:

- all

type: object

x-amf-examples:

value:

VeroConnect API Documentation

In Progress:

calculation: 1

id: In Progress

New:

calculation: 256

id: New

all: 257

x-amf-mediaType: application/json

paths: /filters/{id}/data

/filters/{id}/data:

get:

description: The schema back from this resource can be dynamic. This is an example of search data.

parameters:

- in: query

name: datepostedDateFrom

type: number

- in: query

name: page

type: number

- in: query

name: datepostedDateTo

type: number

- in: query

name: workflowStatus

VeroConnect API Documentation

type: number

- in: query

name: typeName

type: string

- in: query

name: vendorName

type: string

- in: query

name: sortOrder

type: string

- in: query

name: datecompletedDateFrom

type: number

- in: query

name: clientName

type: string

- in: query

name: datecompletedDateTo

type: number

- in: query

name: maxRows

type: number

- in: query

name: assignedUser

type: string

VeroConnect API Documentation

- in: path

name: id

required: true

type: string

responses:

'200':

description: "

schema:

items:

additionalProperties: true

properties:

clientId:

type: string

clientName:

type: string

clientId:

type: integer

clientUserName:

type: string

completedOn:

type: number

createdOn:

type: number

dob:

type: string

VeroConnect API Documentation

email:

type: string

firstName:

type: string

fullName:

type: string

id:

type: integer

lastName:

type: string

middleName:

type: string

reviewStartDate:

type: number

ssn:

type: string

summary:

type: string

totalRows:

type: integer

type:

type: string

typeName:

type: string

userFirstName:

VeroConnect API Documentation

type: string

userId:

type: string

userLastName:

type: string

vendorId:

type: string

vendorName:

type: string

workflowStatus:

type: string

required:

- id
- userId
- userFirstName
- userLastName
- type
- typeName
- workflowStatus
- summary
- clientId
- clientName
- createdOn
- completedOn
- reviewStartDate

VeroConnect API Documentation

- firstName
- middleName
- lastName
- fullName
- ssn
- email
- dob
- clientId
- clientUserName
- totalRows
- vendorName
- vendorId

type: object

type: array

x-amf-examples:

value:

- clientId: '222222'

clientName: deverus

clientId: 1

clientUserName: Sarah Sample

completedOn: 1379257200

createdOn: 1379257260

dob: 01/10/1975

email: "

firstName: Peter

VeroConnect API Documentation

fullName: Peter Ramirez

id: 13405

lastName: Ramirez

middleName: "

reviewStartDate: 1379257200

ssn: 123-45-6789

summary: 'Instant Criminal: RAMIREZ, PETER - 09/15/2013 3:00P'

totalRows: 257

type: INCR

typeName: Instant Criminal

userFirstName: Unassigned

userId: unassigned

userLastName: "

vendorId: deverusdirect

vendorName: deverus Direct

workflowStatus: New

x-amf-mediaType: application/json

'404':

\$ref: '#/responses/error-response'

paths: /letters

/letters:

get:

description: Get a list of letters

parameters:

- description: Filter results based on the value of 'viewLevelKey'

VeroConnect API Documentation

in: query

name: viewLevelKey

type: number

- description: Filter results based on the value of 'viewLevelValue'

in: query

name: viewLevelValue

type: string

responses:

'200':

description: "

schema:

additionalProperties: true

example:

active: true

content: <div>content</div>

date_modified: '2014-01-18T12:34:00Z'

id: 0

name: California PreAdverse

owner: monument

ownerType: client

type: preadverse

properties:

active:

type: boolean

content:

VeroConnect API Documentation

description: The html content of the letter

type: string

date_modified:

type: string

id:

type: number

name:

description: The name of the letter

type: string

owner:

description: The specific group or individual that owns this record

type: string

ownerType:

description: The type of entity that owns this record

enum:

- global
- customer type
- client

type: string

type:

description: Describes what type of letter this is (ie. adverse or preadverse)

enum:

- adverse
- preadverse

type: string

VeroConnect API Documentation

required:

- id
- ownerType
- owner
- name
- type
- active
- date_modified
- content

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

VeroConnect API Documentation

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

VeroConnect API Documentation

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

security:

- jwt: []

post:

description: 'Add a new letter entity.'

,

parameters:

- in: body

VeroConnect API Documentation

name: generated

schema:

additionalProperties: true

example:

active: true

content: <div>content</div>

name: California PreAdverse

owner: monument

ownerTypeId: 3

type: preadverse

properties:

active:

default: true

type: boolean

content:

description: The html content of the letter

type: string

name:

description: The name of the letter

type: string

owner:

description: The specific group or individual that owns this record

type: string

ownerTypeId:

description: The view level key of this owner type

VeroConnect API Documentation

type: number

type:

description: Describes what type of letter this is (ie. adverse or preadverse

enum:

- adverse
- preadverse

type: string

required:

- ownerTypeId
- owner
- name
- type
- content

type: object

x-amf-mediaType: application/json

responses:

'201':

description: "

schema:

additionalProperties: true

example:

active: true

content: <div>content</div>

date_modified: '2014-01-18T12:34:00Z'

id: 0

VeroConnect API Documentation

name: California PreAdverse

owner: monument

ownerType: client

type: preadverse

properties:

active:

type: boolean

content:

description: The html content of the letter

type: string

date_modified:

type: string

id:

type: number

name:

description: The name of the letter

type: string

owner:

description: The specific group or individual that owns this record

type: string

ownerType:

description: The type of entity that owns this record

enum:

- global

- customer type

VeroConnect API Documentation

- client

type: string

type:

description: Describes what type of letter this is (ie. adverse or preadverse)

enum:

- adverse

- preadverse

type: string

required:

- id

- ownerType

- owner

- name

- type

- active

- date_modified

- content

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

VeroConnect API Documentation

error: true

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

VeroConnect API Documentation

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

VeroConnect API Documentation

security:

- jwt: []

x-amf-description: Entity representing a letter.

paths: /letters/{id}

/letters/{id}:

delete:

description: 'Remove a letter entity.'

,

parameters:

- description: The id of the resource to take an action against

in: path

name: id

required: true

type: number

responses:

'204':

description: no content

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

VeroConnect API Documentation

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

VeroConnect API Documentation

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

security:

VeroConnect API Documentation

- jwt: []

get:

description: Get a list of letters

parameters:

- description: The id of the resource to take an action against

in: path

name: id

required: true

type: number

responses:

'200':

description: "

schema:

additionalProperties: true

example:

active: true

content: <div>content</div>

date_modified: '2014-01-18T12:34:00Z'

id: 0

name: California PreAdverse

owner: monument

ownerType: client

type: preadverse

properties:

active:

VeroConnect API Documentation

type: boolean

content:

description: The html content of the letter

type: string

date_modified:

type: string

id:

type: number

name:

description: The name of the letter

type: string

owner:

description: The specific group or individual that owns this record

type: string

ownerType:

description: The type of entity that owns this record

enum:

- global
- customer type
- client

type: string

type:

description: Describes what type of letter this is (ie. adverse or preadverse)

enum:

- adverse

VeroConnect API Documentation

- preadverse

type: string

required:

- id

- ownerType

- owner

- name

- type

- active

- date_modified

- content

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

data:

VeroConnect API Documentation

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

VeroConnect API Documentation

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

security:

- jwt: []

put:

description: 'Update an existing letter entity.'

,

VeroConnect API Documentation

parameters:

- description: The id of the resource to take an action against

in: path

name: id

required: true

type: number

- in: body

name: generated

schema:

additionalProperties: true

example:

active: true

content: <div>content</div>

id: 1

name: California PreAdverse

owner: monument

ownerType: client

type: preadverse

properties:

active:

type: boolean

content:

description: The html content of the letter

type: string

id:

VeroConnect API Documentation

type: number

name:

description: The name of the letter

type: string

owner:

description: The specific group or individual that owns this record

type: string

ownerType:

description: The type of entity that owns this record

enum:

- global
- customer type
- client

type: string

type:

description: Describes what type of letter this is (ie. adverse or preadverse)

enum:

- adverse
- preadverse

type: string

required:

- id

type: object

x-amf-mediaType: application/json

responses:

VeroConnect API Documentation

'200':

description: "

schema:

additionalProperties: true

example:

active: true

content: <div>content</div>

date_modified: '2014-01-18T12:34:00Z'

id: 0

name: California PreAdverse

owner: monument

ownerType: client

type: preadverse

properties:

active:

type: boolean

content:

description: The html content of the letter

type: string

date_modified:

type: string

id:

type: number

name:

description: The name of the letter

VeroConnect API Documentation

type: string

owner:

description: The specific group or individual that owns this record

type: string

ownerType:

description: The type of entity that owns this record

enum:

- global
- customer type
- client

type: string

type:

description: Describes what type of letter this is (ie. adverse or preadverse)

enum:

- adverse
- preadverse

type: string

required:

- id
- ownerType
- owner
- name
- type
- active
- date_modified

VeroConnect API Documentation

- content

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

VeroConnect API Documentation

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

VeroConnect API Documentation

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

security:

- jwt: []

x-amf-description: Entity representing a letter.

paths: /researcher-networks/{searchType}/{jurisdictionId}

/researcher-networks/{searchType}/{jurisdictionId}:

get:

description: Get a researcher-network resource

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

VeroConnect API Documentation

responses:

'200':

description: "

schema:

additionalProperties: true

example:

active: true

fee: '1.00'

instant: 1

properties:

active:

type: boolean

fee:

type: string

instant:

description: -1 = null, 0 = false, 1 = true

enum:

- -1

- 0

- 1

type: number

required:

- fee

- active

- instant

VeroConnect API Documentation

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

VeroConnect API Documentation

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

VeroConnect API Documentation

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

security:

- jwt: []

post:

description: Create a new researcher-network resource

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: body

name: generated

schema:

additionalProperties: true

VeroConnect API Documentation

example:

active: true

fee: '1.00'

instant: 1

properties:

active:

type: boolean

fee:

type: string

instant:

enum:

- -1

- 0

- 1

type: number

required:

- fee

- active

- instant

type: object

x-amf-mediaType: application/json

responses:

'200':

description: "

schema:

VeroConnect API Documentation

additionalProperties: true

example:

active: true

fee: '1.00'

instant: 1

properties:

active:

type: boolean

fee:

type: string

instant:

description: -1 = null, 0 = false, 1 = true

enum:

- -1

- 0

- 1

type: number

required:

- fee

- active

- instant

type: object

x-amf-mediaType: application/json

'400':

description: "

VeroConnect API Documentation

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

VeroConnect API Documentation

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

VeroConnect API Documentation

- messages

- errorCode

type: object

x-amf-mediaType: application/json

security:

- jwt: []

put:

description: Update an existing researcher-network resource

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: body

name: generated

schema:

additionalProperties: true

example:

active: true

fee: '1.00'

instant: 1

VeroConnect API Documentation

properties:

active:

type: boolean

fee:

type: string

instant:

enum:

- -1

- 0

- 1

type: number

required:

- fee

- active

- instant

type: object

x-amf-mediaType: application/json

responses:

'200':

description: "

schema:

additionalProperties: true

example:

active: true

fee: '1.00'

VeroConnect API Documentation

instant: 1

properties:

active:

type: boolean

fee:

type: string

instant:

description: -1 = null, 0 = false, 1 = true

enum:

- -1

- 0

- 1

type: number

required:

- fee

- active

- instant

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

VeroConnect API Documentation

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

VeroConnect API Documentation

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

VeroConnect API Documentation

security:

- jwt: []

x-amf-description: A researcher network is a configuration of vendors for a given search type and jurisdiction. For example, a "deverusReseach" vendor can be configured to fullfill research for "County Criminal" searches in "Travis County, Tx".

paths: /researcher-network/jurisdictions/{searchType}/{jurisdictionId}

/researcher-network/jurisdictions/{searchType}/{jurisdictionId}:

get:

description: Get a jurisdiction for the researcher network.

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

responses:

'200':

description: "

schema:

additionalProperties: true

example:

VeroConnect API Documentation

id: 20

label: Texas

properties:

id:

type: number

label:

type: string

required:

- id

- label

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

VeroConnect API Documentation

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

VeroConnect API Documentation

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

security:

- jwt: []

summary: list jurisdictions

tags:

- Researcher Network - Jurisdictions

x-amf-description: A jurisdiction that is available to be configured for a particular

search type.

VeroConnect API Documentation

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}:

description: A researcher network is a configuration of vendors for a given search type and jurisdiction. For example, a "deverusReseacher" vendor can be configured to fullfill research for "County Criminal" searches in "Travis County, Tx".

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researchers

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researchers:

get:

description: Get a list of researchers. The jurisdiction is optional if the search type does not have a concept of jurisdction. In that scenario it can be left out of the URI, or be sent with a value of 0

parameters:

- in: path

name: searchType

required: true

type: string

VeroConnect API Documentation

- in: path

name: jurisdictionId

required: true

type: number

- in: query

name: priorityVendor

type: boolean

- in: query

name: priorityPosition

type: number

- description: 'If set to true, only return researchers that are configured to use Integration Manager.'

If false, exclude all researchers that are configured to use Integration Manager'

in: query

name: integrated

type: boolean

responses:

'200':

description: "

examples: {}

schema:

items:

\$ref: '#/definitions/researcher'

type: array

VeroConnect API Documentation

x-amf-mediaType: application/json

'400':

description: "

security:

- jwt: []

summary: List researchers for a search type and jurisdiction

tags:

- Researcher Network - Researchers

post:

description: Add a new researcher

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: body

name: generated

schema:

additionalProperties: true

example:

researcherActive: false

VeroConnect API Documentation

researcherCost: 5

vendorId: Infotrack

properties:

researcherActive:

default: true

type: boolean

researcherCost:

type: number

vendorId:

type: string

required:

- researcherCost

- vendorId

type: object

x-amf-mediaType: application/json

responses:

'201':

description: "

schema:

additionalProperties: true

example:

id: 429

jurisdictionId: 47

researcherActive: false

researcherCost: 5

VeroConnect API Documentation

researcherGroups:

- active: true

id: 1

label: Research Group A

- active: false

id: 2

label: Research Group B

researcherNotes:

- dateCreated: March, 14 2018 14:40:55 -0500

id: 1155

noteType: Internal

notes: update

submittedBy: deverus support

- dateCreated: March, 14 2018 14:40:55 -0500

id: 1156

noteType: Internal

notes: test

submittedBy: deverus support

vendorId: Infotrack

vendorName: iTrack

properties:

id:

type: number

jurisdictionId:

type: number

VeroConnect API Documentation

researcherActive:

type: boolean

researcherCost:

type: number

researcherGroups:

description: 'Only returned if the following query string is passed:

includes=researcherGroups

,

items:

additionalProperties: true

properties:

active:

description: denotes wether the researcher group is active or
not

type: boolean

id:

description: the id of the researcher group that this researcher
belongs to

type: number

label:

description: the name of the researcher group

type: string

required:

- id

VeroConnect API Documentation

- label

- active

type: object

type: array

researcherNotes:

items:

additionalProperties: true

example:

dateCreated: March, 14 2018 14:40:55 -0500

id: 1155

noteType: Internal

notes: update

submittedBy: deverus support

properties:

dateCreated:

type: string

id:

type: number

noteType:

type: string

notes:

type: string

submittedBy:

type: string

required:

VeroConnect API Documentation

- id
- noteType
- notes
- submittedBy
- dateCreated

type: object

type: array

vendorId:

type: string

vendorName:

type: string

required:

- id
- jurisdictionId
- researcherActive
- researcherCost
- vendorId
- vendorName

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

VeroConnect API Documentation

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

VeroConnect API Documentation

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

VeroConnect API Documentation

x-amf-mediaType: application/json

security:

- jwt: []

summary: Add a new researcher for a search type and jurisdiction

tags:

- Researcher Network - Researchers

x-amf-description: A vendor that has been assigned the context of a search type and jurisdiction. (i.e. "County Criminal" for "Travis County, Tx")

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researchers/{id}

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researchers/{id}:

get:

responses:

'200':

description: "

schema:

\$ref: '#/definitions/researcher'

'404':

\$ref: '#/responses/four-oh-four-response'

summary: Get a single researcher by id

tags:

- Researcher Network - Researchers

parameters:

- in: path

name: searchType

required: true

VeroConnect API Documentation

type: string

- in: path

name: jurisdictionId

required: true

type: string

- in: path

name: id

required: true

type: string

put:

parameters:

- in: body

name: body

schema:

allOf:

- \$ref: '#/definitions/researcher-no-includes'

- properties:

researcherFees:

items:

\$ref: '#/definitions/researcher-fee'

type: array

type: object

responses:

'200':

description: "

VeroConnect API Documentation

schema:

\$ref: '#/definitions/researcher-no-includes'

'400':

\$ref: '#/responses/error-response'

'404':

\$ref: '#/responses/four-oh-four-response'

summary: Update an existing Researcher

tags:

- Researcher Network - Researchers

x-amf-description: "

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researchers/{ve

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researchers/{vendorId}/n

otes:

get:

description: Get a list of notes

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: path

VeroConnect API Documentation

name: vendorId

required: true

type: string

responses:

'200':

description: "

schema:

items:

additionalProperties: true

example:

dateCreated: March, 14 2018 14:40:55 -0500

id: 1155

noteType: Internal

notes: update

submittedBy: deverus support

properties:

dateCreated:

type: string

id:

type: number

noteType:

type: string

notes:

type: string

submittedBy:

VeroConnect API Documentation

type: string

required:

- id
- noteType
- notes
- submittedBy
- dateCreated

type: object

type: array

x-amf-mediaType: application/json

'400':

description: "

security:

- jwt: []

summary: List the notes for a researcher

tags:

- Researcher Network - Researchers

post:

description: Add a new note

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

VeroConnect API Documentation

name: jurisdictionId

required: true

type: number

- in: path

name: vendorId

required: true

type: string

- in: body

name: generated

schema:

additionalProperties: true

example:

notes: update

properties:

notes:

type: string

required:

- notes

type: object

x-amf-mediaType: application/json

responses:

'201':

description: "

schema:

additionalProperties: true

VeroConnect API Documentation

example:

dateCreated: March, 14 2018 14:40:55 -0500

id: 1155

noteType: Internal

notes: update

submittedBy: deverus support

properties:

dateCreated:

type: string

id:

type: number

noteType:

type: string

notes:

type: string

submittedBy:

type: string

required:

- id
- noteType
- notes
- submittedBy
- dateCreated

type: object

x-amf-mediaType: application/json

VeroConnect API Documentation

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

VeroConnect API Documentation

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

VeroConnect API Documentation

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

security:

- jwt: []

summary: Create a note for a researcher

tags:

- Researcher Network - Researchers

x-amf-description: Notes associated with an existing vendor

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researchers/{vendorId}/notes/{id}

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researchers/{vendorId}/notes/{id}

delete:

delete:

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

VeroConnect API Documentation

- in: path

name: vendorId

required: true

type: string

- in: path

name: id

required: true

type: number

responses:

'204':

description: no content

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

VeroConnect API Documentation

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

VeroConnect API Documentation

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

summary: Delete a researcher note

tags:

- Researcher Network - Researchers

get:

description: Get a list of notes

parameters:

- in: path

name: searchType

VeroConnect API Documentation

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: path

name: vendorId

required: true

type: string

- in: path

name: id

required: true

type: number

responses:

'200':

description: "

schema:

additionalProperties: true

example:

dateCreated: March, 14 2018 14:40:55 -0500

id: 1155

noteType: Internal

notes: update

submittedBy: deverus support

VeroConnect API Documentation

properties:

dateCreated:

type: string

id:

type: number

noteType:

type: string

notes:

type: string

submittedBy:

type: string

required:

- id
- noteType
- notes
- submittedBy
- dateCreated

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

VeroConnect API Documentation

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

VeroConnect API Documentation

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

VeroConnect API Documentation

summary: Get an individual researcher note

tags:

- Researcher Network - Researchers

put:

description: 'Update an existing note to the researcher network.'

,

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: path

name: vendorId

required: true

type: string

- in: path

name: id

required: true

type: number

- in: body

VeroConnect API Documentation

name: generated

schema:

additionalProperties: true

example:

id: 1

notes: update

properties:

id:

type: number

notes:

type: string

required:

- id

- notes

type: object

x-amf-mediaType: application/json

responses:

'200':

description: "

schema:

additionalProperties: true

example:

dateCreated: March, 14 2018 14:40:55 -0500

id: 1155

noteType: Internal

VeroConnect API Documentation

notes: update

submittedBy: deverus support

properties:

dateCreated:

type: string

id:

type: number

noteType:

type: string

notes:

type: string

submittedBy:

type: string

required:

- id

- noteType

- notes

- submittedBy

- dateCreated

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

VeroConnect API Documentation

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

VeroConnect API Documentation

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

VeroConnect API Documentation

type: object

x-amf-mediaType: application/json

summary: Update a researcher note

tags:

- Researcher Network - Researchers

x-amf-description: Entity representing a note in the researcher network

x-amf-displayName: /{vendorId}/notes/{id}

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups:

get:

description: Get a list of researcher-groups

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

responses:

'200':

description: "

schema:

items:

VeroConnect API Documentation

additionalProperties: true

example:

active: false

createdBy: 1

dateCreated: March, 22 2018 12:28:12 -0500

id: 4

jurisdictionId: 47

label: Test Group

researcherPods:

- active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

- active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 21

VeroConnect API Documentation

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: Infotrack

vendorName: iTrack

searchType: cocr

properties:

active:

type: boolean

createdBy:

type: number

dateCreated:

type: string

id:

type: number

jurisdictionId:

type: number

label:

type: string

researcherPods:

items:

additionalProperties: true

example:

active: true

VeroConnect API Documentation

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

properties:

active:

type: boolean

createdBy:

type: string

dateCreated:

type: string

dateModified:

x-amf-union:

- type: string

- type: 'null'

id:

type: number

modifiedBy:

type: string

VeroConnect API Documentation

podNumber:

x-amf-union:

- type: number
- type: 'null'

podType:

type: string

researcherGroupId:

type: number

researcherId:

description: same value as vendorId

type: string

vendorName:

type: string

required:

- id
- researcherGroupId
- podNumber
- podType
- researcherId
- vendorName
- dateCreated
- dateModified
- createdBy
- modifiedBy
- active

VeroConnect API Documentation

type: object

type: array

searchType:

type: string

required:

- id
- label
- searchType
- jurisdictionId
- active
- dateCreated
- createdBy

type: object

type: array

x-amf-mediaType: application/json

'400':

description: "

summary: List the researcher groups for a search type and jurisdiction

tags:

- Researcher Network - Researcher Group

post:

description: Add a new researcher-group

parameters:

- in: path

name: searchType

VeroConnect API Documentation

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: body

name: generated

schema:

additionalProperties: true

example:

active: false

label: Test Group

researcherPods:

- active: true

researcherId: cramern

- active: true

researcherId: Infotrack

properties:

active:

default: false

type: boolean

label:

type: string

researcherPods:

VeroConnect API Documentation

items:

additionalProperties: true

example:

active: true

researcherId: cramern

properties:

active:

default: true

type: boolean

researcherId:

description: same value as vendorId

type: string

required:

- researcherId

type: object

type: array

required:

- label

type: object

x-amf-mediaType: application/json

responses:

'201':

description: "

schema:

additionalProperties: true

VeroConnect API Documentation

example:

active: false

createdBy: 1

dateCreated: March, 22 2018 12:28:12 -0500

id: 4

jurisdictionId: 47

label: Test Group

researcherPods:

- active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

- active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 21

modifiedBy: "

VeroConnect API Documentation

podNumber: null

podType: "

researcherGroupId: 4

researcherId: Infotrack

vendorName: iTrack

searchType: cocr

properties:

active:

type: boolean

createdBy:

type: number

dateCreated:

type: string

id:

type: number

jurisdictionId:

type: number

label:

type: string

researcherPods:

items:

additionalProperties: true

example:

active: true

createdBy: deverussupport

VeroConnect API Documentation

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

properties:

active:

type: boolean

createdBy:

type: string

dateCreated:

type: string

dateModified:

x-amf-union:

- type: string

- type: 'null'

id:

type: number

modifiedBy:

type: string

podNumber:

VeroConnect API Documentation

x-amf-union:

- type: number
- type: 'null'

podType:

type: string

researcherGroupId:

type: number

researcherId:

description: same value as vendorId

type: string

vendorName:

type: string

required:

- id
- researcherGroupId
- podNumber
- podType
- researcherId
- vendorName
- dateCreated
- dateModified
- createdBy
- modifiedBy
- active

type: object

VeroConnect API Documentation

type: array

searchType:

type: string

required:

- id
- label
- searchType
- jurisdictionId
- active
- dateCreated
- createdBy

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

VeroConnect API Documentation

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

VeroConnect API Documentation

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

summary: Create a researcher group for a search type and jurisdiction

tags:

- Researcher Network - Researcher Group

x-amf-description: Collection of available researcher-groups in the researcher network

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups/{id}:

VeroConnect API Documentation

delete:

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- description: researcherGroupId

in: path

name: id

required: true

type: number

responses:

'204':

description: no content

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

VeroConnect API Documentation

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

VeroConnect API Documentation

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

get:

VeroConnect API Documentation

description: Get a list of researcher-groups

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- description: researcherGroupId

in: path

name: id

required: true

type: number

responses:

'200':

description: "

schema:

additionalProperties: true

example:

active: false

createdBy: 1

dateCreated: March, 22 2018 12:28:12 -0500

id: 4

VeroConnect API Documentation

jurisdictionId: 47

label: Test Group

researcherPods:

- active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

- active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 21

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: Infotrack

vendorName: iTrack

VeroConnect API Documentation

searchType: cocr

properties:

active:

type: boolean

createdBy:

type: number

dateCreated:

type: string

id:

type: number

jurisdictionId:

type: number

label:

type: string

researcherPods:

items:

additionalProperties: true

example:

active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

VeroConnect API Documentation

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

properties:

active:

type: boolean

createdBy:

type: string

dateCreated:

type: string

dateModified:

x-amf-union:

- type: string

- type: 'null'

id:

type: number

modifiedBy:

type: string

podNumber:

x-amf-union:

- type: number

- type: 'null'

podType:

type: string

VeroConnect API Documentation

researcherGroupId:

type: number

researcherId:

description: same value as vendorId

type: string

vendorName:

type: string

required:

- id
- researcherGroupId
- podNumber
- podType
- researcherId
- vendorName
- dateCreated
- dateModified
- createdBy
- modifiedBy
- active

type: object

type: array

searchType:

type: string

required:

- id

VeroConnect API Documentation

- label
- searchType
- jurisdictionId
- active
- dateCreated
- createdBy

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

VeroConnect API Documentation

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

VeroConnect API Documentation

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

put:

description: 'Update an existing researcher-group to the researcher network.'

,

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

VeroConnect API Documentation

required: true

type: number

- description: researcherGroupId

in: path

name: id

required: true

type: number

- in: body

name: generated

schema:

additionalProperties: true

example:

active: false

label: Test Group

properties:

active:

default: false

type: boolean

label:

type: string

required:

- label

type: object

x-amf-mediaType: application/json

responses:

VeroConnect API Documentation

'200':

description: "

schema:

additionalProperties: true

example:

active: false

createdBy: 1

dateCreated: March, 22 2018 12:28:12 -0500

id: 4

jurisdictionId: 47

label: Test Group

researcherPods:

- active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

- active: true

createdBy: deverussupport

VeroConnect API Documentation

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 21

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: Infotrack

vendorName: iTrack

searchType: cocr

properties:

active:

type: boolean

createdBy:

type: number

dateCreated:

type: string

id:

type: number

jurisdictionId:

type: number

label:

type: string

researcherPods:

items:

VeroConnect API Documentation

additionalProperties: true

example:

active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

properties:

active:

type: boolean

createdBy:

type: string

dateCreated:

type: string

dateModified:

x-amf-union:

- type: string

- type: 'null'

id:

VeroConnect API Documentation

type: number

modifiedBy:

type: string

podNumber:

x-amf-union:

- type: number

- type: 'null'

podType:

type: string

researcherGroupld:

type: number

researcherId:

description: same value as vendorId

type: string

vendorName:

type: string

required:

- id
- researcherGroupld
- podNumber
- podType
- researcherId
- vendorName
- dateCreated
- dateModified

VeroConnect API Documentation

- createdBy
- modifiedBy
- active

type: object

type: array

searchType:

type: string

required:

- id
- label
- searchType
- jurisdictionId
- active
- dateCreated
- createdBy

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

VeroConnect API Documentation

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

VeroConnect API Documentation

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

x-amf-description: Entity representing a researcher-group in the researcher network

x-amf-displayName: /researcher-groups/{id}

VeroConnect API Documentation

paths: `/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups`

`/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups/client`

s:

get:

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

responses: {}

post:

description: This is a bulk creation process, so entities are posted in an array

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

VeroConnect API Documentation

- in: body

name: generated

schema:

items:

example:

- typeId: monument

items:

additionalProperties: true

properties:

typeId:

type: string

required:

- typeId

type: object

type: array

type: array

x-amf-mediaType: application/json

responses:

'201':

description: "

schema:

items:

additionalProperties: true

example:

id: 8

VeroConnect API Documentation

label: deverus

researcherGroupId: 4

type: clientid

typeId: '222222'

properties:

id:

type: number

label:

type: string

researcherGroupId:

type: number

type:

enum:

- clientid

- customerType

type: string

typeId:

type: string

required:

- id

- researcherGroupId

- typeId

- type

- label

type: object

VeroConnect API Documentation

type: array

x-amf-mediaType: application/json

paths: **/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups/{id}:**

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups/client

s/{id}:

delete:

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: path

name: id

required: true

type: string

responses:

'204':

description: no content

'400':

description: "

schema:

VeroConnect API Documentation

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

VeroConnect API Documentation

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

VeroConnect API Documentation

- errorCode

type: object

x-amf-mediaType: application/json

x-amf-description: Entity representing a client in the researcher network

x-amf-displayName: /clients/{id}

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups/client

-types:

get:

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

responses: {}

post:

description: This is a bulk creation process, so entities are posted in an array

parameters:

- in: path

name: searchType

required: true

VeroConnect API Documentation

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: body

name: generated

schema:

items:

example:

- typeId: monument

items:

additionalProperties: true

properties:

typeId:

type: string

required:

- typeId

type: object

type: array

type: array

x-amf-mediaType: application/json

responses:

'201':

description: "

VeroConnect API Documentation

schema:

items:

additionalProperties: true

example:

id: 8

label: deverus

researcherGroupId: 4

type: clientid

typeld: '222222'

properties:

id:

type: number

label:

type: string

researcherGroupId:

type: number

type:

enum:

- clientid

- customerType

type: string

typeld:

type: string

required:

- id

VeroConnect API Documentation

- researcherGroupId

- typeId

- type

- label

type: object

type: array

x-amf-mediaType: application/json

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups/client

-types/{id}:

delete:

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: path

name: id

required: true

type: string

responses:

VeroConnect API Documentation

'204':

description: no content

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

VeroConnect API Documentation

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

VeroConnect API Documentation

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

x-amf-description: Entity representing a client-type in the researcher network

x-amf-displayName: /client-types/{id}

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups/researchers:

researchers:

post:

description: This is a bulk creation process, so entities are posted in an array

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: body

VeroConnect API Documentation

name: generated

schema:

additionalProperties: true

example:

active: true

researcherId: cramern

properties:

active:

default: true

type: boolean

researcherId:

description: same value as vendorId

type: string

required:

- researcherId

type: object

x-amf-mediaType: application/json

responses:

'200':

description: "

schema:

items:

additionalProperties: true

example:

active: true

VeroConnect API Documentation

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

properties:

active:

type: boolean

createdBy:

type: string

dateCreated:

type: string

dateModified:

x-amf-union:

- type: string

- type: 'null'

id:

type: number

modifiedBy:

type: string

VeroConnect API Documentation

podNumber:

x-amf-union:

- type: number
- type: 'null'

podType:

type: string

researcherGroupId:

type: number

researcherId:

description: same value as vendorId

type: string

vendorName:

type: string

required:

- id
- researcherGroupId
- podNumber
- podType
- researcherId
- vendorName
- dateCreated
- dateModified
- createdBy
- modifiedBy
- active

VeroConnect API Documentation

type: object

type: array

x-amf-examples:

value:

- active: true

createdBy: deverussupport

dateCreated: April, 06 2018 12:02:26 -0500

dateModified: null

id: 1010

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cjresearcher

vendorName: "

- active: true

createdBy: deverussupport

dateCreated: April, 06 2018 12:02:26 -0500

dateModified: April, 07 2018 10:51:13 -0500

id: 1011

modifiedBy: "

podNumber: 3

podType: "

researcherGroupId: 4

researcherId: jmarks

VeroConnect API Documentation

vendorName: "

x-amf-mediaType: application/json

'201':

description: "

schema:

additionalProperties: true

example:

active: true

createdBy: deverussupport

dateCreated: March, 29 2018 13:40:00 -0500

dateModified: null

id: 20

modifiedBy: "

podNumber: null

podType: "

researcherGroupId: 4

researcherId: cramern

vendorName: Nicholas Cramer

properties:

active:

type: boolean

createdBy:

type: string

dateCreated:

type: string

VeroConnect API Documentation

dateModified:

x-amf-union:

- type: string

- type: 'null'

id:

type: number

modifiedBy:

type: string

podNumber:

x-amf-union:

- type: number

- type: 'null'

podType:

type: string

researcherGroupId:

type: number

researcherId:

description: same value as vendorId

type: string

vendorName:

type: string

required:

- id

- researcherGroupId

- podNumber

VeroConnect API Documentation

- podType
- researcherId
- vendorName
- dateCreated
- dateModified
- createdBy
- modifiedBy
- active

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

VeroConnect API Documentation

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

VeroConnect API Documentation

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

x-amf-description: Collection of available researchers in the researcher network

x-amf-displayName: /researcher-groups/{id}/researchers

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups/{id}

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher-groups/researchers/{id}:

delete:

description: This is a bulk deletion process, so entities are posted in an array

parameters:

- in: path

VeroConnect API Documentation

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- in: path

name: id

required: true

type: string

- in: body

name: generated

schema:

example:

- id: 1010

- id: 1011

items:

additionalProperties: true

properties:

id:

type: number

required:

- id

type: object

VeroConnect API Documentation

type: array

x-amf-mediaType: application/json

responses:

'204':

description: no content

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

VeroConnect API Documentation

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

VeroConnect API Documentation

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

x-amf-description: Entity representing a researcher in the researcher network

x-amf-displayName: /researcher-groups/{id}/researchers/{id}

paths: /reports

/reports:

get:

parameters:

- format: date-time

in: query

name: dateFrom

required: true

type: string

- format: date-time

in: query

name: dateTo

VeroConnect API Documentation

required: true

type: string

- in: query

name: status

type: string

- in: query

name: integratedPartnerId

type: number

- in: query

name: requestorId

type: number

- in: query

name: clientType

type: string

- in: query

name: clientId

type: string

- in: query

name: branchId

type: string

- in: query

name: sortingField

type: string

- in: query

name: sortingOrder

VeroConnect API Documentation

type: string

- in: query

name: pageSize

type: number

- in: query

name: pageNumber

type: number

responses:

'200':

description: "

schema:

items:

additionalProperties: true

example:

branch: Branch Name

clientName: Deverus Demo

dateCompleted: 1510086420

dateOrdered: 1510086420

packageld: 1109

packageName: Single SSNT

reportId: 12184

reportStatus: Failed

ssn: 545-89-1567

subjectName: John Snow

userName: John3 Smith3

VeroConnect API Documentation

properties:

branch:

type: string

clientName:

type: string

dateCompleted:

type: number

dateOrdered:

type: number

packageld:

type: number

packageName:

type: string

reportId:

type: number

reportStatus:

type: string

ssn:

type: string

subjectName:

type: string

userName:

type: string

required:

- reportId

VeroConnect API Documentation

- subjectName
- clientName
- packageName
- packageId
- reportStatus
- userName
- dateOrdered

type: object

type: array

x-amf-examples:

value:

- branch: Branch Name

clientName: Deverus Demo

dateCompleted: 1510086420

dateOrdered: 1510086420

packageId: 1109

packageName: Single SSNT

reportId: 12184

reportStatus: Failed

ssn: 545-89-1567

subjectName: John Snow

userName: John3 Smith3

- branch: "

clientName: Deverus Demo

dateCompleted: 0

VeroConnect API Documentation

dateOrdered: 1510086360

packageld: 1109

packageName: Single SSNT

reportId: 12183

reportStatus: In Progress

ssn: 545-89-1567

subjectName: John Snow

userName: Sarah Sample

x-amf-mediaType: application/json

security:

- jwt: []

x-amf-description: This request is used to retrieve existing reports in ascending order of when they were created.

paths: /reports/{reportId}

/reports/{reportId}:

get:

parameters:

- in: path

name: reportId

required: true

type: string

- description: 'Comma delimited list of relational entities that can be included.'

Ex: reportResearch'

in: query

name: includes

VeroConnect API Documentation

type: string

responses:

'200':

description: "

schema:

additionalProperties: true

properties:

apt:

type: string

city:

type: string

clientName:

type: string

clientReference:

type: string

dateCompleted:

type: number

dateOrdered:

type: number

dob:

type: string

email:

type: string

firstName:

type: string

VeroConnect API Documentation

gid:

type: string

lastName:

type: string

middleName:

type: string

phone:

type: string

reportActivityLog:

example:

- eventDate: September, 23 2017 14:55:50 -0500

eventDetails: Report_ID 12045 Failed

eventName: Report delivered

- eventDate: September, 23 2017 14:55:50 -0500

eventDetails: Report_ID 12045 Created

eventName: Report delivered

items:

additionalProperties: true

properties:

eventDate:

type: string

eventDetails:

type: string

eventName:

type: string

VeroConnect API Documentation

required:

- eventDate
- eventDetails
- eventName

type: object

type: array

reportId:

type: number

reportResearch:

description: Optionally included with the `?includes=reportResearch`

query string param

items:

properties:

gid:

type: string

reportResearchId:

type: integer

statusText:

type: string

vendorId:

type: string

workflowStatusId:

type: integer

type: object

type: array

VeroConnect API Documentation

reportStatus:

type: string

searches:

items:

additionalProperties: true

example:

clientReference: xyz

dateCompleted: '2014-01-18T12:34:00Z'

datePosted: '2014-01-18T12:34:00Z'

dob: 01/01/****

firstName: Robert

lastName: Ice

middleName: C

prepStatus: Complete

reportFlag: true

searchId: 1234

searchName: Past Address Trace

searchType: SSNT

ssn: 301-42-****

turnaround: 90

properties:

clientReference:

type: string

county:

type: string

VeroConnect API Documentation

dateCompleted:

format: date-time

type: string

datePosted:

format: date-time

type: string

dob:

type: string

firstName:

type: string

lastName:

type: string

middleName:

type: string

prepStatus:

type: string

reportFlag:

type: boolean

searchId:

type: number

searchName:

type: string

searchType:

type: string

ssn:

VeroConnect API Documentation

type: string

state:

type: string

turnaround:

type: integer

required:

- searchId
- searchType
- searchName
- prepStatus
- datePosted
- dateCompleted
- turnaround
- reportFlag
- firstName
- middleName
- lastName
- ssn
- dob
- clientReference

type: object

type: array

ssn:

type: string

state:

VeroConnect API Documentation

type: string

street:

type: string

zip:

type: string

required:

- reportId
- firstName
- lastName
- clientName
- street
- city
- state
- zip
- dateOrdered
- reportStatus

type: object

x-amf-examples:

example_0:

apt: "

city: Austin

clientName: Deverus Demo

clientReference: JNW83H83H8F

dateCompleted: 1376048520

dateOrdered: 1375962120

VeroConnect API Documentation

dob: 01/01/1989

email: jdog@targaryen.org

firstName: John

gid: 8A354CF7-792B-4120-AFC0-80425C7400F7

lastName: Snow

middleName: "

phone: 817-555-5555

reportActivityLog:

- eventDate: September, 23 2017 14:55:50 -0500

- eventDetails: Report_ID 12045 Failed

- eventName: Report delivered

reportId: 12184

reportStatus: pending

searches:

- clientReference: xyz

- dateCompleted: '2014-01-18T12:34:00Z'

- datePosted: '2014-01-18T12:34:00Z'

- dob: 01/01/****

- firstName: Thomas

- lastName: Starns

- middleName: Lee

- prepStatus: Complete

- reportFlag: true

- searchId: 1230

- searchName: Nation-wide Criminal

VeroConnect API Documentation

searchType: incr

ssn: 301-42-****

turnaround: 90

ssn: 545-89-1567

state: tX

street: 111 Somewhere dr.

zip: '78727'

value:

apt: "

city: Austin

clientName: Deverus Demo

clientReference: JNW83H83H8F

dateCompleted: 1376048520

dateOrdered: 1375962120

dob: 01/01/1989

email: jdog@targaryen.org

firstName: John

gid: 8A354CF7-792B-4120-AFC0-80425C7400F7

lastName: Snow

middleName: "

phone: 817-555-5555

reportActivityLog:

- eventDate: September, 23 2017 14:55:50 -0500

eventDetails: Report_ID 12045 Failed

eventName: Report delivered

VeroConnect API Documentation

reportId: 12184

reportStatus: pending

searches:

- clientReference: xyz

dateCompleted: '2014-01-18T12:34:00Z'

datePosted: '2014-01-18T12:34:00Z'

dob: 01/01/****

firstName: Thomas

lastName: Starns

middleName: Lee

prepStatus: Complete

reportFlag: true

searchId: 1230

searchName: Nation-wide Criminal

searchType: incr

ssn: 301-42-****

turnaround: 90

ssn: 545-89-1567

state: tX

street: 111 Somewhere dr.

zip: '78727'

x-amf-mediaType: application/json

security:

- jwt: []

x-amf-description: This request is used to retrieve details for a single report

VeroConnect API Documentation

based on reportId.

paths: /reports/{reportId}/employment-verifications/results

/reports/{reportId}/employment-verifications/results:

get:

description: Get a list of employment verification results for the report

parameters:

- in: path

name: reportId

required: true

type: string

- description: Filter the Employment-Verifications by a particular Search status

in: query

name: status

type: string

- description: Filter the Employment-Verifications based on the assigned Vendor
of the Search

in: query

name: vendorId

type: string

responses:

'200':

description: "

schema:

additionalProperties: true

properties:

VeroConnect API Documentation

additionalCost:

type: number

attendance:

enum:

- Excellent
- Good
- Fair
- Poor
- Not Asked
- No Comment

type: string

comments:

type: string

companyName:

type: string

companyPhone:

type: string

contact:

type: string

disciplinary:

description: Describes how many times, if ever, the applicant was subject to disciplinary action

enum:

- Often
- Twice

VeroConnect API Documentation

- Once
- Never
- No Comment
- Not Asked

type: string

employmentGapExplanation:

type: string

employmentStatus:

type: string

endDate:

type: string

habits:

enum:

- Excellent
- Good
- Fair
- Poor
- Not Asked

type: string

location:

type: string

methodVerified:

enum:

- Name and DOB
- Name and SSN

VeroConnect API Documentation

- Name Only

- Name, DOB, and SSN

type: string

notContacted:

type: boolean

notes:

type: string

originalhiredate:

type: string

others:

description: Describes how well the applicant works with other people

enum:

- Definitely
- Most of the Time
- Sometimes
- Not at All
- No Comment
- Not Asked

type: string

performance:

enum:

- '1'
- '2'
- '4'
- '6'

VeroConnect API Documentation

- '7'

- '8'

- '9'

- '10'

- Not Asked

type: string

position:

type: string

reasonForGap:

type: string

reasonLeft:

enum:

- Currently Employed

- Terminated

- Laid Off

- Voluntary Departure

- No Comment

- Not Asked

type: string

rehire:

enum:

- Definitely

- 'Yes'

- Possibly

- Not at this Time

VeroConnect API Documentation

- 'No'

- No Comment

- Not Asked

type: string

savedResults:

type: boolean

searchId:

description: unique identifier

type: number

skills:

enum:

- Excellent

- Good

- Fair

- Poor

- No Comment

- Not Asked

type: string

startDate:

type: string

timeofservice:

type: string

unableToVerifyReason:

type: string

verificationStatus:

VeroConnect API Documentation

enum:

- Completed - Not Verified
- Completed - Verified
- Completed - Verified w/Discrepancy

type: string

verifiedCompPhone:

type: string

verifiedCompanyName:

type: string

verifiedContact:

type: string

verifiedEndDate:

type: string

verifiedLocation:

type: string

verifiedPosition:

type: string

verifiedStartDate:

type: string

required:

- searchId

type: object

x-amf-mediaType: application/json

'400':

description: "

VeroConnect API Documentation

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

VeroConnect API Documentation

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

VeroConnect API Documentation

- messages

- errorCode

type: object

x-amf-mediaType: application/json

summary: Get a list of Employment Verification searches

tags:

- Search Results

x-amf-description: Entity representing a result.

paths: /reports/{reportId}/research/{reportResearchId}/data

/reports/{reportId}/research/{reportResearchId}/data:

get:

description: Get report research data

parameters:

- in: path

name: reportId

required: true

type: string

- in: path

name: reportResearchId

required: true

type: string

responses:

'200':

description: "

schema:

VeroConnect API Documentation

additionalProperties: true

properties:

additionalCost:

type: number

attendance:

enum:

- Excellent
- Good
- Fair
- Poor
- Not Asked
- No Comment

type: string

comments:

type: string

companyName:

type: string

companyPhone:

type: string

contact:

type: string

data:

items:

additionalProperties: true

type: object

VeroConnect API Documentation

type: array

disciplinary:

description: Describes how many times, if ever, the applicant was subject to disciplinary action

enum:

- Often
- Twice
- Once
- Never
- No Comment
- Not Asked

type: string

employmentGapExplanation:

type: string

employmentStatus:

type: string

endDate:

type: string

habits:

enum:

- Excellent
- Good
- Fair
- Poor
- Not Asked

VeroConnect API Documentation

type: string

id:

description: unique identifier

type: string

location:

type: string

methodVerified:

enum:

- Name and DOB
- Name and SSN
- Name Only
- Name, DOB, and SSN

type: string

mvpld:

description: sort field

type: number

notContacted:

type: boolean

notes:

type: string

originalhiredate:

type: string

others:

description: Describes how well the applicant works with other people

enum:

VeroConnect API Documentation

- Definitely
- Most of the Time
- Sometimes
- Not at All
- No Comment
- Not Asked

type: string

performance:

enum:

- '1'
- '2'
- '4'
- '6'
- '7'
- '8'
- '9'
- '10'
- Not Asked

type: string

position:

type: string

reasonForGap:

type: string

reasonLeft:

enum:

VeroConnect API Documentation

- Currently Employed
- Terminated
- Laid Off
- Voluntary Departure
- No Comment
- Not Asked

type: string

rehire:

enum:

- Definitely
- 'Yes'
- Possibly
- Not at this Time
- 'No'
- No Comment
- Not Asked

type: string

savedResults:

type: boolean

searchId:

description: unique identifier

type: number

skills:

enum:

- Excellent

VeroConnect API Documentation

- Good
- Fair
- Poor
- No Comment
- Not Asked

type: string

startDate:

type: string

timeofservice:

type: string

unableToVerifyReason:

type: string

verificationStatus:

enum:

- Completed - Not Verified
- Completed - Verified
- Completed - Verified w/Discrepancy

type: string

verifiedCompPhone:

type: string

verifiedCompanyName:

type: string

verifiedContact:

type: string

verifiedEndDate:

VeroConnect API Documentation

type: string

verifiedLocation:

type: string

verifiedPosition:

type: string

verifiedStartDate:

type: string

required:

- searchId

- id

- mvpld

- data

type: object

x-amf-mediaType: application/json

'400':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

messages:

- some error messages

properties:

VeroConnect API Documentation

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

type: object

x-amf-mediaType: application/json

'404':

description: "

schema:

additionalProperties: true

example:

data: {}

error: true

errorCode: '0'

VeroConnect API Documentation

messages:

- some error messages

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error

- messages

- errorCode

type: object

x-amf-mediaType: application/json

x-amf-description: Entity representing a datum.

paths: /searches

/searches:

patch:

parameters:

VeroConnect API Documentation

- in: query

name: filterId

required: true

type: string

- in: query

name: searchIds

required: true

type: string

- in: body

name: generated

schema:

additionalProperties: true

example:

assignedUser: deverussupport

properties:

assignedUser:

type: string

required:

- assignedUser

type: object

x-amf-mediaType: application/json

responses:

'204':

description: "

security:

VeroConnect API Documentation

- jwt: []

paths: /search-types/{searchType}

/search-types/{searchType}:

get:

parameters:

- in: path

name: searchType

required: true

type: string

- in: body

name: generated

schema:

additionalProperties: true

properties:

searchName:

type: string

searchType:

type: string

required:

- searchName

- searchType

type: object

x-amf-mediaType: application/json

responses: {}

VeroConnect API Documentation

paths: /token

/token:

get:

responses:

'200':

description: "

schema:

properties: {}

type: object

post:

parameters:

- in: body

name: generated

schema:

additionalProperties: true

properties:

password:

type: string

token:

type: string

username:

type: string

type: object

x-amf-mediaType: application/json

responses:

VeroConnect API Documentation

'200':

```
description: "
```

schema:

```
additionalProperties: true
```

example:

token:

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzUxMiJ9.eyJpc3MiOiJvcmlcnMuanXNrdXNhLmNvb
SlslbnN1Yil6ImRldmVydXNzdXBwb3J0IiwiaXhwIjoibWZlcmFudWFyeSwgMTAgMjAxNyAxMjoyNDowNCA
tMDYwMCJ9.OtiHeT1-Ob9qMIwXbGz4WMvkPamXyqs0BiCeM0zAFNBlnbngkl7QA3bqfPGL7_snaM
5aT00Ei9V2jv1GXF7POAg

type: object

x-amf-mediaType: application/json

x-amf-description: Represents a JWT used for authenticating access to protected resources.

paths: /vendors

```
/vendors:
```

get:

parameters:

- description: A single searchType to exclude from the results

example: cocr

in: query

name: excludeSearchType

type: string

- description: A single jurisdictionId to exlcude from the results. `excludeSearchType` must be passed with this param

VeroConnect API Documentation

example: 42

in: query

name: excludeJurisdictionId

type: number

- in: query

name: priorityVendor

type: boolean

responses:

'200':

description: "

schema:

items:

additionalProperties: true

example:

active: true

address1: 902 East 5th Street 202

address2: "

attachHTML: 0

city: Austin

contact: Support

delivery: Email

email: noreply@deverus.com

fax: 1-222-222-2222

gid: F0AF9759-FDF2-47BC-A9A7-DA6DB7003D3E

healthCheck:

VeroConnect API Documentation

healthy: false

lastErrorTime: 1300977363

lastTestTime: 1300977363

message: There is a transport HTTP error occurring with this integration.

The system is monitoring and will retry your search.

status: unknown

statusCode: 500

title: Transport HTTP Error

id: 6

logoUrl: "

phone: 222-222-2222

phone2: "

priorityVendor: false

state: TX

useIntegrationManager: false

vendorId: deverusResearcher

vendorName: Deverus Researcher

verified: 0

zip: '78701'

properties:

active:

default: true

type: boolean

address1:

type: string

VeroConnect API Documentation

address2:

type: string

attachHTML:

type: number

city:

type: string

contact:

type: string

delivery:

type: string

email:

type: string

fax:

type: string

gid:

type: string

healthCheck:

additionalProperties: true

properties:

healthy:

type: boolean

lastErrorTime:

description: Unix timestamp (epoch)

type: number

lastTestTime:

VeroConnect API Documentation

description: Unix timestamp (epoch)

type: number

message:

type: string

status:

description: The status reported by pingdom

enum:

- up
- down
- unconfirmed_down
- unknown
- paused

type: string

statusCode:

type: number

title:

type: string

required:

- healthy
- status
- lastTestTime
- lastErrorTime

type: object

id:

type: number

VeroConnect API Documentation

logoUrl:

type: string

phone:

type: string

phone2:

type: string

priorityVendor:

default: false

type: boolean

state:

type: string

useIntegrationManager:

default: false

type: boolean

vendorId:

type: string

vendorName:

type: string

verified:

type: number

zip:

type: string

required:

- vendorId

- vendorName

VeroConnect API Documentation

type: object

type: array

x-amf-mediaType: application/json

security:

- jwt: []

x-amf-description: A vendor that provides research and can be configured into a
researcher-network

paths: /workflowSchemeStatuses

/workflowSchemeStatuses:

get:

parameters:

- in: query

name: workflowSchemeId

required: true

type: integer

- in: query

name: withVisibleStatus

required: true

type: boolean

- in: query

name: maxRows

type: integer

- in: query

name: page

type: integer

VeroConnect API Documentation

- in: query

name: sortOrder

type: string

responses:

'200':

description: "

schema:

items:

additionalProperties: true

properties:

code:

type: integer

displayOrder:

type: integer

id:

type: integer

isActive:

type: boolean

isVisible:

type: boolean

workflowStatus:

additionalProperties: true

properties:

displayName:

type: string

VeroConnect API Documentation

id:

type: integer

isActive:

type: boolean

status:

type: string

workflowCategory:

additionalProperties: true

properties:

category:

type: string

description:

type: string

id:

type: integer

isActive:

type: boolean

required:

- id
- isActive
- category
- description

type: object

required:

- id

VeroConnect API Documentation

- isActive
- displayName
- status
- workflowCategory

type: object

required:

- id
- isActive
- isVisible
- displayOrder
- code
- workflowStatus

type: object

type: array

x-amf-examples:

value:

- code: 100

displayOrder: 1

id: 12

isActive: true

isVisible: true

workflowStatus:

displayName: New

id: 11

isActive: true

VeroConnect API Documentation

status: New

workflowCategory:

category: To Do

description: The item has not yet started

id: 1

isActive: true

x-amf-mediaType: application/json

security:

- jwt: []

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher/{researcherJurisdictionId}/researcher-exclusions

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: number

- description: The numerical identifier for the researcher entity

in: path

name: researcherJurisdictionId

VeroConnect API Documentation

required: true

type: number

post:

consumes:

- application/json

description: Create new researcher exclusion

parameters:

- in: body

name: body

schema:

properties:

type:

description: The type of actor that the exclusion is for. I.e. a client
or customer type

enum:

- Client

- Customer Type

example: Client

type: string

typeId:

description: The primary identifier for the actor that the exclusion is
for

example: monument

type: string

required:

VeroConnect API Documentation

- type

- typeId

type: object

x-examples:

application/json:

type: Customer Type

typeId: Default_Screening

produces:

- application/json

responses:

'201':

description: "

examples:

application/json:

researcherExclusionId: 1

type: Client

typeId: monument

typeName: Monument Recruiting

schema:

\$ref: '#/definitions/researcher-exclusion'

summary: Create a researcher exclusion

tags:

- Researcher Network - Exclusions

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher/{res

?

VeroConnect API Documentation

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher/{researcherJurisdictionId}/researcher-exclusions/{id}

: delete:

consumes:

- application/json

description: Delete researcher exclusion

parameters: []

responses:

'204':

description: "

schema:

properties: {}

type: object

summary: Delete a researcher exclusion

tags:

- Researcher Network - Exclusions

parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

type: string

VeroConnect API Documentation

- in: path

name: researcherJurisdictionId

required: true

type: string

- in: path

name: id

required: true

type: string

paths: /employment-verifications/results/bulk

/employment-verifications/results/bulk:

patch:

parameters:

- in: body

name: body

schema:

items:

additionalProperties: true

properties:

comments:

type: string

employmentStatus:

type: string

matchFound:

description: This field is only relevant if WorkNumber results are being matched. If a match is found, then it is true. If no match is found,

VeroConnect API Documentation

then it is false

type: boolean

methodVerified:

enum:

- Name and DOB
- Name and SSN
- Name Only
- Name, DOB, and SSN

type: string

originalhiredate:

type: string

searchId:

type: numeric

verificationStatus:

description: This should be included if matchFound is true

enum:

- Verified
- 'Verified w/ Discrepancy '
- w/ Consumer Supplied Documentation
- Not Verified

type: string

verifiedCompanyName:

type: string

verifiedEndDate:

type: string

VeroConnect API Documentation

verifiedLocation:

type: string

verifiedPosition:

type: string

verifiedStartDate:

type: string

type: object

type: array

x-examples:

application/json:

- comments: Comments go here

employmentStatus: Active

matchFound: true

methodVerified: Name and SSN

originalHireDate: '1992-07-03'

searchId: 55861

verificationStatus: Verified

verifiedCompanyName: Enterprise USA Financial State

verifiedLocation: 11435 Lackland, St. Louis, MO, 63146

verifiedPosition: DEMO EMPLOYEE

verifiedStartDate: '2003-05-18'

- comments: Comments go here

employmentStatus: Active

matchFound: true

methodVerified: Name and SSN

VeroConnect API Documentation

originalHireDate: '1992-07-03'

searchId: 55860

verificationStatus: Verified

verifiedCompanyName: Enterprise USA

verifiedLocation: 1313 Mockingbird Lane, St Louis, MO, 63146

verifiedPosition: DEMO EMPLOYEE

verifiedStartDate: '2003-05-18'

- comments: Comments go here

employmentStatus: Active

matchFound: true

methodVerified: Name and SSN

originalHireDate: '1992-07-03'

searchId: 55859

verificationStatus: Verified

verifiedCompanyName: Enterprise Two

verifiedLocation: 123 Main, St. Louis, MO, 63146

verifiedPosition: DEMO EMPLOYEE

verifiedStartDate: '2003-05-18'

responses:

'200':

description: "

examples:

application/json:

entities:

- searchId: 55861

VeroConnect API Documentation

- searchId: 55860

errors:

- data: {}

error: true

errorCode: 0

messages:

- The requested resource could not be found

searchId: 1234

hasErrors: true

schema:

properties:

entities:

items:

properties:

searchId:

type: numeric

type: object

type: array

errors:

items:

properties:

data:

type: object

error:

type: boolean

VeroConnect API Documentation

errorCode:

type: numeric

messages:

items:

type: string

type: array

searchId:

type: numeric

type: object

type: array

hasError:

type: boolean

type: object

paths: /drug-searches/products

/drug-searches/products:

get:

description: Get a list of drug products

parameters:

- in: query

name: vendorId

type: string

- in: query

name: searchType

type: string

- in: query

VeroConnect API Documentation

name: drugAccountId

type: number

responses:

'200':

description: "

examples:

application/json:

drugAccountId: 13545083.86332865

drugProductId: -5616180.535721332

label: ullamco cillum qui sint consequat

productCode: fugiat adipisicing sunt ex Ut

searchType: velit dolor

vendorId: adipisicing ullamco enim esse occaecat

schema:

properties:

drugAccountId:

type: number

drugProductId:

type: number

label:

type: string

productCode:

type: string

searchType:

type: string

VeroConnect API Documentation

vendorId:

type: string

required:

- drugProductId

- vendorId

- label

type: object

'404':

\$ref: '#/responses/four-oh-four-response'

security:

- jwt: []

post:

description: Creating new drug product

parameters:

- in: body

name: body

schema:

properties:

drugProductId:

type: number

label:

type: string

vendorId:

type: string

required:

VeroConnect API Documentation

- vendorId

- label

type: object

responses:

'201':

description: "

examples:

application/json:

drugAccountId: -75114469.29198375

drugProductId: 1301460.123949021

label: ad id officia au

productCode: Duis enim consequat anim velit

searchType: proident dolore pariatur

vendorId: velit dolore eiusmod

schema:

description: The format for our drug products

properties:

drugAccountId:

type: number

drugProductId:

type: number

label:

type: string

productCode:

type: string

VeroConnect API Documentation

searchType:

type: string

vendorId:

type: string

required:

- vendorId

- label

title: DrugProduct

type: object

'401':

\$ref: '#/responses/error-response'

paths: /drug-searches/products/{id}

/drug-searches/products/{id}:

parameters:

- in: path

name: id

required: true

type: string

patch:

description: Updating a drug product

parameters:

- in: path

name: id

required: true

type: number

VeroConnect API Documentation

- in: body

name: body

schema:

description: The format for our drug products

properties:

drugAccountId:

type: number

drugProductId:

type: number

label:

type: string

productCode:

type: string

searchType:

type: string

vendorId:

type: string

required:

- vendorId

- label

title: DrugProduct

type: object

x-examples:

application/json:

drugAccountId: 24798340.489304006

VeroConnect API Documentation

drugProductId: -44188592.96005655

label: dolor aliquip qu

productCode: enim

searchType: pariatur

vendorId: 'ullamco exercitation '

responses:

'200':

description: "

examples:

application/json:

drugAccountId: -12163941.974261895

drugProductId: 66859746.09540644

label: incid

productCode: Lo

searchType: sint adipisicing id nostrud

vendorId: id cillum laboris

schema:

description: The format for our drug products

properties:

drugAccountId:

type: number

drugProductId:

type: number

label:

type: string

VeroConnect API Documentation

productCode:

type: string

searchType:

type: string

vendorId:

type: string

required:

- vendorId

- label

title: DrugProduct

type: object

'404':

\$ref: '#/responses/four-oh-four-response'

paths: /researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher/{res

?

/researcher-network/search-types/{searchType}/jurisdictions/{jurisdictionId}/researcher/{researcherJ
urisdictionId}/researcher-fees/{id}

: parameters:

- in: path

name: searchType

required: true

type: string

- in: path

name: jurisdictionId

required: true

VeroConnect API Documentation

type: string

- in: path

name: researcherJurisdictionId

required: true

type: string

- in: path

name: id

required: true

type: string

patch:

consumes:

- application/json

description: For researchers that use a more complex tiered fee structure

parameters:

- in: body

name: body

schema:

properties:

displayName:

description: A human readable text value to identify the fee. This should
be a string that would be displayed on a UI

maxLength: 255

type: string

isDefault:

description: Only 1 fee associated with a researcher can be marked as

VeroConnect API Documentation

the default

type: boolean

price:

type: number

type: object

produces:

- application/json

responses:

'200':

description: "

schema:

\$ref: '#/definitions/researcher-fee'

'400':

\$ref: '#/responses/Common_Oas2_Bad%20Request'

summary: Update the researcher fees

tags:

- Researcher Network - Researchers

paths: /integratedPartners/{integratedPartnerId}

/integratedPartners/{integratedPartnerId}:

parameters:

- in: path

name: integratedPartnerId

required: true

type: number

patch:

VeroConnect API Documentation

parameters:

- in: body

name: body

schema:

properties:

settings:

properties:

is1681bEnabled:

type: boolean

required:

- is1681bEnabled

type: object

required:

- settings

type: object

x-examples:

application/json:

settings:

is1681bEnabled: false

responses:

'200':

description: "

examples:

application/json:

id: 7

VeroConnect API Documentation

label: iCIMS

logoURL: <https://s3.amazonaws.com/deverus-prod-app/IntegratedPartnerLogos/icims.jpg>

name: ICIMS

settings:

is1681bEnabled: false

schema:

additionalProperties: true

properties:

id:

type: number

label:

type: string

logoURL:

type: string

name:

type: string

settings:

properties:

is1681bEnabled:

type: boolean

required:

- is1681bEnabled

type: object

required:

- name

VeroConnect API Documentation

- id
- logoURL
- label
- settings

type: object

x-amf-examples:

value:

id: 115

label: Jobvite

logoURL:

<https://s3.amazonaws.com/deverus-prod-app/IntegratedPartnerLogos/jobviteLogo.png>

name: Jobvite

summary: Update an Integrated Partner by Id

x-amf-securitySchemes: jwt

jwt:

description: 'A custom security scheme for authenticating requests.'

,

type: x-custom

x-amf-describedBy:

headers:

Authorization:

description: 'Used to send a JWT token. Ex. "Authorization: Bearer {jwt_token}"'

,

VeroConnect API Documentation

type: string

responses:

'401':

description: 'Bad token.'

,

'403': {}

consumes

['application/json']

produces

['application/json']

tags

[{'name': 'Researcher Network - Jurisdictions'}, {'name': 'Researcher Network - Researchers'},
{'name': 'Researcher Network - Exclusions'}, {'name': 'Researcher Network - Researcher Groups'},
{'name': 'Search Results'}]

definitions: researcher-exclusion

researcher-exclusion:

properties:

researcherExclusionId:

description: The researcher-exclusion entity's primary identifier

example: 1

type: number

type:

VeroConnect API Documentation

description: The type of actor that this is an exclusion for. I.e. a client
or a customer type

enum:

- Client
- Customer Type

example: Client

type: string

typeId:

description: The primary identifier for the actor that this is an exclusion
for

example: '222222'

type: string

typeName:

description: The human readable identifier for the actor that this is an exclusion
for

example: Monument Recruiting

type: string

title: ResearcherExclusion

type: object

definitions: researcher

researcher:

additionalProperties: true

description: This is the full researcher entity with its relationships included

example:

id: 429

VeroConnect API Documentation

jurisdictionId: 47

priorityPosition: 1

priorityVendor: true

providerId: 83D10BE4-DFB1-4DFE-993E-07CAC5E94BD2

researcherActive: false

researcherCost: 5

researcherGroups:

- active: true

- id: 1

- label: Research Group A

- active: false

- id: 2

- label: Research Group B

researcherNotes:

- dateCreated: March, 14 2018 14:40:55 -0500

- id: 1155

- noteType: Internal

- notes: update

- submittedBy: deverus support

- dateCreated: March, 14 2018 14:40:55 -0500

- id: 1156

- noteType: Internal

- notes: test

- submittedBy: deverus support

vendorActive: true

VeroConnect API Documentation

vendorId: Infotrack

vendorName: iTrack

properties:

exclusions:

items:

\$ref: '#/definitions/researcher-exclusion'

type: array

healthCheck:

\$ref: '#/definitions/healthCheck'

id:

type: number

jurisdictionId:

type: number

priorityPosition:

type: number

priorityVendor:

type: boolean

providerId:

type: string

researcherActive:

type: boolean

researcherCost:

type: number

researcherFee:

default: 0

VeroConnect API Documentation

description: 'This field only applies if `researcherFees` is empty.'

This field only applies to researchers that do not have a jurisdiction or
if jurisdictionId is 0. '

type: number

researcherFees:

description: An array of tiered researcher fees. This property takes priority
over the `researcherFee` property.

items:

\$ref: '#/definitions/researcher-fee'

type: array

researcherGroups:

description: 'Only returned if the following query string is passed: includes=researcherGroups

,

items:

additionalProperties: true

properties:

active:

description: denotes whether the researcher group is active or not

type: boolean

id:

description: the id of the researcher group that this researcher belongs
to

VeroConnect API Documentation

type: number

label:

description: the name of the researcher group

type: string

required:

- id

- label

- active

type: object

type: array

researcherNotes:

items:

additionalProperties: true

example:

dateCreated: March, 14 2018 14:40:55 -0500

id: 1155

noteType: Internal

notes: update

submittedBy: deverus support

properties:

dateCreated:

type: string

id:

type: number

noteType:

VeroConnect API Documentation

type: string

notes:

type: string

submittedBy:

type: string

required:

- id

- noteType

- notes

- submittedBy

- dateCreated

type: object

type: array

vendorActive:

type: boolean

vendorId:

type: string

vendorName:

type: string

required:

- id

- jurisdictionId

- researcherActive

- researcherCost

- vendorId

VeroConnect API Documentation

- vendorName

title: Researcher

type: object

definitions: researcher-no-includes

researcher-no-includes:

additionalProperties: true

description: This is the researcher entity without any of its relationships included

example:

id: 429

jurisdictionId: 47

priorityPosition: 1

priorityVendor: true

providerId: 83D10BE4-DFB1-4DFE-993E-07CAC5E94BD2

researcherActive: false

researcherCost: 5

researcherGroups:

- active: true

id: 1

label: Research Group A

- active: false

id: 2

label: Research Group B

researcherNotes:

- dateCreated: March, 14 2018 14:40:55 -0500

id: 1155

VeroConnect API Documentation

noteType: Internal

notes: update

submittedBy: deverus support

- dateCreated: March, 14 2018 14:40:55 -0500

id: 1156

noteType: Internal

notes: test

submittedBy: deverus support

vendorActive: true

vendorId: Infotrack

vendorName: iTrack

properties:

id:

type: number

jurisdictionId:

type: number

priorityPosition:

type: number

priorityVendor:

type: boolean

providerId:

type: string

researcherActive:

type: boolean

researcherCost:

VeroConnect API Documentation

type: number

researcherFee:

default: 0

description: This field only applies to researchers that do not have a jurisdiction
or if jurisdictionId is 0

multipleOf: 0

type: number

vendorActive:

type: boolean

vendorId:

type: string

vendorName:

type: string

required:

- id
- jurisdictionId
- researcherActive
- researcherCost
- vendorId
- vendorName

title: Researcher Simple

type: object

definitions: error

error:

additionalProperties: true

VeroConnect API Documentation

description: The format of a general error

example:

data: {}

error: true

errorCode: '0'

messages:

- some error message

properties:

data:

additionalProperties: true

type: object

error:

type: boolean

errorCode:

type: string

messages:

items:

type: string

type: array

required:

- error
- messages
- errorCode

title: Error Format

type: object

VeroConnect API Documentation

definitions: healthCheck

healthCheck:

description: 'Health check response for '

properties:

healthy:

description: Determines if the monitored service is healthy (active) or unhealth
(inactive)

type: boolean

lastErrorTime:

description: Epoch time in seconds

example: 1555519747

type: integer

lastTestTime:

description: Epoch time in seconds

example: 1555519747

type: integer

message:

description: A short description of why the monitor has its current status

example: There is a transport HTTP error occurring with this integration

type: string

status:

type: string

statusCode:

example: 200

type: integer

VeroConnect API Documentation

title:

description: A short title associated with the message

example: Transport HTTP Error

type: string

title: HealthCheck

type: object

definitions: DrugProduct

DrugProduct:

description: The format for our drug products

properties:

drugAccountId:

type: number

drugProductId:

type: number

label:

type: string

productCode:

type: string

searchType:

type: string

vendorId:

type: string

required:

- vendorId

- label

VeroConnect API Documentation

title: DrugProduct

type: object

definitions: researcher-fee

researcher-fee:

properties:

displayLabel:

description: A human readable text value to identify the fee. This should be a string that would be displayed on a UI.

maxLength: 255

type: string

id:

type: integer

isDefault:

description: Only 1 fee associated with a researcher can be marked as the default

type: boolean

name:

description: A programmatically readable text value to identify the fee. This should used by software to identify and interact with the fee.

maxLength: 100

type: string

price:

type: number

title: Researcher Fee

type: object

VeroConnect API Documentation

definitions: Response

Response:

description: The standard response from any endpoint.

example:

data: {}

error: false

errorcode: 0

messages: []

properties:

data:

anyOf:

- items:

type: object

type: array

- type: object

error:

type: boolean

errorCode:

type:

- number

- string

messages:

items:

type: string

type: array

VeroConnect API Documentation

required:

- error
- messages
- errorCode

title: Response

type: object

responses: error-response

error-response:

description: The response of any type of 4XX error

examples:

application/json:

data: {}

error: true

errorCode: '0'

messages:

- The property 'X' is required
- The property 'Y' should be numeric

schema:

\$ref: '#/definitions/error'

responses: four-oh-four-response

four-oh-four-response:

description: Specific error message for a 404

examples:

application/json:

VeroConnect API Documentation

data: {}

error: true

errorCode: '0'

messages:

- The requested resource could not be found

schema:

\$ref: '#/definitions/error'

responses: Common_Oas2_Bad Request

Common_Oas2_Bad Request:

description: A consistent "400 Bad Request" response

examples:

application/json:

error: true

errorCode: "

messages:

- The property 'data' is required

schema:

\$ref: '#/definitions/Response'

securityDefinitions: jwt

jwt:

description: Bearer token

in: header

name: Authorization

type: apiKey