

THE UNIVERSITY OF WESTERN ONTARIO

DEPARTMENT OF COMPUTER SCIENCE
LONDON CANADA

Software Tools and Systems Programming

(Computer Science 2211a)

ASSIGNMENT 2

Due date: Tuesday, October 6, 2020, 11:55 PM

Assignment overview

We would like students to experience command line input with C types of character, int, and float, to understand and use C types such as char, int, and float, as well as the flow control structures studied in class, and to use functions and recursive functions.

This assignment consists of two parts.

In part one, you are required to write a C program to perform some simple conversions.

In part two, you are to write a C program to calculate value of exponential numbers.

Part one: 70%

The goal of the exercise is to implement a simple converter, called "*converter.c*", which works as follows.

- (1) First, the user is asked what she/he wants to do. A single **character** can be entered with the following six actions associated with different values of the character. You can assume that the user will always enter a single character.
 - **1** for conversion between Kilometer and Mile
 - **2** for conversion between Litre and Gallon
 - **3** for conversion between Centimetre and Inch
 - **4** for conversion between Celsius and Fahrenheit
 - **5** for quit
 - For any other character, repeat step (1)
- (2) In case of 1, 2, 3, and 4, each action should be implemented as a function. In case of 5, the program will terminate. For all the other values, repeat step (1).
- (3) In case of 1 to 4, the program will ask the direction of the conversion. In each case, a single **character** can be entered whose value corresponding to each conversion direction.

In case of 1, the program will prompt the user for two choices and wait for a **character** input

- **K** for conversion from Kilometer to Mile
- **M** for conversion from Mile to Kilometer
- For any other character, repeat this case

In case of 2, the program will prompt the user for two choices and wait for a **character** input

- **L** for conversion from Litre to Gallon
- **G** for conversion from Gallon to Litre
- For any other character, repeat this case

In case of 3, the program will prompt the user for two choices and wait for a **character** input

- **C** for conversion from Centimetre to Inch
- **I** for conversion from Inch to Centimetre
- For any other character, repeat this case

In case of 4, the program will prompt the user for two choices and wait for a **character** input

- **C** for conversion from Celsius to Fahrenheit
- **F** for conversion from Fahrenheit to Celsius
- For any other character, repeat this case

HINT: to read a character properly, your program should handle the leading space character, tab character, and end of line character, if any.

- (4) Then the program asks for the input value, properly displays the result and returns to Step (1).
- (5) The input value should be a **float** number and we assume the user will always enter valid numbers.
- (6) Your program should prompt user and display the result to user in a descriptive manner.
- (7) Your program should follow good programming styles, i.e. write clear code, choose good variable names, use appropriate functions, make proper comments, and etc.

Part two: 30%

The goal of this exercise is to implement an exponential number calculator, called "*exp_calculator.c*" with recursive function.

- (1) First, the user is asked for the base and the exponent. We assume that base is a non-zero float number and exponent is an integer number. If the input base is zero, exit program.
- (2) Then the exponential number is calculated using a recursive function in **logarithmic time** in terms of the absolute value of the exponent inputted. The result is then displayed.

Hint:

for $n > 0$

$$a^n = \begin{cases} a^{n/2} * a^{n/2} = (a^{n/2})^2 & \text{if } n \text{ is even} \\ a^{(n-1)/2} * a^{(n-1)/2} * a = (a^{(n-1)/2})^2 * a & \text{if } n \text{ is odd} \end{cases}$$

for $n < 0$

$$a^n = \frac{1}{a^{-n}}$$

- (3) You can assume that the user always enter float number for the base and integer number for the exponent. After each calculation, go to (1).
- (4) Your program should follow good programming styles, i.e. write clear code, choose good variable names, use appropriate functions, make proper comments, and etc.

Testing your program

You should test your program by running it on Gaul. For part one, each case should be tested at least once. For part two, different bases and exponents should be tested. Capture the screen of your testing by using **script** command. There should be two resulting script files, one for each part.