






intPop[1], R̂ = 1.000
Value
Iterations
Density of intPop[1]
Density
Value
intPop[2], R̂ = 1.000
Value
Iterations
Density of intPop[2]
Density
Value
intPop[3], R̂ = 1.000
Value
Iterations
Density of intPop[3]
Density
Value
intPop[4], R̂ = 1.000
Value
Iterations
Density of intPop[4]
Density
Value



slope_densPop[4], R̂ = 1.000
Value
−0.15
−0.05
0
1000
2000
3000
4000
5000
Iterations



Density of slope_densPop[4]
Density
0
5
10
15
−0.15
−0.10
−0.05
0.00
0.05
Value



slope_densPop[5], R̂ = 1.000
Value
−0.05
0.05
0.15
0
1000
2000
3000
4000
5000
Iterations



Density of slope_densPop[5]
Density
0
5
10
15
−0.05
0.00
0.05
0.10
0.15
Value



slope_resp, R̂ = 1.000
Value
−0.3
0.0
0.3
0
1000
2000
3000
4000
5000
Iterations



Density of slope_resp
Density
0
1
2
3
4
5
−0.4
−0.2
0.0
0.2
0.4
Value


1.00
0.75
0.50
0.25
0.00
Prop. plants tended by ants
5
10
15
20
25
Experimental S. exigua density (per plant)


Experimental
S. exigua
density
(per plant)
0
6
12
25


Defenses
A
+
sqrt Trichomes cm−2
80
60
40
20
0
0 2 4 7 12 21
Days following introduction of experimental S. exigua
B
*
*
sqrt Prop. gland area
0.4
0.3
0.2
0.1
0 2 4 7 12 21
Days following introduction of experimental S. exigua
Experimental S. exigua density (per plant)
0
6
12
25
Resistance
C
*
+
ln HGQ 3.6
19
18
0 2 4 7 12 21
Days following introduction of experimental S. exigua
D
*
*
*
ln HGQ 10.5
21
20
19
0 2 4 7 12 21
Days following introduction of experimental S. exigua


Defenses
A
B
C
D
sqrt Trichomes cm⁻²
sqrt Prop. gland area
ln HGQ 3.6
ln HGQ 10.5
Days following introduction of experimental S. exigua
Experimental S. exigua density (per plant)
0
6
12
25
Resistance
E
F
ln Bioassay caterpillar leaf area consumed (cm²)
Bioassay caterpillar RGR (g g⁻¹ d⁻¹)


Defenses
A
B
C
D
sqrt Trichomes cm⁻²
sqrt Prop. gland area
ln HGQ 3.6
ln HGQ 10.5
Days following introduction of experimental S. exigua
Experimental S. exigua density (per plant)
0
6
12
25
Resistance
E
F
ln Bioassay caterpillar leaf area consumed (cm²)
Bioassay caterpillar RGR (g g⁻¹ d⁻¹)