



14 July 2022

Set up new desk phone

Terra Industrial New Zealand Ltd

PO Box 16 168
16 Branston Street, Hornby
Christchurch 8441, New Zealand
03 983 2333 Tel
www.TerraCat.co.nz

Setting up new phone


The screenshot shows the Cisco Unified CM Administration web interface. The 'Call Routing' menu is expanded, showing options like AAR Group, Dial Rules, Route Filter, Route Hunt, SIP Route Pattern, Class of Control, Intercom, Client Matter Codes, Forced Authorization Codes, and Emergency Location. The 'Translation Pattern' option is selected. The main content area displays the 'Translation Pattern' configuration page, which includes a search bar, a table of translation patterns, and a 'Find and List Translation Patterns' section. The table shows four records found, with the first record highlighted. The URL at the bottom is <https://10.2.20.11/cmadmin/translationFindList.do>.

Open each in a new tab

The screenshot shows the 'Find and List Translation Patterns' page in the Cisco Unified CM Administration interface. The page displays a table of translation patterns with columns for 'Find Translation patterns where', 'Description', 'Partition', 'Route Filter', and 'Copy'. The table contains four records, with the first record highlighted. The URL at the bottom is <https://10.2.20.11/cmadmin/translationFindList.do>.

Find Translation patterns where	Description	Partition	Route Filter	Copy
<input type="checkbox"/>	1_039433167	National_PT	Andrew te Groen	Copy
<input type="checkbox"/>	039433167	Incoming_PT	Andrew te Groen	Copy
<input type="checkbox"/>	9433167	Incoming_PT	Andrew te Groen	Copy
<input type="checkbox"/>	1_039433167	National_PT_SIP	Andrew te Groen	Copy

Click copy on each



Cisco Unified CM Administration
For Cisco Unified Communications Solutions

Navigation: Cisco Unified CM Administration | Go
jesaw | Search Documentation | About | Logout

System | Call Routing | Media Resources | Advanced Features | Device | Application | User Management | Bulk Administration | Help

Translation Pattern Configuration Related Links: Back To Find/List | Go

Save | Delete | **Copy** | Add New

Status
Status: Ready

Pattern Definition

Translation Pattern: 9433167
Partition: Incoming_PT
Description: Andrew te Groen
Numbering Plan: < None >
Route Filter: < None >
MLPP Precedence*: Default
Resource Priority Namespace Network Domain: < None >
Route Class*: Default
Calling Search Space: Incoming_CSS
☐ Use Originator's Calling Search Space
External Call Control Profile: < None >
Route Option: ☒ Route this pattern
☐ Block this pattern No Error

☒ Provide Outside Dial Tone
☒ Urgent Priority
☐ Do Not Wait For Interdigit Timeout On Subsequent Hops
☐ Route Next Hop By Calling Party Number

Calling Party Transformations


☐ Use Calling Party's External Phone Number Mask
Calling Party Transform Mask:
Prefix Digits (Outgoing Calls):
Calling Line ID Presentation*: Default
Calling Name Presentation*: Default
Calling Party Number Type*: Cisco CallManager
Calling Party Numbering Plan*: Cisco CallManager

Connected Party Transformations

Connected Line ID Presentation*: Default
Connected Name Presentation*: Default

Called Party Transformations

Change the below details to the unallocated phone number you have found from the desk phone list spreadsheet
Translation pattern 1.



Cisco Unified CM Administration
For Cisco Unified Communications Solutions

Navigation: Cisco Unified CM Administration | Go
jesaw | Search Documentation | About | Logout

System | Call Routing | Media Resources | Advanced Features | Device | Application | User Management | Bulk Administration | Help

Translation Pattern Configuration Related Links: Back To Find/List | Go

Save

Status
Status: Ready

Pattern Definition

Translation Pattern: 1.099098332
Partition: National_PT
Description: Niu Haungatau
Numbering Plan: < None >
Route Filter: < None >
MLPP Precedence*: Default
Resource Priority Namespace Network Domain: < None >
Route Class*: Default
Calling Search Space: Internal_CSS
☐ Use Originator's Calling Search Space
External Call Control Profile: < None >
Route Option: ☒ Route this pattern
☐ Block this pattern No Error

☒ Provide Outside Dial Tone
☒ Urgent Priority
☐ Do Not Wait For Interdigit Timeout On Subsequent Hops
☐ Route Next Hop By Calling Party Number

Calling Party Transformations

☐ Use Calling Party's External Phone Number Mask
Calling Party Transform Mask:
Prefix Digits (Outgoing Calls):
Calling Line ID Presentation*: Default
Calling Name Presentation*: Default
Calling Party Number Type*: Cisco CallManager
Calling Party Numbering Plan*: Cisco CallManager

Connected Party Transformations

Connected Line ID Presentation*: Default
Connected Name Presentation*: Default

Called Party Transformations

Cisco Unified CM Administration
For Cisco Unified Communications Solutions

Navigation: Cisco Unified CM Administration | Go
jessw | Search Documentation | About | Logout

System | Call Routing | Media Resources | Advanced Features | Device | Application | User Management | Bulk Administration | Help

Translation Pattern Configuration Related Links: Back To Find/List | Go

Save

MLPP Precedence* Default
Resource Priority Namespace Network Domain < None >
Route Class* Default
Calling Search Space Internal_CSS
☐ Use Originator's Calling Search Space
External Call Control Profile < None >
Route Option
☒ Route this pattern
☐ Block this pattern No Error

☒ Provide Outside Dial Tone
☒ Urgent Priority
☐ Do Not Wait For Interdigit Timeout On Subsequent Hops
☐ Route Next Hop By Calling Party Number

Calling Party Transformations
☐ Use Calling Party's External Phone Number Mask
Calling Party Transform Mask
Prefix Digits (Outgoing Calls)
Calling Line ID Presentation* Default
Calling Name Presentation* Default
Calling Party Number Type* Cisco CallManager
Calling Party Numbering Plan* Cisco CallManager

Connected Party Transformations
Connected Line ID Presentation* Default
Connected Name Presentation* Default

Called Party Transformations
Discard Digits < None >
Called Party Transform Mask 41023
Prefix Digits (Outgoing Calls)
Called Party Number Type* Cisco CallManager
Called Party Numbering Plan* Cisco CallManager

Save

*. indicates required item.

Translation pattern 2

Cisco Unified CM Administration
For Cisco Unified Communications Solutions

Navigation: Cisco Unified CM Administration | Go
jessw | Search Documentation | About | Logout

System | Call Routing | Media Resources | Advanced Features | Device | Application | User Management | Bulk Administration | Help

Translation Pattern Configuration Related Links: Back To Find/List | Go

Save

Status
Status: Ready

Pattern Definition
Translation Pattern 099098332
Partition Incoming_PT
Description Niu Haungatau
Numbering Plan < None >
Route Filter < None >
MLPP Precedence* Default
Resource Priority Namespace Network Domain < None >
Route Class* Default
Calling Search Space Incoming_CSS
☐ Use Originator's Calling Search Space
External Call Control Profile < None >
Route Option
☒ Route this pattern
☐ Block this pattern No Error

☐ Provide Outside Dial Tone
☒ Urgent Priority
☐ Do Not Wait For Interdigit Timeout On Subsequent Hops
☐ Route Next Hop By Calling Party Number

Calling Party Transformations
☐ Use Calling Party's External Phone Number Mask
Calling Party Transform Mask
Prefix Digits (Outgoing Calls)
Calling Line ID Presentation* Default
Calling Name Presentation* Default
Calling Party Number Type* Cisco CallManager
Calling Party Numbering Plan* Cisco CallManager

Connected Party Transformations
Connected Line ID Presentation* Default
Connected Name Presentation* Default

Called Party Transformations
Discard Digits

Cisco Unified CM Administration
For Cisco Unified Communications Solutions

Navigation: [Cisco Unified CM Administration](#) [Go](#)
[jessw](#) [Search Documentation](#) [About](#) [Logout](#)

System ▾ Call Routing ▾ Media Resources ▾ Advanced Features ▾ Device ▾ Application ▾ User Management ▾ Bulk Administration ▾ Help ▾

Translation Pattern Configuration Related Links: [Back To Find/List](#) [Go](#)

[Save](#)

MLPP Precedence* [Default](#)
Resource Priority Namespace Network Domain [< None >](#)
Route Class* [Default](#)
Calling Search Space [Incoming_CSS](#)
☐ Use Originator's Calling Search Space
External Call Control Profile [< None >](#)
Route Option
☒ Route this pattern
☐ Block this pattern [No Error](#)

☐ Provide Outside Dial Tone
☒ Urgent Priority
☐ Do Not Wait For Interdigit Timeout On Subsequent Hops
☐ Route Next Hop By Calling Party Number

Calling Party Transformations
☐ Use Calling Party's External Phone Number Mask
Calling Party Transform Mask
Prefix Digits (Outgoing Calls)
Calling Line ID Presentation* [Default](#)
Calling Name Presentation* [Default](#)
Calling Party Number Type* [Cisco CallManager](#)
Calling Party Numbering Plan* [Cisco CallManager](#)

Connected Party Transformations
Connected Line ID Presentation* [Default](#)
Connected Name Presentation* [Default](#)

Called Party Transformations
Discard Digits [< None >](#)
Called Party Transform Mask [41023](#)
Prefix Digits (Outgoing Calls)
Called Party Number Type* [Cisco CallManager](#)
Called Party Numbering Plan* [Cisco CallManager](#)

[Save](#)

*. indicates required item.

Translation pattern 3

Cisco Unified CM Administration
For Cisco Unified Communications Solutions

Navigation: [Cisco Unified CM Administration](#) [Go](#)
[jessw](#) [Search Documentation](#) [About](#) [Logout](#)

System ▾ Call Routing ▾ Media Resources ▾ Advanced Features ▾ Device ▾ Application ▾ User Management ▾ Bulk Administration ▾ Help ▾

Translation Pattern Configuration Related Links: [Back To Find/List](#) [Go](#)

[Save](#)

Status
[Status: Ready](#)

Pattern Definition
Translation Pattern [9098332](#)
Partition [Incoming_PT](#)
Description [Niu Haungatau](#)
Numbering Plan [< None >](#)
Route Filter [< None >](#)
MLPP Precedence* [Default](#)
Resource Priority Namespace Network Domain [< None >](#)
Route Class* [Default](#)
Calling Search Space [Incoming_CSS](#)
☐ Use Originator's Calling Search Space
External Call Control Profile [< None >](#)
Route Option
☒ Route this pattern
☐ Block this pattern [No Error](#)

☒ Provide Outside Dial Tone
☒ Urgent Priority
☐ Do Not Wait For Interdigit Timeout On Subsequent Hops
☐ Route Next Hop By Calling Party Number

Calling Party Transformations
☐ Use Calling Party's External Phone Number Mask
Calling Party Transform Mask
Prefix Digits (Outgoing Calls)
Calling Line ID Presentation* [Default](#)
Calling Name Presentation* [Default](#)
Calling Party Number Type* [Cisco CallManager](#)
Calling Party Numbering Plan* [Cisco CallManager](#)

Connected Party Transformations
Connected Line ID Presentation* [Default](#)
Connected Name Presentation* [Default](#)

Called Party Transformations
Discard Digits [< None >](#)

Cisco Unified CM Administration
For Cisco Unified Communications Solutions

Navigation: [Cisco Unified CM Administration](#) [Go](#)
[jessw](#) [Search Documentation](#) [About](#) [Logout](#)

System ▾ Call Routing ▾ Media Resources ▾ Advanced Features ▾ Device ▾ Application ▾ User Management ▾ Bulk Administration ▾ Help ▾

Translation Pattern Configuration Related Links: [Back To Find/List](#) [Go](#)

Save

MLPP Precedence* [Default](#)
Resource Priority Namespace Network Domain [< None >](#)
Route Class* [Default](#)
Calling Search Space [Incoming_CSS](#)
☐ Use Originator's Calling Search Space
External Call Control Profile [< None >](#)
Route Option
☒ Route this pattern
☐ Block this pattern [No Error](#)

☒ Provide Outside Dial Tone
☒ Urgent Priority
☐ Do Not Wait For Interdigit Timeout On Subsequent Hops
☐ Route Next Hop By Calling Party Number

Calling Party Transformations
☐ Use Calling Party's External Phone Number Mask
Calling Party Transform Mask
Prefix Digits (Outgoing Calls)
Calling Line ID Presentation* [Default](#)
Calling Name Presentation* [Default](#)
Calling Party Number Type* [Cisco CallManager](#)
Calling Party Numbering Plan* [Cisco CallManager](#)

Connected Party Transformations
Connected Line ID Presentation* [Default](#)
Connected Name Presentation* [Default](#)

Called Party Transformations
Discard Digits [< None >](#)
Called Party Transform Mask [41023](#)
Prefix Digits (Outgoing Calls)
Called Party Number Type* [Cisco CallManager](#)
Called Party Numbering Plan* [Cisco CallManager](#)

Save

***** - indicates required item.

Translation pattern 4

Cisco Unified CM Administration
For Cisco Unified Communications Solutions

Navigation: [Cisco Unified CM Administration](#) [Go](#)
[jessw](#) [Search Documentation](#) [About](#) [Logout](#)

System ▾ Call Routing ▾ Media Resources ▾ Advanced Features ▾ Device ▾ Application ▾ User Management ▾ Bulk Administration ▾ Help ▾

Translation Pattern Configuration Related Links: [Back To Find/List](#) [Go](#)

Save

Status
Status: Ready

Pattern Definition


Translation Pattern [1.099098332](#)
Partition [National_PT_SIP](#)
Description [Niu Haungatau](#)
Numbering Plan [< None >](#)
Route Filter [< None >](#)
MLPP Precedence* [Default](#)
Resource Priority Namespace Network Domain [< None >](#)
Route Class* [Default](#)
Calling Search Space [Internal_CSS](#)
☐ Use Originator's Calling Search Space
External Call Control Profile [< None >](#)
Route Option
☒ Route this pattern
☐ Block this pattern [No Error](#)

☒ Provide Outside Dial Tone
☒ Urgent Priority
☐ Do Not Wait For Interdigit Timeout On Subsequent Hops
☐ Route Next Hop By Calling Party Number

Calling Party Transformations
☐ Use Calling Party's External Phone Number Mask
Calling Party Transform Mask
Prefix Digits (Outgoing Calls)
Calling Line ID Presentation* [Default](#)
Calling Name Presentation* [Default](#)
Calling Party Number Type* [Cisco CallManager](#)
Calling Party Numbering Plan* [Cisco CallManager](#)

Connected Party Transformations
Connected Line ID Presentation* [Default](#)
Connected Name Presentation* [Default](#)


Called Party Transformations
Discard Digits [< None >](#)


Cisco Unified CM Administration
For Cisco Unified Communications Solutions

Navigation **Cisco Unified CM Administration** **Go**
[jessw](#) [Search Documentation](#) [About](#) [Logout](#)

System **Call Routing** Media Resources Advanced Features Device Application User Management Bulk Administration Help

Translation Pattern Configuration Related Links: [Back To Find/List](#) **Go**

 Save


MLPP Precedence* **Default**
Resource Priority Namespace Network Domain **< None >**
Route Class* **Default**
Calling Search Space **Internal_CSS**
☐ Use Originator's Calling Search Space
External Call Control Profile **< None >**
Route Option
☒ Route this pattern
☐ Block this pattern **No Error**


☒ Provide Outside Dial Tone
☒ Urgent Priority
☐ Do Not Wait For Interdigit Timeout On Subsequent Hops
☐ Route Next Hop By Calling Party Number

Calling Party Transformations
☐ Use Calling Party's External Phone Number Mask
Calling Party Transform Mask
Prefix Digits (Outgoing Calls)
Calling Line ID Presentation* **Default**
Calling Name Presentation* **Default**
Calling Party Number Type* **Cisco CallManager**
Calling Party Numbering Plan* **Cisco CallManager**

Connected Party Transformations
Connected Line ID Presentation* **Default**
Connected Name Presentation* **Default**

Called Party Transformations
Discard Digits **< None >**
Called Party Transform Mask **41023**
Prefix Digits (Outgoing Calls)
Called Party Number Type* **Cisco CallManager**
Called Party Numbering Plan* **Cisco CallManager**

 Save

 *. indicates required item.

Now you have completed a translation pattern setup