Species details			Regeneration					Fire Response References	
Species	Synonym	Family	Fire response	Comments on regeneration	Seed storage	Seed dispersal	Germination cue	NFRR data	Additional fire response data
Abutilon otocarpum		Malvaceae	S				a-heat	8CN	
Abutilon oxycarpum		Malvaceae	S		persistent soil		a-heat	8BD	II-95b
Acacia acanthocladа		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8C	
Acacia acinaceа	Acacia rotundifoliа	Fabaceae: Mimosoideae	S		persistent soil		heat	8W 8WA	II-38d
Acacia aculeatissimа		Fabaceae: Mimosoideae	S		transient		heat		III-38d; III-67
Acacia acuminata subsp. burkittii	Acacia burkittii	Fabaceae: Mimosoideae	R		persistent soil		heat	9CH	
Acacia aneura		Fabaceae: Mimosoideae	S r		persistent soil		heat	8HG 8FO 8FO(1) 9FO(1) 8PL	
Acacia aulacocarpа		Fabaceae: Mimosoideae	R		persistent soil		heat	9B 9HO 9RS	
Acacia ausfeldi		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8CE	
Acacia baileyana		Fabaceae: Mimosoideae	S		persistent soil	ant	heat	8BF	II-38d
Acacia baueri subsp. baueri		Fabaceae: Mimosoideae	S		persistent soil		a-heat	2BW 8B	VIII-39
Acacia betche		Fabaceae: Mimosoideae	S		persistent soil		a-heat		II-100
Acacia binervatа		Fabaceae: Mimosoideae	S		persistent soil	a-ant	heat	2BF	VIII-35; II-105
Acacia binervia	Acacia glaucescens	Fabaceae: Mimosoideae	S	Has no protected vegetative buds or insulated bark; Mortality 100% after high intensity (100% scorch), 25% after low intensity fire	persistent soil		heat	2BF	VIII-39; VIII-76; VIII-103; VIII-R41
Acacia blakei subsp. diphylla	Acacia diphylla	Fabaceae: Mimosoideae	S		persistent soil		a-heat		VIII-74
Acacia blayanа		Fabaceae: Mimosoideae	S		persistent soil		heat		II-R35
Acacia browni	Acacia browne	Fabaceae: Mimosoideae	R s		persistent soil		heat	9BN	VIII&IX-39
Acacia bulgaensis		Fabaceae: Mimosoideae	S		persistent soil		a-heat		II-66
Acacia burbidgeaе		Fabaceae: Mimosoideae	S		persistent soil	ant	heat		II-69; II-100
Acacia buxifolia		Fabaceae: Mimosoideae	R s		persistent soil		heat	9P 5PU 4PU	II-69
Acacia buxifolia subsp. pubiflora		Fabaceae: Mimosoideae	R		persistent soil		a-heat		IX-100
Acacia calamifoliа		Fabaceae: Mimosoideae	S		persistent soil		heat	8CH	
Acacia calcicola		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8PL	
Acacia capitatа		Fabaceae: Mimosoideae	S		persistent soil		a-heat		II-66
Acacia cheeli		Fabaceae: Mimosoideae	S		persistent soil		a-heat		II-66
Acacia chrysotricha		Fabaceae: Mimosoideae	S		persistent soil		heat		II-R36
Acacia cognatа		Fabaceae: Mimosoideae	R		persistent soil		a-heat		V-38a
Acacia colletioides		Fabaceae: Mimosoideae	S		persistent soil		heat	8C	
Acacia constablei		Fabaceae: Mimosoideae	S		persistent soil		a-heat		II-R15; II-R35
Acacia costinianа		Fabaceae: Mimosoideae	S		persistent soil		heat		II-R35

Species details	Vital Attributes			Life Histor				Habitat			
Species	VA group	Sensitivity: frequent	Sensitivity: infrequent	Primary juvenile	Secondary juvenile period	Recommended minimum interval	Lifespan + seedbank	Conservation Status	Distribution: NSW	Vegetation	Flowering season
Abutilon otocarpum	SI	2	1						NWP SWP NFWP SFWP	various	all year
Abutilon oxycarpum	SI	2	1				40		NC CC SC NT NWS CWS NWP SWP	RF (dry) F	Summer-Autumn
Acacia acanthocladа	SI	2	1					TSC E	SFWP	Mallee	Spring
Acacia acinaceа	SI	2	1	3					CT ST CWS SWS SWP	OW	Spring
Acacia aculeatissimа	CI	1	1	4					SC	W	Spring
Acacia acuminata subsp. burkittii	VSI	2	1						NWP SWP NFWP SFWP	Mulga H	all year
Acacia aneura	SI	2	1						CWS NWP SWP NFWP SFWP	Mulga-OW	Autumn
Acacia aulacocarpа	VSI	2	1						NC	WSF RF	Summer-Autumn
Acacia ausfeldi	SI	2	1					Rotap 3RCa	CWS	W	Spring
Acacia baileyana	ST	3	3	3			60		CC NT CT ST NWS CWS SWS NWP SWP	Mallee	Winter
Acacia baueri subsp. baueri	SI	2	1	2		5			NC CC	H	Summer-Autumn
Acacia betche	SI	2	1						NT NWS	DSF H	Spring-Summer
Acacia binervatа	SI	2	1	5		10	>50		NC CC SC NT CT	WSF RF	Spring
Acacia binervia	SI	2	1	2			130		NC CC SC CT ST CWS	DSF H	Spring
Acacia blakei subsp. diphylla	SI	2	1						NC CC NT CT	DSF RF (dry)	Spring
Acacia blayanа	SI	2	1					Rotap 2RC-	SC	TOF	Spring
Acacia browni	VSI	2	1						NC CC SC NT CT ST NWS CWS	DSF OW H S	Spring
Acacia bulgaensis	SI	2	1	3-5		8-10	70	Rotap 2RC-	NC	OF	Spring
Acacia burbidgeaе	SI	2	1			5	50	3Ra	NT NWS	OF W	Winter
Acacia buxifolia	VSI	2	1		2				NC CC NT CT ST NWS CWS SWS NWP SWP	DSF W H	Winter-Spring
Acacia buxifolia subsp. pubiflora	VSI	2	1						NT NWS	DSF W H	Winter-Spring
Acacia calamifoliа	SI	2	1						NWS CWS SWS SWP NFWP	swamp OH W	Spring
Acacia calcicola	SI	2	1						NFWP	Mulga Belah	Spring
Acacia capitatа	E	5	5						Exotic		
Acacia cheeli	SI	2	1						NT CT NWS CWS NWP	DSF	Spring
Acacia chrysotricha	SI	2	1					TSC E, Rotap 2R	NC	RF WSF	Winter
Acacia cognatа	VSI	2	1						CC SC ST	OF W RF WSF	Winter-Spring
Acacia colletioides	SI	2	1						CWS NWP SWP NFWP SFWP	W	Winter-Spring
Acacia constablei	SI	2	1			15	35	TSC V, ESP V, Rotap 2V	SC	LS	Winter
Acacia costinianа	SI	2	1					Rotap 3RCa	ST	DSF W H	Spring

Acacia courtii		Fabaceae: Mimosoideae	S		persistent soil		a-heat		II-R36
Acacia cowleana	Acacia oligophleba	Fabaceae: Mimosoidea	S		persistent soil		heat	8WI ~~8FO(1)~~ 8PL	
Acacia curranii		Fabaceae: Mimosoideae	R		persistent soil				IV-72
Acacia dallachiana		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8CE	
Acacia dawsoni		Fabaceae: Mimosoidea	S		persistent soil		heat	8CE	VIII-74?; VIII-R41
Acacia dealbata		Fabaceae: Mimosoideae	S r		persistent soil		heat	8W 2GB 8WO 8WA	IVb-38a; IV&V-38d; IX-67; II-100
Acacia deanei subsp. deanei		Fabaceae: Mimosoideae	S		persistent soil		heat		II-R39
Acacia deanei subsp. paucijuga		Fabaceae: Mimosoideae	S		persistent soil		heat	8CE	
Acacia decora		Fabaceae: Mimosoideae	S		persistent soil		heat	8CE	
Acacia decurrens		Fabaceae: Mimosoidea	S		persistent soil		heat		VIII-39?; II-49
Acacia difformis		Fabaceae: Mimosoidea	S		persistent soil		heat	2H	
Acacia echinula		Fabaceae: Mimosoidea	S		persistent soil		a-heat		VIII-39; II-66
Acacia elata		Fabaceae: Mimosoidea	S		persistent soil		heat	2BF	II-66
Acacia elongata		Fabaceae: Mimosoidea	S r		persistent soil		heat	8A? 9BN	VIII&IX-39; II-66
Acacia falcata		Fabaceae: Mimosoidea	S		persistent soil		heat	2F	VIII-39; II-66
Acacia falciformis		Fabaceae: Mimosoideae	R s		persistent soil		heat	9M	IVb-38a; II-49; IX-95a; IX-100; VIII-108
Acacia farnesiana	Acacia farnesiana var. lenticellata, Acacia lenticellata	Fabaceae: Mimosoideae	R		persistent soil		a-heat	9FO(1)	
Acacia filicifolia		Fabaceae: Mimosoidea	S r		persistent soil		heat		II-66; II&IX-100
Acacia fimbriata		Fabaceae: Mimosoidea	S		persistent soil		heat		II-100
Acacia floribunda		Fabaceae: Mimosoideae	S R	Old plants may be killed, while young may resprout	persistent soil	ant	heat	8BN 5BF	V-35b; II-49; II-66; V-76
Acacia fulva		Fabaceae: Mimosoideae	S	Weak resprouter, no resprouting seen after high intensity fire	persistent soil		heat		II-66; II-71
Acacia genistifolia	Acacia diffusa	Fabaceae: Mimosoideae	S		persistent soil		heat	2G 8W 8P 2PU 8PU 2PY 8WA	II-38b&c
Acacia georgensis		Fabaceae: Mimosoideae	S		persistent soil		a-heat		II-38a; II-R15
Acacia gordonii	Acacia brunioides subsp. gordonii	Fabaceae: Mimosoideae	R		persistent soil		a-heat	9BF	IXb-1
Acacia granitica		Fabaceae: Mimosoidea	S		persistent soil		a-heat		II-69; II-100
Acacia gunnii	Acacia vomeriformis	Fabaceae: Mimosoideae	S r		persistent soil		heat	2H 9P	II-38c; IX-100?
Acacia hakeoides		Fabaceae: Mimosoideae	R		persistent soil		heat	9C	
Acacia harpophylla		Fabaceae: Mimosoidea	R		persistent soil			4ME	
Acacia havilandiorum	Acacia havilandi	Fabaceae: Mimosoidea	S		persistent soil		a-heat	8CE	
Acacia hispidula		Fabaceae: Mimosoideae	S		persistent soil		a-heat	2BF 8BE	II-49; II-66; VIII-74?; II-100?

Acacia courtii	SI	2	1					TSC V, ESP V, Rotap 2V	NC	DSF	Spring-Summer
Acacia cowleana	SI	2	1						NWP		
Acacia curranii	VSI	2	1					TSC V, ESP V, Rotap 3V	NWP SWP	Acacia-S Mallee	Spring
Acacia dallachiana	SI	2	1					Rotap 3RC-	ST	subalpine-F montane-F	Spring-Summer
Acacia dawsoni	SI	2	1						NT CT ST NWS CWS	OW G	Spring
Acacia dealbata	SI	2	1	5		10	120		NT CT ST NWS CWS SWS SWP	OF WSF	Winter-Spring
Acacia deanei subsp. deanei	SI	2	1						NT NWS CWS SWS NWP SWP	sclerophyll communities	all year
Acacia deanei subsp. paucijuga	SI	2	1						NT CT ST NWS CWS SWS NWP SWP	sclerophyll communities	all year
Acacia decora	SI	2	1						NC CC NT CT ST NWS CWS SWS NWP SWP SFWP	grassy OF	Autumn-Spring
Acacia decurrens	SI	2	1				60		NC CC SC CT ST CWS	OF W	Winter-Spring
Acacia difformis	SI	2	1						CT NWS CWS SWS SWP	DSF W Mallee	Summer
Acacia echinula	SI	2	1						NC CC SC CT CWS	DSF H	Winter
Acacia elata	SI	2	1				>80		NC CC NT CT	TOF RF WSF	Summer
Acacia elongata	SI	2	1						NC CC SC CT ST NWS CWS	H W	Winter-Spring
Acacia falcata	SI	2	1	2			50		NC CC SC NT CT CWS	OF	Autumn-Winter
Acacia falciformis	VSI	2	1						NC CC SC NT CT ST NWS CWS SWP	DSF W	Winter-Summer
Acacia farnesiana	E	5	5						Exotic		
Acacia filicifolia	SI	2	1						NC CC SC NT CT NWS CWS	DSF	Winter-Spring
Acacia fimbriata	SI	2	1						NC CC NT CT ST NWS	DSF W	Winter-Spring
Acacia floribunda	SI	2	1	3-4	2.5		90		NC CC SC NT CT ST CWS	OF F riparian S	Winter
Acacia fulva	SI	2	1	3-5		8-10	60	Rotap 2RC-	NC CC CWS	DSF	Summer-Autumn
Acacia genistifolia	SI	2	1	3					CC SC CT ST CWS SWS SWP	OF	Winter-Spring
Acacia georgensis	SI	2	1				90	TSC V, ESP V, Rotap 2VCi	SC	H	Spring
Acacia gordonii	VSI	2	1					TSC E, ESP E, Rotap 2K	CC	H OW	Spring
Acacia granitica	SI	2	1						NC NT NWS	H	Winter-Spring
Acacia gunnii	SI	2	1		2				SC NT CT ST NWS CWS SWS	sclerophyll communities	Winter-Spring
Acacia hakeoides	VSI	2	1						CT ST NWS CWS SWS NWP SWP NFWP	W Mallee	Winter-Spring
Acacia harpophylla	VSI	2	1						NWS CWS NWP SWP	S LF OF	Winter-Spring
Acacia havilandiorum	SI	2	1						NWS CWS NWP SWP	Mallee W	Winter-Spring
Acacia hispidula	SI	2	1	3-5		10	40		NC CC SC NT NWS	DWF W	Summer-Autumn

Acacia homalophylla	Acacia omalophylla	Fabaceae: Mimosoideae	S		persistent soil		heat	8CE	
Acacia implexa		Fabaceae: Mimosoideae	S r	Stem mortality 100% after high intensity (100% scorch), 39% after low intensity fire	persistent soil		heat	4BF	VIII&IX-39; II-66; II-96; IX-100; IV-103
Acacia ingrami		Fabaceae: Mimosoidea	S		persistent soil		a-heat		VIII-74
Acacia irrorata subsp. irrorata		Fabaceae: Mimosoideae	S r	Killed by both low and high intensity fires	persistent soil	a-ant	heat	8CN	V-35b; VIII-39; II-66; VIII-R41; II-105; VIII-108
Acacia irrorata subsp. velutinella		Fabaceae: Mimosoideae	R		persistent soil		a-heat		V-35b
Acacia jennerae		Fabaceae: Mimosoideae	R		persistent soil		heat	~~9FO(1)~~ 9PL	
Acacia jonesi		Fabaceae: Mimosoidea	S		persistent soil		a-heat		II-66
Acacia juncifolia subsp. serpentinicola		Fabaceae: Mimosoideae	R		persistent soil		a-heat		IX-100
Acacia lanigera		Fabaceae: Mimosoidea	S		persistent soil		a-heat	2BW	
Acacia latisepala		Fabaceae: Mimosoidea	S		persistent soil	ant?			II-69; II-100
Acacia leiocalyx		Fabaceae: Mimosoidea	R		persistent soil		a-heat	4ME	
Acacia ligulata	Acacia bivenosa subsp. wayi	Fabaceae: Mimosoideae	R s		persistent soil		heat	8C 9WI 9FO 9CH 8FO(1) 9PL	VIII-78
Acacia lineata		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8CE	
Acacia linifolia		Fabaceae: Mimosoidea	S		persistent soil	ant	heat	8A 2BF	II-49; II-66
Acacia loder		Fabaceae: Mimosoidea	R		persistent soil		a-heat	9CE	
Acacia longifolia subsp. longifolia	Acacia longifolia var. longifolia	Fabaceae: Mimosoideae	S r		persistent soil	bird & ant	heat	2F 8I 8A 8WO 2E 8KE 8BF	II-2; II-35b; IVb-38b; VIII-39; II-49; II-66; VIII-78; II-100
Acacia longifolia subsp. sophorae	Acacia sophorae	Fabaceae: Mimosoideae	S r		persistent soil	bird & ant	a-heat	2F 8MO	II-35b; IVb-38b; VIII-39
Acacia longissima		Fabaceae: Mimosoidea	S		persistent soil		heat	8A 8BF	
Acacia lucasii		Fabaceae: Mimosoidea	S		persistent soil		a-heat	8CE	II-3; VIII-R41
Acacia lunata	Acacia buxifolia	Fabaceae: Mimosoidea	S		persistent soil		a-heat		II-66
Acacia macnuttiana		Fabaceae: Mimosoideae	S		persistent soil		a-heat		VIII-69; II-100
Acacia maidenii		Fabaceae: Mimosoideae	S		persistent soil		heat	2F	II-35b; VIII-39; VIII-R41; II&V-105
Acacia maitlandii		Fabaceae: Mimosoideae	R		persistent soil		heat	~~9FO(1)~~ 9PL	
Acacia matthewi		Fabaceae: Mimosoidea	R		persistent soil		a-heat		IX-1
Acacia mearnsii		Fabaceae: Mimosoideae	S r		persistent soil		heat	8W 8MO 5PU 4PU 8WO 8WA	II-38b&c; II-49; VIII-83
Acacia meiantha		Fabaceae: Mimosoidea	R		persistent soil		a-heat		V-1
Acacia melanoxylon		Fabaceae: Mimosoideae	R s		persistent soil		heat	2WO 9HO 4&5M 9W 1HR 5HR 8CT 9HL 2HL 9BF 4&5WA	II-4; IV-38c; IXb-67; IX-78; VIII-84; V-108
Acacia melville		Fabaceae: Mimosoidea	R		persistent soil		a-heat	9CE	
Acacia mitchelli		Fabaceae: Mimosoidea	S		persistent soil		a-heat	2E 2WO	II-38c

Acacia homalophylla	SI	2	1						NWS CWS SWS NWP SWP SFWP	Belah Rosewood Box communinities	Spring
Acacia implexa	SI	2	1	1-5			80		NC CC SC NT CT ST NWS CWS SWS NWP SWP	OF W	Summer-Autumn
Acacia ingrami	SI	2	1					Rotap 2RCa	NC NT	LW	Spring
Acacia irrorata subsp. irrorata	SI	2	1	5-6		12	>50		NC CC SC NT CT NWS CWS	DSF S RFmargins	Spring-Summer
Acacia irrorata subsp. velutinella	VSI	2	1		<8				NC	DSF RF-margins	Summer
Acacia jennerae	VSI	2	1				45		NFWP SFWP	Mallee savannah W	Autumn-Winter
Acacia jonesi	SI	2	1					Rotap 3RCa	CC SC CT ST	DSF W	Spring
Acacia juncifolia subsp. serpentinicola	VSI	2	1						NC NT	OF	
Acacia lanigera	SI	2	1						SC NT CT ST NWS CWS SWS	W DSF	Winter
Acacia latisepala	G	1	4	2		5	50	Rotap 3RC-	NT	OF W H	Spring-Summer
Acacia leiocalyx	VSI	2	1						NC CC NT CT NWS CWS NWP	DSF H	Winter-Spring
Acacia ligulata	VSI	2	1						CWS SWS NWP SWP NFWP SFWP	Mulga Bluebush W	
Acacia lineata	SI	2	1						CT NWS CWS SWS NWP SWP SFWP	OF W Mallee	Spring
Acacia linifolia	SI	2	1	2			45		NC CC SC CT	W OF	all year
Acacia loder	VSI	2	1						SWP NFWP SFWP	LW TS	Spring
Acacia longifolia subsp. longifolia	SI	2	1	2-5		10	90		NC CC SC NT CT ST	OF S	Winter-Spring
Acacia longifolia subsp. sophorae	SI	2	1	5			60		NC CC SC	H SF	Winter
Acacia longissima	SI	2	1						NC CC SC	OF WSF	Spring-Summer
Acacia lucasii	SI	2	1					Rotap 3RCa	ST	DSF	Spring
Acacia lunata	SI	2	1						NC CC CT	OF	
Acacia macnuttiana	SI	2	1					TSC E, Rotap 2VCi	NT NWS	OF H	Winter
Acacia maidenii	SI	2	1				>50		NC CC SC CT CWS	WSF RF margins	Summer-Winter
Acacia maitlandii	VSI	2	1				35		NWP	sclerophyll communities	Winter
Acacia matthewi	VSI	2	1					Rotap 3RC-	CC CT	OF WSFmargins	Spring
Acacia mearnsii	SI	2	1	5			50		CC SC CT ST	OF	Spring-Summer
Acacia meiantha	VSI	2	1					Rotap 2RCi	CT	OF W	Winter-Spring
Acacia melanoxylon	VSI	2	1		>3		200		NC CC SC NT CT ST NWS CWS SWS	WSF RF	Winter-Spring
Acacia melville	VSI	2	1						CWS NWP SWP NFWP SFWP	W	Spring
Acacia mitchelli	ST	3	3		4		25		NT	DSF H	Spring-Summer

Acacia mucronata		Fabaceae: Mimosoideae	R s		persistent soil		a-heat	~~8W~~ 9M 9KP 2KP 8WA	IV-38b; II-38c; V-38d; V-67
Acacia murrayana		Fabaceae: Mimosoideae	R	Adult survival high, juvenile survival moderate	persistent soil		heat	9HG ~~9FO(1)~~ 9PL	
Acacia myrtifolia		Fabaceae: Mimosoideae	S r		persistent soil	a-ant	heat	2S 9VE 2WO 8I 8WJ 8W 8A 2K 2E 2T 8KE 8CH 9BG 2BU 8WA	II-2; II-35b; II-38c; VIII&IX-39; II-49; II-52; II-66; VIII-78; II-105
Acacia notabilis		Fabaceae: Mimosoidea	S		persistent soil		heat	8CE	
Acacia obliquinervia		Fabaceae: Mimosoidea	S		persistent soil		heat		II-38c
Acacia obtusifolia		Fabaceae: Mimosoideae	S r		persistent soil		heat	8W	V-1; IV-1; II-49; II-100
Acacia oswaldii		Fabaceae: Mimosoideae	R		persistent soil		heat	9PL	
Acacia oxycedrus		Fabaceae: Mimosoideae	S r		persistent soil	ant	heat	2K 9VE	V-1; II-4; II-38c; II-49; II-R35
Acacia paradoxa	Acacia armata	Fabaceae: Mimosoideae	S		persistent soil		heat	8MO 8WO 8CH	II-38d; VIII-78; VIII-83
Acacia parramattensis		Fabaceae: Mimosoideae	S	Mortality 100% after high intensity (100% scorch), 17% after low intensity fire (103)	persistent soil		heat	8BN 8&9BF	II-1; IV&V&VI-1; II-66; V-76; VIII-103
Acacia parvipinnula		Fabaceae: Mimosoidea	S		persistent soil		heat		II-66
Acacia pendula		Fabaceae: Mimosoideae	R		persistent soil		heat	9CE	
Acacia penninervis var. penninervis		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8CE	II-66; IX-100?
Acacia phasmoides		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8CE	
Acacia podalyriifolia		Fabaceae: Mimosoidea	S		persistent soil	bird & ant	heat	2BF	
Acacia prominens		Fabaceae: Mimosoideae	S		persistent soil	bird & ant	heat		II-66
Acacia pruinosa		Fabaceae: Mimosoidea	R		persistent soil		heat		IX-69; IX-100
Acacia pubescens		Fabaceae: Mimosoideae	R s		persistent soil		a-heat	4BF	II-66; IV-R21
Acacia pubifolia		Fabaceae: Mimosoideae	S		persistent soil		a-heat		VIII-69
Acacia pycnantha		Fabaceae: Mimosoideae	S		persistent soil		heat	8W 8WA 9VE 2E 8CH	II-38d; VIII-78
Acacia pycnostachya		Fabaceae: Mimosoideae	S		persistent soil		a-heat		VIII-107
Acacia quadrilateralis		Fabaceae: Mimosoidea	R		persistent soil		a-heat		Vb-8
Acacia ramulosa		Fabaceae: Mimosoideae	R s		persistent soil		heat	11FO 5FO(1) 8PL	IX-78
Acacia rubida		Fabaceae: Mimosoidea	S r		persistent soil		heat	8KE 4BF	II-2
Acacia saliciformis		Fabaceae: Mimosoidea	S		persistent soil		a-heat		II-66

Acacia mucronata	VST	3	3	3	1-4		50		SC ST	OF	Spring
Acacia murrayana	WSI	2	1	3			55		NWS CWS NWP SWP NFWP SFWP	W spinifex communities	Spring
Acacia myrtifolia	SI	2	1	2-4			50		NC CC SC NT CT ST	OF W S	Winter-Spring
Acacia notabilis	SI	2	1					TSC E	NFWP SFWP	Mallee OW	Winter-Spring
Acacia obliquinervia	SI	2	1						CT ST CWS	TOF	Spring
Acacia obtusifolia	SI	2	1						NC CC SC NT CT ST CWS	DSF WSF W	Summer
Acacia oswaldii	VSI	2	1						NWS CWS SWS NWP SWP NFWP SFWP	various	Spring-Summer
Acacia oxycedrus	SI	2	1	6			60		CC SC	W H	Winter-Spring
Acacia paradoxa	SI	2	1						NC CC SC NT CT ST NWS CWS SWS NWP SWP	OF W	Winter-Spring
Acacia parramattensis	SI	2	1	5			>55		NC CC SC CT ST CWS SWS	W DSF	Spring-Summer
Acacia parvipinnula	SI	2	1						NC CC CT ST CWS	DSF W	Winter-Spring
Acacia pendula	VSI	2	1						NC CT NWS CWS SWS NWP SWP NFWP SFWP	Myall-W OW	Summer-Autumn
Acacia penninervis var. penninervis	SI	2	1						NC CC SC NT CT ST NWS CWS NWP	DSF W	all year
Acacia phasmoides	SI	2	1					TSC V, ESP V, Rotap 2VC-	SWS	F W	Spring
Acacia podalyriifolia	SI	2	1	3					NC CC SC SWS	OF	all year
Acacia prominens	SI	2	1	3-5		8-10	65	TSC Endangered Population (Hurstville & Kograh LGA)	NC CC CT CWS	WSF	Winter-Spring
Acacia pruinosa	VSI	2	1						NT NWS	DSF W	Spring
Acacia pubescens	VSI	2	1	3-5		20	80	TSC V, ESP V, Rotap 3VCa	CC	OF OW	Spring
Acacia pubifolia	SI	2	1					TSC E, Rotap 2VC-	NT NWS	W	Spring
Acacia pycnantha	SI	2	1	2-3			40		CC ST CWS SWS SWP NFWP	DSF W H	Winter-Spring
Acacia pycnostachya	SI	2	1	5		>7		TSC V, Rotap 2V	NT	DSF	Spring
Acacia quadrilateralis	VSI	2	1						NC CC	DSF H	Winter
Acacia ramulosa	VST	3	3						NWP NFWP	Mulga W	all year
Acacia rubida	SI	2	1				90		CC SC NT CT ST NWS CWS SWS	OF S	Winter-Spring
Acacia saliciformis	SI	2	1						NC CC CT ST	WSF DSF	Autumn-Spring

Acacia salicina		Fabaceae: Mimosoideae	S		persistent soil		heat	8PL	
Acacia saligna	Acacia cyanophylla	Fabaceae: Mimosoideae	S R		persistent soil		a-heat	8MO 9BA 9BF	V-1b; II-96
Acacia schinoides		Fabaceae: Mimosoideae	S		persistent soil		heat	8BF	
Acacia stowardii	Acacia clivicola	Fabaceae: Mimosoideae	S		persistent soil		heat	8FO(1)	
Acacia stricta		Fabaceae: Mimosoideae	S		persistent soil		heat		II-38d; VIII-39?; II-67
Acacia suaveolens		Fabaceae: Mimosoideae	S r		persistent soil	ant	heat	2S 2WO 2BW 2F 8I 8W 8B 8BE 8MO 8A 8ME 2K 8KE 9BG	II-2; II-4; II-8; II-28; II-46; II-49; II-52; II-66; VIII-83; II-105
Acacia subporosa		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8CE	II-38d; II-R35
Acacia subtilinervis		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8CN	VIII-R41; II-105
Acacia terminalis		Fabaceae: Mimosoideae	S r		persistent soil	ant	heat	2F 8M 8A 8KE 8BF 5BF	II-2; II-8; VIII-35; II-38b; VIII&IX-39; II-49; II-66; II-105
Acacia tetragonophylla		Fabaceae: Mimosoideae	S R		persistent soil		heat	9HS 8FO 5FO(1) 8PL	
Acacia torringtonensis		Fabaceae: Mimosoideae	S		persistent soil		heat		II-69; II-100
Acacia trinervata		Fabaceae: Mimosoideae	S		persistent soil		a-heat		II-49
Acacia triptera		Fabaceae: Mimosoideae	S		persistent soil		heat	8CE	II-100?
Acacia ulicifolia		Fabaceae: Mimosoideae	S r	Some populations (Nullo Mt, Lithgow) resprout or root sucker; Some resprouting after low-intensity fire	persistent soil		heat	2S 9BW 2F 8I 8ME 2K 2E 8BN 9BF	II-4; II-8; VIII&IX-39; II-49; II-52; II-66; II-100?; II-105
Acacia uncinata	Acacia dysophylla	Fabaceae: Mimosoideae	S		persistent soil		heat		II-66
Acacia venulosa		Fabaceae: Mimosoideae	S		persistent soil		a-heat		II-69; II-100
Acacia verniciflua		Fabaceae: Mimosoideae	S		persistent soil		heat	2WO 8W 8CH 8WA	II-38c; VIII-78
Acacia verticillata		Fabaceae: Mimosoideae	S r		persistent soil		a-heat	2WO 9VE 8W 8CH 8WA	Vb-38b; II-38c; III-67
Acacia verticillata var. verticillata		Fabaceae: Mimosoideae	R		persistent soil		a-heat		IV-38b
Acacia victoriae		Fabaceae: Mimosoideae	R s		persistent soil		a-heat	8HS 5FO(1)	IX-78
Acacia viscidula		Fabaceae: Mimosoideae	S		persistent soil		heat		II-69; VIII-74?; II-100
Acacia wilhelmiana		Fabaceae: Mimosoideae	S		persistent soil		a-heat	8C	
Acacia williamsiana		Fabaceae: Mimosoideae	S		persistent soil		a-heat		VIII-69; II-100?
Acaena echinata		Rosaceae	R			a-adhesion		11CH	IX-11; IX-38c; IX-40; IX-78; IX-79
Acaena novae-zelandiae	Acaena anserinifolia	Rosaceae	S R			a-adhesion		8WA	IX-9; IV-58; VIII-61
Acaena ovina		Rosaceae	R			a-adhesion	smoke		IV-58
Acalypha nemorum		Euphorbiaceae	S		persistent soil	a-ant			II-35b
Acianthus caudatus		Orchidaceae	R					11W 11WA	IX-39
Acianthus exsertus		Orchidaceae	R					11W 11MO	IX-39; XI-83; V-105
Acianthus fornicatus		Orchidaceae	R		persistent soil			5F	IX-39; IXb-49
Acianthus pusillus		Orchidaceae	R						IV-38b; XI-48

Acacia salicina	SI	2	1						NC NT NWS CWS SWS NWP SWP NFWP SFWP	DSF S W	Summer-Winter
Acacia saligna	E	5	5	1-5					Exotic	W H	Winter
Acacia schinoides	SI	2	1						NC CC CWS	WSF TOF	Spring-Summer
Acacia stowardi	SI	2	1						NWP NFWP	Mulga H	all year
Acacia stricta	SI	2	1	4					NC CC SC NT CT ST SWS	WSF DSF	Winter-Spring
Acacia suaveolens	SI	2	1	2-3		10	60		NC CC SC CT ST	H W	Autumn-Spring
Acacia subporosa	SI	2	1						SC	TOF	Spring
Acacia subtilinervis	SI	2	1					Rotap 3RCa	CC SC CT ST	H W	Spring
Acacia terminalis	SI	2	1	3-6			50		NC CC SC NT CT ST CWS	OF S	all year
Acacia tetragonophylla	SI	2	1						NWP NFWP SFWP	Box and Mulga communitites	Winter-Spring
Acacia torringtonensis	SI	2	1						NT NWS	H	Spring
Acacia trinervata	SI	2	1						CC	OF	all year
Acacia triptera	SI	2	1						NT NWS CWS NWP SWP	Mallee W H	Spring
Acacia ulicifolia	SI	2	1	2-3			>55		NC CC SC NT CT ST NWS CWS SWS	H W OF	Autumn-Spring
Acacia uncinata	SI	2	1						NWS	DSF	Spring
Acacia venulosa	SI	2	1						NC NT NWS	W	Winter-Spring
Acacia verniciflua	ST	3	3	3-6					CC CT ST NWS CWS SWS SWP	DSF W	Spring
Acacia verticillata	GT	1	3	2-6			>58		SC	OF	Spring
Acacia verticillata var. verticillata	VSI	2	1						SC	OF	Spring
Acacia victoriae	VS	4	4						CWS SWP NFWP SFWP	W	Spring
Acacia viscidula	SI	2	1						NC NT NWS	DSF H	Spring
Acacia wilhelmiana	SI	2	1						NWP SWP SFWP	Mallee	Spring
Acacia williamsiana	SI	2	1					2RCa	NWS	OF W LS	
Acaena echinata	U	4	4		1-2		60		CC SC CT ST NWS SWS	S	Spring-Summer
Acaena novae-zelandiae	DT	3	3	1-2			>10		NC CC SC NT CT ST NWS CWS	OF W Swamp	Spring
Acaena ovina	VDT	3	3	1			>10		NT CT ST NWS CWS SWS	G	Spring
Acalypha nemorum	G	1	4	1					NC CC SC	RF (ST dry)	
Acianthus caudatus	UR	2	3		1				NC CC SC CT	LS SF	Winter
Acianthus exsertus	VR	2	3						NC CC SC NT CT ST	F	Autumn-Winter
Acianthus fornicatus	VG	4	4						NC CC SC	S F	Winter
Acianthus pusillus	UR	2	3		1				NC CC SC NT CT ST	H SF RF margins	Autumn-Winter

Aciphylla glacialis		Apiaceae	R						V-58
Acmena smithii		Myrtaceae	R	Killed by crown fire, resprout after partial burn, resprouts after cutting	transient	bird		6SA 5CT	V&VId-1; V-35; IX-39; V&VI-84; V-101a; IV&V-105; Vd-CT; V&VId-M
Acradenia euodiiformis		Rutaceae	R						IV-89
Acronychia imperforata		Rutaceae	R						V-35b
Acronychia oblongifolia		Rutaceae	S r	Can resprout after low intensity fire but not after high intensity	transient	wide			VIII-35b; IV&V-84; III&IX-R35
Acrophyllum australe	Calycomis australis	Cunoniaceae	R	Large plants resprout from lignotuber, smaller plants killed				5BB	V-R25
Acrotriche aggregata		Epacridaceae	R					9B	IX-95a; IX-100
Acrotriche divaricata		Epacridaceae	S			bird?		8BB	VIII-39
Acrotriche leucocarpa		Epacridaceae	S		persistent soil				II-66
Acrotriche serrulata		Epacridaceae	R		persistent soil			5W 9WO 9E 5WA	IX-37; V-38; IX-67; IX-78; II&V-105
Actephila lindleyi		Euphorbiaceae	S			explosive capsule		8BB	
Actinobole uliginosum		Asteraceae	S					8C	
Actinotus forsythii		Apiaceae	S						VIII-R41
Actinotus gibbonsii		Apiaceae	S		persistent soil				VIII-1?; VIII-95a; II-R35
Actinotus helianthi		Apiaceae	S		persistent soil	wind		2F 8I 8BE 2K 2BM	II-4; VIII-39; II-46; II-49; II-66; II-91
Actinotus minor		Apiaceae	S r	May resprout after low intensity fire	persistent soil	a-ant	heat & smoke	8I 8BE 2K 2BM 9BM 8KE	II-2; II-4; II-49; VIII-52; II-105
Adiantum aethiopicum		Adiantaceae	R	Could be fire sensitive in open areas (rhizome needs protection)	transient	wind		4BM 4WA	IXc-38d; IX-39; IV-105
Adiantum diaphanum		Adiantaceae	S		transient	wind			III-R38
Adiantum hispidulum	Adiantum hispidulum var. hispidulum	Adiantaceae	R			wind		4BM	IX-39
Adrastaea salicifolia	Hibbertia salicifolia	Dilleniaceae	R		persistent soil			4W 9BW	V-8
Adriana tomentosa var. tomentosa	Adriana glabrata var. subglabra, Adriana glabrata var. glabrata	Euphorbiaceae	S		transient	a-ant			VIIId-R35
Aegiceras corniculatum		Myrsinaceae	R s	May be killed with full crown scorch	viviparous	water		5&6BD	
Ageratina adenophora	Eupatorium adenophorum	Asteraceae	R					9BX	
Ageratina riparia	Eupatorium riparium	Asteraceae	R					9BX	
Agrostis avenacea var. avenacea		Poaceae	R s			a-wind a-adhesion		9W 9WO 9WA	
Agrostis parviflora		Poaceae	S		transient				VIII-58

Aciphylla glacialis	V	4	4	1			>15		ST	Herbfield	Summer
Acmena smithii	VDT	3	3	5	1-5	30	200		NC CC SC NT CT NWS CWS	RF WSF	Spring-Summer
Acradenia euodiiformis	V	4	4						NC NT	RF RF-margins	Spring-Summer
Acronychia imperforata	V	4	4						NC	RF (Lit)	Autumn
Acronychia oblongifolia	DT	3	3						NC CC SC NT CT	RF RF-margin	Autumn
Acrophyllum australe	WT	3	3	>2		12	25	TSC V, ESP V, Rotap 2VCi	CC CT	wet rock vegetation	Spring-Summer
Acrotriche aggregata	V	4	4						NC CC NT CT	SF RF	Spring
Acrotriche divaricata	D	4	4				100		NC CC SC NT CT ST	SF RF S	Winter
Acrotriche leucocarpa	G	1	4						ST		
Acrotriche serrulata	VS	4	4		2		70		SC NT CT ST CWS	W G SF	Spring
Actephila lindleyi	C	1	4	3-5			>50		NC CC	RF (ST, dry)	Autumn-Winter
Actinobole uliginosum	A	5	5						NWS CWS SWS NWP SWP NFWP SFWP	various	Winter-Spring
Actinotus forsythii	A	5	5	<1					NC SC CT ST	H SF RF	
Actinotus gibbonsii	A	5	5	<1					NC CC SC NT CT ST NWS CWS NWP SWP	W H	Spring-Autumn
Actinotus helianthi	GI	1	1	2-4			30		NC CC SC NT CT ST NWS CWS NWP	H S DSF	Spring
Actinotus minor	GI	1	1	2-6	1		70		NC CC SC CT ST	H DSF	Summer
Adiantum aethiopicum	UD	4	3		1-2		100		NC CC SC NT CT ST NWS CWS	OF S TOF LCF	
Adiantum diaphanum	CT	1	3				100		NC CC SC CT	RF	
Adiantum hispidulum	V	4	4				115		NC CC SC NT CT NWS CWS LHI	RF TOF	
Adrastaea salicifolia	VGI	2	1						NC CC	wet H Swamp	Spring-Autumn
Adriana tomentosa var. tomentosa	CI	1	1						NC CC SC NT CT ST NWS CWS SWS NWP		Spring
Aegiceras corniculatum	V	4	4				60		NC CC SC LHI	mangrove-S	
Ageratina adenophora	E	5	5						Exotic		
Ageratina riparia	E	5	5						Exotic		
Agrostis avenacea var. avenacea	A	5	5	1	1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP LHI		Spring-Summer
Agrostis parviflora	A	5	5	1					ST	G Bog alpine Herbfield	Summer

Agrostis venusta		Poaceae	S R		transient				XI-40; VIII-58
Aira caryophyllea		Poaceae	S		persistent soil	wide		3H 8W 8C 8MO 2E 8WO 8WA	II-38c; VIII-38d
Aira cupaniana		Poaceae	S					8P	VIII-38d
Ajuga australis		Lamiaceae	S			a-ant	smoke		VIII-58
Alchornea ilicifolia	Coelebogyne ilicifolia	Euphorbiaceae	R			explosive capsule		5BB	
Alectryon coriaceous		Sapindaceae	R		persistent soil		a-heat		V-35b
Alectryon oleifolius subsp canescens	Heterodendrum oleifolium	Sapindaceae	R				a-heat	11CE	IX-78
Alectryon subcinereus		Sapindaceae	S r	May resprout after low intensity fire but not after high intensity	transient	vertebrate	a-heat	8CE	V-35; III-R35; III-R41
Alexfloydia repens		Poaceae	R		persistent soil				V-35; IVb-R36
Allocasuarina brachystachya		Casuarinaceae	S						VIII-100?
Allocasuarina defungens		Casuarinaceae	R		serotinous canopy				IX-70; Va-R22
Allocasuarina diminuta subsp. annectens		Casuarinaceae	R						IX-R35
Allocasuarina distyla	Casuarina distyla	Casuarinaceae	S r		serotinous canopy	wind		1S ~~5F~~ 9I 1K	I-4; I-31; VIII&IX-39; VIII-52; I-66; I-91; VIII-104; I-105; I-R35
Allocasuarina glareicola		Casuarinaceae	R		canopy	wind			V&IVa-1; IV-R20
Allocasuarina littoralis	Casuarina littoralis, Casuarina suberosa	Casuarinaceae	R s	Resprouting may be age dependant, with older plants killed; May become dominant in long unburnt communities; Mortality 100% after high intensity (100% scorch), 33% after low intensity fire; Mortality may be increased by repeated burning	canopy - transient	wind		9G 9CL 9I 8BN? 9BW 8BB 5BB	I-4; V-35b; Va-38b; VIII&IX-39; I-49; I-66; IX-92; VIII-103; I,V&VI-105
Allocasuarina luehmannii	Casuarina luehmannii	Casuarinaceae	S		canopy - transient	wind		8C	III-R39
Allocasuarina nana	Casuarina nana	Casuarinaceae	R		serotinous canopy	wind		5S ~~9BB~~	V-3; IX-4; Va-31
Allocasuarina paludosa	Casuarina paludosa, Casuarina distyla var. prostrata	Casuarinaceae	R		canopy - transient	wind		9C 9VE 9E 9WO 9KE	IXa-2; IX-37; V-38
Allocasuarina rigida subsp. rigida	Casuarina rigida	Casuarinaceae	S			wind			VIII-89; VIII-100?

Agrostis venusta	A	5	5	1					NT CT ST NWS SWS	alpine Herbfield G	Summer
Aira caryophyllea	E	5	5	1					Exotic		
Aira cupaniana	E	5	5	1					Exotic		
Ajuga australis	SI	2	1	1			40		NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	F W	Spring
Alchornea ilicifolia	V	4	4	3-5			>30		NC CC CWS	RF (dry) OF	
Alectryon coriaceous	VSI	2	1		>6		50		NC	RF (Lit) S	
Alectryon oleifolius subsp canescens	VR	2	3						CWS NWP SWP NFWP SFWP	Rosewood Belah-Rosewood communities	
Alectryon subcinereus	DT	3	3	5-7			>30		NC CC SC CT CWS	RF	
Alexfloydia repens	VG	4	4					Rotap 2K	NC	Casuarina glauca F mangrove F	Spring
Allocasuarina brachystachya	C	1	4						NT	LOW	
Allocasuarina defungens	UC	4	4		1			TSC E, ESP E, Rotap 2E	NC	H	
Allocasuarina diminuta subsp. annectens	VI	2	1						SC CT ST	H LOW	
Allocasuarina distyla	CI	1	1	6		>10	40		NC CC SC CT ST	S H W	
Allocasuarina glareicola	VC	4	4	>3			100	TSC E, ESP E, Rotap 2E	CC	W OF	
Allocasuarina littoralis	VCT	3	3	3-6	3	>10	70		NC CC SC NT CT ST NWS CWS NWP	F W S	
Allocasuarina luehmannii	CT	1	3				>50		NC CC NT ST NWS CWS SWS NWP SWP NFWP SFWP	W OF	
Allocasuarina nana	VCI	2	1	<10		20	100		CC SC CT ST	H	
Allocasuarina paludosa	VCT	3	3				100		CC SC CT ST	H W	
Allocasuarina rigida subsp. rigida	C	1	4	3-5					NC NT NWS		

Allocasuarina simulans		Casuarinaceae	R						IX-70
Allocasuarina torulosa	Casuarina torulosa	Casuarinaceae	R	Plant mortality 1%; Stem mortality 73% after high intensity, 34% after low intensity fire	canopy	wind		5F 9BB	VI-35b; IX-92; IX-98; V&VI-103
Allocasuarina verticillata	Casuarina stricta, Casuarina quadrivalvis	Casuarinaceae	R s		canopy - transient	wind		9CH 8BB	V-38d; VIII&IX-78
Alloteropsis semialata		Poaceae	R					11HO	
Almaleea cambagei	Pultenaea cambagei	Fabaceae: Faboideae	R		persistent soil		a-heat		IX-100
Almaleea capitata	Dillwynia capitata, Dillwynia capitata var. uliginosa	Fabaceae: Faboideae	S		persistent soil		a-heat		VIII-R39
Almaleea incurvata	Pultenaea incurvata	Fabaceae: Faboideae	S		persistent soil		heat	8A 2BF	
Almaleea paludosa	Pultenaea paludosa	Fabaceae: Faboideae	S		persistent soil		a-heat	8I 8KE 8BF	II-2; VIII-39
Almaleea subumbellata	Pultenaea subumbellata	Fabaceae: Faboideae	S		persistent soil		a-heat	8WO	II-59
Alphitonia excelsa		Rhamnaceae	R		persistent soil		heat & smoke	5SA 9HO 9RS	IX-35b; IX-39; IX-63; IX-92
Alphitonia petrie		Rhamnaceae	S		persistent soil		heat		II-92
Alpinia arundelliana	Alpinia caerulea var. arundelliana	Zingiberaceae	R						V-35b
Alpinia caerulea		Zingiberaceae	R						V-35b
Alyssum linifolium		Brassicaceae	S					8C	
Alyxia buxifolia		Apocynaceae	R					9I 11CH 9FO(1)	
Alyxia ruscifolia		Apocynaceae	S					8RS	VIII-63
Ambrosia artemisiifolia		Asteraceae	R					9BX	
Ambrosia psilostachya		Asteraceae	R					9BX	
Ammobium alatum		Asteraceae	S		transient	wide		8CE	III-R35
Ammophila arenaria		Poaceae	R					9I	
Amorphospermum whitei		Sapotaceae	S		transient	vertebrate			III-89
Amperea xiphoclada var. xiphoclada	Amperea spartioides	Euphorbiaceae	R		persistent soil	a-ant		5BB 5S 11BW 9WO 9I 9E 9BN 9BB 4W	IXb-3; Vb-8; IV-38b; IX-39; IXb-59; IX-100; V&II-105
Amphibromus nervosus		Poaceae	R						IX-79
Amphipogon caricinus var. caricinus		Poaceae	R						IX-9
Amphipogon strictus var. strictus		Poaceae	R						IX-4; IX-5
Amyema congener subsp congener		Loranthaceae	S			bird		8CE	
Amyema linophyllum subsp. orientale		Loranthaceae	S					8CE	

Allocasuarina simulans	V	4	4					TSC V, ESP V, Rotap 2VCa	NC	H	
Allocasuarina torulosa	VCT	3	3		>5		100		NC CC SC NT CT NWS CWS	TOF OF	
Allocasuarina verticillata	VC	4	4				>90		CC SC CT ST CWS SWS NWP SWP	W	
Alloteropsis semialata	VR	2	3						NC NT NWS NWP		Summer
Almaleea cambagei	VSI	2	1					TSC E, Rotap 2V	NT	swampy-H	
Almaleea capitata	SI	2	1					Rotap 3RC-	ST	subalpine swampy H	
Almaleea incurvata	SI	2	1	3-4			>35	Rotap 2RC-I	CC CT	Swamp H	
Almaleea paludosa	SI	2	1	1-5			55		NC CC SC	Swamp	
Almaleea subumbellata	SI	2	1						ST	swamp H	
Alphitonia excelsa	VSI	2	1		>6				NC CC SC NT CT NWS CWS NWP	RF S OF	Autumn-Winter
Alphitonia petrie	SI	2	1						NC	RF-margins (ST)	
Alpinia arundelliana	V	4	4						NC CC	RF WSF	Spring-Summer
Alpinia caerulea	V	4	4						NC CC	RF	Spring
Alyssum linifolium	E	5	5						Exotic		
Alyxia buxifolia	VI	2	1	1-5			30		SC	H	Spring-Autumn
Alyxia ruscifolia	C	1	4	>5					NC CC NT LHI	RF	Spring-Autumn
Ambrosia artemisiifolia	E	5	5						Exotic		
Ambrosia psilostachya	E	5	5						Exotic		
Ammobium alatum	D	4	4	<1					NC SC NT CT ST NWS CWS	G W	Summer
Ammophila arenaria	E	5	5						Exotic		
Amorphospermum whitei	D	4	4	>6				TSC V, Rotap 3RCa	NC	RF (Lit WT)	Spring
Amperea xiphoclada var. xiphoclada	UGI	2	1		1		110		NC CC SC NT CT ST CWS	H W OF	
Amphibromus nervosus	U	4	4		<1				CC NT CT ST NWS CWS SWS NWP SWP SFWP		after rain
Amphipogon caricinus var. caricinus	V	4	4				>25		NWS NWP SWP NFWP SFWP	Carrawang BimbleBox Mulga communities Mallee	after rain
Amphipogon strictus var. strictus	UI	2	1		<2				NC CC SC NT CT ST		
Amyema congener subsp congener	D	4	4						NC CC SC NT CT CWS		all year
Amyema linophyllum subsp. orientale	D	4	4						NC NWS CWS SWS NWP SWP NFWP	semi-arid-W	Summer-Autumn

Amyema miquelii		Loranthaceae	S r	Killed by high intensity fire		bird		9BA 8BD	III-38d
Amyema pendulum subsp. pendulum		Loranthaceae	S		transient	bird		8BD	III-38d; VIII-39
Anagallis arvensis		Primulaceae	S		transient			8C 8I 8WO	VIII-38c&d; VIII-39
Angianthus tomentosus		Asteraceae	S					8V	
Angophora baker		Myrtaceae	R		transient	ant		~~8BN~~ 9BN	V&VId-1
Angophora costata		Myrtaceae	R		transient	wind		6F	V&VId-1; IX-39
Angophora crassifolia		Myrtaceae	R		transient				Vd-1
Angophora euryphylla		Myrtaceae	R						VI-1
Angophora floribunda		Myrtaceae	R		transient	wind		6G	VId-1; IX-39
Angophora hispida		Myrtaceae	R		transient			6S 5K 9BG	V&VId-1; IXd-7; IX-46; V&VI-52
Angophora inopina		Myrtaceae	R						V&VI-1
Angophora subvelutina		Myrtaceae	R		transient			9B	VId-1
Anisopogon avenaceus		Poaceae	R		persistent soil	wide		9I 5K	IXb-7; IX-39; IV-52; IX-57; IX-104; V-105
Anopterus macleayanus		Escalloniaceae	S		transient?				III-89
Anredera cordifolia		Basellaceae	R					9BX	
Anthemis arvensis		Asteraceae	S					8BX	
Anthoxanthum odoratum		Poaceae	R s		none	wide		9W 9WA	III-38d
Aotus ericoides	Aotus sp. A	Fabaceae: Faboideae	R s		persistent soil	a-ant	heat	8I 5S 5F 9BW 9C 5W 9I 9A 9KE 11CH	IXb-2; Vb-8; V-38d; VIII&IX-39; II-66
Aotus lanigera		Fabaceae: Faboidea	S		persistent soil		a-heat	2BW 8B	VIII-39
Aotus subglauca var. subglauca		Fabaceae: Faboideae	R		persistent soil		a-heat		IXb-5; IX-100
Aotus subspinescens		Fabaceae: Faboidea	R		persistent soil		a-heat	9C 11CH	IX-78
Apalochlamys spectabilis		Asteraceae	S					8CH	
Apatophyllum constablei		Celastraceae	S						VIII-R27
Aphanes australiana		Rosaceae	S					8C	VIII-38d
Aphanopetalum resinosum		Cunoniaceae	S		transient	wind		8CN	III-R41
Aphelia gracilis		Centrolepidaceae	S						VIII-38d
Apium prostratum subsp. prostratum var. prostratum		Apiaceae	S			wind		8WJ	
Araujia sericifera	Araujia hortorum	Asclepiadaceae	S					8BM	
Archirhodomyrtus beckleri	Rhodomyrtus beckleri	Myrtaceae	R						V-35b
Archontophoenix cunninghamiana		Arecaceae	S		transient				III-35b
Arctotheca calendula	Cryptostemma calendula	Asteraceae	S					8C 8V 8MO	

Amyema miquelii	D	4	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	SF W G Swamp	Summer-Autumn
Amyema pendulum subsp. pendulum	D	4	4						NC CC SC NT CT ST NWS CWS SWS	W	all year
Anagallis arvensis	E	5	5	1					Exotic		
Angianthus tomentosus	A	5	5	2					NFWP SFWP	W	Spring-Summer
Angophora baker	UC	4	4		1		>100		NC CC SC CT	LW W H	
Angophora costata	VCT	3	3	5			>100		NC CC SC CT	OF W	
Angophora crassifolia	UCI	2	1		1		>100	Rotap 2RCa	CC	LF W	
Angophora euryphylla	V	4	4				>100		NC CC CWS	OF W	
Angophora floribunda	VCI	2	1	5			>100		NC CC SC NT CT NWS CWS NWP	CF OF	
Angophora hispida	UCI	2	1	20	1	>8	200		CC	OW S H	
Angophora inopina	V	4	4				>200	TSC V	CC	W	
Angophora subvelutina	VC	4	4				>200		NC CC SC NT CT NWS	F	
Anisopogon avenaceus	VD	4	4				110		CC SC CT ST	DSF	Spring
Anopterus macleayanus	C	1	4						NC	RF (ST WT CT)	Spring-Summer
Anredera cordifolia	E	5	5						Exotic		
Anthemis arvensis	E	5	5						Exotic		
Anthoxanthum odoratum	E	5	5						Exotic		
Aotus ericoides	VSI	2	1	6	2-3		90		NC CC SC NT CT ST SFWP	W H S	Winter-Spring
Aotus lanigera	SI	2	1						NC	S H	Spring
Aotus subglauca var. subglauca	VSI	2	1						NT NWS	DSF	Spring
Aotus subspinescens	VS	4	4						SFWP	Mallee	Spring
Apalochlamys spectabilis	A	5	5						SC		Summer-Autumn
Apatophyllum constablei	C	1	4					TSC E, ESP E, Rotap 2EC-	NC CC CT	DSF	Spring
Aphanes australiana	A	5	5	<1					CT NWS CWS SWS SWP	F Pasture	Spring
Aphanopetalum resinosum	CR	1	3						NC CC SC NT CT ST NWS CWS	RF OF	Spring
Aphelia gracilis	A	5	5						SWS		Spring
Apium prostratum subsp. prostratum var. prostratum	A	5	5	1					NC CC SC CWS	sanddunes/headlands/cliffs	Spring-Summer
Araujia sericifera	E	5	5						Exotic		
Archirhodomyrtus beckleri	V	4	4		5				NC	RF RF-margins	Spring
Archontophoenix cunninghamiana	C	1	4						NC CC SC	RF RF-margins	Autumn
Arctotheca calendula	E	5	5						Exotic		

Argentipallium obtusifolium	Helichrysum obtusifolium	Asteraceae	S		soil	wide		8C 2E 8W ~~8WO~~ 8CH	II-9; III-38d
Aristida calycina var. calycina		Poaceae	R					9CE	
Aristida holathera var. holathera	Aristida browniana	Poaceae	R					9CE	
Aristida jerichoensis var. jerichoensis		Poaceae	R		persistent soil	a-adhesion			IXb-3
Aristida jerichoensis var. subspinulifera		Poaceae	R					9CN	IX-74?
Aristida ramosa var. ramosa		Poaceae	R			a-adhesion			IX-5
Aristida vagans		Poaceae	R		persistent soil	a-adhesion			IX-39; IXb-49; V-105
Aristida warburgi		Poaceae	R			wide		9KE	IX-2; IX-39
Arrhenechthites mixta		Asteraceae	S			wind		8M	
Artanema fimbriatum		Scrophulariaceae	S		persistent soil				II-35b
Arthropodium milleflorum	Arthropodium paniculatum	Anthericaceae	R	Juveniles die					V-38; IX-67
Arthropodium minus		Anthericaceae	R						IV-38a; IX-74?; IX-R42
Arthropodium sp. B		Anthericaceae	R						IV-105
Asperula conferta		Rubiaceae	R						IX-79
Asperula gunnii		Rubiaceae	R		persistent soil				Vb-58
Asperula scoparia		Rubiaceae	R s		persistent soil			~~8W~~ 8WA	IX-11; IX-40; Vb-58; IX-67
Asphodelus fistulosus		Liliaceae	R					9CH	
Asplenium australasicum		Aspleniaceae	S		transient	wind			VIII-1?; VIII-39?; III-R35
Asplenium bulbiferum subsp. gracillimum		Aspleniaceae	S			wind		8BM	
Asplenium polyodon	Asplenium falcatum	Aspleniaceae	S		transient	wind		8CE	III-R41
Asplenium trichomanes	Asplenium trichomanes subsp. quadrivalens	Aspleniaceae	S			wind		8CE	
Aster subulatus		Asteraceae	S					8W 8WA	
Asterolasia elegans		Rutaceae	S		persistent soil		heat		II-R26
Asterolasia trymalioides		Rutaceae	S		persistent soil				II-58
Astroloma humifusum		Epacridaceae	R					5W 9VE 9C 5WO 9E 9CH 9WA	V-38c; IX-39; IX-78

Argentipallium obtusifolium	DI	2	2	1-2			14		NC SC	H	Spring
Aristida calycina var. calycina	V	4	4						NC CC SC NT CT ST NWS CWS NWP SWP NFWP		Summer
Aristida holathera var. holathera	A	5	5						NWS NWP SWP NFWP SFWP	Mulga	after rain
Aristida jerichoensis var. jerichoensis	VD	4	4						CC CT ST NWS CWS SWS NWP SWP NFWP SFWP		Summer
Aristida jerichoensis var. subspinulifera	V	4	4						NC CC NT CT NWS CWS SWS NWP SWP NFWP SFWP	BimbleBox WhiteCypress GreyBox Mulga communities	after rain
Aristida ramosa var. ramosa	V	4	4						NC CC	W	Summer
Aristida vagans	VD	4	4		0.5		>30		NC CC SC NT CT NWS CWS NWP	DSF	Summer
Aristida warburgi	VD	4	4				25		NC CC SC NT CT NWS		Summer
Arrhenechthites mixta	C	1	4						CC SC NT CT ST	W	Summer
Artanema fimbriatum	G	1	4				20		NC		Spring-Summer
Arthropodium milleflorum	W	4	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP	G OW	Spring-Summer
Arthropodium minus	VI	2	1						NC CC NT CT ST NWS CWS SWS NWP SWP NFWP	G W Saltbush	Spring
Arthropodium sp. B	U	4	4		1				NC CC SC NT CT ST NWS CWS SWS NWP SWP	various	Spring-Summer
Asperula conferta	U	4	4		<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP	W F G	Spring-Summer
Asperula gunnii	VGT	3	3	1			>15		NT CT ST	Peatland Sedgeland	Summer
Asperula scoparia	UGT	3	3	1-2	1		>15		NT CT ST	DSF	Spring
Asphodelus fistulosus	E	5	5						Exotic		
Asplenium australasicum	DR	2	3				60		NC CC SC NT CT CWS LHI	RF WSF	
Asplenium bulbiferum subsp. gracillimum	C	1					100		NC CC SC CT ST	RF	
Asplenium polyodor	CR	1	3						NC CC SC NT CT ST LHI	RF	
Asplenium trichomanes	C	1					40		NC NT CT ST CWS		
Aster subulatus	E	5	5						Exotic		
Asterolasia elegans	GI	1	1					TSC E, ESP E, Rotap 2ECa	CC	WSF	Spring
Asterolasia trymalioides	GI	1	1	5			50		SC ST	alpine-H snowgum-F	Summer
Astroloma humifusum	V	4	4		2				NC CC SC CT ST NWS CWS SWS SWP	OF W grassy H	all year

Astroloma pinifolium		Epacridaceae	S		persistent soil	a-vertebrate		2E 2BW	II-38c; VIII-39
Astrotricha crassifolia		Araliaceae	R					4BM 5BM	
Astrotricha latifolia		Araliaceae	S		persistent soil			8BM	II-35
Astrotricha ledifolia		Araliaceae	R					5P 9PU	
Astrotricha linearis		Araliaceae	S					8CE	
Astrotricha longifolia		Araliaceae	R		persistent soil			2F 9B 5BM	IX-100
Atalaya hemiglauca		Sapindaceae	R				a-heat	9PL	
Atherosperma moschatum		Monimiaceae	R s					9BK 5GB 8HR 9HL 8BK(1)	
Atkinsonia ligustrina	Nuytsia ligustrina	Loranthaceae	R		persistent soil			9BD	IX-1; IX-66; II-71?
Atriplex elachophylla		Chenopodiaceae	R					9PL	
Atriplex vesicaria		Chenopodiaceae	S					8HG	
Australopyrum pectinatum		Poaceae	S		transient				VIII-R35
Australopyrum velutinum	Agropyron velutinum	Poaceae	R						V-58
Austrocynoglossum latifolium	Cynoglossum latifolium	Boraginaceae	S		persistent soil			8M	
Austrodanthonia auriculata	Danthonia auriculata	Poaceae	R						IX-79
Austrodanthonia caespitosa	Danthonia caespitosa	Poaceae	R s			a-adhesion	smoke	9C 9WO 8CH 5BU	IX-79; V-105
Austrodanthonia carphoides	Danthonia carphoides	Poaceae	R					9C	
Austrodanthonia duttoniana	Danthonia duttoniana	Poaceae	R						IX-11; IX-79
Austrodanthonia induta	Danthonia induta	Poaceae	R			a-adhesion		5W 5WA	
Austrodanthonia penicillata	Danthonia penicillata	Poaceae	R						IX-67
Austrodanthonia pilosa	Danthonia pilosa	Poaceae	R		persistent soil	a-adhesion		4W 9P 4WA	V-38b&d; Vb-58; IX-67
Austrodanthonia setacea	Danthonia setacea	Poaceae	R			wide		4W 9C 9WO 9MO 4WA	IX-9; IX-11; V-38b; IX-79; IX-83
Austrodanthonia tenuior	Danthonia tenuior, Notodanthonia tenuior, Rytidosperma tenuis	Poaceae	R		persistent soil	a-adhesion		4W 9WO	IXb-3; IX-39
Austrofestuca eriopoda	Festuca eriopoda	Poaceae	R						IX-R35
Austrofestuca hookeriana	Festuca hookeriana	Poaceae	R						IX-R35; IX-R42

Astroloma pinifolium	GI	1	1				75		NC CC SC CT ST	H W	Autumn-Spring
Astrotricha crassifolia	V	4	4				100	TSC V, Rotap 2VC-	NC CC	DSW	Spring
Astrotricha latifolia	GI	1	1	5		10	20		NC CC SC NT CT	WSF	Spring-Summer
Astrotricha ledifolia	VI	2	1		2				CT ST SWS	DSF W	Spring-Summer
Astrotricha linearis	G	1	4						NC SC CT CWS	H DSW	Spring-Summer
Astrotricha longifolia	VG	4	4				110		NC CC NT CT ST NWS CWS NWP SWP	DSF DSW	Spring-Summer
Atalaya hemiglauca	VI	2	1						NWS NWP SWP NFWP	OF	
Atherosperma moschatum	V	4	4						NT CT ST	RF (Temp)	
Atkinsonia ligustrina	VG	4	4	3-5		8	>30	Rotap 2RCa	CC CT	OF OW H	Spring-Summer
Atriplex elachophylla	A	5	5						NFWP	Mulga	
Atriplex vesicaria	C	1	4				30		SWS NWP SWP NFWP SFWP	Saltbush BlackBox Coolibah Mulga Belah Bluebush Mallee communities	
Australopyrum pectinatum	CT	1	3						NT ST		Summer
Australopyrum velutinum	V	4	4	1					ST CWS	OF G	Spring-Summer
Austrocynoglossum latifolium	GI	1	1				15		NC CC SC NT CT ST NWS CWS	WSF RF margins	Spring-Autumn
Austrodanthonia auriculata	U	4	4		<1				CC ST CWS SWS SWP		Spring-Summer
Austrodanthonia caespitosa	VI	2	1		<1				CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP LHI	various	Spring-Summer
Austrodanthonia carphoides	V	4	4						CC NT CT ST CWS SWS NWP SWP	G W	Spring-Summer
Austrodanthonia duttoniana	U	4	4		<1				ST CWS SWS NWP SWP	Swamp	Spring-Summer
Austrodanthonia induta	U	4	4		1				NT CT	OF	Spring-Summer
Austrodanthonia penicillata	V	4	4						CC SC NT CT ST SWS NFWP	G OW	Spring-Summer
Austrodanthonia pilosa	UGT	3	3	1	1		>15		NC CC SC NT CT ST CWS SWS NWP SWP NFWP		Spring-Summer
Austrodanthonia setacea	UD	4	3		1		>25		CC SC ST CWS SWS NWP SWP NFWP SFWP	various	after rain
Austrodanthonia tenuior	UD	4	3		1				NC CC SC NT CT ST NWS CWS SWS SFWP		
Austrofestuca eriopoda	UT	3	3		<2				SC NT CT ST SWS	OF G	Summer
Austrofestuca hookeriana	UT	3	3		<2				CT ST	OF G Swamp	Spring

Austrofestuca littoralis	Festuca littoralis	Poaceae	R			wind			V-96
Austromyrtus dulcis		Myrtaceae	S	killed by crown fire, resprouts after partail burn		wind			VIII-96
Austromyrtus tenuifolia		Myrtaceae	R		persistent soil	bird	a-heat		V-1
Austrostipa bigeniculata	Stipa bigeniculata	Poaceae	R			a-adhesion			IX-11; IX-79
Austrostipa elegantissima	Stipa elegantissima	Poaceae	S R		persistent soil			9BA 2PH	
Austrostipa gibbosa	Stipa gibbosa	Poaceae	R					9CE	
Austrostipa mollis	Stipa mollis	Poaceae	R s					9WO	V-38c; VIII-78
Austrostipa nitida	Stipa nitida	Poaceae	R s					9C	IX&VIII-78
Austrostipa nivicola	Stipa nivicola	Poaceae	R						V-58
Austrostipa pubescens	Stipa pubescens	Poaceae	R		persistent soil	wide			IXb-4; IXb-5
Austrostipa pubinodis	Stipa pubinodis	Poaceae	R		persistent soil	wide			IXb-3
Austrostipa rudis	Stipa rudis NB subsp. unspecified	Poaceae	R			a-adhesion			IX-79
Austrostipa rudis subsp. nervosa	Stipa rudis subsp. nervosa	Poaceae	R			a-adhesion			IV-38b; IV-105
Austrostipa semibarbata	Stipa semibarbata	Poaceae	R			wide		4W 9C 9MO 9WO 4WA	IX-9; IX-83
Austrostipa setacea	Stipa setacea	Poaceae	R		persistent soil			9CE	Vb-38d; IX-74?; IX-79
Austrostipa tucker	Stipa tucker	Poaceae	R					9CE	
Avena fatua		Poaceae	S					8C	
Avicennia marina subsp. australasica	Avicennia marina var. australasica, Avicennia marina var. resinifera	Avicenniaceae	S R			water		8BX 5BX	
Babingtonia densifolia	Baeckea densifolia	Myrtaceae	S R		persistent soil				VIII-1; II-4; IX-69; IX-100
Babingtonia odontocalyx	Baeckea sp. A	Myrtaceae	S		persistent soil	wind?			II-69; II-100
Babingtonia pluriflora	Baeckea virgata, Camphoromyrtus pluriflora	Myrtaceae	R s					8I 9G 9CL	V-1
Backhousia anisata		Myrtaceae	S						VIII-74
Backhousia myrtifolia		Myrtaceae	R		transient				V&VId-1; IX-39
Baeckea brevifolia		Myrtaceae	S r		persistent soil			2K 8KE	VIII-1; V&IV-1; II-2; II 4
Baeckea crassifolia		Myrtaceae	S		persistent soil			8C 2E 9CH	VIII-78
Baeckea denticulata		Myrtaceae	S		persistent soil				II-3; b-R35
Baeckea diosmifolia		Myrtaceae	R					9BN	V-8; V-105
Baeckea frutescens	Baeckea stenophylla	Myrtaceae	R		persistent soil			4BW	IVb-6
Baeckea gunniana		Myrtaceae	R					9KP	V-58

Austrofestuca littoralis	VI	2	1	1-5					NC CC SC	coastal sand dunes	Spring-Summer
Austromyrtus dulcis	CI	1	1	1-5			30		NC	H DSF	Spring-Summer
Austromyrtus tenuifolia	VDI	2	2				80		CC	WSF riparian-S	Summer
Austrostipa bigeniculata	U	4	4		<1				SC CT ST NWS CWS SWS NWP SWP	W OF	Spring-Summer
Austrostipa elegantissima	G	1	4						CC CT ST NWS CWS SWS NWP SWP NFWP SFWP	various	after rain
Austrostipa gibbosa	V	4	4						SWS SWP	OW G	Spring-Summer
Austrostipa mollis	U	4	4		<2				NC CC SC NT CT ST CWS SWS SWP SFWP		Spring-Summer
Austrostipa nitida	V	4	4						CC NWS CWS SWS NWP SWP NFWP SFWP		after rain
Austrostipa nivicola	VT	3	3	1			>10		ST	alpine-G subalpine G	Summer
Austrostipa pubescens	VD	4	4						NC CC SC NT CT ST	W H	Spring
Austrostipa pubinodis	VD	4	4						SC ST		Spring-Summer
Austrostipa rudis	U	4	4		<1				CC SC NT CT ST CWS	W	
Austrostipa rudis subsp. nervosa	U	4	4		1		>20		NC CC SC NT CT ST	W	Spring-Summer
Austrostipa semibarbata	UD	4	3		1		>25		SC CT ST	SF H	Spring-Summer
Austrostipa setacea	UG	4	4		<1				NC CC NT CT ST NWS CWS SWS NWP SWP		all year
Austrostipa tucker	V	4	4						NWS CWS NWP SWP		after rain
Avena fatua	E	5	5						Exotic		
Avicennia marina subsp. australasica	G	1	4	5			>110		NC CC SC LHI	CF CS	all year
Babingtonia densifolia	GI	1	1	3.5					NC CC NT CT NWS CWS NWP	H OW	Spring-Summer
Babingtonia odontocalyx	C	1	4			10	20	2V	NT NWS		Summer
Babingtonia pluriflora	V	4	4		2.5		20		NC CC SC CT ST	H DSF	Spring-Summer
Backhousia anisata	C	1	4					Rotap 2RCa	NC	RF (ST)	Spring
Backhousia myrtifolia	VCI	2	1				>100		NC CC SC CT ST CWS	RF WSF OF	Summer
Baeckea brevifolia	GI	1	1				70		CC SC CT ST	H	Spring-Summer
Baeckea crassifolia	G	1	4						CWS SWP SFWP	Mallee	Spring-Summer
Baeckea denticulata	GI	1	1					Rotap 3RCa	ST	H	Spring
Baeckea diosmifolia	UI	2	1		1				NC CC SC NT CT ST CWS	LOW H	Spring
Baeckea frutescens	VGT	3	3						NC	H	Summer
Baeckea gunniana	VT	3	3	5			>50		NT ST	H Bog	Summer

Baeckea imbricata		Myrtaceae	R	May be killed by high intensity fire	persistent soil			5S 9B 9I 9BW 9KE	VIII-1; V-1; IXb-2; IXb-4; IX-39; V-105
Baeckea linifolia		Myrtaceae	R		persistent soil			9I 9KE	V-1; IXb-2; IV-89
Baeckea omissa	Baeckea sp. C	Myrtaceae	R						VIII-74?; IX-100
Baeckea ramosissima subsp. prostrata		Myrtaceae	S						VIII-10
Baeckea ramosissima subsp. ramosissima		Myrtaceae	S R			a-ant		5S	VIII-1; II-8; V-38c; IX-39?
Baeckea utilis		Myrtaceae	R		persistent soil				IXb-3
Baloghia inophylla	Baloghia lucida	Euphorbiaceae	R			explosive capsule			IX-1
Baloghia marmorata		Euphorbiaceae	S		transient	explosive capsule			III-89
Baloskion australe	Restio australis	Restionaceae	R						IX-58
Baloskion fimbriatum	Restio fimbriatus	Restionaceae	R						IV-5
Baloskion gracile	Restio gracilis	Restionaceae	S R					9KE	IV-2; VIII-94
Baloskion longipes	Restio longipes	Restionaceae	R						IX-94
Baloskion pallens	Restio pallens	Restionaceae	R		persistent soil			4BW 9BN	IVb-6; IX-94
Baloskion stenocoleum	Restio stenocoleus	Restionaceae	R						IV-5; IX-94
Baloskion tenuiculme	Restio tenuiculmis	Restionaceae	S						VIII-94
Baloskion tetraphyllum subsp. meiostachyum	Restio tetraphyllus subsp. meiostachyus	Restionaceae	S						VIII-94
Baloskion tetraphyllum subsp. meiostachyum	Restio tetraphyllus subsp. meiostachyus	Restionaceae	R						IX-39
Baloskion tetraphyllum subsp. tetraphyllum	Restio tetraphyllus ssp. tetraphyllus	Restionaceae	R						IV-59
Baloskion tetraphyllum subsp. tetraphyllum	Restio tetraphyllus subsp. tetraphyllus	Restionaceae	S						VIII-94
Banksia aemula	Banksia serratifolia	Proteaceae	R		serotinous canopy	wind		9B 9BW 9BN	IXa-6; VIa-8; VIa-23; IX-39; VI-96
Banksia canei		Proteaceae	S		canopy				I-3
Banksia cunninghamii subsp. A	Banksia spinulosa var. neoanglica	Proteaceae	R		serotinous canopy				IXa-5; Va-23; IX-100
Banksia cunninghamii subsp. cunninghamii	Banksia spinulosa var. cunninghamii	Proteaceae	S	Lacks lignotuber	serotinous canopy	wind		8CE	I-23; I-38b; I-R35
Banksia ericifolia subsp. ericifolia	Banksia ericifolia	Proteaceae	S	Resprouting population in Jervis Bay	serotinous canopy	wind		1S 9I 8I 8BE ~~8BW~~ 1K 8KE 9BG	I-2; I-4; I-23; I-30; VIII-35; I-52; I-66; I-73; I-91; I-104; 1-105
Banksia ericifolia subsp. macrantha	Banksia ericifolia var. macrantha	Proteaceae	S		canopy				I-6; I-23; VIII-70
Banksia integrifolia		Proteaceae	R						V-35b
Banksia integrifolia subsp. integrifolia	Banksia integrifolia var. integrifolia	Proteaceae	S r	Resprouting may depend on plant age and fire intensity	canopy	gravity		1F	I&IX-1b; VI-23; I-38b; IX&VIII-39

Baeckea imbricata	VGI	2	1	7-8	2		80		NC CC SC CT ST	S H	Spring-Summer
Baeckea linifolia	VGI	2	1	10	3.5		80		NC CC SC CT ST	S H	Summer
Baeckea omissa	V	4	4						NT	Swamp	
Baeckea ramosissima subsp. prostrata	G	1	4	1					SC	H W	Winter-Summer
Baeckea ramosissima subsp. ramosissima	GI	1	1	3					NC CC	H W DSF	Spring-Summer
Baeckea utilis	VGI	2	1				>32		NT CT ST SWS	H SF Swamp	Summer
Baloghia inophylla	V	4	4						NC CC SC NT CWS LHI	RF	
Baloghia marmorata	C	1	4	5				TSC V, ESP V, Rotap 3VC-	NC	RF (ST)	Winter
Baloskion australe	VT	3	3	1			>15		CT ST		
Baloskion fimbriatum	VT	3	3						CC SC NT CT ST	Wetlands	Spring-Summer
Baloskion gracile	GT	1	3						CC SC CT		Spring-Summer
Baloskion longipes	V	4	4					TSC V, ESP V, Rotap 3VC-	CT ST	Wetland	Summer
Baloskion pallens	VGT	3	3						NC CC	H W Wetland	Spring-Summer
Baloskion stenocoleum	VT	3	3						NC NT		Spring-Summer
Baloskion tenuiculme	G	1	4						NC	H	Spring-Summer
Baloskion tetraphyllum subsp. meiostachyum	G	1	4						NC CC SC	Swamp	Summer
Baloskion tetraphyllum subsp. meiostachyum	V	4	4						NC CC SC		
Baloskion tetraphyllum subsp. tetraphyllum	V	4	4						SC		
Baloskion tetraphyllum subsp. tetraphyllum	G	1	4						SC	Swamp	Summer
Banksia aemula	VCI	2	1	5			>100		NC CC	LSW Wallum-S	Autumn-Winter
Banksia canei	CI	1	1						ST	subalpine-LW subalpine-H	Summer-Winter
Banksia cunninghamii subsp. A	VCI	2	1						NC NT NWS	H W	Autumn-Winter
Banksia cunninghamii subsp. cunninghamii	CI	1	1	5-6			50		CC SC CT	DSF H	Autumn-Winter
Banksia ericifolia subsp. ericifolia	CI	1	1	4-8		13	50		NC CC SC CT ST	H W DSF OW	Autumn-Winter
Banksia ericifolia subsp. macrantha	CI	1	1						NC	H DSF W	Autumn-Winter
Banksia integrifolia	V	4	4		7				NC CC SC NT CT NWP	W	Summer-Winter
Banksia integrifolia subsp. integrifolia	CI	1	1	4		10	150		NC CC SC CT NWP	W LW S	Summer-Winter

Banksia integrifolia subsp. monticola	Banksia integrifolia var. compar, Banksia integrifolia subsp. A	Proteaceae	S R		canopy	wind			I-1b; VI?-23; IX-100; V-108
Banksia marginata		Proteaceae	S	Fire sensitive variant; Lacks lignotuber	canopy	wind		1S 1KP	I-3; I-4; I-5; I-23; I-59; I-100
Banksia marginata		Proteaceae	R	Fire tolerant variant	canopy	wind		9VE 9W0 9C 9W 9CL 9MO 9E 9KP 9CH	V&IV-23; IVa-33; IX-37; V&IVa-38b&c; IX-67; IX-78; IX-83
Banksia oblongifolia	Banksia aspleniifolia, Banksia oblongifolia var. minor	Proteaceae	R		serotinous canopy	wind		9B 9BE 9BW 5K 9KE ~~1F~~ 5S ~~8BN~~ 9BN	IXa-2; IXa-7; Va-8; V 23; IX-39; V-52; V-73
Banksia paludosa		Proteaceae	R		canopy			9I 9KE 9BG	IXa-2; V-105
Banksia paludosa subsp. astrolux		Proteaceae	S		canopy				I-23
Banksia paludosa subsp. paludosa		Proteaceae	R		canopy				Va-23
Banksia penicillata	Banksia conferta var. penicillata, Banksia conferta subsp. penicillata	Proteaceae	S	lacks lignotuber	serotinous canopy	gravity			I-1a; I-23
Banksia robur		Proteaceae	R		canopy			5S 9B 9KE	IXa-2; Va-23
Banksia serrata		Proteaceae	R		serotinous canopy	wind		6G 6S 6CL 9I 6F 9BE 6K ~~8BN~~ 9BN 9BG 6M	IXa-4; VIa-23; Va-29; Va-38b; IX-39; V-52; V&VI-105
Banksia spinulosa		Proteaceae	R	better recruitment after atumn burn cf spring	canopy			5G 9I 9BN 9BG	IXa-4; V-52; IX-57
Banksia spinulosa var. collina	Banksia collina	Proteaceae	R		serotinous canopy	wind			Va-1a; IX-39
Banksia spinulosa var. spinulosa		Proteaceae	R		serotinous canopy	wind			Va-1c; Va-22; Va-23; V-105
Barbarea gray		Brassicaceae	S					8CE	III-R41
Bartsia trixago	Bellardia trixago	Scrophulariaceae	S					8WJ	
Bauera capitata		Baueraceae	R		persistent soil			9B 9BX	Vb-8
Bauera microphylla	Bauera rubioides var. microphylla	Baueraceae	R		persistent soil	ant		9KE 9BX	IXb-2; IX-39
Bauera rubioides		Baueraceae	R s	May be killed by high intensity fire	persistent soil	a-ant	smoke, heat-sensitive	5S 5F 9I 9BW 9KP 9BX 8M	II-4; VIII&IX-39; II-59; II-61
Baumea acuta		Cyperaceae	R					4W ~~4K~~ 9KE	IV-2; IV-59
Baumea articulata	Cladium articulatum	Cyperaceae	R						IX-35b
Baumea gunni	Cladium gunni	Cyperaceae	R					9KE	IV-2; IV-R42
Baumea juncea	Cladium junceum	Cyperaceae	R					11C	V-35b; IX-39; IV-59
Baumea mueller	Cladium mueller	Cyperaceae	R		persistent soil			9BW	IXb-6; IV-8
Baumea rubiginosa		Cyperaceae	R					9KE	IV-2; IV-5; IV-59
Baumea teretifolia	Cladium teretifolium	Cyperaceae	R					9KE	IV-2
Baumea tetragona		Cyperaceae	R						IV-59
Bedfordia arborescens		Asteraceae	R		transient	wind		5M 5CT	III-38b; V-101a
Bertya browni	Bertya astrotricha	Euphorbiaceae	S		persistent soil	a-ant		2BB	
Bertya cunninghami		Euphorbiaceae	S			a-ant		8CE	

Banksia integrifolia subsp. monticola	C	1	4						NC NT CT	OF RF WSF	Autumn
Banksia marginata	CI	1	1	5-7		10	>30		NC CC SC NT CT ST NWS CWS SWS NWP SWP	H W	Summer-Winter
Banksia marginata	VCT	3	3	15	2-7		75		NC CC SC NT CT ST NWS CWS SWS NWP SWP	H W	Summer-Winter
Banksia oblongifolia	VCT	3	3	5-10	2-5		80		NC CC CT CWS	H S W	Autumn-Winter
Banksia paludosa	VCI	2	1	20	1		80		CC SC CT ST	W H	Winter
Banksia paludosa subsp. astrolux	C	1	4						CT	W	Winter
Banksia paludosa subsp. paludosa	VC	4	4	10					CC SC CT ST	W H	
Banksia penicillata	CI	1	1				50	3RC-	CC CT CWS	OF W H	Autumn-Winter
Banksia robur	VCI	2	1	3-15			80		NC CC	W H	Summer-Winter
Banksia serrata	VCT	3	3	5-8	2-3	10	100		NC CC SC CT	W H	Summer
Banksia spinulosa	VCI	2	1						NC CC SC NT CT ST	H DSF W	Autumn-Winter
Banksia spinulosa var. collina	VC	4	4						NC CC NT CT	H W	Autumn-Spring
Banksia spinulosa var. spinulosa	VC	4	4	3-8	3		100		CC SC CT ST	W	Autumn-Winter
Barbarea gray	A	5	5						NT ST		
Bartsia trixago	E	5	5						Exotic		
Bauera capitata	VGI	2	1						NC CC	H	Summer
Bauera microphylla	VGI	2	1	3-4			70		NC CC	OH	Spring-Summer
Bauera rubioides	VGI	2	1	4					CC SC CT ST	S OF	Spring-Summer
Baumea acuta	U	4	4		1		100		NC CC SC ST	H Swamp	
Baumea articulata	V	4	4				>30		NC CC SC NT CT ST NWS	Swamp	
Baumea gunni	U	4	4		<2		100		NC CC SC NT CT ST NWS CWS	Swamp	
Baumea juncea	UR	2	3		0.5				NC CC SC NT LHI	Swamp	
Baumea mueller	UG	4	4		<2				NC CC	H	
Baumea rubiginosa	UI	2	1		<2		100		NC CC SC NT CT ST CWS SWS	Swamp	
Baumea teretifolia	UI	2	1		<2		100		NC CC SC NT CT	Swamp	
Baumea tetragona	U	4	4		<2				CC SC NT CT	Swamp	
Bedfordia arborescens	VDI	2	2				>100		SC NT ST	WSF RF	Spring
Bertya browni	G	1	4	<5				Rotap 2RC-	NC CC SC	OF RF	
Bertya cunninghami	C	1	4						ST NWS CWS NWP SWP	Callitris W Mallee	all year

Bertya findlay		Euphorbiaceae	S		transient	a-ant		8CE	IId-38d
Beyeria lasiocarpa		Euphorbiaceae	S			a-ant		8CE	
Beyeria leschenaulti		Euphorbiaceae	S			a-ant			VIII-78
Beyeria opaca		Euphorbiaceae	S			a-ant		8C 8CH	
Beyeria viscosa		Euphorbiaceae	S			explosive capsule & a-ant		8CE	
Bidens pilosa		Asteraceae	S					8BX	
Bidens subalternans		Asteraceae	S					8BX	
Bidens tripartita		Asteraceae	S					8BX	
Billardiera longiflora		Pittosporaceae	R						IX-59
Billardiera scandens		Pittosporaceae	S R		persistent soil	a-vertebrate		8W 5F 8WO 9P 5PU 8WA	V-35b; II-49; V-38b&c; VIII&IX-39; VIII-57; IX-67
Billardiera scandens var. scandens		Pittosporaceae	R			vertebrate			V-105
Blandfordia cunninghamii		Blandfordiaceae	R						IX-51
Blandfordia grandiflora		Blandfordiaceae	R		transient			9B	IX-5; IX-39
Blandfordia nobilis		Blandfordiaceae	R		transient			9BW 5K 9KE	IX-2; IX-39; IV-105
Blechnum cartilagineum		Blechnaceae	R			wind		4BM 4WA	V-38; IX-39; IV-98; V-105; IV-R42
Blechnum indicum		Blechnaceae	R		transient?	wind			V-35b
Blechnum minus		Blechnaceae	R		transient	wind			Vc-38d
Blechnum nudum		Blechnaceae	R		transient	wind		6BM 7DI 9KE 9WA	IV-2; V-38d; V-105
Blechnum wattsi		Blechnaceae	R		transient	wind		9BM	V-38d; IVd-59
Boronia algida		Rutaceae	S r		persistent soil	explosive capsule			II-3; IX-74?; VIII-77; IX-100
Boronia anemonifolia		Rutaceae	S		persistent soil	explosive capsule		8M	II-66
Boronia anethifolia		Rutaceae	S		persistent soil	explosive capsule			II-100?
Boronia barkeriana		Rutaceae	R		persistent soil	explosive capsule		9I	
Boronia bipinnata		Rutaceae	S		persistent soil	explosive capsule			II-100?
Boronia boliviensis	Boronia boliviensis	Rutaceae	S			explosive capsule			VIII-107
Boronia chartacea		Rutaceae	S			explosive capsule			VIII-74
Boronia coerulescens subsp. coerulescens	Boronia caerulescens subsp. caerulescens	Rutaceae	R s		persistent soil	explosive capsule			IXb-9; VIII-78
Boronia falcifolia		Rutaceae	R		persistent soil	explosive capsule		9B 9BW	IXb-6; Vb-8
Boronia floribunda		Rutaceae	R		persistent soil	explosive capsule			IXb-4
Boronia granitica		Rutaceae	S	lignotuber or other structure absent	persistent soil	explosive capsule			II-69; II-100; VIII-107

Bertya findlay	C	1	4					Rotap 3RCa	ST		Summer
Beyeria lasiocarpa	C	1	4				20		NC CC SC NT CT	W OF WSF	Summer
Beyeria leschenaulti	C	1	4						CWS SWP	Mallee	Spring
Beyeria opaca	C	1	4						NWS CWS SWP SFWP	Mallee	Spring-Summer
Beyeria viscosa	C	1	4				>50		CC SC NT CT ST NWS CWS SWS NWP SWP	OF W RF dry	Summer
Bidens pilosa	E	5	5						Exotic		
Bidens subalternans	E	5	5						Exotic		
Bidens tripartita	E	5	5						Exotic		
Billardiera longiflora	V	4	4						NC NT ST	SF SW	Spring-Summer
Billardiera scandens	GT	1	3	2-3	2		>40		NC CC SC NT CT ST CWS SWS	DSF W H	Spring-Summer
Billardiera scandens var. scandens	V	4	4				>22		NC CC SC NT CT ST CWS SWS	OF H	Spring
Blandfordia cunninghamii	UI	2	1		<2			Rotap 3RCi	CC CT		Summer
Blandfordia grandiflora	UCI	2	1		<2				NC CC NT CT		Spring-Summer
Blandfordia nobilis	UCI	2	1		0.5		60		CC SC CT ST		Spring-Summer
Blechnum cartilagineum	U	4	4		1-2		100		NC CC SC CT ST CWS	OF RF WSF	
Blechnum indicum	VC	4	4						NC CC SC	swamp-F	Summer-Autumn
Blechnum minus	VD	4	4				100		NC CC SC NT CT ST CWS SWS	OF RF	Autumn
Blechnum nudum	VDI	2	2				100		NC CC SC NT CT ST NWP	RF OF	
Blechnum wattsi	VDT	3	3				100		NC CC SC NT CT ST	RF OF WSF	
Boronia algida	GI	1	1						SC NT CT ST SWS	H DSF	Spring-Summer
Boronia anemonifolia	GT	1	3						NC CC SC NT CT ST	H W DSF	all year
Boronia anethifolia	G	1	4						NC CC SC NT CT ST NWS CWS	H DSF	Autumn-Spring
Boronia barkeriana	VG	4	4						CC SC NT CT ST		Spring-Autumn
Boronia bipinnata	G	1	4						NC NT NWS CWS NWP	W	Winter-Summer
Boronia boliviensis	G	1	4	6		>10		TSC E	NT	DSF	Spring
Boronia chartacea	G	1	4					Rotap 3R	NC		Spring
Boronia coerulescens subsp. coerulescens	VG	4	4				>35		SFWP	Mallee	Spring
Boronia falcifolia	VGI	2	1						NC	H	Spring
Boronia floribunda	VGI	2	1						CC CT	H DSF	Spring-Summer
Boronia granitica	G	1	4	3-6		>10	>25	TSC E, ESP E, Rotap 3VC-	NT NWS	HS W OF	Winter-Spring

Boronia ledifolia	Boronia whitei	Rutaceae	S r		persistent soil	explosive capsule & a-ant	heat	2S 8BE 8CE 2&5M	II-4; II-52; II-66; IX-100; IV-105
Boronia microphylla		Rutaceae	R		persistent soil	explosive capsule			IXb-4; IX-5; IX-100
Boronia mollis		Rutaceae	S		persistent soil	explosive capsule		2K	
Boronia muelleri		Rutaceae	R		persistent soil	explosive capsule		9G	
Boronia nana var. hyssopifolia		Rutaceae	S		persistent soil	explosive capsule			II-R35
Boronia parviflora		Rutaceae	R s		persistent soil	explosive capsule & a-ant		9KE	IXb-2; IId-38c; IX-39 IXb-59
Boronia pinnata		Rutaceae	S R		persistent soil	explosive capsule & a-ant		2F 9I 2K	Vb-8; VIII&IX-39; IV-52; V-105
Boronia polygalifolia		Rutaceae	R s		persistent soil	explosive capsule			II-5; IX-100; V-105
Boronia rosmarinifolia		Rutaceae	R		persistent soil	explosive capsule		9B	
Boronia ruppii		Rutaceae	S		persistent soil	explosive capsule			II-66
Boronia safrolifera		Rutaceae	R		persistent soil	explosive capsule		9BW	IXb-6
Boronia serrulata		Rutaceae	S		persistent soil	explosive capsule & a-ant		2S 8BE 2K	II-52
Boronia sp. aff. microphylla		Rutaceae	R			explosive capsule			IX-69
Boronia umbellata		Rutaceae	S		persistent soil	explosive capsule			II-R36
Bossiaea cinerea		Fabaceae: Faboidea	R		persistent soil	a-ant	heat	9MO 9WO	V-38c; IXb-83
Bossiaea ensata		Fabaceae: Faboideae	R s		persistent soil	a-ant	a-heat	9B 5F 9I 9BW	Vb-8; VIII&IX-39; II-66; II&V-105
Bossiaea foliosa		Fabaceae: Faboidea	S	Very minor basal shoots onl	persistent soil	a-ant	heat		V-58; II-77
Bossiaea heterophylla		Fabaceae: Faboideae	R s		persistent soil	a-ant	heat	2F 9B 5S 8BE 9BW 5K 9BN 9BF	IXb-4; Vb-8; VIII-57; II-66; II-105
Bossiaea kiamensis		Fabaceae: Faboidea	R		persistent soil	a-ant	a-heat	9BF	Vb-1
Bossiaea neo-anglica		Fabaceae: Faboidea	R		persistent soil		a-heat		IVb-95a; IX-100
Bossiaea obcordata		Fabaceae: Faboideae	R s	Can resprout after low intensity fire	persistent soil	a-ant	heat	9BF	Vb-1; II-66; IX-100; IX-R42; II-105
Bossiaea prostrata		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat	9VE 9BF 9M	IV-38c; IX-39; IX-78
Bossiaea rhombifolia subsp. rhombifolia		Fabaceae: Faboideae	S R		persistent soil	a-ant	heat	9BN	VIII&IX-39; II-66
Bossiaea riparia		Fabaceae: Faboidea	S R		persistent soil	a-ant	a-heat	8CE	IV-38c
Bossiaea scolopendria		Fabaceae: Faboidea	R s		persistent soil	a-ant	a-heat	5S 2K 5BF	IV-52; VIII-91
Bossiaea scortechinii		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat		IXb-5; IX-74?; IX-100

Boronia ledifolia	GI	1	1	4-5	1	10			CC SC NT CT ST CWS	H DSF	Winter-Spring
Boronia microphylla	VGI	2	1						NC CC SC NT CT	H DSF	Spring-Summer
Boronia mollis	G	1	4						NC CC CT	DSF	Winter-Spring
Boronia muelleri	VG	4	4						SC	OF	Spring-Summer
Boronia nana var. hyssopifolia	GI	1	1						CC SC CT ST CWS SWS	OF H	Spring-Summer
Boronia parviflora	VGT	3	3	3-6			35		NC CC SC CT ST	heathy-Swamp	Spring-Summer
Boronia pinnata	GI	1	1		1				NC CC SC CT	DSF H	Winter-Summer
Boronia polygalifolia	VGI	2	1						NC CC SC NT CT ST	OF H	Spring-Summer
Boronia rosmarinifolia	VG	4	4						NC	DSF	Winter-Spring
Boronia ruppii	G	1	4					TSC E	NWS	DSF	Winter-Spring
Boronia safrolifera	VGI	2	1						NC	wet-H	Spring
Boronia serrulata	G	1	4	5				Rotap 2RC-	CC	moist-H	Spring
Boronia sp. aff. microphylla	V	4	4			5	20	3VC-	NT	H	Spring
Boronia umbellata	G	1	4					TSC V, Rotap 2VC-	NC	S	Spring
Bossiaea cinerea	VSI	2	1		5				SC	H SF	Spring
Bossiaea ensata	VSI	2	1		1		130		NC CC SC NT CT	H	Winter-Spring
Bossiaea foliosa	ST	3	3	10			>90		CT ST	W	Spring-Summer
Bossiaea heterophylla	VSI	2	1	3			60		NC CC SC CT NWS	W	Autumn
Bossiaea kiamensis	VSI	2	1						CC SC CT ST	OF W S	Spring
Bossiaea neo-anglica	VSI	2	1						NC CC NT CT NWS	DSF W	Spring-Summer
Bossiaea obcordata	USI	2	1		<2		130		NC CC SC NT CT ST NWS CWS	OF W H	Spring
Bossiaea prostrata	USI	2	1		<2				NC CC SC NT CT ST SWS	W	Spring
Bossiaea rhombifolia subsp. rhombifolia	SI	2	1				90		NC CC SC NT CT ST NWS CWS	W DSF	Winter-Spring
Bossiaea riparia	SI	2	1				70		ST		Spring-Summer
Bossiaea scolopendria	USI	2	1		<2		55		CC SC	W H	Spring
Bossiaea scortechinii	VSI	2	1						NC NT NWS CWS	DSF	Spring

Bossiaea stephensoni		Fabaceae: Faboidea	S R		persistent soil	a-ant	heat	5S	VIII&IX-39; II-66
Bossiaea walker		Fabaceae: Faboidea	S		persistent soil	a-ant	heat	8CE	
Bothriochloa macra		Poaceae	R						IX-79
Botrychium australe		Ophioglossaceae	R		transient?	wind		9BM 10WO	IX-R35
Botrychium lunaria		Ophioglossaceae	S		transient				III-R41
Brachyloma daphnoides subsp. daphnoides	Brachyloma daphnoides var. daphnoides	Epacridaceae	R s		persistent soil	ant & a-vertebrate		5F 5S 9C 9WO 9P 9B 9I 9BW 9E 9BN 2PU 5PU 9CH 9BG	IX-3; IXb-4; IX-5; Vb-8; V-38c; VIII&IX-39; II-66; IX-69; IX-78
Brachyloma daphnoides subsp. glabrum	Brachyloma daphnoides var. glabrum	Epacridaceae	R						IX-100
Brachyloma saxicola	Brachyloma daphnoides var. latiusculum	Epacridaceae	S r		persistent soil	bird? & ant?			IX&II-69; VIII-74; II-100
Brachyloma scortechinii		Epacridaceae	S					8B	
Brachyscome aculeata	Brachycome aculeata	Asteraceae	S		soil	wide		2E	III-38b
Brachyscome angustifolia var. angustifolia	Brachycome angustifolia var. angustifolia	Asteraceae	R					9BX	
Brachyscome angustifolia var. heterophylla	Brachycome angustifolia var. heterophylla	Asteraceae	S		persistent soil				II-66
Brachyscome cardiocarpa	Brachycome cardiocarpa	Asteraceae	S		persistent soil			2E	
Brachyscome debilis	Brachycome debilis	Asteraceae	S					8CE	
Brachyscome decipiens	Brachycome decipiens	Asteraceae	S						VIII-58
Brachyscome dentata	Brachycome dentata	Asteraceae	R						IX-11
Brachyscome goniocarpa	Brachycome goniocarpa	Asteraceae	S					8C	
Brachyscome gracilis	Brachycome gracilis	Asteraceae	S		short-lived soi			8CE	VIII-R39
Brachyscome heterodonta var. heterodonta	Brachycome heterodonta var. heterodonta	Asteraceae	R			wind			IX-79
Brachyscome lineariloba	Brachycome lineariloba	Asteraceae	S					8C	
Brachyscome multifida		Asteraceae	R						V-38d
Brachyscome perpusilla		Asteraceae	S			wide			VIII-38d
Brachyscome ptychocarpa	Brachycome ptychocarpa	Asteraceae	S					8CE	
Brachyscome rigidula	Brachycome rigidula	Asteraceae	R						V-58
Brachyscome scapigera	Brachycome scapigera	Asteraceae	R						V-58

Bossiaea stephensoni	SI	2	1						NC CC	OF S	Spring
Bossiaea walker	SI	2	1						NWP SWP SFWP	Mallee	Spring-Summer
Bothriochloa macra	UC	4	4		<1				NC CC SC NT CT ST NWS CWS SWS NWP	pasture	Summer
Botrychium australe	UCT	3	3		<2		100		NC CC SC NT CT LHI	OF G Swamp	
Botrychium lunaria	CR	1	3						ST		
Brachyloma daphnoides subsp. daphnoides	UGI	2	1		1-2		110		NC CC SC CT ST CWS	OF W H	Spring
Brachyloma daphnoides subsp. glabrum	V	4	4						NC NT NWS CWS SWS	H DSF W	Spring
Brachyloma saxicola	G	1	4	2-3		10	>30	3RCa	NC NT		Spring-Summer
Brachyloma scortechinii	G	1	4						NC	S H	Autumn
Brachyscome aculeata	D	4	4						NC CC SC NT CT ST NWS CWS SWS NWP	G	Spring-Autumn
Brachyscome angustifolia var. angustifolia	U	4	4		0.5		100		CC SC NT CT ST NWS	DSF	Spring-Summer
Brachyscome angustifolia var. heterophylla	G	1	4				110		NC CC SC NT CT ST NWS CWS SWS	DSF	Spring-Summer
Brachyscome cardiocarpa	G	1	4						ST	Swamp	Spring
Brachyscome debilis	A	5	5						SFWP	OW	Spring
Brachyscome decipiens	CI	1	1	1			>10		CT ST	W Swamp	Spring
Brachyscome dentata	U	4	4		0.5				NFWP SFWP	OW G	Spring-Summer
Brachyscome goniocarpa	A	5	5						NWS CWS SWS NWP SWP NFWP SFWP	Saltbush BlackBox communities	Spring
Brachyscome gracilis	A	5	5						NWS CWS SWS SWP	G OF	Spring
Brachyscome heterodonta var. heterodonta	U	4	4		<1				NC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP		Spring
Brachyscome lineariloba	A	5	5						CWS SWS NWP SWP NFWP SFWP	various	Winter-Spring
Brachyscome multifida	A	5	5	<1					NC CC NT CT NWS CWS NWP SWP SFWP	SF G	Autumn-Winter
Brachyscome perpusilla	A	5	5	1					CWS SWS NWP SWP	Mallee W	Winter-Spring
Brachyscome ptychocarpa	A	5	5						NT CT ST CWS SWS	W	Spring-Autumn
Brachyscome rigidula	VT	3	3	1			>10		NC SC NT CT ST NWS	TW	Spring-Summer
Brachyscome scapigera	VT	3	3	1			>10		SC NT CT ST NWS CWS SWS	SF	Spring-Summer

Brachyscome spathulata	Brachycome spathulata, Brachycome scapiformis	Asteraceae	R						V-58
Brachyscome tenuiscapa	Brachycome tenuiscapa	Asteraceae	S						VIII-58
Brachyscome tenuiscapa var. pubescens	Brachycome tenuiscapa var. pubescens	Asteraceae	S						VIII-74
Bracteantha bracteata	Helichrysum bracteatum	Asteraceae	S		persistent soil	a-wind		8M 8C 2T 8BX	III-38c
Bracteantha subundulata	Helichrysum acuminatum	Asteraceae	R			wide			V-58
Bracteantha viscosa	Helichrysum viscosum	Asteraceae	S			wind			VIII-1?; III-R35
Brassica fruticulosa		Brassicaceae	S					8BX	
Brassica tourneforti		Brassicaceae	S					8C	
Breynia oblongifolia		Euphorbiaceae	R s		persistent soil	bird? & ant		2F 9I 9BB	IV-35b; VIII&IX-39; V 76; V-96; VIII-105
Briza maxima		Poaceae	S		transient			8WJ 8MO 8CH	IId-38c&d; VIII-78
Briza minor		Poaceae	S		transient			8W 8MO 8P 8WA	IId-38c&d
Bromus arenarius	Serrafalcus arenarius	Poaceae	S					8C	
Bromus diandrus	Bromus gussonii	Poaceae	S			a-adhesion			VIII-38d
Bromus hordeaceus		Poaceae	S						VIII-38d
Bromus rubens		Poaceae	S					8C	VIII-38d
Bromus sterilis		Poaceae	S					8C	
Brunonia australis		Goodeniaceae	R			wide		4W 9W0 5BM 4WA	Vc-38b&c; IX-39
Brunoniella australis		Acanthaceae	R						V-1; IX-39
Brunoniella pumilio		Acanthaceae	R	better seedling survival after autumn burn cf spring	persistent soil			5K 5BM 9KE	IXb-2; IX-57; V-105
Buddleja madagascariensis	Nicodemia madagascariensis	Loganiaceae	R					9BX	
Bulbine bulbosa	Bulbinopsis bulbosa	Asphodelaceae	R		short-lived soil		smoke		V-38c; IX-57; IX-99
Bulbine glauca		Asphodelaceae	R					9CE	
Bulbine semibarbata	Bulbinopsis semibarbata	Asphodelaceae	S					8C 8CH	VIII-78
Bulbophyllum globuliforme		Orchidaceae	S		transient	wind			III-89
Bulbostylis barbata		Cyperaceae	S		persistent soil			2SA	
Burchardia umbellata		Colchicaceae	R	Juveniles die	transient		smoke	11WJ 9V 11C 11W 11WO 9I 9B 11MO 9BA 5K 11E 9T 9KE 9BU 11WA 9BW	IX-2; V-8; V-38c; IX-39; V-52; IX-67; XI-83

Brachyscome spathulata	VT	3	3	1			>10		SC NT CT ST CWS SWS	W	all year
Brachyscome tenuiscapa	CI	1	1	1			>10		NT ST	SF Herbfield	Spring
Brachyscome tenuiscapa var. pubescens	C	1	4						NT ST	SF	Spring
Bracteantha bracteata	A	5	5	3					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	OW F	Spring
Bracteantha subundulata	A	5	5	1					ST		Summer-Autumn
Bracteantha viscosa	A	5	5	<1					NC CC SC NT CT ST NWS CWS SWS NWP SWP	OW SF	Spring
Brassica fruticulosa	E	5	5						Exotic		
Brassica tourneforti	E	5	5						Exotic		
Breynia oblongifolia	VGT	3	3	1-5	1-5		>40		NC CC SC CT NWS CWS	RF F W WSF	
Briza maxima	E	5	5	1					Exotic		
Briza minor	E	5	5	1					Exotic		
Bromus arenarius	E	5	5						Exotic		Spring
Bromus diandrus	E	5	5	1					Exotic		
Bromus hordeaceus	E	5	5						Exotic		
Bromus rubens	E	5	5						Exotic		
Bromus sterilis	E	5	5						Exotic		
Brunonia australis	UD	4	3		1				CT ST CWS SWS NWP SWP NFWP	DSF W	Spring
Brunoniella australis	VI	2	1				100		NC CC NWS CWS NWP	SF W	all year
Brunoniella pumilio	UGI	2	1		1		35		NC CC SC	W	all year
Buddleja madagascariensis	E	5	5						Exotic		
Bulbine bulbosa	UCI	2	1		1-2				NC CC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W G SF	Spring-Summer
Bulbine glauca	V	4	4						SC NT CT ST		Spring-Summer
Bulbine semibarbata	A	5	5						NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	various	Winter-Spring
Bulbophyllum globuliforme	C	1	4	4				TSC V, ESP V, Rotap 3VC-	NC	RF	Spring
Bulbostylis barbata	A	5	5						NC CC NT NWS CWS NWP SWP NFWP		
Burchardia umbellata	WC	4	4		1-2		60		NC CC SC CT ST CWS SWS	H Swamp	

Burnettia cuneata		Orchidaceae	R					9CE	V-21; IX-R35
Bursaria spinosa		Pittosporaceae	R				heat	9G 9CL 9W 9E 9CH 9WA	Va-38b&c; IX-78
Bursaria spinosa subsp. spinosa	Bursaria spinosa var. australis, Bursaria spinosa var. microphylla, Bursaria spinosa var. macrophylla	Pittosporaceae	R			wind			V-1; IX-39; IX-100; V 105
Cadellia pentastylis		Surinaceae	R	A cool fire killed small trees but large trees with their thick, platey bark survived			heat		V-72
Caesia alpina	Chlorophytum alpinum	Anthericaceae	R			a-ant			V-58
Caesia calliantha		Anthericaceae	R s		transient	a-ant		8CH	IX-3; IX-11; XI-40; VIII-78; IX-R42
Caesia parviflora		Anthericaceae	R		transient	a-ant		11WJ 9W 11MO 9BA 9KE 11WA 9BW	IXd-5; IXd-7; IV-38b; Vb-38d; IX-39; XI-83
Caesia parviflora var. parviflora		Anthericaceae	R			a-ant			IV-105
Caesia parviflora var. vittata	Caesia vittata	Anthericaceae	R			a-ant		5K	
Cakile edentula		Brassicaceae	S					8I	
Caladenia alata		Orchidaceae	R					9CN	
Caladenia caerulea		Orchidaceae	R					11P 5PU	
Caladenia carnea var. carnea		Orchidaceae	R		transient			5F 11C 11P 9BW 5PU	IX-39
Caladenia catenata	Caladenia alba	Orchidaceae	R					11W 9BN 11WA	IX-39
Caladenia clarkiae		Orchidaceae	R						IX-R35
Caladenia concolor		Orchidaceae	R	May be killed by high intensity fire	transient			9CE	IXd-R39
Caladenia cucullata		Orchidaceae	R					11P 5PU	Vb-38d
Caladenia deformis		Orchidaceae	S r					9BA 8CH	VIII-78
Caladenia dimorpha		Orchidaceae	R					11P 5PU	
Caladenia filamentosa var. filamentosa		Orchidaceae	S						VIII-78
Caladenia gracilis	Caladenia angustata	Orchidaceae	R					11P	
Caladenia iridescens		Orchidaceae	R						Vb-38d
Caladenia rosella		Orchidaceae	R		transient			9CE	
Caladenia sp. A		Orchidaceae	R					11W 11WA	
Caladenia tentaculata	Caladenia dilatata	Orchidaceae	R					11C 11W 11P 5PU 11WA	
Caladenia tessellata		Orchidaceae	R						IX-R35
Calandrinia calyptrata	Parakeelya calyptrata, Calandrinia dipetala	Portulacaceae	S		persistent soil			2WJ	VIII-38d

Burnettia cuneata	UI	2	1		<2			Rotap 3RC-	CC CT	Swamp	Spring
Bursaria spinosa	V	4	4		2		50		NC CC SC NT CT ST NWS CWS NWP SWP	DSF WSF	Summer
Bursaria spinosa subsp. spinosa	U	4	4	3	1-2		70		NC CC SC NT CT ST NWS CWS SWS NWP SWP	DSF WSF	Summer
Cadellia pentastylis	W	4	4					TSC V, ESP V, Rotap 3RCa	NT NWS NWP	S W RF	Spring-Summer
Caesia alpina	VT	3	3	1					NT CT ST		Spring-Summer
Caesia calliantha	UCT	3	3		0.5				NT ST NWS SWS NWP	SF	Spring-Summer
Caesia parviflora	UCR	2	3		1		60		NC CC SC NT CT NWS SWS	H W DSF	Spring-Summer
Caesia parviflora var. parviflora	V	4	4						NC CC SC NT CT NWS SWS	H W DSF	Spring-Summer
Caesia parviflora var. vittata	V	4	4						NC CC SC NT CT	H W DSF	Spring-Summer
Cakile edentula	E	5	5						Exotic		
Caladenia alata	V	4	4						NC CC SC	DSF W Swamp	Spring
Caladenia caerulea	UR	2	3		1				NC CC SC NT CT NWS CWS SWS NWP	OW S	Winter
Caladenia carnea var. carnea	UCR	2	3		1				NC CC SC NT CT ST SWS	H S DSF W	Spring
Caladenia catenata	UR	2	3		1				NC CC SC CWS	SF S	Spring
Caladenia clarkiae	UT	3	3		<2			Rotap 3KC-	SC ST	SF	Spring
Caladenia concolor	VC	4	4				60	TSC E, Rotap 3VCi	SWS	SF	Spring
Caladenia cucullata	UR	2	3		1				NT CT ST CWS SWS	DSF W	Spring
Caladenia deformis	C	1	4						CWS SWP	H Mallee	Winter-Spring
Caladenia dimorpha	VR	2	3						CT ST CWS SWS	SF	Spring
Caladenia filamentosa var. filamentosa	C	1	4						NC CC NT CT ST NWS CWS SWP		Winter-Spring
Caladenia gracilis	UR	2	3		1				NT CT ST	DSF W	Spring
Caladenia iridescens	V	4	4						CC CT SWS	DSF	Spring
Caladenia rosella	VC	4	4	3-5			>10	TSC E, ESP E, Rotap 2E	SWS		
Caladenia sp. A	UR	2	3		1				NC CC CT ST CWS SWS	SF W	Spring
Caladenia tentaculata	UR	2	3		1				CC SC CT ST NWS CWS SWS NWP SWP	SF W H	Spring-Summer
Caladenia tessellata	UT	3	3		<2			TSC V, ESP V, Rotap 3V	CC SC ST		Spring
Calandrinia calyptrata	A	5	5	1					CC SC CT CWS SWS NWP SWP	Mallee OW	Spring

Calandrinia granulifera	Parakeelya granulifera, Calandrinia pygmaea, Calandrinia neesiana	Portulacaceae	S					8C	
Calandrinia pickeringi	Parakeelya pickering	Portulacaceae	R						IV-105
Caldcluvia paniculosa	Ackama paniculata	Cunoniaceae	S			wind & water		8BB	
Caleana major		Orchidaceae	R		transient			5F 9W 4BW 9BN 9BW	Vb-38d
Calendula officinalis		Asteraceae	S					8BX	
Callicoma serratifolia		Cunoniaceae	R		soil	a-water	heat	9BB	IX-39; V&VIb-105
Callistemon acuminatus		Myrtaceae	R					5LE	
Callistemon citrinus		Myrtaceae	R		canopy			5F 6S 5S 9BN 9KE 9M	Va-8; V-38b; IX-39; IX-70
Callistemon comboynensis		Myrtaceae	R						IX-74?; IV-89
Callistemon flavovirens		Myrtaceae	R						VIII-74?; IX-100
Callistemon linearis		Myrtaceae	R		canopy			9BN	IXa-1; IX-39; IX-100
Callistemon montanus		Myrtaceae	R						IV-89
Callistemon pachyphyllus		Myrtaceae	R		canopy			9B 11BW	IX-39
Callistemon pallidus		Myrtaceae	R		canopy				IXa-5; IV-89; IX-100
Callistemon pinifolius		Myrtaceae	R		canopy			9BN	
Callistemon pityoides	Callistemon sieberi	Myrtaceae	R		canopy				IXa-5; V-58; IX-100
Callistemon pungens	Callistemon sp. A	Myrtaceae	R		serotinous canopy	wind			IX-69; IX-100
Callistemon rigidus		Myrtaceae	R		canopy	water & wind			V-105
Callistemon salignus		Myrtaceae	R		canopy				V&VI-35b
Callistemon shiressii		Myrtaceae	R		canopy - transient				IX-1; IX-66; V&VIa-71
Callistemon sieberi	Callistemon paludosus	Myrtaceae	R		canopy			5S	IX-1?; IX-100
Callistemon sp. aff. flavovirens		Myrtaceae	R		serotinous canopy	wind			Va-69
Callistemon subulatus		Myrtaceae	R		canopy			9CE	
Callitris endlicheri		Cupressaceae	S		canopy			8BM	
Callitris glaucophylla	Callitris columellaris, Callitris hugelii	Cupressaceae	S		canopy			8PL	
Callitris macleayana		Cupressaceae	S		canopy			2F	
Callitris monticola		Cupressaceae	S		canopy				VIII-74
Callitris mueller		Cupressaceae	S		canopy			1K 1BM	I-4; I-R35
Callitris oblonga		Cupressaceae	S		serotinous canopy	wind			I-45; VIII-74; VIII-100; I-R24

Calandrinia granulifera	A	5	5						SWS SWP	W Mallee	Spring
Calandrinia pickeringi	A	5	5		1				NC CC SC ST	OF	Spring-Autumn
Caldcluvia paniculosa	DT	3	3				>100		NC CC NT	WSF RFmargins	Summer
Caleana major	UC	4	4		1				NC CC SC NT CT ST	RF SF swampy H riparian S	Spring-Summer
Calendula officinalis	E	5	5						Exotic		
Callicoma serratifolia	VGI	2	1	3-5			>50		NC CC SC NT CT	RF WSF	Spring
Callistemon acuminatus	V	4	4					Rotap 3RC-	NC		Spring
Callistemon citrinus	UCI	2	1	5	<2		80		NC CC SC CT ST NWS CWS	H Swamp	Spring-Summer
Callistemon comboynensis	V	4	4						NC NT		Autumn-Winter
Callistemon flavovirens	V	4	4					Rotap 3RC-	NT		Spring-Summer
Callistemon linearis	VC	4	4		3				NC CC SC NT CT NWS CWS NWP	W OF S H	Spring-Summer
Callistemon montanus	V	4	4						NC		Spring-Summer
Callistemon pachyphyllus	VCI	2	1						NC	wallum-H	Summer
Callistemon pallidus	VCI	2	1						NC SC NT CT ST CWS SWS	W	Spring-Summer
Callistemon pinifolius	VC	4	4						CC CWS	W	Spring-Summer
Callistemon pityoides	VCT	3	3	5			>50		SC NT CT ST NWS	H S Swamp	Spring-Summer
Callistemon pungens	VC	4	4					Rotap 3R	NT NWS	OF S	Summer
Callistemon rigidus	VC	4	4						NC CC SC NT NWS	S	Spring
Callistemon salignus	UC	4	4		1		50		NC CC SC NT CWS	riverbank-F swamp F OF	Spring
Callistemon shiressii	VC	4	4	4-5		8-10	80	Rotap 3RC-	NC CC	TOF RF	Spring
Callistemon sieberi	VCI	2	1						NC CC SC NT CT ST NWS CWS SWS NWP	riparian-S	Spring-Summer
Callistemon sp. aff. flavovirens	VC	4	4			5	20	2RCa	NT	OF S	
Callistemon subulatus	VC	4	4						CC SC CT ST	riparian-S	Summer
Callitris endlicheri	C	1	4						NC CC NT CT ST NWS CWS SWS NWP SWP	DSF H Mallee	
Callitris glaucophylla	C	1	4						NC SC ST NWS CWS SWS NWP SWP NFWP SFWP	F	
Callitris macleayana	C	1	4						NC	RF	
Callitris monticola	C	1	4	7				Rotap 3RC-	NC NT		
Callitris mueller	CI	1	1				50		CC SC CT	H F	
Callitris oblonga	C	1	4	3		>7		TSC V, ESP V, Rotap 3VCi	NT ST		

Callitris rhomboidea		Cupressaceae	S		serotinous canopy	wind		1WO 1E 1BM	I-38c; I-41; I-45; VIII-78; VIII-89; I-105
Callitris verrucosa	Callitris preisii subsp. verrucosa	Cupressaceae	S		canopy			8C 8CH	VIII-78
Calocephalus citreus		Asteraceae	R			wind			IX-11; IX-78; IX-79; IX-R42
Calocephalus platycephalus		Asteraceae	R					9PL	
Calochilus campestris	Calochilus saprophyticus	Orchidaceae	R					9W	IX-39
Calochilus gracillimus		Orchidaceae	S					8CN	
Calochilus paludosus		Orchidaceae	R		persistent soil				Vb-38d; IX-39
Calochilus robertsonii	Calochilus imberbis	Orchidaceae	R		persistent soil			9M	Vb-38d
Calochlaena dubia	Culcita dubia	Dicksoniaceae	R		transient	wind		9BM 9KE 10G 4F 9I	IVd-2; V-35b; IX-39; IV-105
Calomeria amaranthoides	Humea elegans	Asteraceae	S		persistent soil			2BX 8M	
Calostemma purpureum	Calostemma luteum	Amaryllidaceae	R					11C	
Calotis anthemoides		Asteraceae	R						IX-79
Calotis dentex		Asteraceae	S		persistent soil	a-adhesion			II-49
Calotis glandulosa		Asteraceae	S		transient				VIIId-R35
Calotis hispidula		Asteraceae	S			a-adhesion		8C	
Caltha introloba		Ranunculaceae	R		persistent soil				Vb-58
Calystegia marginata		Convolvulaceae	S		persistent soil	water	a-heat	8BB 2M	II-105
Calytrix tetragona		Myrtaceae	S R		persistent soil	wind	smoke	2F 2K 2E 9VE 9C 9WO 5S 9BW 9CH	II&IX-1; II-4; IXb-6; Vb-8; IV-38c; VIII-39?; II-46; II-69; IX-78; II-100; II-105
Canarium australasicum		Burseraceae	R						IX-63
Canthium coprosmoides		Rubiaceae	R			a-vertebrate			V-1a; V-35b
Canthium latifolium		Rubiaceae	S	Generally avoids fire, foliage somewhat fire resistant, does not resprout effectively				8FO(1)	
Capparis lasiantha		Capparidaceae	S					8FO(1)	
Capparis loranthifolia var. loranthifolia		Capparidaceae	S					8PL	
Capsella bursa-pastoris		Brassicaceae	S					8C 8BX	
Cardamine flexuosa		Brassicaceae	S					8BX	

Callitris rhomboidea	CT	1	3	5-7			>50		NC CC SC NT CT	W H Mallee	
Callitris verrucosa	C	1	4						CWS SWS NWP SWP SFWP	Mallee	
Calocephalus citreus	U	4	4		<1				NC NT CT ST NWS CWS SWS SWP	G W	
Calocephalus platycephalus	A	5	5						NFWP		Spring-Summer
Calochilus campestris	V	4	4						NC CC SC NT CT ST NWS CWS SWS NWP	moist SF	Spring-Summer
Calochilus gracillimus	G	1	4						NC CC NT CT CWS	SF W	Spring-Summer
Calochilus paludosus	VG	4	4						NC CC SC CT ST CWS SWS	montane F W swampy H	Spring
Calochilus robertsonii	VG	4	4						NC CC SC NT CT ST NWS CWS SWS	H SF S	Spring
Calochlaena dubia	VDI	2	2				100		NC CC SC NT CT ST CWS	TOF OF RF	
Calomeria amaranthoides	A	5	5						NC CC SC CT CWS	RF F	Summer-Autumn
Calostemma purpureum	VR	2	3						CWS SWS NWP SWP NFWP	W S	Summer-Autumn
Calotis anthemoides	U	4	4		<1				ST CWS SWS SWP	OG	Spring-Summer
Calotis dentex	G	1	4						NC CC NT CT NWS	F	Spring-Autumn
Calotis glandulosa	CI	1	1					TSC V, ESP V, Rotap 3VC-	SC CT ST CWS	G SF	Summer
Calotis hispidula	A	5	5						NC CC NWS CWS SWS NWP SWP NFWP SFWP	G OF	Winter-Spring
Caltha introloba	VGT	3	3	1			>20		ST	alpine-Herbfield?	Spring-Summer
Calystegia marginata	SI	2	1	1			35		NC CC SC NT CT ST	WSF RF F	Spring-Summer
Calytrix tetragona	GI	2	1	4					NC CC SC NT CT ST NWS CWS SWS NWP SWP	H W OF	Spring
Canarium australasicum	V	4	4						NC	RF	
Canthium coprosmoides	VDT	3	3						NC CC SC NT	RF (Lit ST WT) moist F	Summer
Canthium latifolium	C	1	4						NWP NFWP		Spring-Summer
Capparis lasiantha	C	1	4						NT NWS NWP	W	Summer
Capparis loranthifolia var. loranthifolia	C	1	4					TSC E	NWP	W	Spring
Capsella bursa-pastoris	E	5	5						Exotic		
Cardamine flexuosa	E	5	5						Exotic		

Cardamine hirsuta		Brassicaceae	S					8BX	
Cardamine lilacina	Cardamine sp. A1	Brassicaceae	S			explosive capsule			VIII-58
Carduus tenuiflorus		Asteraceae	S R					8C 9WA	
Carex appressa		Cyperaceae	R						V-58
Carex bichenoviana		Cyperaceae	R					11C	
Carex breviculmis		Cyperaceae	R		persistent soil				IX-11; XI-40; Vb-58; IV-105
Carex canescens		Cyperaceae	R						V-58
Carex capillacea		Cyperaceae	R						V-58
Carex cephalotes		Cyperaceae	R						V-58
Carex gaudichaudiana		Cyperaceae	R						V-58
Carex hebes		Cyperaceae	R		persistent soil				Vb-58
Carex inversa		Cyperaceae	R						IX-79
Carex jackiana		Cyperaceae	R						V-58
Carex longebrachiata		Cyperaceae	R						IV-105
Carex raleighii		Cyperaceae	R					9CE	IV-R14?
Carpha alpina		Cyperaceae	S					8KP	
Carpha nivicola		Cyperaceae	R						V-58
Carpobrotus edulis		Aizoaceae	S					8MO	
Carrichtera annua		Brassicaceae	S						VIII-78
Carthamus lanatus		Asteraceae	S					8CH	
Cassia brewsteri var. marksiana	Cassia marksiana	Fabaceae: Caesalpinioideae	R	suckers after moderate intensity fire	persistent soil		a-heat		IV-89
Cassine australis var. australis	Elaeodendron australe var. australe	Celasteraceae	R			a-vertebrate		5BB	IX-35b; IX-39
Cassinia aculeata		Asteraceae	S		soil	a-wind		8M 8MO 2CT 8BX	III-38d; VIII-39; VIII-83
Cassinia arcuata		Asteraceae	S			wind		8BX	
Cassinia aureonitens		Asteraceae	S		transient	wind			VIII-1?; VIIId-R35
Cassinia compacta		Asteraceae	S			wind			VIII-1; VIII-35
Cassinia cunninghamii		Asteraceae	S		transient	wind		8BX	VIIId-R35
Cassinia denticulata		Asteraceae	S					8BX	
Cassinia laevis		Asteraceae	S		persistent soil	wind?			II-100
Cassinia leptocephala subsp. leptocephala		Asteraceae	S		persistent soil				II-100
Cassinia longifolia		Asteraceae	S r		transient	wide		8M 2CT	Vc-38b; III-38c
Cassinia quinquefaria		Asteraceae	S		persistent soil	wind?	smoke		II-100
Cassinia trinerva		Asteraceae	S R			wind		8BX? 9M	
Cassinia uncata		Asteraceae	S		transient				VIIId-R35
Cassytha filiformis		Lauraceae	R					11HO 9PL	

Cardamine hirsuta	E	5	5						Exotic		
Cardamine lilacina	A	5	5	1					NC NT CT ST CWS	F	
Carduus tenuiflorus	E	5	5						Exotic		
Carex appressa	V	4	4	1			>10		NC CC SC NT CT ST NWS CWS SWS NWP SWP		
Carex bichenoviana	VR	2	3						NT CT ST NWS CWS SWS SWP		
Carex breviculmis	UGT	3	3	1	1		>20		NC CC SC NT CT ST NWS CWS SWS LHI	G OW	
Carex canescens	VT	3	3	1			>10		ST SWS		
Carex capillacea	VT	3	3	1			>10	Rotap 3RC-+	NT ST	Swamp	
Carex cephalotes	VT	3	3	1			>10	Rotap 3RCa+	ST	Herbfield	
Carex gaudichaudiana	VT	3	3	1			>10		NC CC SC NT CT ST NWS SWS	Swamp	
Carex hebes	VGT	3	3	1			>20		ST	H G	
Carex inversa	U	4	4		<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP LHI	G OF	
Carex jackiana	VT	3	3	1			>10		ST		
Carex longebrachiata	V	4	4						NC CC SC NT CT ST CWS	RF-margins	
Carex raleighii	V	4	4					TSC E, Rotap 3RCa	ST		
Carpha alpina	C	1	4						ST	Bog Fen	
Carpha nivicola	VT	3	3	1			>10		ST	Bog Fen	
Carpobrotus edulis	E	5	5						Exotic		
Carrichtera annua	E	5	5						Exotic		
Carthamus lanatus	E	5	5						Exotic		
Cassia brewsteri var. marksiana	VSI	2	1					TSC E, Rotap 2RCi	NC	RF (Lit Riv)	Spring
Cassine australis var. australis	VDT	3	3				>100		NC CC SC CWS	RF OF	Spring
Cassinia aculeata	DI	2	2				40		NC CC SC CT ST CWS SWS SWP	SF W H	
Cassinia arcuata	CI	1	1	2-3			20		NC CC CT ST NWS CWS SWS NWP SWP SFWP	W	Spring-Autumn
Cassinia aureonitens	CI	1	1						NC CC SC CT	H W	Spring-Summer
Cassinia compacta	C	1	4	5		10			NC CC NT CT CWS	SF W	Spring-Summer
Cassinia cunninghami	CI	1	1						NC CC SC CT CWS	DSF	Winter-Spring
Cassinia denticulata	C	1	4	3					CC CT	DSF	Spring-Summer
Cassinia laevis	G	1	4						CC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	various Mallee	Spring-Summer
Cassinia leptocephala subsp. leptocephala	G	1	4						NC CC NT CWS	DSF	Spring-Summer
Cassinia longifolia	DI	2	2				30		CC SC CT ST CWS SWS	SF	Summer-Autumn
Cassinia quinquefaria	SI	2	1						NC CC SC NT CT ST NWS CWS SWS NWP SWP	DSF W	Summer-Autumn
Cassinia trinerva	CI	1	1						NC CC SC NT CT ST CWS	WSF RF	Summer-Autumn
Cassinia uncata	CI	1	1						NC CC SC NT CT ST NWS CWS SWS SWP	Mallee DSF	Spring
Cassytha filiformis	VR	2	3						NC		all year

Cassytha glabella		Lauraceae	S		persistent soil	a-vertebrate		2F 8I 8C 8W 8WO 2K 2E 8BN 8KE 8WA 8BD	II-2; II-4; II-5; II-8; II-38c; VIII-39; VIII-52; II-59; II-105
Cassytha melantha		Lauraceae	S					8C 8W 8WO 8WA 8BD	
Cassytha pubescens	Cassytha paniculata, Cassytha phaeolasia	Lauraceae	S		persistent soil	a-vertebrate		8C 8VE 8WO 8P 8V 8E 8BN 8PU 8CE	II-4; II-8; VIII-39
Casuarina cristata		Casuarinaceae	S		canopy			8FO 8FO(1)	
Casuarina cunninghamiana subsp. cunninghamiana		Casuarinaceae	S		canopy - transient	wind		1BB	
Casuarina glauca		Casuarinaceae	R		canopy	wind & water		9I 9BB	V&VI-1; IV-35b; IX-39
Caustis blake		Cyperaceae	R					9B	
Caustis flexuosa		Cyperaceae	R s		persistent soil			9I 9BG	II-4; II-5 IX-39; IX-91
Caustis pentandra		Cyperaceae	R s		persistent soil			11H 11C 9I 9VE 8E 11WO	II-4; VIII&IX-39
Caustis recurvata var. recurvata		Cyperaceae	S r		persistent soil			2BW 9B 2K	II-8; VIII&IX-39; II-R35
Celastrus subspicata		Celastraceae	S					8BB	
Celmisia longifolia		Asteraceae	S			a-wind		8KP	VIII-61
Celmisia pugioniformis	Celmisia asteliifolia sp. complex, Celmisia sp. C	Asteraceae	R			wide			V-58
Centaurea melitensis		Asteraceae	S					8C	
Centaurium erythraea	Centaurium minus	Gentianaceae	S r		transient			8WJ 8I 5BU	II-38c
Centaurium spicatum	Centaurium australe	Gentianaceae	S					8WA	
Centaurium tenuiflorum		Gentianaceae	S						VIII-38d
Centella asiatica		Apiaceae	S		persistent soil				IX-39?; II-105
Centipeda thespidioides		Asteraceae	S					8CE	
Centrolepis aristata		Centrolepidaceae	S		persistent soil		heat & smoke	2E	II-38c&d
Centrolepis fascicularis		Centrolepidaceae	S		persistent soil			2E	VIII-38d; IX-39
Centrolepis polygyna		Centrolepidaceae	S					8C	VIII-38d
Centrolepis strigosa subsp. strigosa		Centrolepidaceae	S R		transient		heat & smoke		II-38c&d; XI-83
Cerastium balearicum	Cerastium semidecandrum	Caryophyllaceae	S					8P	
Cerastium glomeratum		Caryophyllaceae	S					8C 8BB	VIII-38d
Ceratogyne obionoides		Asteraceae	S					8C	
Ceratopetalum apetalum		Cunoniaceae	R		persistent soil	wind		5BB	IX-39
Ceratopetalum gummiferum		Cunoniaceae	R			wind		9I 5BB	IX-39

Cassytha glabella	DI	2	2	2-3			110		NC CC SC CT ST NWS	OF H	all year
Cassytha melantha	DT	3	3	2			>20		CT ST NWS CWS SWS SWP SFWP	W Mallee	all year
Cassytha pubescens	DI	2	2	2-4			40		NC CC SC NT CT ST NWS CWS SWS NWP SWP	H OF	Summer
Casuarina cristata	C	1	4						NC NWS CWS NWP SWP NFWP	Belah	
Casuarina cunninghamiana subsp. cunninghamiana	CT	1	3	3-5			100		NC CC SC NT CT ST NWS CWS SWS NWP SWP	F S	
Casuarina glauca	VCI	2	1		8		200		NC CC SC CWS LHI	OF	
Caustis blake	V	4	4						NC	DSF W	
Caustis flexuosa	VGI	2	1	2			110		NC CC SC NT CT ST NWS CWS	DSF W	
Caustis pentandra	VGI	2	1	2			110		NC CC SC CT CWS	H W	
Caustis recurvata var. recurvata	GI	1	1				70		NC CC SC CT	H	
Celastrus subspicata	C	1	4				60		NC CC NT	S RF	Spring-Summer
Celmisia longifolia	D	4	4						CT ST	Bog	Summer
Celmisia pugioniformis	VDT	3	3	1			>15		ST	H G Bog	Summer
Centaurea melitensis	E	5	5						Exotic		
Centaurium erythraea	E	5	5						Exotic		
Centaurium spicatum	E	5	5						Exotic		
Centaurium tenuiflorum	E	5	5	1					Exotic		
Centella asiatica	GI	1	1						NC CC SC NT SWS LHI	various	Spring-Summer
Centipeda thespidioides	C	1	4						NWS CWS NWP SWP NFWP SFWP	various	Spring
Centrolepis aristata	A	5	5	1					SC	W SF H	Spring
Centrolepis fascicularis	GT	1	3	1					NC CC SC NT CT ST	H Bog	Spring-Summer
Centrolepis polygyna	A	5	5	1					CWS SWS NWP SWP	W SF H S Mallee	Winter-Spring
Centrolepis strigosa subsp. strigosa	A	5	5	1					NC CC SC NT CT ST NWS CWS SWS NWP SWP	H Mallee W SF	Spring
Cerastium balearicum	E	5	5						Exotic		
Cerastium glomeratum	E	5	5	1					Exotic		
Ceratogyne obionoides	A	5	5						NWP SWP	F	Spring
Ceratopetalum apetalum	VG	4	4				>210		NC CC SC CT	RF (WT, CT, ST) S	Spring-Summer
Ceratopetalum gummiferum	UC	4	4		1		>100		NC CC SC CT	OF TOF W H	Spring

Chamaecytisus palmensis	Cytisus prolifer, Chamaecytisus proliferus	Fabaceae	S					8MO	
Chamaesyce hirta	Euphorbia hirta	Euphorbiaceae	S		persistent soil			2SA	
Cheilanthes austrotenuifolia	Cheilanthes tenuifolia	Sinopteridaceae	R		transient?	wind		9BM 9BN	IX-39; IX-78; XI-83
Cheilanthes distans		Sinopteridaceae	R			wind		9BM	IV-R42
Cheilanthes sieberi subsp. sieberi		Sinopteridaceae	R		transient	wind		4BM	IX-39
Chenopodium album		Chenopodiaceae	S					8BB	
Chenopodium cristatum		Chenopodiaceae	S					8C	
Chenopodium erosum		Chenopodiaceae	S					8CE	III-R41
Chiloglottis sphyrnoides		Orchidaceae	R						IX-74; IV-R36
Chiloglottis sylvestris		Orchidaceae	R					9CN	
Chiloglottis trilabra		Orchidaceae	R						IX-74
Chiloglottis valida		Orchidaceae	R		persistent soil				Vb-38d
Chionogentias cunninghamii subsp. cunninghamii	Gentianella diemensis, Gentianella diemensis s. lat.	Gentianaceae	S						VIII-58
Chloanthes parviflora		Chloanthaceae	S		persistent soil				II-3; II-100
Chloanthes stoechadis		Chloanthaceae	S r		persistent soil			2F 8BB	Vb-8; VIII-39
Chloris truncata		Poaceae	R			a-wind a-adhesion			IX-11; IX-79
Chloris ventricosa		Poaceae	R				smoke	9CE	
Chondrilla juncea		Asteraceae	S R					8C 9P	
Choretrum candollei		Santalaceae	R					4F	
Choretrum glomeratum		Santalaceae	S					8CH	
Choricarpia leptopetala		Myrtaceae	R						IV-1
Chorizandra cymbaria		Cyperaceae	R					9I 9KE	IV-2
Chorizandra sphaerocephala		Cyperaceae	R					9KE	IV-2
Chorizema parviflorum		Fabaceae: Faboideae	R s		persistent soil		a-heat	9BW	IXb-6; IXb-R35
Christella dentata	Cyclosorus nymphalis	Thelypteridaceae	R		transient?	wind		9CE	
Chrysanthemoides monilifera		Asteraceae	S R						VIII&IX-78
Chrysanthemoides monilifera subsp. monilifera		Asteraceae	S					8BX	
Chrysanthemoides monilifera subsp. rotundata		Asteraceae	R					9BX	
Chrysocephalum apiculatum	Helichrysum apiculatum	Asteraceae	R s		persistent soil	a-wind		2E 9PL	IX-11; XI-40; IX-79

Chamaecytisus palmensis	E	5	5						Exotic		
Chamaesyce hirta	A	5	5	<1					NC CC NWP		Spring-Summer
Cheilanthes austrotenuifolia	VCI	2	1				100		NC CC SC CT ST CWS SWS SWP SFWP	OF W	
Cheilanthes distans	V	4	4				20		NC CC SC NT CT ST NWS CWS SWS NWP SWP SFWP LHI	W OF	
Cheilanthes sieberi subsp. sieberi	VC	4	4				100		NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP LHI	OF grassy-W	
Chenopodium album	E	5	5						Exotic		
Chenopodium cristatum	A	5	5	<1	1				CC NWS CWS NWP SWP NFWP SFWP	BimbleBox GreyBox RiverGum BlackBox communities	
Chenopodium erosum	A	5	5						NC		
Chiloglottis sphyrnoides	V	4	4					Rotap 3KC-	NC NT	moist TF	Summer-Autumn
Chiloglottis sylvestris	V	4	4						NC CC SC NT CT	RF	Summer-Autumn
Chiloglottis trilabra	V	4	4						NC CC NT CT ST CWS	SF	Summer-Autumn
Chiloglottis valida	WG	4	4						SC ST	grassy F	Spring-Summer
Chionogentias cunninghamii subsp. cunninghamii	A	5	5	1					CT ST	Swamp grassy-F	Summer
Chloanthes parviflora	GI	1	1	1					NC SC NT CT ST NWS CWS NWP	F H	Spring
Chloanthes stoechadis	GI	1	1	>1					NC CC SC CT ST CWS	OF W	Winter
Chloris truncata	UC	4	4		<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP LHI		
Chloris ventricosa	VI	2	1						NC CC SC NT CT NWS CWS NWP SWP SFWP	W	Summer
Chondrilla juncea	E	5	5		2				Exotic		
Choretrum candollei	V	4	4						NC CC SC NT CT ST NWS CWS SWS	DSF W	Winter-Summer
Choretrum glomeratum	C	1	4						NWS CWS NWP SWP	W Mallee	Spring-Summer
Choricarpia leptopetala	V	4	4				100		NC CC	WSF RFmargins	Winter
Chorizandra cymbaria	U	4	4		<2		100		NC CC SC NT CT		
Chorizandra sphaerocephala	U	4	4		<2		100		NC CC SC CT		
Chorizema parviflorum	USI	2	1		<2				NC CC SC	H W G	Spring
Christella dentata	VCI	2	1				100		NC CC NWS NFWP LHI	RF-margins OF	
Chrysanthemoides monilifera	E	5	5						Exotic		
Chrysanthemoides monilifera subsp. monilifera	E	5	5						Exotic		
Chrysanthemoides monilifera subsp. rotundata	E	5	5						Exotic		
Chrysocephalum apiculatum	UGT	3	3		<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W OF	Spring

Chrysocephalum baxteri	Helichrysum baxteri	Asteraceae	S r		persistent soil	wide		8M 2E 8WO	V-38c
Chrysocephalum semipapposum	Helichrysum semipapposum	Asteraceae	R s		soil			9WO 9P 2E 5PU 4PU 9BX	IX-11; II-38c; IX-39
Chrysopogon fallax		Poaceae	R				heat	9PL	
Chthonocephalus pseudevax		Asteraceae	S					8C	
Cicendia quadrangularis		Gentianaceae	S		transient				II-38c&d
Cinnamomum camphora		Lauraceae	R					9BD	
Cinnamomum oliveri		Lauraceae	S			bird?		8BD	
Cirsium vulgare		Asteraceae	S r		none	wind		8M 8W 8I 8P 9BX	III-38d; VIII-67; III-105
Cissus hypoglauca		Vitaceae	R			vertebrate		5CT 9M	IX-39; IV-105
Citriobatus spinescens		Pittosporaceae	R					6SA	
Citronella moorei		Icacinaceae	S			bird		8BD	
Claoxylon australe		Euphorbiaceae	R			a-ant & a-vertebrate		9BB	IX-39
Clematis aristata	Clematis aristata var. dennisae, Clematis aristata var. blanda, Clematis blanda	Ranunculaceae	R s			wind		~~8W~~ 11M 4HO 8WA	IX-1b; IV-38b; V-38d; IX-67; IV-105
Clematis fawcettii		Ranunculaceae	S			wind			VIII-89
Clematis glycinoides var. glycinoides		Ranunculaceae	R		soil	wind		9M	VIII-1a?; IV-105
Clematis microphylla var. leptophylla		Ranunculaceae	S	Can resprout after low intensity fire but not after high intensity		wide			VIII&IX-R35
Clematis microphylla var. microphylla		Ranunculaceae	R						IX-78
Clerodendrum floribundum		Verbenaceae	R					9BO 9PL 9RS	IX-63
Clerodendrum tomentosum		Verbenaceae	R						IX-39
Codonocarpus attenuatus		Gyrostemonaceae	S		persistent soil	wind & a-ant		2BD	
Coleocarya gracilis		Restionaceae	R s		persistent soil			2BW 4BW	IX-8; IX-70; IX-94
Comesperma defoliatum		Polygalaceae	R		persistent soil			9KE 9BW 9M	IX-1; IXb-2; IXb-6; IX-39
Comesperma ericinum		Polygalaceae	S r	better recruitment after spring burn cf autumn				8M 5S 8W 9I 8BN	VIII-1?; IV-38b; VIII&IX-39; VIII-57
Comesperma retusum		Polygalaceae	R		persistent soil			9KE	IX-1; IXb-2
Comesperma sphaerocarpum		Polygalaceae	R		persistent soil	a-ant			V-1; IXb-4; V-52; IV-105

Chrysocephalum baxteri	D	4	4		2				SC	SF	Spring
Chrysocephalum semipapposum	UC	4	4		0.5				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W G	Spring-Summer
Chrysopogon fallax	VI	2	1						NT NWS NWP NFWP	BimbleBox Mulga	Summer
Chthonocephalus pseudevax	A	5	5						CWS NWP SWP NFWP SFWP	various	Spring
Cicendia quadrangularis	E	5	5	1					Exotic		
Cinnamomum camphora	E	5	5						Exotic		
Cinnamomum oliver	D	4	4				60		NC CC	RF (ST WT)	
Cirsium vulgare	E	5	5						Exotic		
Cissus hypoglauca	VDT	3	3	1-5			30		NC CC SC NT CT CWS	RF WSF	Spring-Summer
Citriobatus spinescens	V	4	4						NWS NWP	DSF RF (dry) CS	Spring-Summer
Citronella moore	D	4	4						NC CC SC	RF (ST WT)	Winter-Spring
Claoxylon australe	VD	4	4				>20		NC CC SC CT ST CWS	RF F moist	
Clematis aristata	U	4	4		<1				NC CC SC NT CT ST SWS	RF F	Spring
Clematis fawcettii	C	1	4	2				TSC V, ESP V, Rotap 3VC-	NC	RF (dry)	Spring
Clematis glycinoides var. glycinoides	VI	2	1	3-5			20		NC CC SC NT CT ST NWS CWS LHI	OF TOF W H	Spring
Clematis microphylla var. leptophylla	DT	3	3		<2				SC NT ST SWS		Winter-Spring
Clematis microphylla var. microphylla	V	4	4						NT CT NWS CWS NWP SWP NFWP SFWP	W Mallee	Winter-Spring
Clerodendrum floribundum	V	4	4						NC CC SC	RF-margins	Spring
Clerodendrum tomentosum	V	4	4						NC CC SC NT CT CWS	RF RF-margins	Spring-Summer
Codonocarpus attenuatus	GI	1	1				20		NT NWP SWP NFWP SFWP	RF-margins W Brigalow-S	
Coleocarya gracilis	VG	4	4						NC	S H W	Summer
Comesperma defoliatum	UGI	2	1	3	1		35		NC CC SC NT CT	wet-H Swamp	Spring-Autumn
Comesperma ericinum	G	1	4	2					NC CC SC NT CT ST CWS SWS	H S W DSF	Spring-Summer
Comesperma retusum	VGI	2	1	8	5		70		NC CC NT CT ST	Sedgeland Peatland	Spring-Summer
Comesperma sphaerocarpum	UGI	2	1		0.5				NC CC SC NT CT ST NWS	DSF W H Mallee	Spring-Autumn

Comesperma volubile		Polygalaceae	S R	recruitment poor after autumn burn moderate after spring burn	transient	wind		8W 11W 8WO 9WJ 9BU 8WA	V-38b; II-38c; V-38d; VIII-57
Commelina cyanea		Commelinaceae	S R					5SA 8I	VIII&IX-39
Commersonia bartramia		Sterculiaceae	R			a-ant			IX-92
Conospermum ellipticum		Proteaceae	R		persistent soil	none developed			V-1b; IXb-2
Conospermum ericifolium		Proteaceae	S		soil	none developed			II-1b
Conospermum longifolium		Proteaceae	R s		persistent soil	none developed		9BG 2S	V-1a; V-52
Conospermum taxifolium		Proteaceae	S R		persistent soil		heat & smoke	2F 2S 8BE 2K ~~8BN~~ 9I 9B 9BW 9BN 9KE 9BG	IX-1a; IXb-2; IXb-4; IXb-6; IXb-8; VIII&IX-39; IX-100; VIII-R41
Conospermum tenuifolium		Proteaceae	R		persistent soil				IX-1a; IXb-4
Convolvulus arvensis		Convolvulaceae	R					9BB	
Convolvulus erubescens		Convolvulaceae	R s		persistent soil		a-heat	2F 9PL	IX-11; XI-40; IX-79
Conyza albida	Conyza sumatrensis, Conyza floribunda	Asteraceae	S					8I 8BN 8BX	
Conyza bilbaoana		Asteraceae	S					8BX	
Conyza bonariensis		Asteraceae	S		none			3WJ 8C 8I 8MO 8BX	
Conyza canadensis var. canadensis		Asteraceae	R					4F	
Conyza parva		Asteraceae	S					8BX	
Coopernookia barbata		Goodeniaceae	R					9M	
Coprosma hirtella		Rubiaceae	R					4HO 9M	IV-38b
Coprosma nitida	Coprosma sp. C	Rubiaceae	S r			wide		8KP	IX-9; VIII-61
Coprosma nivalis	Coprosma sp. A	Rubiaceae	S					8CE	
Coprosma perpusilla subsp. perpusilla	Coprosma pumila, Coprosma sp. B	Rubiaceae	S					8CE	
Coprosma quadrifida		Rubiaceae	S R		transient	bird		2HR 3HR 8CT 8BK(1) 9M 9W 9BK 5WA	V-38d; IX-67; IV&V-108
Coprosma repens		Rubiaceae	R					9MO	
Corchorus cunninghamii		Tiliaceae	S	Lacks lignotuber - assumed to be obligate seeder	persistent soil		heat		II-R32?
Coreopsis lanceolata		Asteraceae	S R					8I 9BX	
Coronopus didymus		Brassicaceae	S					8BX	
Correa baeuerlenii		Rutaceae	S		persistent soil	explosive capsule			II-38a; II-R35

Comesperma volubile	C	1	4	1-2					NC CC SC NT CT ST	WSF DSF moist-OF H	Winter-Spring
Commelina cyanea	G	1	4	1			35		NC CC SC NT CT NWS CWS NWP LHI	F W RF	Spring-Autumn
Commersonia bartramia	VI	2	1						NC	RF	Summer-Autumn
Conospermum ellipticum	VGI	2	1	4			70		NC CC SC CT	H	Spring
Conospermum ericifolium	G	1	4	2-4					CC SC	H W	Spring
Conospermum longifolium	UG	4	4		<1				CC SC CT	DSF W H	Spring
Conospermum taxifolium	GI	1	1	4			64		NC CC SC NT CT ST NWS CWS NWP	H W	Spring
Conospermum tenuifolium	VGI	2	1	4			70		CC SC CT	H W OF	Spring
Convolvulus arvensis	E	5	5						Exotic		
Convolvulus erubescens	UST	3	3	1	<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	G W SF	Spring-Summer
Conyza albida	E	5	5						Exotic		
Conyza bilbaoana	E	5	5						Exotic		
Conyza bonariensis	E	5	5						Exotic		
Conyza canadensis var. canadensis	E	5	5						Exotic		
Conyza parva	E	5	5						Exotic		
Coopernookia barbata	V	4	4						CC SC NT CT ST NWS CWS	DSF	all year
Coprosma hirtella	V	4	4						NT CT ST	W S	Summer
Coprosma nitida	D	4	4						NT CWS	W	Spring-Summer
Coprosma nivalis	D	4	4						ST		Summer
Coprosma perpusilla subsp. perpusilla	D	4	4						ST		Summer
Coprosma quadrifida	D	4	4						NC CC SC NT CT ST	RF (CT) OF W riparian-S WSF	Spring
Coprosma repens	E	5	5						Exotic		
Corchorus cunninghamii	A	5	5	>1				TSC E, ESP E, Rotap 3E	NC		Spring-Autumn
Coreopsis lanceolata	E	5	5						Exotic		
Coronopus didymus	E	5	5						Exotic		
Correa baeuerlenii	GI	1	1					TSC V, ESP V, Rotap 3VCi	SC	SF	Spring

Correa reflexa		Rutaceae	R s		persistent soil	explosive capsule & a-ant		2F 9VE 9G 5W 9CL 9C 9MO 9E 9WO 9CH 8WA	IV-38b; Vb-38c; VIII&IX-39; II-69; IX&VIII-78; IX-83; II-96; II&IX-100
Corybas aconitiflorus		Orchidaceae	R		persistent soil				IXb-49
Corybas fordhamii		Orchidaceae	R		transient			9BW 9KE	IXd-2
Corybas hispidus		Orchidaceae	R					9CE	
Corymbia eximia	Eucalyptus eximia	Myrtaceae	R		canopy				VIa-1
Corymbia gummifera	Eucalyptus gummifera	Myrtaceae	R		canopy			6G 6F 9I 9KE	V&VI-1; IXa-2; Va-8; IX-39; V&VI-105
Corymbia intermedia	Eucalyptus intermedia	Myrtaceae	R		canopy	wind		9B	V-96
Corymbia maculata	Eucalyptus maculata	Myrtaceae	R	recruitment poor after low intensity fire, prolific after high intensity	canopy			9CE	V&VIa-1; IX-39; V&VI-105
Corymbia tessellaris	Eucalyptus tessellaris	Myrtaceae	R					5SA	
Corynocarpus rupestris		Corynocarpaceae	R						IV-89
Corynotheca licrota		Anthericaceae	R			a-ant		9CE	
Cosmos bipinnatus		Asteraceae	S					8BX	
Cotoneaster francheti		Rosaceae	R					9BD	
Cotoneaster glaucophyllus		Rosaceae	R					9BD	
Cotula alpina		Asteraceae	R		persistent soil				Vb-58
Cotula australis		Asteraceae	S		transient	wind?		8MO 8BX	II-38c&d; VIII-83
Craspedia aurantia	Craspedia sp. D, Craspedia sp. F	Asteraceae	R			wide			V-58
Craspedia canens	Craspedia sp. C, Craspedia sp. L	Asteraceae	R			wind			IV-105
Craspedia coolaminica	Craspedia sp. K, Craspedia sp. G	Asteraceae	R			wide			V-58
Craspedia jamesii	Craspedia sp. B, Craspedia sp. H	Asteraceae	R			wide			V-58
Crassocephalum crepidioides		Asteraceae	S					8BW 8BX	
Crassula decumbens var. decumbens	Crassula macrantha	Crassulaceae	S						VIII-1?; VIII-78
Crassula multicava		Crassulaceae	R					9BB	
Crassula peduncularis	Crassula purpurata	Crassulaceae	S					8C	
Crassula sieberiana		Crassulaceae	S		persistent soil			8C 8M 8MO 8P	VIII-38d; II-60; VIII-83
Cratystylis conocephala		Asteraceae	S					8CE	
Crisium vulgare			S					8WA	
Crotalaria cunninghamii		Fabaceae: Faboideae	R		persistent soil		heat	9PL	
Crotalaria montana	Crotalaria linifolia	Fabaceae: Faboidea	S		persistent soil		heat	2SA 8HO	

Correa reflexa	VGI	2	1	2	2		40		NC CC SC NT CT ST NSW SWS	DSF H	Autumn-Spring
Corybas aconitiflorus	VG	4	4						NC CC SC	SF	Autumn-Winter
Corybas fordhamii	UC	4	4		<2		100		NC CC SC	H Melalueca Swamp	Winter
Corybas hispidus	V	4	4						NT CT ST CWS	SF W	Summer-Autumn
Corymbia eximia	VC	4	4				>100		NC CC SC	DSW	
Corymbia gummifera	VCT	3	3		3		300		NC CC SC NT CT	OF W	
Corymbia intermedia	VCI	2	1	5			>30		NC	F	
Corymbia maculata	VC	4	4				>100		NC CC SC CT CWS	OF WSF	
Corymbia tessellaris	V	4	4						NC NWS NWP	W	
Corynocarpus rupestris	V	4	4						NC	RF (dry)	Spring
Corynotheca licrota	V	4	4						NWP NFWP SFWP		Winter-Summer
Cosmos bipinnatus	E	5	5						Exotic		
Cotoneaster francheti	E	5	5						Exotic		
Cotoneaster glaucophyllus	E	5	5						Exotic		
Cotula alpina	VGT	3	3	1			110		CT ST	Swamp	Summer
Cotula australis	A	5	5	1					NC CC SC NT CT ST NWS CWS SWS NWP SWP LHI	OF	Winter-Spring
Craspedia aurantia	VDT	3	3	1			>10		ST	G	Summer
Craspedia canens	U	4	4		1				CC SC NT CT ST CWS SWS	W G Swamp	Spring
Craspedia coolaminica	VDT	3	3	1			>10		ST	W	Summer
Craspedia jamesii	VDT	3	3	1			>10		ST	G	Summer
Crassocephalum crepidioides	E	5	5						Exotic		
Crassula decumbens var. decumbens	A	5	5	<1					CC SC NT ST NWS CWS SWS SWP		
Crassula multicava	E	5	5						Exotic		
Crassula peduncularis	A	5	5						CC NT ST NWS SWS SWP SFWP		
Crassula sieberiana	A	5	5	1-2					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP LHI	OF	
Cratystylis conocephala	C	1	4					TSC E	SFWP	Mallee	Spring
Crisium vulgare	E	5	5						Exotic		
Crotalaria cunninghamii	VSI	2	1					TSC E	NFWP	Mulga	irregular
Crotalaria montana	A	5	5						NC NT NWS	SF	Summer-Winter

Croton verreauxii		Euphorbiaceae	S			explosive capsule & a-ant		8BB	
Crowea saligna		Rutaceae	S		persistent soil	explosive capsule & a-ant		2K	
Cryptandra amara		Rhamnaceae	S R		persistent soil	a-ant	a-heat	2S 8I	IXb-4; V-58; IX-100
Cryptandra amara var. amara		Rhamnaceae	R			a-ant	a-heat		V-1a
Cryptandra amara var. longiflora		Rhamnaceae	R			a-ant	a-heat	9CN	IX-100
Cryptandra ericoides		Rhamnaceae	S		persistent soil	ant	a-heat	2S 2K 8KE	II-2; II-4; VIII-70; VIII-R41
Cryptandra lanosiflora		Rhamnaceae	S			a-ant	a-heat		VIII-69; VIII-74; II-100
Cryptandra leucophracta		Rhamnaceae	R			a-ant	a-heat	11CH	IX-78
Cryptandra scortechinii	Stenanthemum scortechinii	Rhamnaceae	R		persistent soil	a-ant	a-heat		IX-100
Cryptocarya foetida		Lauraceae	R	Resprouts after mild fire	transient	bird			IXc-89
Cryptocarya glaucescens		Lauraceae	R			vertebrate?		5BD	
Cryptocarya microneura		Lauraceae	S			vertebrate		8BD	VIII-39?
Cryptostylis erecta		Orchidaceae	R					9CE	IV-105
Cryptostylis hunteriana		Orchidaceae	R					9CE	IX-R35; IV-R36; IX-R41
Cryptostylis leptochila		Orchidaceae	R					9M	
Cryptostylis subulata		Orchidaceae	R		transient			4K 9KE	IXd-2; IXd-4; IX-39; IXd-59
Cucurbita maxima		Cucurbitaceae	S					8BB	
Cullen cinereum	Psoralea cinerea	Fabaceae: Faboidea	S		persistent soil		a-heat	8CN	
Cullen microcephalum	Psoralea microcephala, Psoralea adscendens	Fabaceae: Faboideae	S		persistent soil		a-heat		II-R35
Cullen parvum	Psoralea parva	Fabaceae: Faboideae	R		persistent soil		a-heat	9CE	IX-72
Cullen patens	Psoralea patens, Psoralea eriantha	Fabaceae: Faboideae	S		persistent soil		a-heat	8CE	
Cullen tenax	Psoralea tenax	Fabaceae: Faboideae	S		persistent soil		a-heat	8CE	VIII-54; II-R40
Cupaniopsis anacardioides		Sapindaceae	R s		persistent soil	vertebrate		9BO	IX-39; II-96
Cupaniopsis newmani		Sapindaceae	R		transient?				IV-89
Cuscuta australis		Convolvulaceae	S		persistent soil		a-heat	8BB?	VIII-39; II-46

Croton verreauxii	C	1	4				>30		NC CC SC NT	RF F moist	Autumn-Spring
Crowea saligna	G	1	4				20		CC	SF	Spring
Cryptandra amara	SI	2	1	1-2			>50		NC CC SC NT CT ST NWS CWS SWS NWP SWP	W H	
Cryptandra amara var. amara	VI	2	1						NC CC SC NT CT ST NWS CWS SWS NWP SWP	W H	Winter
Cryptandra amara var. longiflora	VI	2	1						NC CC NT CT ST NWS CWS SWS SWP		Spring
Cryptandra ericoides	SI	2	1	3			90		CC SC CT	H	Summer-Autumn
Cryptandra lanosiflora	SI	2	1					Rotap 3RCa	NC NT NWS	H OF	Spring-Summer
Cryptandra leucophracta	VI	2	1						CWS SWP	Mallee	Summer
Cryptandra scortechinii	VSI	2	1						NC SC NT ST NWS CWS	OF	Winter-Spring
Cryptocarya foetida	VD	4	4	>10				TSC V, ESP V, Rotap 3VCi	NC	RF (Lit)	Summer
Cryptocarya glaucescens	VD	4	4				60		NC CC SC NT CT	RF	Autumn
Cryptocarya microneura	D	4	4				60		NC CC SC	RF (WT dry)	Summer-Winter
Cryptostylis erecta	V	4	4						NC CC SC CT	DSF H	Spring-Autumn
Cryptostylis hunteriana	UT	3	3		<2			TSC V, ESP V, Rotap 3VC-	NC CC SC NT	S Swamp TF DSF H	Spring-Autumn
Cryptostylis leptochila	V	4	4						CC SC NT CT ST	DSF	Spring-Summer
Cryptostylis subulata	VC	4	4				100		NC CC SC NT CT ST	Swamp-Heath DSF W	Spring-Summer
Cucurbita maxima	E	5	5						Exotic		
Cullen cinereum	A	5	5						CWS NWP SWP NFWP SFWP	Swamp	Spring-Autumn
Cullen microcephalum	SI	2	1						SC ST	W	Summer
Cullen parvum	VSI	2	1					TSC E, Rotap 3ECi	SWS		Summer
Cullen patens	SI	2	1						NWS CWS SWS NWP NFWP SFWP		Winter-Spring
Cullen tenax	ST	3	3						NC NT CT ST NWS CWS NWP SWP	F	all year
Cupaniopsis anacardioides	VDT	3	3	5			60		NC CC	RF (Lit) S	
Cupaniopsis newmani	VC	4	4					Rotap 2RC-	NC	RF RF-margins	Spring
Cuscuta australis	A	5	5	<1					NC CC NWS	Swamp, parasitic on forbs	Summer

Cuscuta campestris		Convolvulaceae	S					8BB	
Cuscuta victoriana	Cuscuta tatei	Convolvulaceae	S		persistent soil		a-heat	8CE	
Cyathea australis		Cyatheaceae	R			wind		7BM 5CT 4WA 8M	IX-15; IX-39
Cyathea cunninghamii		Cyatheaceae	S	requires reinvasion from unburnt sites	transient			8CE	III-R38
Cyathea leichhardtiana		Cyatheaceae	S r		transient	wind		8CT	IX-R35; III-R38; III-R41
Cyathochaeta diandra		Cyperaceae	R		persistent soil			9I 5K 9BN 9KE	IX-2; IXb-7; IV-8; IX-39; IV-52; IX-57; IX-91; V-105
Cymbidium suave		Orchidaceae	R	Juveniles die	transient				IXd-R35
Cymbonotus lawsonianus	Arctotis australiensis	Asteraceae	S					8CE	
Cymbonotus preissianus		Asteraceae	R						IX-40
Cymbopogon ambiguus		Poaceae	R					5SA	
Cymbopogon refractus		Poaceae	R		persistent soil	a-adhesion			IXb-49; V-105
Cynodon dactylor		Poaceae	R					9MO	
Cynoglossum suaveolens		Boraginaceae	S R					~~9W~~ 4WA	VIII-38d
Cynosurus echinatus		Poaceae	S						VIII-38d
Cyperus bulbosus		Cyperaceae	R					9PL	
Cyperus fulvus	Mariscus fulvus	Cyperaceae	R					5SA	
Cyperus gracilis		Cyperaceae	R				heat	9CN	
Cyperus laevigatus		Cyperaceae	R					9VE	
Cyperus polystachyos	Pycreus polystachyos	Cyperaceae	S		persistent soil				II-46
Cyperus sanguinolentus		Cyperaceae	S					8P	
Cyperus semifertilis		Cyperaceae	R		short-lived soil	wind & water & vertebrate			IX-89
Cyperus tenellus		Cyperaceae	S						VIII-38d
Cyperus vaginatus		Cyperaceae	R					9PL	
Cyphanthera albicans subsp. albicans	Cyphanthera ovalifolia	Solanaceae	S					8CE	
Cytisus scoparius subsp. scoparius		Fabaceae	S		persistent soil	a-ant		2BF	II-95c
Dactyloctenium aegyptium		Poaceae	S		persistent soil			2SA	
Dampiera fusca		Goodeniaceae	R		persistent soil			9CN	IXb-3
Dampiera lanceolata var. lanceolata		Goodeniaceae	R					9E	
Dampiera purpurea		Goodeniaceae	R	Stems killed				5BD	IX-39

Cuscuta campestris	E	5	5						Exotic		
Cuscuta victoriana	SI	2	1						NWP NFWP	parasitic on forbs	Autumn
Cyathea australis	U	4	4		1		400		NC CC SC NT CT ST NWS CWS	RF WSF OF	
Cyathea cunninghamii	CR	1	3	80					NC	RF (cool)	
Cyathea leichhardtiana	DT	3	3		<2				NC CC SC NT CT	RF (warm and cool) RF	
Cyathochaeta diandra	UGI	2	1		0.5		110		NC CC SC CT	DSW	
Cymbidium suave	WCR	2	3				>22		NC CC SC NT CT NWS CWS	WSF DSW	
Cymbonotus lawsonianus	C	1	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP	DSF W	all year
Cymbonotus preissianus	V	4	4				60		CT ST CWS SWS SWP	SF W	Spring-Summer
Cymbopogon ambiguus	V	4	4						SWP NFWP		Summer
Cymbopogon refractus	UG	4	4		0.5				NC CC SC NT CT ST NWS CWS NWP NFWP		Spring-Autumn
Cynodon dactylor	E	5	5						Exotic		
Cynoglossum suaveolens	CT	1	3		1				NC CC SC NT CT ST NWS CWS SWS NWP SWP	W	Spring-Summer
Cynosurus echinatus	E	5	5	1					Exotic		
Cyperus bulbosus	V	4	4						NWP NFWP		
Cyperus fulvus	V	4	4						NC CC SC NT CT NWS CWS NWP SWP NFWP	OW OF	
Cyperus gracilis	V	4	4						NC CC SC NT CT NWS CWS NWP SWP	OW G	
Cyperus laevigatus	V	4	4						NC CC SC NWP NFWP	Sedgelanc	
Cyperus polystachyos	A	5	5						NC CC SC NWS CWS LHI		
Cyperus sanguinolentus	A	5	5						NC CC SC NT CT ST NWS CWS SWS NWP SWP	Swamp	
Cyperus semifertilis	VDI	2	2						NC		
Cyperus tenellus	E	5	5	1					Exotic		
Cyperus vaginatus	V	4	4						NC CC NT NWS CWS NWP		
Cyphanthera albicans subsp. albicans	C	1	4						CC SC NT CT ST CWS SWP	SF S	Spring-Summer
Cytisus scoparius subsp. scoparius	E	5	5	>3					Exotic		
Dactyloctenium aegyptium	E	5	5						Exotic		
Dampiera fusca	VGI	2	1					Rotap 3RCi	ST	H	Summer
Dampiera lanceolata var. lanceolata	V	4	4						NC CC ST NWS CWS SWS NWP SWP SFWP	SF W	Spring-Summer
Dampiera purpurea	UI	2	1		1-3				NC CC SC NT CT ST NWS CWS SWS	SF H	Spring-Summer

Dampiera scottiana	Dampiera rodwayana	Goodeniaceae	R						V-1
Dampiera stricta		Goodeniaceae	R		persistent soil	a-ant		9I 11BW 4K 9BN 9KE 9BG 5BD	IVb-2; IVb-4; IX-5; IXb-7; V-38b; IX-39; IV-52; IV-105
Daphnandra micrantha		Monimiaceae	R						IX-39
Darwinia biflora		Myrtaceae	S		short-lived soil	ant	heat		II-1; II-13; II-R35
Darwinia camptostylis		Myrtaceae	R					9G	VIII-1?; IV-38d
Darwinia diminuta		Myrtaceae	S		persistent soil	ant	heat		VIII-1?; II-13
Darwinia fascicularis subsp. fascicularis		Myrtaceae	S r		persistent soil			2S 2K 8KE	V-1; VIII-1; II-46; VIII-52
Darwinia fascicularis subsp. oligantha		Myrtaceae	S R		persistent soil				V-1; II-4
Darwinia glaucophylla		Myrtaceae	S		persistent soil	ant	heat		II-1?; II-13
Darwinia grandiflora		Myrtaceae	R		persistent soil			9KE	Vb-1; IXb-2
Darwinia leptantha		Myrtaceae	S		persistent soil				II-1; II-8; II-105
Darwinia procera		Myrtaceae	S		persistent soil	ant	heat		II-1; II-13
Darwinia taxifolia subsp. macrolaena		Myrtaceae	S		persistent soil			2S 8I	
Darwinia taxifolia subsp. taxifolia		Myrtaceae	S		persistent soil				VIII-1; II-4
Daucus glochidiatus		Apiaceae	S			a-adhesion		8C 8P	VIII-38d
Davallia solida var. pyxidata	Davallia pyxidata	Davalliaceae	S		transient	wind			VIII-1?; III-R35
Daviesia acicularis		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat		VIII-39; II-66; II-100
Daviesia alata		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8BF	
Daviesia benthamii subsp. humilis		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat		VIII-78
Daviesia brevifolia		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat	9WO 5W 9E 9CH	V-33
Daviesia corymbosa		Fabaceae: Faboideae	R s		persistent soil	a-ant	heat	9BG 9BF	II-66
Daviesia genistifolia		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8CE 9BF?	II-66; IX-100?
Daviesia latifolia		Fabaceae: Faboideae	R s	Killed by high intensity fire	persistent soil	a-ant	heat	5G 9BF	II-95a; II&IX-100
Daviesia leptophylla	Daviesia virgata	Fabaceae: Faboideae	R		persistent soil	a-ant	heat	9BF	IX-78; IX-99
Daviesia mimosoides		Fabaceae: Faboideae	R	Mortality 4-22% when burnt, 35-40% when burnt and grazed; Mortality 0% after low intensity autumn or spring burn, 0% after high intensity spring burn, 20% after high intensity autumn burn	persistent soil	ant	a-heat	4HO 9P ~~2PU 5PU~~ 4PU	IX-99

Dampiera scottiana	V	4	4						CC SC NWS	LOW H	Spring-Summer
Dampiera stricta	UGI	2	1	1-5	1		110		NC CC SC NT CT ST	H W	Spring-Summer
Daphnandra micrantha	V	4	4						NC CWS	RF RF-margins	Spring
Darwinia biflora	CI	1	1	2-3		>10	30	TSC V, ESP V, Rotap 2VCa	CC	W S H	Autumn
Darwinia camptostylis	V	4	4				25		CC SC	H	Winter-Spring
Darwinia diminuta	GI	1	1	2-3		5-10	30	Rotap 2RCi	CC CT	H DSF	Spring-Summer
Darwinia fascicularis subsp. fascicularis	GI	1	1	3			70		CC	H DSF	Winter-Spring
Darwinia fascicularis subsp. oligantha	GI	1	1	3			35	TSC Endangered Population (Baulkham Hills & Hornsby LGA)	CC CT	H	Spring-Summer
Darwinia glaucophylla	GI	1	1			5-10	50	Rotap 2RCi	CC	S W	Winter-Spring
Darwinia grandiflora	VGI	2	1				70	Rotap 2RCi	CC	OF W	Winter
Darwinia leptantha	GI	1	1	3					NC CC SC ST	H	Spring
Darwinia procera	GI	1	1	2-3		5-10	>40	Rotap 2RCa	CC	DSF W S	Winter-Spring
Darwinia taxifolia subsp. macrolaena	G	1	4						SC CT ST	H	Spring
Darwinia taxifolia subsp. taxifolia	GI	1	1	3			35		CT	H	Spring-Summer
Daucus glochidiatus	A	5	5	1					NC CC SC NT CT ST NWS SWS NWP SWP NFWP SFWP	OF	Spring-Summer
Davallia solida var. pyxidata	DR	2	3				100		NC CC SC NT CT NWS CWS	RF	
Daviesia acicularis	SI	2	1						NC CC SC NT CT ST NWS CWS NWP	DSF hummock G	Winter
Daviesia alata	SI	2	1						NC CC SC CT ST	OF H	Spring-Summer
Daviesia benthamii subsp. humilis	SI	2	1						CWS SWP	Mallee	Spring
Daviesia brevifolia	VSI	2	1		2				SWP		
Daviesia corymbosa	VSI	2	1						NC CC SC CT ST	OF S H	Spring
Daviesia genistifolia	SI	2	1						NC CC NT CT ST NWS CWS SWS NWP SWP	W OF	Spring
Daviesia latifolia	VSI	2	1		>2				SC NT CT ST NWS CWS SWS	OF W	Spring
Daviesia leptophylla	VSI	2	1						CC SC NT CT ST NWS CWS SWS SWP	OF S	Spring-Summer
Daviesia mimosoides	VSI	2	1		2				NC CC SC NT CT ST CWS SWP	DSF	Spring

Daviesia mimosoides subsp. mimosoides		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat		Vb-38a; IX-100
Daviesia squarrosa		Fabaceae: Faboidea	S R		persistent soil	a-ant	a-heat	9BF	VIII&IX-39; II-66
Daviesia ulicifolia		Fabaceae: Faboideae	R s	Mortality 12% when burnt, 51% when burnt and grazed	persistent soil	a-ant	heat	4G 9E 9CH 2BF	IXb-3; V-38b&d; VIII&IX-39; II-66; IX-67; II-69; IVb-77; IX-99; II-100
Daviesia umbellulata		Fabaceae: Faboidea	S r		persistent soil	a-ant	a-heat	9B	II-66; II-100
Daviesia wyattiana		Fabaceae: Faboidea	S		persistent soil	a-ant	a-heat	8CE 2M	VIII-R41
Dendrobium aemulum		Orchidaceae	S		transient	wide			III-R35
Dendrobium speciosum		Orchidaceae	R					9I	IX-39
Dendrobium striolatum		Orchidaceae	S						VIII-39
Derwentia arcuata	Parahebe sp. F	Scrophulariaceae	S						VIII-74
Derwentia derwentiana subsp. derwentiana	Parahebe derwentiana subsp. A	Scrophulariaceae	R						IV-58
Derwentia perfoliata	Parahebe perfoliata	Scrophulariaceae	S R					9HO 8M	
Desmodium brachypodum		Fabaceae: Faboideae	R		persistent soil	a-adhesion	a-heat		IXb-R35
Desmodium gunnii		Fabaceae: Faboideae	R		persistent soil	invertebrate	a-heat		IXb-R42
Desmodium rhytidophyllum		Fabaceae: Faboideae	R s		persistent soil		a-heat	2F 5SA 9BF	VIII&IX-39; IVb-105
Desmodium varians		Fabaceae: Faboideae	R		persistent soil	a-adhesion	a-heat	9I 9BF	Vb-38b; IX-39; IX-79
Deyeuxia accedens		Poaceae	S		transient				VIIId-R35
Deyeuxia crassiuscula		Poaceae	R		transient				V-58
Deyeuxia decipiens		Poaceae	S r		soil			9KE	II-2; III-R41
Deyeuxia imbricata		Poaceae	S		transient			8CN	III-R41
Deyeuxia innominata	Deyeuxia sp. D	Poaceae	S						VIII-58
Deyeuxia monticola var. monticola		Poaceae	R		transient				V-58
Deyeuxia nudiflora		Poaceae	S					8CN	
Deyeuxia parviseta var. boormanii		Poaceae	S R		persistent soil			8CN	IXb-3
Deyeuxia quadriseta		Poaceae	R	Juveniles die				4W 9WO 9KE 4WA	V-38b&d; IX-67; IX-79
Deyeuxia talariata		Poaceae	S		transient				VIIId-R35; III-R41
Dianella caerulea		Phormiaceae	S R		transient	vertebrate		4F 4SA 9I 5K	IX-5; IV-8; IX-85; V-95c; V-96
Dianella caerulea var. assera		Phormiaceae	R						IX-39
Dianella caerulea var. caerulea		Phormiaceae	R						IX-3; V-38b; IX-39; IV-105
Dianella caerulea var. cinerascens		Phormiaceae	R						IX-39
Dianella caerulea var. producta		Phormiaceae	R		persistent soil				IXb-49

Daviesia mimosoides subsp. mimosoides	VSI	2	1						NC CC SC NT CT ST NWS CWS SWS SWP	F W	Spring
Daviesia squarrosa	SI	2	1						NC CC SC CT ST	W OF	Winter-Spring
Daviesia ulicifolia	VSI	2	1				55		NC CC SC NT CT ST NWS CWS SWS NWP SWP SFWP	W OF S	Winter
Daviesia umbellulata	SI	2	1						NC CC NT NWS	H DSF	Spring
Daviesia wyattiana	SI	2	1	>5			>50		NC SC ST	DSF	Spring
Dendrobium aemulum	DR	2	3						NC CC SC	RF SF swampy H riparian S	Winter
Dendrobium speciosum	VR	2	3						NC CC SC CT CWS	SF RF	Spring
Dendrobium striolatum	C	1	4						CC SC CT ST CWS	SF RF	Spring
Derwentia arcuata	C	1	4						NC NT NWS	W	Spring-Summer
Derwentia derwentiana subsp. derwentiana	VT	3	3	1			>10		SC NT ST NWS CWS SWS	OF	Summer
Derwentia perfoliata	G	1	4						SC CT ST NWS CWS SWS		Summer
Desmodium brachypodum	USI	2	1		<2				NC CC SC NT CT ST NWS CWS NWP SWP	SF	Spring-Autumn
Desmodium gunnii	VDI	2	2						NC CC SC NT CT ST NWS		
Desmodium rhytidophyllum	USI	2	1		0.5				NC CC SC	OF	all year
Desmodium varians	USI	2	1		<1				NC CC SC NT CT ST NWS CWS SWS NWP	grassy W OF RF	all year
Deyeuxia accedens	CT	1	3						NT ST	OF	Spring-Summer
Deyeuxia crassiuscula	VCT	3	3	1			>5		ST		Spring-Summer
Deyeuxia decipiens	GI	1	1				15		NC CC SC NT CT ST		Spring
Deyeuxia imbricata	C	1	4						NT CT NWS		Spring
Deyeuxia innominata	CT	1	3	1					NT CT ST		Spring-Summer
Deyeuxia monticola var. monticola	VCT	3	3	1			>5		SC NT CT ST	W G	Spring-Summer
Deyeuxia nudiflora	C	1	4						CC SC CT ST		Summer
Deyeuxia parviseta var. boormanii	G	1	4						SC NT CT ST	SF RF	Spring
Deyeuxia quadriseta	W	4	4		1				NC CC SC NT CT ST SWS SWP	Swamp	Spring-Summer
Deyeuxia talariata	CT	1	3								
Dianella caerulea	DT	3	3	1			30		NC CC SC NT CT NWS CWS		Spring-Summer
Dianella caerulea var. assera	V	4	4						NC CC NT CT	RF	Spring-Summer
Dianella caerulea var. caerulea	UI	2	1		0.5		>22		NC CC SC NT CT CWS	H SF	Spring-Summer
Dianella caerulea var. cinerascens	V	4	4						NC CC CT NWS CWS	SF	Spring-Summer
Dianella caerulea var. producta	VG	4	4						NC CC SC NT CT	RF WSF	Spring-Summer

Dianella caerulea var. vannata		Phormiaceae	R						IX-39
Dianella longifolia		Phormiaceae	R		persistent soil	a-vertebrate		9BN	IXb-49
Dianella longifolia var. longifolia	Dianella laevis	Phormiaceae	R			vertebrate			IV-105; IV-R42
Dianella revoluta		Phormiaceae	R			a-vertebrate		11C 9VE 9W 11H 11W 11MO 9BA 11P 8E 9BN 4PU 9T 9WO 11FO 11CH 9BL 9FO(1) 11WA	IX-11; V-38c; XI-40; IX-67; XI-78; IX-79; XI-83; IX-95a
Dianella revoluta var. revoluta		Phormiaceae	R						IX-3; IX-39; IX-60; IV 105
Dianella tasmanica		Phormiaceae	R						IV-3; V-38b&d; IX-67; IX-99
Dichelachne crinita		Poaceae	R			wind		9W 9MO 9BA	IX-11; XI-40; V-58; IX-79; IX-83; V-96
Dichelachne inaequiglumis		Poaceae	R						V-58; V-105
Dichelachne micrantha		Poaceae	R	Juveniles die		a-adhesion		9P	V-38d; IX-39; IX-67
Dichelachne rara		Poaceae	R			a-adhesion		4W 4WA	Vc-38b
Dichelachne sieberiana		Poaceae	R						V-38c; IV-105
Dichondra repens		Convolvulaceae	S r				heat	8I ~~8W~~ 8WA 9BB?	V-38d; VIII-58; VIII-78; IX-79; IV-105
Dichopogon strictus	Arthropodium strictum	Anthericaceae	S R					8WO 8W 11MO	XI-83
Dicksonia antarctica		Dicksoniaceae	R		transient	wind		9BM 5CT 7M	IX-15; IX-59
Dictymia browni		Polypodiaceae	S					8BM	VIII-39?
Digitaria diffusa		Poaceae	S			a-adhesion	smoke	8CE	
Digitaria divaricatissima		Poaceae	S					8CE	
Digitaria parviflora		Poaceae	R		persistent soil				IXb-49
Dillwynia acicularis		Fabaceae: Faboidea	S		persistent soil	a-ant	a-heat		II-66
Dillwynia brunioides	Pultenaea brunioides	Fabaceae: Faboidea	S		persistent soil	a-ant	a-heat		II-4; II-105
Dillwynia floribunda var. floribunda	Dillwynia floribunda	Fabaceae: Faboideae	S		persistent soil	a-ant	heat	2S 8B 8I 8A 2BW 2K 8BN 8KE	II-1; II-2; II-4; II-8; VIII-39; II-52; II-66; II-105
Dillwynia floribunda var. teretifolia		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat		II-49; II-66
Dillwynia glaberrima	Dillwynia glaberrima var. longipes, Dillwynia glaberrima var. pubescens	Fabaceae: Faboideae	S R		persistent soil	a-ant	heat	2S 5W 9WO 8MO 9E 8BN 9BN 5BF	II-8; VIII-37; IV-38b; II-38c; VIII&IX-39; II-66; VIII-83; II-105

Dianella caerulea var. vannata	V	4	4						NC CC CT	SF RF	Spring-Summer
Dianella longifolia	VD	4	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	SF	Spring-Summer
Dianella longifolia var. longifolia	UD	4	3		0.5		>22		NC CC SC NT CT ST NWS CWS SWS NWP	SF W	Spring-Summer
Dianella revoluta	UGR	2	3		1-2				NC CC SC NT CT ST NWS CWS SWS NWP SWP SFWP	SF W Mallee	Spring-Summer
Dianella revoluta var. revoluta	V	4	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP SFWP	SF W Mallee	Spring-Summer
Dianella tasmanica	V	4	4		>2				NC CC SC NT CT ST CWS	SF	Summer
Dichelachne crinita	UCT	3	3	1	<1		10		NC CC SC NT CT ST NWS CWS SWS LHI	G W	Spring
Dichelachne inaequiglumis	VT	3	3	1					NC CC SC NT CT ST SWS SWP	W	Summer
Dichelachne micrantha	WC	4	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP LHI	DSF WSF	Spring-Summer
Dichelachne rara	UD	4	3		1				NC CC SC NT CT ST CWS SWP	W	Summer
Dichelachne sieberiana	A	5	5						CC SC NT CT ST NWS	W	Summer
Dichondra repens	ST	3	3	1-2			>52		NC CC SC NT CT ST NWS CWS SWS SWP	F W RFG	Spring-Summer
Dichopogon strictus	CT	1	3						CC NT CT ST NWS CWS SWS NFWP SFWP	F W	Spring-Summer
Dicksonia antarctica	VDT	3	3				515		NC CC SC NT CT ST CWS	RF (cooler) WSF	
Dictymia browni	C	1	4						NC CC CT ST	RF	
Digitaria diffusa	G	1	4						NC CC SC CT NWS CWS SWS NWP	OW	Summer
Digitaria divaricatissima	G	1	4						NC CC NT NWS CWS SWS NWP SWP NFWP SFWP	G	Summer
Digitaria parviflora	VG	4	4						NC CC SC	W	Summer
Dillwynia acicularis	SI	2	1						CC CT ST CWS	DSF	
Dillwynia brunioides	SI	2	1	7					SC CT ST	DSF H	
Dillwynia floribunda var. floribunda	SI	2	1	2-6			60		NC CC SC	H OW	
Dillwynia floribunda var. teretifolia	SI	2	1	7					CC CT	W H	
Dillwynia glaberrima	SI	2	1	5	2				NC CC SC	H S W OF	

Dillwynia hispida		Fabaceae: Faboideae	R s		persistent soil	a-ant	heat	8VE 9C 9WO 9CH	Vb-33; V-38c; VIII&IX-78
Dillwynia juniperina		Fabaceae: Faboideae	S		persistent soil	ant	a-heat		II-R35
Dillwynia phylicoides	Dillwynia retorta subsp. B, Dillwynia retorta subsp. E	Fabaceae: Faboideae	S r		persistent soil	a-ant	a-heat		II-3; IXb-5; II-49; II-69; IX-100
Dillwynia prostrata		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8CE	II-38d; VIII-R41
Dillwynia ramosissima		Fabaceae: Faboideae	S R		persistent soil	a-ant	heat	8I	IXb-4
Dillwynia retorta		Fabaceae: Faboideae	S	better recruitment after autumn burn cf spring	persistent soil	ant	heat	2F 2S 8BE 8A 8P 2BW 2K 2PU 8PU 9BG	II-1; II-4; II-8; VIII-35; VIII&IX-39; II-52; VIII-57; II-66; VIII-91; II-99; II-105
Dillwynia sericea	Dillwynia sericea subsp. A , Dillwynia sericea subsp. B, Dillwynia rudis	Fabaceae: Faboideae	S r		persistent soil	a-ant	heat	8I 9WO 5W 9E 8CH 8M	b-1; VIII-37; II-38c; VIII&IX-39; II-49; II-66; VIII-78; II-100
Dillwynia sieberi	Dillwynia juniperina Sieber ex Benth.	Fabaceae: Faboideae	S		persistent soil	ant	a-heat	2BF	II-100
Dillwynia stipulifera		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat	5BF	
Dillwynia tenuifolia		Fabaceae: Faboideae	S	May be a weak resprouter, expect most plants to be killed by mod-high intensity fire	persistent soil	a-ant	a-heat	2BF	II-66; II-71
Diplarrena moraea		Iridaceae	R					11M	IX-59
Diplaspis hydrocotyle		Apiaceae	R						V-58
Dipodium hamiltonianum		Orchidaceae	R					9CE	XI-R39
Dipodium punctatum		Orchidaceae	R					5F ~~11W~~ 11WA	IV-38b; IX-39
Dipodium variegatum		Orchidaceae	R					9CE	
Dipogon lignosus		Fabaceae	S					8BF	
Discaria nitida		Rhamnaceae	R				a-heat	9CE	
Discaria pubescens		Rhamnaceae	R		persistent soil		a-heat	9CE	II-100?; IX-R38; IX-R42
Dissocarpus paradoxus	Sclerolaena paradoxa, Bassia paradoxa	Chenopodiaceae	S						VIII-78
Dittrichia graveolens		Asteraceae	S						VIII-78
Diuris brevissima		Orchidaceae	R					9CE	
Diuris corymbosa		Orchidaceae	R		persistent soil				Vb-38c
Diuris flavescens		Orchidaceae	R						IV-R36
Diuris lanceolata		Orchidaceae	R		persistent soil				Vb-38c
Diuris longifolia		Orchidaceae	R					11WJ 9BA 9V 9BU	
Diuris maculata		Orchidaceae	R					5W 11P 5PU	
Diuris pauciflora		Orchidaceae	R					11WJ	

Dillwynia hispida	VSI	2	1						CWS SWP	Mallee	
Dillwynia juniperina	SI	2	1						CT CWS SWS	DSF	
Dillwynia phylicoides	SI	2	1				>50		NC CC NT CT ST NWS CWS SWS	DSW DSF	
Dillwynia prostrata	SI	2	1						ST SWS	H DSW	
Dillwynia ramosissima	SI	2	1						NC CC SC CT ST	H W DSF	
Dillwynia retorta	SI	2	1	2-5		5	55		NC CC SC CT NWS	W H DSF	
Dillwynia sericea	SI	2	1		2		>52		CC SC NT CT ST NWS CWS SWS NWP SWP	H W DSF	
Dillwynia sieberi	SI	2	1				55		NC CC SC NT CT ST NWS CWS SWS	W DSF	
Dillwynia stipulifera	VSI	2	1		3		>45	Rotap 3RCa	CT ST	swamp H	
Dillwynia tenuifolia	SI	2	1	3-4			60	TSC Endangered Population (Kemps Creek), Rotap 2RCa	NC CC CT ST	W OF	Spring
Diplarrena moraea	UR	2	3		<2				SC ST	H SF	Spring-Summer
Diplaspis hydrocotyle	VT	3	3	1			>10		ST	Herbfield Bog	Summer
Dipodium hamiltonianum	VT	3	3						NT CT ST NWS CWS SWS	DSF (Euc &/or Callitris)	Spring-Summer
Dipodium punctatum	A	5	5		1				NC CC SC NT CT ST NWS CWS SWS	WSF DSW	Summer-Autumn
Dipodium variegatum	V	4	4						NC CC SC NT CT ST NWS CWS	WSF H	Spring-Summer
Dipogon lignosus	E	5	5						Exotic		
Discaria nitida	VSI	2	1					TSC V, Rotap 3RC-	ST		
Discaria pubescens	VSI	2	1				90	Rotap 3RCa	NC NT CT ST NWS CWS	W F	Spring
Dissocarpus paradoxus	A	5	5						NWP SWP NFWP SFWP	W Mallee Saltbush Bluebush	
Dittrichia graveolens	E	5	5						Exotic		
Diuris brevissima	V	4	4						CT	SF	Spring
Diuris corymbosa	WGT	3	3						SC	SF	Spring
Diuris flavescens	V	4	4					TSC E, Rotap 2K	NC	TSF	Spring
Diuris lanceolata	WG	4	4						NC CC NT CT ST SWP	SF H	Spring-Summer
Diuris longifolia	UR	2	3		1				SC		
Diuris maculata	U	4	4		1				NC CC SC CT	F H	Spring
Diuris pauciflora	VR	2	3						CWS		

Diuris punctata var. punctata		Orchidaceae	R					9CE	IX-R39
Diuris sulphurea	Diuris latifolia	Orchidaceae	R	Juveniles die	persistent soil			11M	Vb-38c
Diuris venosa		Orchidaceae	R						IV-R36
Dodonaea boroniifolia		Sapindaceae	R		persistent soil		a-heat		IX-74?, IX-100?
Dodonaea falcata	Dodonaea filifolia	Sapindaceae	R				a-heat	9FO(1)	
Dodonaea heteromorpha	Dodonaea truncatiales var. heterophylla	Sapindaceae	S				a-heat	8CE	VIII-R41
Dodonaea hirsuta		Sapindaceae	S		persistent soil	wind	heat		II-69; II-100
Dodonaea lobulata		Sapindaceae	R				a-heat	9FO(1)	
Dodonaea multijuga		Sapindaceae	S		persistent soil		a-heat		II-R35
Dodonaea procumbens		Sapindaceae	S		persistent soil		a-heat	8CE	II-R37
Dodonaea rhombifolia		Sapindaceae	S				a-heat		VIII-74
Dodonaea triquetra		Sapindaceae	S		persistent soil	a-ant	heat	2F 8M	VIII-38a; VIII-39; II-96; IX-100; II-105
Dodonaea truncatiales		Sapindaceae	S				a-heat	8CE	VIII-R41
Dodonaea viscosa		Sapindaceae	S R	Mortality 60% shrubs <0.5m tall, 28% >0.5m tall			a-heat	8M 5HG 8CH 9FO(1)	
Dodonaea viscosa subsp. angustissima	Dodonaea angustissima, Dodonaea attenuata	Sapindaceae	S		persistent soil		a-heat	8HG 8FO(1) 8PL	
Dodonaea viscosa subsp. cuneata	Dodonaea cuneata	Sapindaceae	R		persistent soil		a-heat		Vb-38c
Dodonaea viscosa subsp. spatulata	Dodonaea viscosa var. arborescens	Sapindaceae	S				heat		VIII-78
Dodonaea viscosa subsp. viscosa		Sapindaceae	S				a-heat		VIII-78; IX-100
Doodia aspera		Blechnaceae	R		transient?	wind			IX-39; IX-98; IV-105
Doryanthes excelsa		Doryanthaceae	R		transient	passive	heat-sensitive		VII-106
Doryphora sassafras		Monimiaceae	R			a-wind			IX-39
Drabastrum alpestre		Brassicaceae	S		transient			8CE	III-R38; III-R41
Dracophyllum secundum		Epacridaceae	S r		persistent soil	water & wind		9I 8BB	II-4
Drosera arctur		Droseraceae	R		transient				IV-59; IV-61
Drosera auriculata		Droseraceae	R s	Juveniles die	persistent soil			11W 2E 8WO 9M	V-38b&c; VIII&IX-39; II-66; IX-67
Drosera binata		Droseraceae	R		transient			9KE 5BB	IX-2; IX-5; IX-39; IV-59
Drosera glanduligera		Droseraceae	R s		transient		heat & smoke	11W 8WJ 9BA 9WO 9BU 8BB?	VIII-38c

Diuris punctata var. punctata	VT	3	3						NC CC SC NT CT ST NWS CWS	H G SF	Spring
Diuris sulphurea	WGR	2	3		2				NC CC SC NT CT ST NWS CWS SWS SWP	SF H	Spring
Diuris venosa	V	4	4					TSC V, ESP V, Rotap 2VC-	NT		Spring-Summer
Dodonaea boroniifolia	VSI	2	1						NC CC SC NT CT ST NWS CWS SWS NWP SWP	DSF W H	
Dodonaea falcata	VSI	2	1						NC CC NT NWS NWP	DSF	
Dodonaea heteromorpha	SI	2	1						CT NWS CWS NWP SWP	Mallee OW	
Dodonaea hirsuta	SI	2	1			5	40	Rotap 3RC-	NC NT NWS	DSF W H	
Dodonaea lobulata	VSI	2	1						CWS NWP SWP NFWP SFWP	OW S	
Dodonaea multijuga	SI	2	1						NC CC SC CT ST	DSF	
Dodonaea procumbens	SI	2	1					TSC V, ESP V, Rotap 3VC-	ST	OW	
Dodonaea rhombifolia	SI	2	1					Rotap 3RCa	NC SC NT ST NWS	S	
Dodonaea triquetra	SI	2	1	3-6			>55		NC CC SC NT CT NWS CWS	DSF WSF	
Dodonaea truncatiales	SI	2	1						NC CC SC CT CWS	DSF	
Dodonaea viscosa	SI	2	1	3					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	OF W S	
Dodonaea viscosa subsp. angustissima	SI	2	1						NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	OF W S	
Dodonaea viscosa subsp. cuneata	WSI	2	1						NC CC CT CWS SWS NWP SWP NFWP	Mallee OF	
Dodonaea viscosa subsp. spatulata	SI	2	1						NC CC NT CT ST NWS CWS SWS NWP SWP NFWP	OF Mallee	
Dodonaea viscosa subsp. viscosa	SI	2	1						NC	OF W S	
Doodia aspera	VCT	3	3						NC CC SC NT CT ST NWS CWS LHI	TOF RF-margins	
Doryanthes excelsa	U	4	4		2				NC CC	DSF W	Winter-Spring
Doryphora sassafras	V	4	4				60		NC CC SC NT CT ST CWS	RF (ST CT WT)	Spring
Drabastrum alpestre	CT	1	3				10	Rotap 3RC-	CT ST		
Dracophyllum secundum	GI	1	1	3			35		CC SC CT ST	S RF	Spring
Drosera arctur	UCI	2	1		<2				ST	wet H Bog	Spring-Summer
Drosera auriculata	UGT	3	3		1		110		NC CC SC CT ST NWS CWS SWS	W OW G	Spring-Summer
Drosera binata	UCI	2	1		0.5		100		NC CC SC NT CT ST	Swamp	Spring-Summer
Drosera glanduligera	A	5	5	1	1				CC SC NWS CWS SWS SWP	W G Swamp	Winter-Spring

Drosera peltata		Droseraceae	R s		transient			11W 9K ~~8W~~ 8WO 9KE 11WA	IX-1; IXd-2; IX-4; IXd 7; IVd-8; VIIId-38c; VIII&IX-39; XI-40; V-52; V-58; II-66; IV-105
Drosera pygmaea		Droseraceae	R s		transient			8WO 9M 11W 5K 9KE 9BG	IX-1; IXd-7; VIII-38c; VIII&IX-39; IXd-59; II-105
Drosera spatulata		Droseraceae	R s		soil	wind?		~~2BW~~ 2E 9KE	IX-1; IXd-2; IXd-5; IVd-8; VIII-38c; VIII&IX-39; V-52; IX-91; IV-105
Drymophila cyanocarpa		Luzuriaceae	S R						V-38d; VIII-59
Drymophila moore		Luzuriaceae	R						IV-108
Drypetes deplanchei subsp. deplanchei	Drypetes australasica, Drypetes lasiogyna var. australasica	Euphorbiaceae	R						IX-63
Duboisia hopwoodi		Solanaceae	R					~~9FO(1)~~ 9PL	
Duboisia myoporoides		Solanaceae	R					9BN	IX-39?
Duchesnea indica		Rosaceae	R			bird			IX-1a
Durringtonia paludosa		Rubiaceae	R						IX-70
Dysoxylum fraserianum		Meliaceae	R		transient?			5BD	
Dysphania kalpar		Chenopodiaceae	R					9PL	
Echinopogon caespitosus var. caespitosus		Poaceae	R			a-adhesion			V-38a; V-105
Echinopogon ovatus		Poaceae	S R		persistent soil	a-adhesion		~~8W~~ 4WJ 8WA	VIII-38; IXb-49
Echium plantagineum	Echium lycopsis	Boraginaceae	S					8C	
Ehretia acuminata var. acuminata		Boraginaceae	S	Can resprout after low intensity fire but not after high intensity	transient	bird?			III&IX-R35
Ehrharta calycina		Poaceae	R					9MO	
Ehrharta erecta		Poaceae	R					9MO	
Ehrharta longiflora		Poaceae	S					8MO	VIII-38d
Elaeocarpus holopetalus		Elaeocarpaceae	R			bird		5M	VIII-74?
Elaeocarpus kirtoni		Elaeocarpaceae	S			bird?			VIII-1
Elaeocarpus reticulatus		Elaeocarpaceae	R s	Seedlings probably killed	transient	bird		9I 8CT 5BB 5M	III-38b; VIII&IX-39
Elaeocarpus sp. 'Rocky Creek'	Elaeocarpus sp. 'Minyon'	Elaeocarpaceae	S	Expected that large individuals could survive fire (bark becomes thick), smaller plants susceptible		a-vertebrate			VIII-89; VIII&IX-R6
Eleocharis sphacelata		Cyperaceae	R					9KE	IV-2; IX-39

Drosera peltata	UCT	3	3	1-4	1-2		100		NC CC SC NT CT ST NWS CWS SWS NWP SWP	H OW	Spring-Summer
Drosera pygmaea	UCT	3	3	1	1		25		NC CC SC CT	Swamp H	Winter-Summer
Drosera spatulata	UCI	2	1		1		25		NC CC SC CT	H Swamp	Spring-Summer
Drymophila cyanocarpa	G	1	4						ST	RF (CT) moist SF	Spring
Drymophila moore	V	4	4						NC NT	RF WSF	Spring
Drypetes deplanchei subsp. deplanchei	V	4	4						NC LHI	RF	Summer-Autumn
Duboisia hopwoodi	VI	2	1						NWP NFWP SFWP	Mallee W	Winter-Summer
Duboisia myoporoides	V	4	4						NC CC SC NT	RF-margins	Winter-Spring
Duchesnea indica	E	5	5		0.5				Exotic		
Durringtonia paludosa	V	4	4						NC	closed-Sedgeland Swamp	Spring-Summer
Dysoxylum fraserianum	VCT	3	3				60		NC CWS	RF (ST Dry)	
Dysphania kalpar	A	5	5						NWP NFWP	Mulga	
Echinopogon caespitosus var. caespitosus	V	4	4		0.5		>22		NC CC SC NT CT ST NWS CWS SWS	F G	Spring-Summer
Echinopogon ovatus	GT	1	3	1					NC CC SC NT CT ST NWS CWS SWS SWP LHI	WSW	Spring
Echium plantagineum	E	5	5						Exotic		
Ehretia acuminata var. acuminata	DT	3	3		<2				NC CC SC NT CT CWS	RF	Spring-Summer
Ehrharta calycina	E	5	5						Exotic		
Ehrharta erecta	E	5	5						Exotic		
Ehrharta longiflora	E	5	5	1					Exotic		
Elaeocarpus holopetalus	VDT	3	3				>100		SC NT CT ST	RF RF-margins	
Elaeocarpus kirtoni	DR	2	3				>100		NC CC SC NT CT	RF (ST WT)	Summer-Autumn
Elaeocarpus reticulatus	VDT	3	3	3					NC CC SC NT CT ST CWS	TOF RF	Summer
Elaeocarpus sp. 'Rocky Creek'	D	4	4			50		TSC E, ESP E, Rotap 2E	NC		Summer
Eleocharis sphacelata	U	4	4		<2		100		NC CC SC NT CT ST SWS NWP SWP SFWP		

Elymus scaber var. scaber		Poaceae	R			a-adhesion			V-38b; IX-79
Empodisma minus		Restionaceae	R					11W 9I 9KP 9WO 9KE	IV-2; IV-4; IV-5; IV-8; IV-38c; IV-52; V-58; IV-59; IV-61; IX-94; IV-105
Enchylaena tomentosa		Chenopodiaceae	S				smoke	8HS ~~8FO(1)~~ 8PL	VIII-39
Endiandra discolor		Lauraceae	S			bird?		8BD	
Endiandra hayesii		Lauraceae	S		transient	bird			III-89
Endiandra sieber		Lauraceae	R			bird?		7F 9I 5BD	IX-39
Enneapogon avenaceus		Poaceae	S						VIII-78
Enneapogon gracilis		Poaceae	R					9CE	
Enteropogon acicularis	Chloris acicularis	Poaceae	R					9PL	
Entolasia marginata	Panicium marginatum	Poaceae	R		persistent soil			9M	IXb-49; IV-105
Entolasia stricta		Poaceae	R		persistent soil		heat	4BW 9I 5K 9KE	IXb-2; IX-5; IVb-7; IV 8; V-38a; IX-39; IV-52; IVb-105
Epacris breviflora		Epacridaceae	R						V-58; IX-100
Epacris celata		Epacridaceae	R						V-58
Epacris crassifolia subsp. crassifolia		Epacridaceae	S		persistent soil			2BB	
Epacris glacialis		Epacridaceae	S R					8CE	V-58
Epacris gunnii		Epacridaceae	R						V-58
Epacris hamiltonii		Epacridaceae	R		persistent soil	local	heat & smoke		IV&V-R17
Epacris impressa		Epacridaceae	S R		persistent soil		heat & smoke	8WO 8VE 8W 8C 2E 8CH 8WA 9G 9M 9CL 9MO	IX-37; Vb-38b; IXb-59; IXb-67; VIII-78; IX-83
Epacris lanuginosa		Epacridaceae	R		persistent soil			9KP	IXb-59
Epacris longiflora		Epacridaceae	S		persistent soil			2S 2BB	
Epacris microphylla var. microphylla		Epacridaceae	S r		persistent soil		heat & smoke	2S ~~5F~~ 8I 2K 8KE 9BG 2BB	II-2; II-3; II-4; IXb-5; II-8; VIII&IX-39; II-46; II-66; V-77; VIII-91
Epacris obtusifolia		Epacridaceae	S r		persistent soil		heat	2S 8I 2BW 2K 8KE 8BB	II-2; II-5; II-8; IXb-9; VIII-39; II-100; II-105
Epacris paludosa		Epacridaceae	R s		persistent soil			8I 9KE	IX-1; IXb-2; V-58
Epacris pulchella		Epacridaceae	S		persistent soil		heat & smoke	2S 8BE 2BW 8BB	II-8; VIII-39; II-66
Epacris purpurascens var. purpurascens		Epacridaceae	S		persistent soil			8BB	II-49
Epacris rigida		Epacridaceae	S		persistent soil			9BB?	II-4
Epacris robusta		Epacridaceae	S		persistent soil				II-R35

Elymus scaber var. scaber	U	4	4		<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP LHI	G pasture OF	Winter-Summer
Empodisma minus	UT	3	3	1	2		>15		NC CC SC NT CT ST	Bog Swamp H	Summer
Enchylaena tomentosa	CI	1	1						NC CC SC NWS CWS NWP SWP NFWP SFWP	H	
Endiandra discolor	D	4	4				60		NC CC	RF	Autumn
Endiandra hayesii	D	4	4	>10				TSC V, ESP V, Rotap 3VC-	NC	RF (ST)	Spring
Endiandra sieber	VD	4	4				60		NC CC SC	RF OF	Autumn-Winter
Enneapogon avenaceus	A	5	5						CC NWP SWP NFWP SFWP	OW Mallee	after rain
Enneapogon gracilis	A	5	5						NC CC CT ST NWS CWS NWP	OF W	Spring-Summer
Enteropogon acicularis	V	4	4						NC CC NWS CWS SWS NWP SWP NFWP SFWP	various	Summer
Entolasia marginata	VG	4	4				>32		NC CC SC NT CT ST CWS	S	all year
Entolasia stricta	VG	4	4		0.5		110		NC CC SC NT CT ST NWS CWS	S	all year
Epacris breviflora	VT	3	3	5			>50		NC NT CT ST SWS	Swamp	all year
Epacris celata	VT	3	3	5			>50		ST		
Epacris crassifolia subsp. crassifolia	G	1	4						CC CT ST CWS	H	Spring-Summer
Epacris glacialis	GT	1	3	5			>60		ST		Summer
Epacris gunnii	VT	3	3	5			>50		CC NT CT ST		
Epacris hamiltonii	VGI	2	1		4	15-20	>25	TSC E, ESP E, Rotap 2ECi	CT	RF S	Winter-Spring
Epacris impressa	GT	1	3	2					SC CT ST	SF W S H	all year
Epacris lanuginosa	VGI	2	1						ST		
Epacris longiflora	G	1	4				30		NC CC NT CT	H DSF W	all year
Epacris microphylla var. microphylla	GI	1	1	2-5			>35		NC CC SC NT CT ST NWS SWS	H DSF	Winter-Spring
Epacris obtusifolia	GI	1	1	3			35		NC CC SC NT CT ST	H	Winter-Summer
Epacris paludosa	UGT	3	3	4-5	1		70		CC SC CT ST	Swamp F H Bog	Spring-Summer
Epacris pulchella	GI	1	1	3-6			>32		NC CC SC NT CT ST	W H S DSF	Summer-Autumn
Epacris purpurascens var. purpurascens	G	1	4				30	TSC V, Rotap 2KC-	CC	Swamp SF S	Winter
Epacris rigida	GI	1	1	3			35		CC CT	OH	Spring
Epacris robusta	GI	1	1						CT ST	H	Spring

Epilobium billardiereanum subsp. cinereum		Onagraceae	R			wind		5P	IX-1
Epilobium gunnianum		Onagraceae	S R		transient	wide			Vd-58; VIII-74
Epilobium pallidiflorum		Onagraceae	S		transient	wide			VIII-38d; III-R35
Eragrostis benthami		Poaceae	R						IX-74?; V-105
Eragrostis brownii		Poaceae	R				smoke	9MO	IX-39; IX-83
Eragrostis eriopoda		Poaceae	S						VIII-78
Eragrostis falcata		Poaceae	S					8CN	
Eragrostis trachycarpa		Poaceae	S					8CE	
Erechtites valerianifolia		Asteraceae	S					8BX	
Eremophila debilis	Myoporum debile	Myoporaceae	R						V-1
Eremophila deserti	Myoporum deserti	Myoporaceae	R	Mortality 15% shrubs <1m tall, 50% >1m tall				~~8HG~~ 5HG	
Eremophila duttonii		Myoporaceae	R					9PL	
Eremophila freelingi		Myoporaceae	S R					8FO(1) 9PL	
Eremophila gilesii		Myoporaceae	S R	Mortality 100% shrubs <1m tall, 63% >1m tall	persistent soil			2HG 9PL	
Eremophila glabra		Myoporaceae	R s					9CH	VIII&IX-78
Eremophila goodwini		Myoporaceae	R					9PL	
Eremophila latrobei		Myoporaceae	R s	Mortality 100% shrubs <1m tall, 62% >1m tall				8HG 11WI 9PL	
Eremophila longifolia		Myoporaceae	R					5HG 9FO(1) 9PL	
Eremophila maculata		Myoporaceae	S	Usually avoids fire				8FO(1)	
Eremophila mitchelli		Myoporaceae	R					~~8HG~~ 5HG	
Eremophila sturtii		Myoporaceae	R					5HG 9PL	
Eriachne glabrata		Poaceae	R					9KE	IX-2
Erigeron bellidioides	Erigeron pappocromus var. gunnii, Erigeron pappocromus Form C	Asteraceae	R		transient	wide			Vd-58
Erigeron karvinskianus		Asteraceae	R					9BX	
Eriochilus cucullatus		Orchidaceae	R		transient	wide		11W 11WA	V-58; IXd-59
Eriostemon australasius	Eriostemon australasius subsp. australasius	Rutaceae	S r	better recruitment after spring burn cf autumn	persistent soil	explosive capsule & a-ant	heat & smoke	2F 9BW 8BE 2K 9BG	II-8; VIII&IX-39; II-52
Erodium crinitum		Geraniaceae	S R		persistent soil	vertebrate	a-heat		IX-40; VIII-78
Eryngium vesiculosum		Apiaceae	R						IX-79

Epilobium billardiereanum subsp. cinereum	U	4	4		1				NC CC SC NT CT ST NWS CWS SWS SWP LHI	OF W G	Spring-Summer
Epilobium gunnianum	DT	3	3	1			>10		CC NT CT ST	W Sedgeland	Summer
Epilobium pallidiflorum	DI	2	2						CC SC CT ST	Swamp	Spring-Summer
Eragrostis benthami	U	4	4		0.5		>22		CC SC NT CT ST NWS CWS	W	Summer
Eragrostis brownii	V	4	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W	Summer
Eragrostis eriopoda	C	1	4						NWP SWP NFWP SFWP	OW Mulga BimbleBox	after rain
Eragrostis falcata	C	1	4						CWS NWP NFWP SFWP		after rain
Eragrostis trachycarpa	C	1	4						NC CC SC NT CT ST	W	Summer
Erechtites valerianifolia	E	5	5						Exotic		
Eremophila debilis	V	4	4						NC CC NT CT ST NWS CWS SWS NWP SWP	grassy-W Callitris-W	Spring-Summer
Eremophila deserti	V	4	4						NC CC NWS CWS SWS NWP SWP NFWP SFWP		Winter-Spring
Eremophila duttonii	V	4	4						NWP NFWP SFWP	Mulga Belah Bimble-Box	Winter-Spring
Eremophila freelingi	G	1	4						NFWP	Mulga	Winter-Summer
Eremophila gilesii	G	1	4						NWP NFWP	Mulga	Spring
Eremophila glabra	V	4	4						NWS NWP SWP NFWP SFWP	Mallee Bimble-Box	Winter-Summer
Eremophila goodwini	V	4	4						CWS NWP NFWP	W	Spring-Summer
Eremophila latrobei	VR	2	3						NWP NFWP	Bimle-Box Mulga	Winter-Summer
Eremophila longifolia	V	4	4						NWS CWS SWS NWP SWP NFWP SFWP	W Mallee	all year
Eremophila maculata	G	1	4						NWP SWP NFWP SFWP	G Saltbush Mulga BlackBox	all year
Eremophila mitchelli	VR	2	3						NWS CWS NWP SWP NFWP	W	Spring
Eremophila sturtii	V	4	4						NWP SWP NFWP SFWP	Mallee Mulga Bimble-Box	Spring-Summer
Eriachne glabrata	VI	2	1				100		NC CC	wet H Melaleuca Swamp	Summer
Erigeron bellidioides	VDT	3	3	1			>10		SC NT ST		Spring-Summer
Erigeron karvinskianus	E	5	5						Exotic		
Eriochilus cucullatus	UDT	3	3	2	1		>15		NC CC SC NT CT ST NWS CWS SWS	SF W OH G	Summer-Autumn
Eriostemon australasius	GI	1	1	4					NC CC SC NT CT	DSF H	Spring
Erodium crinitum	A	5	5	<1					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	OF OW G Saltbush	all year
Eryngium vesiculosum	U	4	4		<1		10		NT CT ST NWS SWS	G Swamp	Summer

Erythrina vespertilio		Fabaceae: Faboideae	S		persistent soil		heat	8PL	
Eucalyptus acaciiformis		Myrtaceae	R		canopy				IXa-5
Eucalyptus acmenoides		Myrtaceae	R		canopy - transient			5SA	V&VIa-1; IX-39; IX-95a; IX-98
Eucalyptus agglomerata		Myrtaceae	R		canopy - transient	wind		9M	VIa-1; V&VIa-38d
Eucalyptus aggregata		Myrtaceae	R		canopy - transient	wind			VIa-1; V-R37
Eucalyptus amplifolia subsp. amplifolia		Myrtaceae	R		canopy	wind			VI-1; IX-39
Eucalyptus ancophila		Myrtaceae	R		canopy				VIa-R36
Eucalyptus apiculata		Myrtaceae	R	Stems killed	canopy - transient	wind			Va-1
Eucalyptus badjensis		Myrtaceae	R						IX-R35
Eucalyptus baeuerlenii		Myrtaceae	R		canopy - transient	wind			V-1?; IX-R35
Eucalyptus baueriana		Myrtaceae	R		canopy	wind			VI-1; IX-R35
Eucalyptus baxteri		Myrtaceae	R		canopy			6G 9VE 5W 9WO 9E 11CH 5WA	VI-38c; IX-78
Eucalyptus behriana		Myrtaceae	R		canopy			11CH	XI-78
Eucalyptus bensoni		Myrtaceae	R		canopy	wind			V-1
Eucalyptus benthamii		Myrtaceae	R s	May be killed by high intensity fire; Stems <20cm dbh may be killed, stems >10-20cm dbh may epicormic; High intensity fire may result in death after attempting to produce epicormic shoots; If weakened at the base by fire trees may collapse and regrow as a coppice stem	canopy - transient	wind			V&VIa-1; V&VI-76
Eucalyptus beyeriana	Eucalyptus beyeri, Eucalyptus panda subsp. illaquens	Myrtaceae	R		canopy	wind			VI-1
Eucalyptus bicostata	Eucalyptus globulus subsp. bicostata	Myrtaceae	R		canopy	wind		~~9W~~ 5&6WA	IX-1
Eucalyptus blakely		Myrtaceae	R		canopy - transient	wind			VIa-1
Eucalyptus blaxlandi		Myrtaceae	R		canopy - transient	wind			VIa-1
Eucalyptus bosistoana		Myrtaceae	R		canopy	wind			VI-1; V&VIa-38
Eucalyptus botryoides		Myrtaceae	R		canopy	wind		9I 9MO	V&VI-1; V&VIa-38b; V&VI-105
Eucalyptus bridgesiana		Myrtaceae	R	Seedling mortality high	canopy	wind			VI-1
Eucalyptus brunnea		Myrtaceae	R						IX-95a
Eucalyptus burgessiana		Myrtaceae	R	Stems killed	canopy	wind			V-1
Eucalyptus caleyi subsp. ovendenii		Myrtaceae	R		canopy	wind			V&VI-69
Eucalyptus calycogona		Myrtaceae	R		canopy			9C 9T	IX-78

Erythrina vespertilio	SI	2	1						NC	RF	Spring-Summer
Eucalyptus acaciiformis	VCI	2	1						NT	SW	
Eucalyptus acmenoides	VC	4	4				>100		NC CC NT	WSF WSW	
Eucalyptus agglomerata	VC	4	4				>100		NC CC SC CT ST CWS	WSF OF	
Eucalyptus aggregata	VCT	3	3				>100		CT ST	grassy-W	
Eucalyptus amplifolia subsp. amplifolia	VCT	3	3				>100		NC CC SC CT ST	grassy-W	
Eucalyptus ancophila	VC	4	4					Rotap 2K	NC	TF	
Eucalyptus apiculata	VC	4	4				100	Rotap 3RC-	CC CT	Mallee-S	
Eucalyptus badjensis	VCI	2	1					Rotap 2RCi	ST	TOF	
Eucalyptus baeuerlenii	VCI	2	1				>100	Rotap 3RCa	SC CT ST	TOF WSF RFmargins	
Eucalyptus baueriana	VCI	2	1				>200		CC SC	floodplain-F gallery W	
Eucalyptus baxteri	VCI	2	1		2				SC	WSF	
Eucalyptus behriana	VCR	2	3						CWS	Mallee	
Eucalyptus bensoni	VC	4	4					Rotap 2RC-I	CT	H mallee	
Eucalyptus benthamii	VC	4	4	6-10		>15	>250	TSC V, ESP V, Rotap 2VCi	CC	TOF	Autumn
Eucalyptus beyeriana	VC	4	4						NC CC SC CT NWS CWS	SW	
Eucalyptus bicostata	VCI	2	1	7	7				NC CT ST CWS SWS	TOF	
Eucalyptus blakely	VC	4	4				>100		NT CT ST NWS CWS SWS NWP	grassy-W	
Eucalyptus blaxlandi	VC	4	4				>100		SC CT ST	WSF DSF W	
Eucalyptus bosistoana	VC	4	4				>100		CC SC CT ST	TOF	
Eucalyptus botryoides	VCI	2	1	5			600		NC CC SC	OF W WSF	
Eucalyptus bridgesiana	VCI	2	1				200		NC NT CT ST NWS CWS SWS	grassy-W	
Eucalyptus brunnea	VC	4	4						NC NT	WSF DSF	
Eucalyptus burgessiana	VC	4	4				100	Rotap 2RCa	CC CT	Mallee-S	
Eucalyptus caleyi subsp. ovendenii	VC	4	4					TSC V, ESP V, Rotap 2V	NWS	grassy-W	
Eucalyptus calycogona	VC	4	4						SWP SFWP	Mallee	

Eucalyptus camaldulensis	Eucalyptus rostrata	Myrtaceae	R	Southern provenances lack lignotuber, but still able to coppice; Habitat usually evades fire, if burnt may die or produce epicormic shoots	canopy			9T 6&8FO(1) 9PL	V&VIa-38b; IX-44
Eucalyptus camfieldii		Myrtaceae	R		canopy - transient	wind		6S	Va-1
Eucalyptus campanulata	Eucalyptus andrewsii subsp. campanulata	Myrtaceae	R		canopy				IXa-5
Eucalyptus cannonii	Eucalyptus macrohyncha subsp. cannonii	Myrtaceae	R		canopy	wind			VI-1
Eucalyptus capitellata		Myrtaceae	R		canopy - transien	wind			VIa-1; IX-39
Eucalyptus cinerea		Myrtaceae	R		canopy	wind		9CE	
Eucalyptus consideniana		Myrtaceae	R		canopy - transient	wind		9M	VIa-1; V&Via-38b; V-105
Eucalyptus conspicua		Myrtaceae	R						IX-R35
Eucalyptus corticosa	Eucalyptus aromaphloia	Myrtaceae	R		canopy	wind		5&6W 5&6WA	
Eucalyptus costata	Eucalyptus incrassata	Myrtaceae	R		canopy			9C 9CH	Va-32; Va-43; IX-78
Eucalyptus crebra		Myrtaceae	R		canopy - transient	wind			VIa-1
Eucalyptus croajingolensis		Myrtaceae	R		canopy				V&Via-38b; IX-R35
Eucalyptus cunninghamii	Eucalyptus rupicola	Myrtaceae	R	Stems killed	canopy	wind			V-1; IXa-4
Eucalyptus cyanophylla		Myrtaceae	R		canopy			9CE	
Eucalyptus cypellocarpa		Myrtaceae	R		canopy	wind		6G ~~9W~~ 6CL 5&6WA 6M	V&VIa-1; V&VIa-38b
Eucalyptus dalrympleana subsp. dalrympleana		Myrtaceae	R		canopy	wind		9HO	IXa-1; IXa-3; V&VI-12
Eucalyptus dealbata		Myrtaceae	R		canopy	wind		9CE	IX-1
Eucalyptus deane		Myrtaceae	R		canopy - transien	wind			VIa-1
Eucalyptus delegatensis		Myrtaceae	S	Lacks lignotuber	canopy				I-16; I-44
Eucalyptus dives		Myrtaceae	R		canopy	wind		9P	V&VIa-1; IXa-3; V&VI-12; V&Via-38b; IX-44
Eucalyptus dumosa		Myrtaceae	R		canopy			9C 9HG	Va-43; IX-78
Eucalyptus dunnii		Myrtaceae	R	Young trees not very fire tolerant	canopy - transient				IXa-89
Eucalyptus elata		Myrtaceae	S r		canopy - transien	wind			I-1; VIa-38b
Eucalyptus elliptica	Eucalyptus mannifera subsp. elliptica	Myrtaceae	R		canopy				V&VIa-R36
Eucalyptus eugenioides	Eucalytpus nigra	Myrtaceae	R		canopy - transient	wind			VIa-1; V&VI-105

Eucalyptus camaldulensis	VC	4	4						NC NWS CWS SWS NWP SWP NFWP SFWP	grassy-W grassy-F	
Eucalyptus camfieldii	VC	4	4				>100	TSC V, ESP V, Rotap 2VCi	NC CC	LW H	
Eucalyptus campanulata	VCI	2	1						NC NT	WSF DSF	
Eucalyptus cannonii	VC	4	4					TSC V, ESP V, Rotap 2VCi	CT CWS	SW	
Eucalyptus capitellata	VC	4	4						NC CC SC	DSF DSW	
Eucalyptus cinerea	VCI	2	1						CT ST CWS SWS	grassy-W SW	
Eucalyptus consideniana	VC	4	4						CC SC CT ST	DSF DSW	
Eucalyptus conspicua	VCI	2	1						SC	SW	
Eucalyptus corticosa	VC	4	4						CT	SW	
Eucalyptus costata	VCI	2	1		5		>100		SWP SFWP	Mallee	
Eucalyptus crebra	VCT	3	3				>100		NC CC NT NWS CWS NWP	grassy-W SW SF	
Eucalyptus croajingolensis	VCI	2	1						SC ST	WSF DSF W	
Eucalyptus cunninghamii	VCI	2	1				100	Rotap 2RCa	CT	Mallee-H	
Eucalyptus cyanophylla	VC	4	4						SFWP	OS	Winter-Spring
Eucalyptus cypellocarpa	VCI	2	1		>3		>100		CC SC NT CT ST NWS CWS	OF WSF	
Eucalyptus dalrympleana subsp. dalrympleana	VCI	2	1			4-5			NT CT ST	grassy-W SW grassy-OF	
Eucalyptus dealbata	VC	4	4						NC NT CT ST NWS CWS SWS NWP SWP	grassy-W	
Eucalyptus deane	VCI	2	1	10-15			300		NC CC CT	TOF WSF	
Eucalyptus delegatensis	CI	1	1	10			400		ST	grassy-W subalpine-WSF	
Eucalyptus dives	VCT	3	3		2		>100		SC NT CT ST CWS SWS	DSW	
Eucalyptus dumosa	VCI	2	1		5				CWS NWP SWP NFWP SFWP	Mallee	
Eucalyptus dunnii	WC	4	4	20		20		Rotap 3RCa	NC	WSF	Autumn
Eucalyptus elata	CI	1	1				60		CC SC CT ST	WSF DSF DSW	
Eucalyptus elliptica	VC	4	4					Rotap 3KC-	NT NWS CWS	grassy-W	
Eucalyptus eugenioides	VC	4	4				>100		NC CC SC NT CT ST CWS	DSF grassy-F grassy-W	

Eucalyptus fastigata		Myrtaceae	R		canopy - transien	wind		6M	IX&I-1
Eucalyptus fergusonii subsp. dorsiventralis		Myrtaceae	R	Seedlings and saplings fire sensitive	canopy	wind			IX-1; IX-66; IXa-71
Eucalyptus fergusonii subsp. fergusonii	Eucalyptus sp. SUV B	Myrtaceae	R		canopy	wind			IX-70; VI-R36
Eucalyptus fibrosa		Myrtaceae	R		canopy - transien	wind			VIa-1
Eucalyptus fraxinoides		Myrtaceae	S		canopy			1G	
Eucalyptus fusiformis		Myrtaceae	R	Frequent fire may inhibit recruitment	canopy				IX-74
Eucalyptus glaucina		Myrtaceae	R		canopy				IX-66; VI-R36
Eucalyptus globoidea		Myrtaceae	R		canopy - transient	wind		6G	VIa-1; V&Via-38b; IX 39; V&VI-105
Eucalyptus goniocalyx	Eucalyptus elaeophora	Myrtaceae	R		canopy			9E 9CH	IX-78
Eucalyptus gracilis		Myrtaceae	R		canopy			9C 9HG 11CH	Va-43
Eucalyptus grandis		Myrtaceae	S r	Lacks lignotuber, but may coppice	canopy				IX-44
Eucalyptus gregsoniana	Eucalyptus pauciflora var nana	Myrtaceae	R		canopy - transient	wind			IXa-1; IXa-4
Eucalyptus haemastoma		Myrtaceae	R		canopy - transient	wind		6K 9KE 9BG	VIa-1; IXa-2; IX-39; V&VI-52
Eucalyptus ignorabilis		Myrtaceae	R						IX-R35
Eucalyptus imlayensis		Myrtaceae	R						IX-R35
Eucalyptus laevopinea		Myrtaceae	R			wind			V-95c
Eucalyptus laophila	Eucalyptus sp. MAKII	Myrtaceae	R	Stems killed	canopy - transien	wind			Va-1
Eucalyptus largeana		Myrtaceae	R		canopy				VIa-R36
Eucalyptus largiflorens		Myrtaceae	R		canopy			11C	
Eucalyptus latiuscula		Myrtaceae	R						IX-R35
Eucalyptus leptophylla	Eucalyptus foecunda	Myrtaceae	R		canopy			9C 9T 11CH	Va-43; IX-78
Eucalyptus leucoxylon subsp. pruinosa		Myrtaceae	R		canopy				IX-78
Eucalyptus ligustrina		Myrtaceae	R		canopy	wind			IXa-5
Eucalyptus longifolia		Myrtaceae	R		canopy	wind		6SA	VI-1; V&Via-38b
Eucalyptus luehmanniana		Myrtaceae	R	Stems killed	canopy	wind		6S	Va-1; Va-81
Eucalyptus macarthuri		Myrtaceae	R		canopy	wind		9CN	
Eucalyptus macrorhyncha		Myrtaceae	R		canopy - transient	wind		9P 5PU	V&VIa-38b
Eucalyptus mannifera subsp. mannifera	Eucalyptus mannifera subsp. maculosa	Myrtaceae	R		canopy - transient	wind		9P 5PU	
Eucalyptus mckieana		Myrtaceae	R		canopy	wind			V&VI-69
Eucalyptus melliodora		Myrtaceae	R		canopy - transient	wind			IXa-1; V&Via-38b
Eucalyptus michaeliana		Myrtaceae	R	Seedlings and saplings may be fire sensitive	canopy	wind			IX-66; IX-71
Eucalyptus microcarpa		Myrtaceae	R		canopy	wind		9CH	V&VI-38d; IX-78

Eucalyptus fastigata	VC	4	4				>100		CC SC NT CT ST	WSF TOF OF	
Eucalyptus fergusonii subsp. dorsiventralis	WC	4	4			10-12	250	Rotap 2RC-	NC CC	DSF	Winter
Eucalyptus fergusonii subsp. fergusonii	VC	4	4					Rotap 3KC-	NC CC CWS	WSF WSW	
Eucalyptus fibrosa	VC	4	4				>100		NC CC SC CT NWS CWS NWP	W DSF WSF	
Eucalyptus fraxinoides	C	1	4						SC ST	WSF DSF	
Eucalyptus fusiformis	VC	4	4					Rotap 2RC-	NC NT	WF	
Eucalyptus glaucina	VC	4	4					TSC V, ESP V, Rotap 3VCa	NC	grassy-W	
Eucalyptus globoidea	VC	4	4				>100		NC CC SC CT ST CWS	DSF DSW	
Eucalyptus goniocalyx	VC	4	4						NT CT ST NWS CWS SWS	grassy-W OW	
Eucalyptus gracilis	VCI	2	1		5				CWS SWP SFWP	Mallee	
Eucalyptus grandis	C	1	4						NC	TOF RFmargins	
Eucalyptus gregsoniana	VCI	2	1					Rotap 3RCa	CT ST	Mallee-H	
Eucalyptus haemastoma	VCI	2	1		<4		300		NC CC	DSW	
Eucalyptus ignorabilis	VCI	2	1					Rotap 3KC-	SC	SW	
Eucalyptus imlayensis	VCI	2	1					TSC E, ESP E, Rotap 2VCit	SC	SW	
Eucalyptus laevopinea	VC	4	4				>100		NC NT CT NWS CWS	WSF grassy-F	Winter
Eucalyptus laophila	VC	4	4				>100		CC CT	Mallee-S H	
Eucalyptus largeana	VC	4	4					Rotap 3R	NC	WF	
Eucalyptus largiflorens	VC	4	4						NWP SWP NFWP SFWP	grassy-W	
Eucalyptus latiuscula	VCI	2	1					Rotap 3RC-	ST	Mallee-S DSF	
Eucalyptus leptophylla	VCI	2	1		5				CWS SWP NFWP SFWP	Mallee	
Eucalyptus leucoxylon subsp. pruinosa	VC	4	4						SWP SFWP	grassy-W	
Eucalyptus ligustrina	VCI	2	1				100		NC CC SC NT CT ST	DSW H	
Eucalyptus longifolia	VC	4	4				>100		NC CC SC	OF W	
Eucalyptus luehmanniana	VCI	2	1		2-4		100	Rotap 2RCa	CC	Mallee-H	
Eucalyptus macarthuri	VC	4	4				>100	Rotap 2RCi	CT	grassy-W	
Eucalyptus macrorhyncha	VC	4	4				>100		NT CT ST NWS CWS SWS SWP	DSF W	
Eucalyptus mannifera subsp. mannifera	VCI	2	1				450		SC CT ST CWS SWS	DSW	
Eucalyptus mckieana	VC	4	4					TSC V, ESP V, Rotap 2V	NT NWS	DSF DSW	Autumn
Eucalyptus melliodora	VCI	2	1	8-9			>100		NC CC SC NT CT ST NWS CWS SWS NWP SWP	grassy-W	
Eucalyptus michaeliana	WC	4	4			10	250	Rotap 3RCa	NC CC NT	DSW	Winter
Eucalyptus microcarpa	VC	4	4				>100		CC CT NWS CWS SWS NWP SWP	grassy-W	

Eucalyptus microcorys		Myrtaceae	R		canopy - transient	wind		6F	IXa-1
Eucalyptus moluccana	Eucalyptus hemiphloia	Myrtaceae	R		canopy - transient	wind			V&VIa-1; V-95c
Eucalyptus moorei	Eucalyptus sp. MAKMC	Myrtaceae	R		canopy - transient	wind			Va-1
Eucalyptus muelleriana		Myrtaceae	R		canopy - transien	wind		6SA 6CL 6M	VIa-1; V&Via-38b
Eucalyptus multicaulis		Myrtaceae	R	Stems killed	canopy & soi	wind			Vab-1
Eucalyptus nicholii		Myrtaceae	R						V&VIa-R36
Eucalyptus nitens		Myrtaceae	S		canopy				I-44
Eucalyptus obliqua		Myrtaceae	R	Susceptible to repeated burning, susceptible in wetter sites	canopy	wind		6G 5&6W 9E 9CH 5&6WA 6M	VIa-1; V&VIa-38b; IX-67
Eucalyptus oblonga	Eucalyptus deformis	Myrtaceae	R		canopy	wind			VI-1; V&VI-52
Eucalyptus obstans	Eucalyptus obtusiflora	Myrtaceae	R		canopy	wind		6S	Va-1
Eucalyptus olseni		Myrtaceae	R						IX-R35
Eucalyptus ophitica		Myrtaceae	R		canopy				Va-R36
Eucalyptus oreades		Myrtaceae	S r	No lignotuber, weak epicormic resprouting	canopy - transient	wind			VIa-1
Eucalyptus ovata		Myrtaceae	R		canopy	wind		9M ~~9W~~ 9E 5&6WA	VIa-38b
Eucalyptus paliformis		Myrtaceae	S	Can resprout after low intensity fire but not after high intensity	transient				VIIId&IX-R35
Eucalyptus paniculata subsp. matutina		Myrtaceae	R		canopy				IX-39
Eucalyptus paniculata subsp. paniculata		Myrtaceae	R		canopy	wind			V&VI-1; IX-39; V&VI-105
Eucalyptus parramattensis subsp. parramattensis		Myrtaceae	R		canopy - transient	wind		~~8BN~~ 9BN	VIa-1
Eucalyptus parvula	Eucalyptus parvifolia	Myrtaceae	R						IX-R35
Eucalyptus pauciflora		Myrtaceae	R	Mortality increased when burning & grazing combined	canopy	wind		6HO	V&VIa-1; IXa-3; V-12; Va-38b; V-50; IX-99
Eucalyptus pilularis		Myrtaceae	R	Lacks lignotuber in wet forests (present in dry forests)	canopy - transient	wind & ant		6F 9I	VIa-1; IX-39
Eucalyptus piperita	Eucalyptus urceolaris	Myrtaceae	R		canopy - transien	wind			V&VIa-1; IX-39
Eucalyptus polyanthemos subsp. vestita		Myrtaceae	R		canopy				V&VIa-38b
Eucalyptus porosa		Myrtaceae	R		canopy			9C	
Eucalyptus propinqua		Myrtaceae	R			wind			V-95c
Eucalyptus pseudoglobulus	Eucalyptus globulus subsp. pseudoglobulus	Myrtaceae	R						IX-R35
Eucalyptus pulverulenta		Myrtaceae	R		canopy	wind			V&VIa-1; IX-72

Eucalyptus microcorys	VC	4	4				>100		NC CC	TOF WSF RFmargins	
Eucalyptus moluccana	VCT	3	3				>100		NC CC SC NT CT ST NWS CWS	grassy-W grassy-F	
Eucalyptus moorei	VC	4	4				>100		CT ST	Mallee-H	
Eucalyptus muelleriana	VCI	2	1				>100		CC SC CT ST	moist-OF WSF	
Eucalyptus multicaulis	VC	4	4				100		CC SC CT ST	Mallee-S	
Eucalyptus nicholii	VC	4	4					TSC V, ESP V, Rotap 3V	NT	grassy-W SW	
Eucalyptus nitens	C	1	4	6					NT ST	TOF RFmargins	
Eucalyptus obliqua	VCI	2	1		2		>100		NC SC NT CT ST NWS CWS	WSF grassy-F	
Eucalyptus oblonga	VC	4	4				>100		CC CT	DSW	
Eucalyptus obstans	VC	4	4	>15	4		>100		CC SC ST	Mallee-H	
Eucalyptus olseni	VCI	2	1					Rotap 2RC-I	ST	DSW	
Eucalyptus ophitica	VC	4	4					Rotap 2K	NC		
Eucalyptus oreades	CI	1	1	10-25		25	150		NC CC NT CT	WSF moist OF	
Eucalyptus ovata	VC	4	4		>3				CC CT ST	W	
Eucalyptus paliformis	CI	1	1					Rotap 2RCat	ST	DSF DSW	
Eucalyptus paniculata subsp. matutina	VC	4	4					Rotap 2K	NC	WF	
Eucalyptus paniculata subsp. paniculata	VC	4	4				>100		NC CC SC CT CWS	WF	
Eucalyptus parramattensis subsp. parramattensis	VC	4	4				>100		CC CT CWS	W	
Eucalyptus parvula	VCI	2	1					TSC V, ESP V, Rotap 2VCi	ST	grassy-W	
Eucalyptus pauciflora	VCT	3	3			15-16	400		SC NT CT ST	grassy-W DSW	
Eucalyptus pilularis	VCT	3	3	5			>200		NC CC SC NT	WSF TOF grassy-F	
Eucalyptus piperita	VC	4	4				>100		NC CC SC CT ST CWS	DSF DSW	
Eucalyptus polyanthemos subsp. vestita	VC	4	4						SC ST SWS	grassy-W SW	
Eucalyptus porosa	VC	4	4						SWP NFWP SFWP	Mallee	
Eucalyptus propinqua	VC	4	4				>100		NC CC	WSF OF	Summer-Autumn
Eucalyptus pseudoglobulus	VCI	2	1	7	7				SC	TOF	
Eucalyptus pulverulenta	VC	4	4				>100	TSC V, ESP V, Rotap 3V	CT ST	grassy-W	

Eucalyptus punctata	Eucalyptus punctata subsp. punctata	Myrtaceae	R		canopy	wind			V&VIa-1; IX-39; V&VI-52; V&VI-105
Eucalyptus quadrangulata		Myrtaceae	R		canopy	wind			VI-1
Eucalyptus racemosa		Myrtaceae	R		canopy - transient	wind		6S 9I	V&VIa-1; IX-39; IX-89
Eucalyptus radiata subsp. radiata		Myrtaceae	R		canopy - transient	wind		6G	VIa-1; VI-12
Eucalyptus resinifera subsp. resinifera		Myrtaceae	R		canopy	wind			V&VIa-1; VIa-8; IX-39; V&VI-105
Eucalyptus robertsonii subsp. hemisphaerica		Myrtaceae	R		canopy	wind			VI-1
Eucalyptus robusta		Myrtaceae	R		canopy	wind		6F	IX-39
Eucalyptus rossii		Myrtaceae	R	Seedling mortality high	canopy - transien	wind		9P 5PU	V&VIa-1
Eucalyptus rubida		Myrtaceae	R		canopy			9CE	IXa-3; V&VI-12; VIa-38b
Eucalyptus rubida subsp. rubida		Myrtaceae	R		canopy - transient	wind			V&VIa-1; IX-78
Eucalyptus saligna		Myrtaceae	R		canopy	wind			VIa-1; IX-39
Eucalyptus saxatilis		Myrtaceae	R		canopy			9CE	
Eucalyptus sclerophylla	Eucalyptus haemostoma var. sclerophylla	Myrtaceae	R		canopy	wind		~~8BN~~ 9BN	V&VIa-1; V&Via-105
Eucalyptus siderophloia		Myrtaceae	R		canopy	wind			IX-39; IX-95a
Eucalyptus sideroxylon		Myrtaceae	R		canopy	wind		6G 5&6W	IX-1
Eucalyptus sieberi		Myrtaceae	R		canopy	wind		6G 6S 6CL 9I 6M	V&VIa-1; V&VIa-38b
Eucalyptus signata		Myrtaceae	R		canopy			9B	
Eucalyptus socialis		Myrtaceae	R		canopy			9C 9HG 9CH 9PL	V-43; IX-78
Eucalyptus sparsifolia		Myrtaceae	R		canopy - transien	wind			V&VIa-1
Eucalyptus spectatrix		Myrtaceae	R		canopy				IX-R15; IX-R35
Eucalyptus squamosa		Myrtaceae	R		canopy - transien	wind			V&VIa-1
Eucalyptus stellulata		Myrtaceae	R		canopy - transien	wind			IX-R35
Eucalyptus stenostoma		Myrtaceae	S	Can resprout after low intensity fire but not after high intensity	transient				VIIId&IX-R35
Eucalyptus stricta	Eucalyptus sp. MAKIG	Myrtaceae	R	Stems killed	canopy	wind		9I 9BG	Va-1; IXa-4; V-105
Eucalyptus sturgissiana		Myrtaceae	R		canopy				V-105
Eucalyptus tereticornis		Myrtaceae	R		canopy	wind			VIa-1; IX-39; IX-92; IX-R35
Eucalyptus tricarpa	Eucalyptus sideroxylon subsp. tricarpa	Myrtaceae	R		canopy			5&6WA	V&VIa-38b

Eucalyptus punctata	VCT	3	3				>100		NC CC SC CT ST CWS	OF W	
Eucalyptus quadrangulata	VCI	2	1				>100		NC CC NT CT	TOF OF	
Eucalyptus racemosa	VC	4	4				>100		NC CC	DSW S	
Eucalyptus radiata subsp. radiata	VC	4	4				>100		SC NT CT ST	OF W	
Eucalyptus resinifera subsp. resinifera	VCI	2	1				>100		NC CC SC	DSF WSF	
Eucalyptus robertsonii subsp. hemisphaerica	VC	4	4					TSC V, ESP V, Rotap 2V	CT	grassy-W DSW DSF	
Eucalyptus robusta	VC	4	4				>200		NC CC SC	H	
Eucalyptus rossii	VC	4	4				>400		CC NT CT ST NWS CWS SWS	DSW	
Eucalyptus rubida	VCI	2	1						NT CT ST CWS SWS	grassy-W SW	
Eucalyptus rubida subsp. rubida	VC	4	4				>100		CT ST CWS SWS	grassy-W SW	
Eucalyptus saligna	VC	4	4				>200		NC CC NT CWS	TOF WSF	
Eucalyptus saxatilis	VC	4	4					TSC E, Rotap 3RC-	ST	Mallee	
Eucalyptus sclerophylla	VC	4	4				>100		CC SC CT ST	DSW S	
Eucalyptus siderophloia	VC	4	4				>100		NC CC	OF	
Eucalyptus sideroxylon	VCI	2	1		3		>100		CC NT NWS CWS SWS NWP SWP	SW	
Eucalyptus sieberi	VC	4	4		4		>100		CC SC CT ST	WSF DSF DSW	
Eucalyptus signata	VC	4	4						NC CC NT	DSF DSW	
Eucalyptus socialis	VCI	2	1		5				CWS NWP SWP NFWP SFWP	Mallee	
Eucalyptus sparsifolia	VC	4	4				>100		NC CC CT NWS CWS	DSF DSW	
Eucalyptus spectatrix	VCI	2	1					Rotap 2RC-	SC	Mallee-S	
Eucalyptus squamosa	VC	4	4				>100		NC CC	W S	
Eucalyptus stellulata	VCT	3	3				>100		NT CT ST	grassy-W	
Eucalyptus stenostoma	CI	1	1						SC ST	DW	
Eucalyptus stricta	VCI	2	1				100		CC SC CT ST	Mallee-H	
Eucalyptus sturgissiana	VC	4	4					TSC V, Rotap 2RCa	SC ST	H	
Eucalyptus tereticornis	VCT	3	3				>100		NC CC SC NT CT ST NWS CWS	F W	
Eucalyptus tricarpa	VC	4	4		3				SC	DSF DSW	

Eucalyptus umbra	Eucalyptus umbra subsp. umbra	Myrtaceae	R		canopy - transient	wind			V&VIa-1; IX-39
Eucalyptus viminalis		Myrtaceae	R		canopy - transient	wind		5&6W 9CH 5&6WA	V&VI-12; VI-38d; IX-78
Eucalyptus viridis		Myrtaceae	R		canopy			9C	
Eucalyptus wilcoxi		Myrtaceae	R						IX-R35
Eucalyptus williamsiana		Myrtaceae	R		canopy				IXa-5
Eucalyptus youmani		Myrtaceae	R		canopy	wind			V&VI-69
Euchiton fordianus	Gnaphalium fordianum, Gnaphalium sp. H	Asteraceae	R			wide			V-58
Euchiton gymnocephalus	Gnaphalium gymnocephalum	Asteraceae	S r		transient	wind		8M	IId-38c; V-58
Euchiton involucratus	Gnaphalium involucratum	Asteraceae	S			wind		8W 8P 8WA	III-38b
Euchiton sphaericus	Gnaphalium sphaericum	Asteraceae	S			a-wind		8W 8BX 8WA	VIII-38d; VIII-105
Eucryphia moore		Eucryphiaceae	R			wind			IX-R35
Euphorbia paralias		Euphorbiaceae	S		persistent soil	water			II-96
Euphorbia peplus		Euphorbiaceae	S					8BB	
Euphorbia steveni		Euphorbiaceae	S						VIII-78
Euphorbia terracina		Euphorbiaceae	S						VIII-78
Euphrasia bella		Scrophulariaceae	S						VIII-89
Euphrasia collina		Scrophulariaceae	S		persistent soil				II-2
Euphrasia collina subsp. muelleri		Scrophulariaceae	S						VIII-R39
Euphrasia collina subsp. paludosa		Scrophulariaceae	S		persistent soil				II-5; II-58
Euphrasia collina subsp. speciosa		Scrophulariaceae	S					8KE	
Euphrasia orthocheila subsp. peraspera		Scrophulariaceae	S						VIII-74
Euphrasia ramulosa		Scrophulariaceae	S						VIII-74
Eupomatia laurina		Eupomatiaceae	R		transient	bird?		11CT 5BB 5M	IX-39
Euroschinus falcata var. falcata		Anacardiaceae	R			vertebrate			IX-39
Eurychorda complanata	Restio complanatus	Restionaceae	R s		persistent soil			9I 9KP 9KE	IXb-2; Vb-8; IX-46; IV-59; VIII-94; IV-105
Eustrephus latifolius		Lurzuriagaceae	R s			wide		9I 9M	III-38b; IX-39; V-105
Eutaxia microphylla	Eutaxia microphylla var. microphylla	Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8C 9CH	VIII-78

Eucalyptus umbra	VC	4	4				>100		NC CC	DSF W	
Eucalyptus viminalis	VC	4	4		>3		>100		CC SC NT CT ST NWS CWS SWS	TOF OF grassy-W WSF	
Eucalyptus viridis	VC	4	4						NWS CWS NWP SWP NFWP	Mallee	
Eucalyptus wilcoxi	VCI	2	1					Rotap 2RCal	SC ST	SF	
Eucalyptus williamsiana	VCI	2	1						NT	DSW	
Eucalyptus youmani	VC	4	4					Rotap 2R	NT	SW	
Euchiton fordianus	VDT	3	3	1			>10		ST	G Herbfield	Summer
Euchiton gymnocephalus	DT	3	3	1-4			>10		CC SC NT CT ST NWS CWS SWS	DSF S	all year
Euchiton involucratus	A	5	5	1-2					CC SC NT CT ST NWS CWS SWS LHI	F W	all year
Euchiton sphaericus	A	5	5	1					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W G	all year
Eucryphia moore	VT	3	3				>100		CC SC CT ST	RF (WT CT)	Summer-Autumn
Euphorbia paralias	E	5	5	1					Exotic		Spring
Euphorbia peplus	E	5	5						Exotic		
Euphorbia steveni	C	1	4						NFWP	Saltbush	
Euphorbia terracina	E	5	5						Exotic		
Euphrasia bella	G	1	4				20	TSC V, ESP V, Rotap 2VCit	NC	RF (CT)	Spring-Summer
Euphrasia collina	GI	1	1				35		NC CC NT CT ST NWS CWS SWS NWP		Spring-Summer
Euphrasia collina subsp. muelleri	G	1	4				13	TSC E, ESP E, Rotap 2EC-	NC ST SWS	G	Spring
Euphrasia collina subsp. paludosa	G	1	4	1			>20		NC CC NT CT ST NWS CWS SWS NWP	montane-W subalpine-W montane-G subalpine-G H	Spring-Summer
Euphrasia collina subsp. speciosa	G	1	4						CC SC CT ST	SF W	Spring
Euphrasia orthocheila subsp. peraspera	A	5	5					3RC-	NC NT		Spring-Summer
Euphrasia ramulosa	G	1	4					Rotap 3RC-	NT	WSF DSF	Summer-Autumn
Eupomatia laurina	VDR	2	3		>5				NC CC SC NT CT ST CWS	moist-OF RF WSF	Summer
Euroschinus falcata var. falcata	VT	3	3	5			>30		NC CC SC	RF	
Eurychorda complanata	VG	4	4				110		NC CC SC CT	H	Summer
Eustrephus latifolius	VDR	2	3						NC CC SC NT CT NWS CWS NWP	SF W H RFmargins	Spring-Summer
Eutaxia microphylla	SI	2	1						CWS SWS SWP SFWP	Mallee Mugga-Ironbark W	

Exocarpos aphyllus		Santalaceae	R					9FO 11CH 5FO(1)	
Exocarpos cupressiformis		Santalaceae	R s					4&5W 9P 5PU 4PU 4&5WA	V&VI-38b&c; IX-39; IX&VIII-78
Exocarpos latifolius		Santalaceae	R					9RS	IX-63
Exocarpos sparteus		Santalaceae	S		soil			8WJ	
Exocarpos strictus		Santalaceae	R						V-38b
Festuca asperula		Poaceae	R						IX-R35
Festuca mueller		Poaceae	R						V-58
Ficus coronata		Moraceae	R		transient?	bird		9I 5BD	IX-39
Ficus pumila		Moraceae	S R					9BD 8BD	
Ficus rubiginosa	Ficus sp. A, Ficus platypoda	Moraceae	R			bird		9BD	IX-39
Ficus superba var. henneana		Moraceae	S			bird & vertebrate		8BD	
Fieldia australis		Gesneriaceae	S					8BD 8M	
Fimbristylis dichotoma		Cyperaceae	R					9BW	
Floydia praealta		Proteaceae	R						IV-89
Foeniculum vulgare		Apiaceae	R					5BM	
Fontainea australis	Fontainea sp. Tweed Valley	Euphorbiaceae	S		transient				III-89
Fumaria capreolata subsp. capreolata		Fumariaceae	S					8BD	
Fumaria muralis subsp. muralis		Fumariaceae	S					8BD	
Fumaria officinalis subsp. officinalis		Fumariaceae	S					8BD	
Gahnia aspera		Cyperaceae	R						IX-39
Gahnia clarke		Cyperaceae	R					9I 9M	IX-39; IV-105
Gahnia grandis	Gahnia psittacorum	Cyperaceae	R		persistent soil	wide		9BK 9KP ~~2KP~~	IXb-59; IXb-KP
Gahnia lanigera		Cyperaceae	R					11C	
Gahnia melanocarpa		Cyperaceae	R					9M	V-38b; IX-39
Gahnia microstachya		Cyperaceae	R					9M	
Gahnia radula		Cyperaceae	R s					4&11W 9WO 8E 4&11WA 9M	V-38b&c; IV-105
Gahnia sieberiana	Gahnia tetragonocarpa	Cyperaceae	R		persistent soil	wide	heat & smoke	11M ~~11W~~ 9BW 9KE 4&11WA	IXb-2; V-38b&c; IX-39; IX-R42
Gahnia subaequiglumis		Cyperaceae	R					9CE	
Galenia pubescens	Galenia secunda	Aizoaceae	S					8BM	
Galinsoga parviflora		Asteraceae	S					8BX	
Galium binifolium		Rubiaceae	S			none developed		8W 8WA 8M	

Exocarpos aphyllus	VR	2	3						NWS CWS NWP SWP NFWP SFWP	W	Winter
Exocarpos cupressiformis	V	4	4		>3		150		NC CC SC NT CT ST NWS CWS SWS NWP SWP	OF W	Spring-Autumn
Exocarpos latifolius	V	4	4						NC	W S F	Spring-Summer
Exocarpos sparteus	G	1	4						SFWP	Mallee	Spring-Autumn
Exocarpos strictus	V	4	4						NC CC SC NT CT ST CWS SWS SWP NFWP SFWP	OF	all year
Festuca asperula	UT	3	3		<2				CC SC NT CT ST NWS	montane W G	Spring-Summer
Festuca mueller	VI	2	1	1			>10		NT ST	montane W G	Spring-Summer
Ficus coronata	VDR	2	3				60		NC CC SC NT CT ST NWS CWS	RF OF	Summer-Winter
Ficus pumila	E	5	5						Exotic		
Ficus rubiginosa	VDI	2	2		3		>100		NC CC SC NT CT NWS CWS NWP	OF RF (dry Lit)	Summer-Winter
Ficus superba var. henneana	D	4	4				60		NC CC	RF F	Summer-Winter
Fieldia australis	CT	1	3						NC CC SC NT CT ST	RF (CT WT)	Summer-Autumn
Fimbristylis dichotoma	V	4	4						NC CC SC NT CT NWS CWS NWP SWP NFWP SFWP		
Floydia praealta	V	4	4	10				TSC V, ESP V, Rotap 3VC-	NC	RF (ST Riv)	Summer-Autumn
Foeniculum vulgare	E	5	5						Exotic		
Fontainea australis	C	1	4	10				TSC V, ESP V, Rotap 3VCi	NC	RF	Summer
Fumaria capreolata subsp. capreolata	E	5	5						Exotic		
Fumaria muralis subsp. muralis	E	5	5						Exotic		
Fumaria officinalis subsp. officinalis	E	5	5						Exotic		
Gahnia aspera	V	4	4						NC CC SC NT CT ST NWS CWS NWP SWP	RF DSF W	
Gahnia clarke	V	4	4						NC CC SC CT		
Gahnia grandis	VD	4	4						CT	RF	
Gahnia lanigera	VR	2	3						SFWP	Mallee	
Gahnia melanocarpa	V	4	4						NC CC SC NT CT ST CWS	WSF RF	
Gahnia microstachya	V	4	4						CC SC NT CT ST CWS	SF W	
Gahnia radula	VT	3	3		2				NC CC SC CT	W SF	
Gahnia sieberiana	UDI	2	3		2		110		NC CC SC NT CT ST	W	
Gahnia subaequiglumis	V	4	4						CC SC NT CT ST	Swamp H W OF	
Galenia pubescens	E	5	5						Exotic		
Galinsoga parviflora	E	5	5						Exotic		
Galium binifolium	A	5	5	2					NC CC SC NT CT NWS CWS	OF W	Spring-Summer

Galium gaudichaudii		Rubiaceae	S r			none developed		8W 8M	V-38c
Galium liratum		Rubiaceae	S					8M	
Galium murale		Rubiaceae	S r					8C	IV-38c; VIII-38d
Galium propinquum		Rubiaceae	R					9I	IX-39
Gamochaeta calviceps	Gnaphalium calviceps	Asteraceae	S					8BX	
Gamochaeta pensylvanica	Gnaphalium pensylvanicum	Asteraceae	S					8BX	
Gastrodia sesamoides		Orchidaceae	R					11WJ	
Gaultheria appressa	Gaultheria hispida, Gaultheria appressa var. appressa	Ericaceae	S		persistent soil	wind?		8CN	II-61; VIII-R35
Geijera parviflora		Rutaceae	R					9CE	
Genista monspessulana	Teline monspessulana	Fabaceae	S		persistent soil			2BF	
Genoplesium archer	Prasophyllum archer	Orchidaceae	R						IV-105
Genoplesium despectans	Prasophyllum despectans, Prasophyllum exiguum	Orchidaceae	R					9CE 11W	
Genoplesium morrisi	Prasophyllum morrisi	Orchidaceae	R					9CE 5W	
Genoplesium nudiscapum	Prasophyllum nudiscapum	Orchidaceae	R					9CE	
Genoplesium nudum	Prasophyllum nudum	Orchidaceae	R					9CE	
Genoplesium pumilum	Prasophyllum pumilum	Orchidaceae	R					9CE	
Genoplesium rhyoliticum		Orchidaceae	R						IX-R35
Genoplesium rufum	Prasophyllum rufum	Orchidaceae	R					11P 5PU	
Genoplesium sagittiferum	Prasophyllum sagittiferum	Orchidaceae	R					9CN	
Genoplesium woollsi		Orchidaceae	R						IV-105
Gentiana wingecarribiensis	Gentiana sp. B	Gentianaceae	S	Spring fires a threat	persistent soil			2BD	
Geranium antrorsum	Geranium sp. A	Geraniaceae	S		persistent soil				II-58
Geranium homeanum		Geraniaceae	S R					8M 5BD	VIII&IX-39
Geranium obtusisepalum		Geraniaceae	S					8CE	
Geranium potentilloides		Geraniaceae	R		persistent soil				Vb-38d
Geranium potentilloides var. potentilloides		Geraniaceae	S		persistent soil			8M	II-58
Geranium retrorsum		Geraniaceae	R						IX-11; IX-40
Geranium solanderi		Geraniaceae	S					~~8W~~ 8WA	

Galium gaudichaudii	C	1	4	2					CC NT CT ST NWS CWS SWS NWP SWP NFWP	OF W	Spring
Galium liratum	A	5	5						CC SC NT CT ST CWS	SF W	Winter-Spring
Galium murale	E	5	5	1					Exotic		
Galium propinquum	V	4	4						NC CC SC NT CT ST CWS SWS	RF WSF W G	Spring-Summer
Gamochaeta calviceps	E	5	5						Exotic		
Gamochaeta pensylvanica	E	5	5						Exotic		
Gastrodia sesamoides	VR	2	3						NC CC SC NT CT ST NWS CWS SWS	F H	Spring-Summer
Gaultheria appressa	DT	3	3						NC SC NT CT ST SWS	W SF RF	Spring-Summer
Geijera parviflora	V	4	4						NWS CWS NWP SWP NFWP SFWP	W	Winter-Spring
Genista monspessulana	E	5	5						Exotic		
Genoplesium archeri	U	4	4		<1				NC CC SC NT CT	moist SF	Spring-Summer
Genoplesium despectans	UR	2	3		1			Rotap 2K	CC SC	SF	Summer-Autumn
Genoplesium morrisii	U	4	4		1				SC	SF	Summer-Autumn
Genoplesium nudiscapum	V	4	4						NC CC SC NT CT	SF H	Spring-Summer
Genoplesium nudum	V	4	4						NC CC SC NT CT ST	SF	Summer
Genoplesium pumilum	V	4	4						NC CC SC CT ST	SF H	Summer-Autumn
Genoplesium rhyoliticum	UI	2	1	>3	<2		60	TSC E, ESP E, Rotap 2E	SC		Summer
Genoplesium rufum	UR	2	3		1				NC CC SC NT CT ST CWS SWS	SF H	Summer-Autumn
Genoplesium sagittiferum	V	4	4						CC SC CT ST	DSF H	Summer-Autumn
Genoplesium woollsii	U	4	4		<2				CC SC CT	SF H	Spring-Autumn
Gentiana wingecarribiensis	A	5	5					TSC E, ESP E, Rotap 2E	CT	Swamp Sedgeland	Spring
Geranium antrorsum	GT	1	3	1			>20		ST	alpine-Herbfield tussock-G alpine-W	Summer
Geranium homeanum	A	5	5	<1					NC CC SC NT CT ST NWS SWS	RFmargins TOF OF W G	Summer
Geranium obtusisepalum	G	1	4						ST	W G	Summer
Geranium potentilloides	VG	4	4						CC SC NT CT ST CWS	W G OF	Autumn-Spring
Geranium potentilloides var. potentilloides	GT	1	3	1			>20		NC CC SC NT CT ST CWS	Swamp moist-OF W damp-G WSF	Autumn-Spring
Geranium retrorsum	U	4	4		0.5		60		NC SC NT CT ST NWS CWS SWS NWP SWP	W G	Winter-Summer
Geranium solanderi	GI	1	1	1			20		NC CC SC NT CT ST NWS CWS SWS NWP SWP	G grassy-W	Spring

Geranium solanderi var. solanderi		Geraniaceae	R						IV-105
Gingidia harveyana		Apiaceae	S		transient			8CE	III-R41
Gleichenia dicarpa		Gleicheniaceae	R		transient	wind		5BM 9KE	IVd-2; IVd-5
Gleichenia microphylla		Gleicheniaceae	R		transient	wind		9BM 9KE 4WA	IVd-2; IV-38c; IX-39; IVd-59
Gleichenia rupestris		Gleicheniaceae	R		transient	wind		9BM	
Glischrocaryon behri		Haloragaceae	S R					9C	VIII-78
Glochidion ferdinandi var. ferdinandi		Euphorbiaceae	R		persistent soil	bird		9BB	V&VIb-1; IX-39
Glossodia major		Orchidaceae	R s		transient			9W 11P 8E	Vd-38c&d; VIII&IX-39
Glossodia minor		Orchidaceae	R		transient			9BN 9KE	IXd-2; IX-39
Glycine canescens	Glycine sericea	Fabaceae: Faboideae	S		persistent soil		a-heat	8CE	VIII-74
Glycine clandestina		Fabaceae: Faboideae	R s		persistent soil		heat	~~8W~~ 9I 9A 8WA	IX-39; Vb-105
Glycine microphylla	Glycine sp. C	Fabaceae: Faboideae	R		persistent soil	none developed	a-heat		IX-95a
Glycine tabacina		Fabaceae: Faboideae	R		persistent soil		heat	5SA 9BF	IXb-1; IX-11; IX-39; V-95a; IX-97; V-105
Gnaphalium limosum		Asteraceae	S					8I	
Gompholobium glabratum		Fabaceae: Faboideae	S r	better recruitment after autumn burn cf spring	persistent soil	a-ant	heat	2S 8I 9A 2K	II-4; II-38d; VIII&IX-39; II-52; VIII-57; II-105
Gompholobium grandiflorum		Fabaceae: Faboideae	R s		persistent soil	a-ant	heat	8I 5S 8BE? 5K 9BF	IXb-1; IXb-4; V-52; V 105
Gompholobium huegelii	Gompholobium sp. A	Fabaceae: Faboideae	S r	Mortality 33% when burnt, 64% when burnt and grazed; Mortality 40% after low intensity autumn or spring burn, 40% after high intensity autumn burn, 60% after high intensity spring burn (99)	persistent soil		a-heat	2E 8M 9BF?	II-3; II-9; V-38c; II-100
Gompholobium inconspicuum	Gompholobium sp. B	Fabaceae: Faboideae	S		persistent soil		a-heat		II-105
Gompholobium latifolium		Fabaceae: Faboideae	S r		persistent soil	a-ant	heat	2F 8I 2BF 5BF	II-52
Gompholobium minus		Fabaceae: Faboideae	S r		persistent soil		heat	8VE 9A? 8BN	II-33; VIII&IX-39
Gompholobium pinnatum		Fabaceae: Faboideae	R s		persistent soil		heat	9B 9BW	IXb-6; II-8; IX-39
Gompholobium virgatum		Fabaceae: Faboideae	S r		persistent soil	a-ant	a-heat	2F 9B 2BW	II-8

Geranium solanderi var. solanderi	VI	2	1						NC CC SC NT CT ST NWS CWS SWS NWP SWP	G W	
Gingidia harveyana	CR	1	3						NT ST	G Bog	Summer
Gleichenia dicarpa	VCI	2	1				100		NC CC SC NT CT ST	RF-margins TOF	
Gleichenia microphylla	UCT	3	3		2		100		NC CC SC CT	OF	
Gleichenia rupestris	VC	4	4				100		NC CC SC CT ST	OF W RF-margins	
Glischrocaryon behri	G	1	4						SWS SWP	Malle	
Glochidion ferdinandi var. ferdinandi	UDI	2	3	2-5	0.5		>70		NC CC SC NWS	RF OF	Spring-Summer
Glossodia major	UCR	2	3		1				NC CC SC NT CT ST NWS CWS SWS	OF H W	Spring
Glossodia minor	UC	4	4		<2		100		NC CC SC CWS	H	Winter
Glycine canescens	SI	2	1						ST NWS CWS SWS NWP SWP NFWP SFWP	W Mallee Mulga	Winter-Spring
Glycine clandestina	VSI	2	1	2	1			TSC Endangered Population (Nambucca LGA)	NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP	OF	all year
Glycine microphylla	VSI	2	1						NC CC SC NT CT ST	grassy-OF grassy-W	Autumn
Glycine tabacina	USI	2	1		0.5				NC CC SC NT CT ST NWS CWS SWS NWP SWP	G grassy W	Spring-Autumn
Gnaphalium limosum	A	5	5						ST		
Gompholobium glabratum	SI	2	1	3			55		NC CC SC CT ST CWS	OW OH	Spring
Gompholobium grandiflorum	VSI	2	1	4-6	2.5		55		CC SC CT	OF W H	Spring
Gompholobium huegelii	SI	2	1						CC SC NT CT ST NWS CWS SWS	OW DSF H	Spring
Gompholobium inconspicuum	SI	2	1						NC CC SC CT ST	DSF	Spring
Gompholobium latifolium	SI	2	1				55		NC CC SC NT CT	W F	Spring-Summer
Gompholobium minus	SI	2	1				55		NC CC SC CT ST	S W	Spring
Gompholobium pinnatum	VSI	2	1						NC CC SC	OF W	Spring-Summer
Gompholobium virgatum	SI	2	1						NC CC SC CT ST NWS CWS NWP	H DSF	Winter-Spring

Gompholobium virgatum var. aspalathoides		Fabaceae: Faboideae	R		persistent soil		a-heat		IX-66
Gompholobium virgatum var. virgatum		Fabaceae: Faboideae	S r		persistent soil		a-heat		VIII&IX-39
Gonocarpus chinensis subsp. verrucosus		Haloragaceae	S						VIII-74
Gonocarpus humilis		Haloragaceae	S r		persistent soil				II-49; IV&II-105
Gonocarpus longifolius		Haloragaceae	S					8BD	VIII-74
Gonocarpus micranthus		Haloragaceae	S		persistent soil			8W 8I 9BN? 2BW	II-2; II-5; II-58
Gonocarpus micranthus subsp. micranthus		Haloragaceae	S					8KE	
Gonocarpus micranthus subsp. ramosissimus		Haloragaceae	S						VIII-39; VIII-105
Gonocarpus montanus		Haloragaceae	S		persistent soil				II-58; II-61
Gonocarpus salsoloides		Haloragaceae	S		persistent soil			8KE	VIII-1; II-2
Gonocarpus tetragynus	Haloragis tetragyna	Haloragaceae	R s		persistent soil			8W 9WO 9P 9M 9C 9MO 2PU 5PU 4PU 9KE 8CH 8WA	IVb-2; IVb-3; IVb-4; V-38c; VIII&IX-39; XI 40; IX-67; II-69; VIII&IX-78; IX-83; II-105
Gonocarpus teucrioides		Haloragaceae	S r	Sheltered plants may resprout from base after low intensity fire	persistent soil	wind		2F 8BE 8WO 8I 2K 8KE	II-2; II-5; II-38b; VIII&IX-39; II-105; VIII-108
Goodenia bellidifolia subsp. bellidifolia		Goodeniaceae	R s	Survival may depend on fire intensity	persistent soil	a-ant		5K 9KE 8BE?	V-1; IXb-2; IXb-4; II-5; IXb-7; VIII&IX-39; II-46
Goodenia delicata	Goodenia geniculata	Goodeniaceae	R s					4W 9C 9MO 9E 9WO 8CH	
Goodenia dimorpha var. dimorpha		Goodeniaceae	R		persistent soil			9BD	IXb-2
Goodenia elongata		Goodeniaceae	R		persistent soil				Vb-38c
Goodenia fordiana	Goodenia sp. A	Goodeniaceae	S						VIII-74
Goodenia hederacea subsp. alpestris		Goodeniaceae	R		persistent soil				IXb-3; V-58
Goodenia hederacea subsp. hederacea		Goodeniaceae	R		persistent soil	ant	possibly heat-sensitive	5BD 9P 9HO 5PU 4PU	IX-39
Goodenia heterophylla subsp. eglandulosa		Goodeniaceae	R		persistent soil				Vb-105
Goodenia heterophylla subsp. heterophylla		Goodeniaceae	R			ant?			V-1; IX-39
Goodenia humilis		Goodeniaceae	R		persistent soil				Vb-38c
Goodenia macbarronii	Goodenia sp. D	Goodeniaceae	S		persistent soil				II-R39

Gompholobium virgatum var. aspalathoides	VSI	2	1						NC CC SC NT CT ST NWS CWS NWP	H DSF	Winter-Spring
Gompholobium virgatum var. virgatum	SI	2	1						NC CC SC	H DSF	Winter-Spring
Gonocarpus chinensis subsp. verrucosus	G	1	4						NC CC	Swamp	
Gonocarpus humilis	GT	1	3						NC CC SC NT CT	OF	
Gonocarpus longifolius	G	1	4				20	Rotap 3RC-	NC CC CT CWS	W	
Gonocarpus micranthus	GI	1	1	1-2			15		NC CC SC NT CT ST	H Swamp OF	
Gonocarpus micranthus subsp. micranthus	GI	1	1	1-2			15		NC CC SC NT CT ST SWS SWP	OF H	
Gonocarpus micranthus subsp. ramosissimus	G	1	4						NC CC SC NT CT NWS	OF H Swamp	
Gonocarpus montanus	GT	1	3	1			>20		ST		
Gonocarpus salsoloides	GI	1	1	1-3			30	Rotap 3RCa	NC CC ST NWP	Swamp	
Gonocarpus tetragynus	UGI	2	1	1-2	1-2		110		NC CC SC NT CT ST NWS CWS SWS	OF H	
Gonocarpus teucrioides	GT	1	3	2-4			30		NC CC SC NT CT ST	OF	
Goodenia bellidifolia subsp. bellidifolia	UGI	2	1	2-4	2		70		NC CC SC NT CT ST CWS	OF W H	Spring-Summer
Goodenia delicata	U	4	4		1				NWP SWP NFWP SFWP	SF W	all year
Goodenia dimorpha var. dimorpha	UGI	2	1	7	1		70		CC CT	S Swamp	Spring-Summer
Goodenia elongata	VC	4	4		3				SC CT ST SWS	SF	Spring-Summer
Goodenia fordiana	G	1	4					Rotap 2RC-	NC	SF	Spring-Summer
Goodenia hederacea subsp. alpestris	VGT	3	3	1			>20		ST	subalpine-G subalpine-W	Spring-Autumn
Goodenia hederacea subsp. hederacea	UGI	2	1		1-2				NC CC SC NT CT ST NWS CWS SWS NWP	G W OF	Spring-Summer
Goodenia heterophylla subsp. eglandulosa	UG	4	4		1				NC CC SC CWS	OF W	
Goodenia heterophylla subsp. heterophylla	VG	4	4		2-3				NC CC SC CT ST CWS	OF W	Spring-Autumn
Goodenia humilis	VG	4	4		2				SC ST	W G	Spring-Summer
Goodenia macbarronii	A	5	5	<1				TSC V, ESP V, Rotap 3VC-	NT CT ST NWS CWS NWP SWP		Spring-Summer

Goodenia ovata		Goodeniaceae	S r		persistent soil		smoke	8W 9G 9CL 9M 2CT 8WA 8BD	II-38c; VIII&IX-39; VIII-78; II-105
Goodenia paniculata		Goodeniaceae	R					4F	IX-1?; IX-39
Goodenia pinnatifida		Goodeniaceae	R						IX-11; IX-40; IX-78
Goodenia stelligera		Goodeniaceae	R s		persistent soil			2BW 9I 8I 9M	Vb-8; VIII&IX-39; IX-104
Goodenia varia		Goodeniaceae	S					8CH	VIII-78
Goodenia willisiana	Goodenia sp. C	Goodeniaceae	S						VIII-78
Goodia lotifolia var. lotifolia		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8M 2CT 8CH 8BF?	VIII-78
Goodia lotifolia var. pubescens		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat		Vb-38c
Goodia medicaginea		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8CE	
Grammitis billardiere	Grammitis meridionalis	Grammitidaceae	S			wind			VIII-1?; VIII-20
Gratiola pedunculata		Scrophulariaceae	S						VIII-105
Gratiola peruviana	Gratiola latifolia	Scrophulariaceae	S					8WJ	
Grevillea acanthifolia subsp. acanthifolia		Proteaceae	S	Resprouts in wettest situations, killed elsewhere	persistent soil	ant?			II&IX-1a; IXb-5
Grevillea acanthifolia subsp. paludosa		Proteaceae	S		persistent soil				II-R35
Grevillea acanthifolia subsp. stenomera		Proteaceae	S						VIII-25?; VIII-74
Grevillea acerata	Grevillea sphacelata 'northern race'	Proteaceae	S r		persistent soil				IXb-5; VIII-25; VIII-74; IX-100
Grevillea alpina		Proteaceae	R s		persistent soil			9WO 9P 8E 5PU	Vb-38c
Grevillea arenaria subsp. arenaria		Proteaceae	S		persistent soil	ant?			II-24
Grevillea arenaria subsp. canescens		Proteaceae	S		persistent soil	ant?			II&IV-24
Grevillea aspleniifolia		Proteaceae	S		soil	wind & ant?			VIII-1b
Grevillea australis		Proteaceae	S r		persistent soil				VIII-25; II-58; V-77
Grevillea banyabba		Proteaceae	S		persistent soil				II-R36
Grevillea baueri subsp. baueri		Proteaceae	S		persistent soil	gravity & ant?			II-24
Grevillea beadleana		Proteaceae	S r	Lacks lignotuber, occasional suckering observed in individuals where lower base protected during fire; Some large individuals may resprout	persistent soil		heat		VIII-25; VIII-35; VIII-53; II-69; VIII-74; VIII-107; II&V-R8
Grevillea buxifolia		Proteaceae	S r		persistent soil	a-ant		5S ~~2K~~ 9BG 8BE	II-66; II-100

Goodenia ovata	GI	1	1	1-3			40		NC CC SC NT CT ST NWS CWS SWS SWP SFWP	W G OF WSF	Spring-Summer
Goodenia paniculata	U	4	4		0.5		10		NC CC SC CT ST NWS	H W G OF	Spring-Autumn
Goodenia pinnatifida	U	4	4		1		60		NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	G W	Winter-Spring
Goodenia stelligera	UGI	2	1		<1				NC CC SC ST	S Swamp	Spring-Summer
Goodenia varia	G	1	4						SWP SFWP	Triodia-G Mallee	all year
Goodenia willisiana	G	1	4						SWP SFWP	Mallee	Spring-Summer
Goodia lotifolia var. lotifolia	SI	2	1				50		NC CC SC NT CT ST	OF WSF	Spring
Goodia lotifolia var. pubescens	VSI	2	1				50		NC	RF WSF OF	Spring-Summer
Goodia medicaginea	SI	2	1						NWS CWS SWS SWP	Mallee Currawang	Spring
Grammitis billardiere	C	1	4				100		NC CC SC NT CT ST	RF moist-OF	
Gratiola pedunculata	C	1	4						NC CC SC NT CT ST NWS CWS NWP SWP		Spring-Summer
Gratiola peruviana	C	1	4						NC CC SC NT CT ST NWS CWS	Swamp	Spring-Summer
Grevillea acanthifolia subsp. acanthifolia	GI	1	1						CT	wet-H	Spring-Summer
Grevillea acanthifolia subsp. paludosa	GI	1	1					TSC E, ESP E, Rotap 2ECit	ST	Sphagnum-Swamp	Spring-Summer
Grevillea acanthifolia subsp. stenomera	G	1	4					Rotap 3RC-	NC NT	H W	Spring-Summer
Grevillea acerata	GI	1	1					Rotap 2RC-t	NT	shrubby-DSF W H	Spring-Summer
Grevillea alpina	VG	4	4	4					ST SWS	DSF OF W H Mallee	Winter-Summer
Grevillea arenaria subsp. arenaria	G	1	4						CC SC CT ST	OW S	Spring
Grevillea arenaria subsp. canescens	G	1	4						CT ST NWS CWS NWP	W	Spring
Grevillea aspleniifolia	G	1	4						CC CT ST	OF W	Spring-Summer
Grevillea australis	GT	1	3	10			>60		ST	H Herbfield subalpine-W	Spring-Summer
Grevillea banyabba	G	1	4					TSC V, ESP V, Rotap 2VC-	NC	OF	Spring
Grevillea baueri subsp. baueri	G	1	4				>40		CC SC CT	DSW H	Winter-Spring
Grevillea beadleana	GI	1	1	2-5		15	35	TSC E, ESP E, Rotap 3ECi	NC NT	OF W S	Spring-Autumn
Grevillea buxifolia	G	1	4	8					CC CT	DSW H	Spring-Autumn

Grevillea buxifolia subsp. buxifolia	Grevillea buxifolia subsp. buxifolia 'race b', Grevillea buxifolia subsp. buxifolia 'race c'	Proteaceae	S		persistent soil	ant	heat & smoke		II-1a; VIII-25; II-66
Grevillea buxifolia subsp. ecorniculata	Grevillea buxifolia subsp. buxifolia 'race a'	Proteaceae	S		persistent soil	ant			II-24
Grevillea caleyi		Proteaceae	S		persistent soil	local			II-13; VIII-25; II-R4
Grevillea capitellata	Grevillea diffusa subsp. diffusa 'Robust Form'	Proteaceae	S		persistent soil	ant?			II-24
Grevillea diffusa subsp. diffusa		Proteaceae	S		persistent soil	ant?			II-24
Grevillea diffusa subsp. filipendula		Proteaceae	S		persistent soil	ant?	heat & smoke		II-24; VIII-25
Grevillea diminuta		Proteaceae	S						VIII-25
Grevillea evansiana	Grevillea diffusa subsp. evansiana	Proteaceae	S		persistent soil	ant?			II-24?; VIII-25
Grevillea floribunda		Proteaceae	S r	Sometimes regenerates from lignotuber					V&VIII-25
Grevillea granulifera	Grevillea obtusiflora subsp. granulifera	Proteaceae	S		persistent soil				VIII-25; II-R36
Grevillea guthrieana		Proteaceae	R		persistent soil				Vb-R36
Grevillea hilliana		Proteaceae	S						VIII-25
Grevillea humilis subsp. humilis	Grevillea linearifolia 'Northern Form'	Proteaceae	R			ant?			IV-24
Grevillea ilicifolia		Proteaceae	R s						IV-25; II-38c; IX-78
Grevillea imberbis	Grevillea linearifolia 'Kanangra/Braidwood Form'	Proteaceae	R			ant?			IV-24
Grevillea irrasa subsp. irrasa	Grevillea victoriae 'race 1', Grevillea sp. aff. Miqueliana	Proteaceae	S r		persistent soil				II-R35
Grevillea jephcotti		Proteaceae	S					8CE	VIII-25
Grevillea johnsoni		Proteaceae	S		persistent soil	ant?	heat		II-24; VIII&V-25
Grevillea juncifolia		Proteaceae	S R				heat & smoke	9PL	VIII-25
Grevillea juniperina	Grevillea trinervis	Proteaceae	S				heat & smoke		VIII-25
Grevillea juniperina subsp. allojohnsonii		Proteaceae	R						IX-100
Grevillea kedumbensis	Grevillea obtusiflora subsp. kedumbensis	Proteaceae	R			ant?			V-24; V-25
Grevillea kennedyana		Proteaceae	R						IV&V-25; V-65
Grevillea laniger		Proteaceae	R					9G	IV-25

Grevillea buxifolia subsp. buxifolia	GI	1	1	2-8			30		CC SC	H DSF W	Winter-Spring
Grevillea buxifolia subsp. ecorniculata	G	1	4						CC CT	OF	Winter-Spring
Grevillea caleyi	GI	1	1	2-5		8-12	25	TSC E, ESP E, Rotap 2ECi	CC	OF W	Winter-Spring
Grevillea capitellata	G	1	4						CC	W H	Winter-Spring
Grevillea diffusa subsp. diffusa	G	1	4						CC	DSF W swampy-H	Spring
Grevillea diffusa subsp. filipendula	GI	1	1					2R?	CC	DSF W swampy-H	Winter
Grevillea diminuta	G	1	4					Rotap 2RCal	ST	subalpine-W	Spring-Summer
Grevillea evansiana	G	1	4					TSC V, ESP V, Rotap 2VC-	CT	OF OW OH	Spring
Grevillea floribunda	G	1	4						NT CT NWS CWS SWS NWP SWP	DSF W	Spring
Grevillea granulifera	G	1	4					Rotap 3KCa	NC NT	DSF W	Spring-Summer
Grevillea guthrieana	VG	4	4					TSC E, ESP E, Rotap 3V	NC	SF	Spring
Grevillea hilliana	G	1	4						NC	RF (ST)	Winter
Grevillea humilis subsp. humilis	VG	4	4						NC CC NWS CWS	DSF W	Spring
Grevillea ilicifolia	V	4	4	3					SWP	OW OH Mallee	Spring-Summer
Grevillea imberbis	VG	4	4						CT ST	H W	Spring-Summer
Grevillea irrasa subsp. irrasa	GT	1	3						SC	WSF DSF subalpine-W	Spring-Summer
Grevillea jephcotti	G	1	4					2RC	SWS	DSF CF OW	Winter-Summer
Grevillea johnsoni	GI	1	1					Rotap 2RCi	SC CT CWS	W S	Spring
Grevillea juncifolia	GI	1	1						NWP SWP NFWP	W Triodia-communities	Winter-Spring
Grevillea juniperina	G	4	4					TSC V	NC CC SC NT CT ST NWS	wet-H OW	Winter-Spring
Grevillea juniperina subsp. allojohnsonii	V	1	4						NT NWS		Winter-Spring
Grevillea kedumbensis	V	4	4					Rotap 2KCa	CT	OF	Winter-Spring
Grevillea kennedyana	V	4	4				50	TSC V, ESP V, Rotap 2VCa	NFWP		Winter-Spring
Grevillea lanigera	V	4	4						SC CT ST CWS SWS	W S H	Winter-Spring

Grevillea laurifolia		Proteaceae	S r		persistent soil	ant?			IX-1a; II-24; VIII-25
Grevillea linearifolia	Grevillea liearifolia 'Hawkesbury Sandstone Form', Grevillea linearis	Proteaceae	S r		persistent soil	ant	heat & smoke		VIII-1; II-24; IV-25; VIII-39; II-69
Grevillea linsmithii		Proteaceae	S		short-lived soil	wind			VIII-25?; VIII-74; II-89
Grevillea longifolia	Grevillea aspleniifolia var. longifolia	Proteaceae	S		persistent soil	gravity	heat		II-13; II-24; VIII-25
Grevillea macleayana	Grevillea barklyana subsp. macleayana	Proteaceae	S						VIII-25
Grevillea masonii		Proteaceae	R						V-25; IV-R36
Grevillea mollis		Proteaceae	S						VIII-25
Grevillea molyneuxii	Grevillea sericea (misapplied)	Proteaceae	S		persistent soil	ant?			II-24; VIII-25; II-102
Grevillea montana	Grevillea arenaria subsp. montana	Proteaceae	R						V&IV-25?
Grevillea mucronulata	Grevillea cinerea	Proteaceae	S r	Cumberland Plain form is lignotuberous, Lower Blue Mountains form without lignotuber	persistent soil	ant?	smoke	~~8BN~~ 9BN	VIII-25; VIII-57; II-66; II-R35
Grevillea nematophylla		Proteaceae	R					5FO(1)	
Grevillea obtusiflora subsp. fecunda		Proteaceae	R		persistent soil	a-ant			IVb-24; IV-R18
Grevillea obtusiflora subsp. obtusiflora		Proteaceae	R		not known to set seed				IV-R18
Grevillea oldei	Grevillea trinervis, Grevillea capitellata (misapplied)	Proteaceae	S		persistent soil				II-24; VIII-25
Grevillea oleoides	Grevillea speciosa subsp oleoides	Proteaceae	R		persistent soil	a-ant		9KE 9BG	IVb-2; IVb-24; IV-25
Grevillea parviflora		Proteaceae	S r		persistent soil			8E 8KE 8CH	II-2; IV-25; VIII-78
Grevillea parviflora subsp parviflora	Grevillea linearifolia 'Narrower-leved Sydney Form'	Proteaceae	S r	Sometimes regenerates from rhizomes	persistent soil	gravity			II-1b; IV-24
Grevillea parviflora subsp supplicans	Grevillea linearifolia 'narrower-leaved Sydney form' (atypical form), Grevillea parviflora 'Maroota-Berrilee form'	Proteaceae	S		persistent soil	ant			II&IV?-24
Grevillea patulifolia	Grevillea linearifolia 'Southern Sandstone Form'	Proteaceae	R s		persistent soil				IVb-24; II-105; IV-R18
Grevillea phylicoides	Grevillea buxifolia subsp. phylicoides	Proteaceae	S r		persistent soil				IXb-4; II-24; VIII-25; II-66

Grevillea laurifolia	GI	1	1						CC CT	OF OW H	Spring
Grevillea linearifolia	GI	1	1	5			>50		CC SC	W wet H	Spring
Grevillea linsmithii	CI	1	1	2				Rotap 3RCa	NC NT	S DSF	Winter-Spring
Grevillea longifolia	GI	1	1	3-5		10-12	40	Rotap 2RC-t	CC CT	OF W	Spring
Grevillea macleayana	G	1	4					Rotap 3RC-	SC ST	LOW H	Spring-Summer
Grevillea masonii	V	4	4					TSC E, ESP E, Rotap 2E	NC	OW	Winter-Spring
Grevillea mollis	G	1	4					TSC E, ESP E, Rotap 2VCit	NT	H	Winter-Spring
Grevillea molyneuxii	GT	1	3	>3				TSC V, Rotap 2K	CT	H	Spring
Grevillea montana	VG	1	4					Rotap 2KC-	NC CC CWS	OF	Spring
Grevillea mucronulata	GI	1	1				35		CC SC CT CWS	OF W	Autumn-Spring
Grevillea nematophylla	V	4	4					TSC E (presumed extinct)	NFWP SFWP	W Mallee S	Spring-Summer
Grevillea obtusiflora subsp. fecunda	VGI	2	1	4-5		10-15		TSC E, ESP E, Rotap 2E	CT	OF	Spring
Grevillea obtusiflora subsp. obtusiflora	V	4	4			10-15	100	TSC E, ESP E, Rotap 2E	CT	LOF	Winter-Spring
Grevillea oldei	G	1	4					Rotap 2RC-t	CC	W H	Winter-Summer
Grevillea oleoides	VGI	2	1		4		110		CC CT	DSF W H	Winter-Spring
Grevillea parviflora	GI	1	1				70		CC SC NT CT ST CWS	H W	Winter-Summer
Grevillea parviflora subsp parviflora	GI	1	1				70	TSC V	CC	W	Winter-Spring
Grevillea parviflora subsp supplicans	G	1	4					TSC E, ESP E	CC	W	Spring
Grevillea patulifolia	VG	4	4				>30		CC SC CT ST	H W	Spring
Grevillea phylicoides	GI	1	1						CC SC	OF W H	Winter-Summer

Grevillea polybractea		Proteaceae	S					8CE	VIII-25
Grevillea pterosperma	Grevillea sericostachya	Proteaceae	S						VIII-25
Grevillea quadricauda		Proteaceae	R		persistent soil				Vb-R36
Grevillea ramosissima subsp. ramosissima		Proteaceae	S r	Some population regenerate from rhizomes	persistent soil				II&IV-24; VIII&IV-25
Grevillea raybrownii	previously included in Grevillea triternata	Proteaceae	S		persistent soil	gravity			II?-24; VIII-25
Grevillea renwickiana		Proteaceae	R	Appears to reproduce entirely by sucker	sets no seed				IV-25
Grevillea rhizomatosa		Proteaceae	R	Appears to reproduce entirely by sucker	sets no seed				IV-25
Grevillea rivularis		Proteaceae	S		persistent soil	gravity			VIII-1b; II?-24; II-102
Grevillea rosmarinifolia subsp. glabella	Grevillea glabella	Proteaceae	R						IV-25
Grevillea rosmarinifolia subsp. rosmarinifolia	Grevillea latrobei	Proteaceae	S r	Some popultions regenerate from rhizomes	persistent soil				II&IV-24
Grevillea scortechinii subsp. sarmentosa		Proteaceae	S						VIII-25; II-100?; VIII-107
Grevillea sericea		Proteaceae	S r	Sometimes suckering	persistent soil	a-ant	heat & smoke	8BE 5S	II&IV-1a; II-4; VIII-24; VIII&IV-25; II-66; VIII-91
Grevillea shiressii		Proteaceae	S		persistent soil	ant			II-13; II-24; VIII-25
Grevillea speciosa	Grevillea speciosa subsp speciosa	Proteaceae	S r		persistent soil	a-ant	heat & smoke	2K 4S 8BE	II-1b; VIII-25; II-46; V 52
Grevillea sphacelata	Grevillea buxifolia subsp. sphacelata	Proteaceae	R s		persistent soil	a-ant			V?-24; V-25; II-66; IX-91
Grevillea stenobotrya		Proteaceae	S				smoke	8PL	VIII-25
Grevillea striata	Grevillea lineata	Proteaceae	R s	Epicormic shoots after low intensity fire				11WI 8PL	VIII&VI-25
Grevillea triternata		Proteaceae	S R		persistent soil				V-1a?; IV-25; II-66; IX-100
Grevillea viridiflava	Grevillea linearifolia form 'c' (montane elements), Grevillea linearifolia 'Torrington form', Grevillea linearifolia 'Darling Downs form'	Proteaceae	R						IX-100
Grevillea wilkinsonii		Proteaceae	S			ant			VIII-25; VIII-R5
Guringalia dimorpha	Restio dimorphus	Restionaceae	S						VIII-94

Grevillea polybractea	G	1	4						ST CWS SWS	DSF	Spring-Summer
Grevillea pterosperma	G	1	4						SFWP	H OW Mallee	Spring
Grevillea quadricauda	VG	4	4					TSC V, ESP V, Rotap 3VC-	NC	DSF W	Winter-Spring
Grevillea ramosissima subsp. ramosissima	G	1	4						CC NT CT ST NWS CWS SWS	W	Spring
Grevillea raybrownii	G	1	4					Rotap 2KC-	CT	OF S	Spring
Grevillea renwickiana	V	4	4					Rotap 2RCa	ST	DSF W	Spring-Summer
Grevillea rhizomatosa	V	4	4					TSC V, ESP V, Rotap 2VC-t	NC NT	DSF	Spring
Grevillea rivularis	GI	1	1	>5			>35	TSC E, ESP E, Rotap 2VCi	CT	S	Spring-Autumn
Grevillea rosmarinifolia subsp. glabella	VI	2	1						SWP	DSF W Mallee	Spring
Grevillea rosmarinifolia subsp. rosmarinifolia	G	1	4						SC CT ST CWS SWS	OF	Winter-Spring
Grevillea scortechinii subsp. sarmentosa	G	1	4			>10		TSC V, ESP V, Rotap 2VC-	NT	SW OH	Spring-Summer
Grevillea sericea	GI	1	1	3-6			35		CC CT CWS	OF W H	Spring
Grevillea shiressii	G	1	4					TSC V, ESP V, Rotap 2VCit	CC	TS WSF	Winter-Spring
Grevillea speciosa	GI	1	1	2-4			50		CC	W H DSF	Winter-Spring
Grevillea sphacelata	VG	4	4						CC SC CT	W H DSF	Spring
Grevillea stenobotrya	GI	1	1						NFWP	S Triodia-communities	Winter-Spring
Grevillea striata	VT	3	3						NWS CWS NWP SWP NFWP	W OS Mulga	Spring-Summer
Grevillea triternata	G	1	4						CC NT CT NWS CWS	W	Spring
Grevillea viridiflava	V	4	4						NT NWS		
Grevillea wilkinsonii	GT	1	3				>40	TSC E, ESP E, Rotap 2E	ST	riverine-S adjacent to OF	Spring
Guringalia dimorpha	GT	1	3						CC	H W	Spring

Gymnoschoenus sphaerocephalus		Cyperaceae	R					9I 9KP 9KE	IX-2; IX-5; V-8; V-38c; IX-59
Gynatrix pulchella	Plagianthus pulchellus, Plagianthus pulchellus var. tomentosus	Malvaceae	S R		persistent soil	water			II-105; IV-R42
Gypsophila tubulosa	Gypsophila australis	Caryophyllaceae	S					8BB 8C	
Gyrostemon australasicus		Gyrostemonaceae	S			a-ant		8C 9CH	VIII-78
Gyrostemon thesioides	Didymotheca thesioides	Gyrostemonaceae	S	Fire oppurtunist		a-ant		8CH	
Haemodorum corymbosum	Haemodorum teretifolium	Haemodoraceae	R		transient			11HO 9I 5K 9BN 9KE 9BW	IXd-2; IXd-7; IX-39
Haemodorum planifolium		Haemodoraceae	R				heat-sensitive	5F ~~5K~~	IX-39; IX-46; V-52
Haemodorum tenuifolium		Haemodoraceae	S					8B	
Hainardia cylindrica	Monerma cylindrica		S					8C	
Hakea bakeriana		Proteaceae	R s		serotinous canopy	gravity			Va-1c; Va-22; IX-39; I-66
Hakea constable		Proteaceae	S		serotinous canopy	wind			I-24
Hakea dactyloides	Hakea dactyloides species complex now divided into two species, with resprouting form recognised as Hakea laevipes	Proteaceae	S	Fire sensitive form (resprouting form recognised as H. laevipes)	serotinous canopy	wind		2G 8M	I-3; I-24; VIII-39; I-66
Hakea dohertyi	Hakea sp. B	Proteaceae	S	lacks lignotuber	serotinous canopy	wind			I-1c
Hakea erianthа		Proteaceae	S		serotinous canopy			8M	I-38c; I-100?
Hakea eyreana	Hakea divaricata, Hakea ednieana	Proteaceae	R		canopy			9PL	
Hakea florulenta		Proteaceae	R		canopy			9B	
Hakea gibbosa		Proteaceae	S	Lacks lignotuber	serotinous canopy	wind		1S 8B	I-1c; I-52
Hakea laevipes subsp. graniticola	Hakea dactyloides, Hakea dactyloides var. angustifolia	Proteaceae	R	Lacks lignotuber					IX-100
Hakea laevipes subsp. laevipes	previously included in Hakea dactyloides	Proteaceae	R	resprouting form of H. dactyloides	serotinous canopy	wind		5S 9I 5K 9BN 9KE 9BG ~~2G~~	IXa-2; IXa-4; IXa-5; Va-22; V-52; IX-69; IX-95c; V-105
Hakea leucoptera		Proteaceae	S		canopy			8PL	
Hakea macraeana		Proteaceae	S		canopy			8CN	I-R35; VIII-R41
Hakea macrorrhyncha	Hakea sp. 'Girraween-Torrington', Hakea sp. A, Hakea sp. A aff. Propinqua	Proteaceae	S		serotinous canopy	wind			I-69; I-100
Hakea microcarpa		Proteaceae	R s		canopy	wind			V-1c; IXa-5; V-58; I-77; IX-100

Gymnoschoenus sphaerocephalus	U	4	4		<2		100		NC CC SC NT CT ST	Swamp	
Gynatrix pulchella	GI	1	1						CC SC CT ST	WSF RF	Spring
Gypsophila tubulosa	A	5	5	<1					CC SC NT ST NWS CWS NWP SWP NFWP	G W	Spring
Gyrostemon australasicus	C	1	4						SFWP	H Mallee	
Gyrostemon thesioides	A	5	5	<1				TSC E	CC		
Haemodorum corymbosum	UCI	2	1		<2		60		NC CC SC CT ST		
Haemodorum planifolium	U	4	4		1.5		10		NC CC SC NT CT ST NWS	DSF S	
Haemodorum tenuifolium	C	1	4						NC	H DSF	
Hainardia cylindrica	E	5	5						Exotic		
Hakea bakeriana	VC	4	4	4	2-3		60		NC CC	W H	Winter-Spring
Hakea constable	C	1	4					Rotap 2RCa	CC CT	H mallee	Spring
Hakea dactyloides	CT	1	3	4-7			30		NC CC SC CT ST NWS CWS	OF	Spring
Hakea dohertyi	CT	1	3	7			>100	TSC E, ESP E, Rotap 2ECi	CT	OF W	Spring
Hakea erianthe	C	1	4	8					NC SC NT ST NWS	WSF WSW	Spring
Hakea eyreana	VC	4	4						NFWP		Winter-Spring
Hakea florulenta	VC	4	4						NC NT	OF	Spring
Hakea gibbosa	C	1	4	3			30		CC SC	H W	Autumn-Winter
Hakea laevipes subsp. graniticola	V	4	4						NT NWS NWP	H DSF W	Spring-Summer
Hakea laevipes subsp. laevipes	UCI	2	1		1		80		NC CC SC CT ST CWS	OF W H mallee	Spring-Summer
Hakea leucoptera	C	1	4						NWP SWP NFWP SFWP	S	Spring-Summer
Hakea macraeana	CI	1	1						SC ST	WSF DSF	Spring
Hakea macrorrhyncha	C	1	4	3		5	20	Rotap 3RC-	NT	H OF	Spring
Hakea microcarpa	VCI	2	1	10			>70		SC NT CT ST NWS CWS	H Swamp	Spring-Summer

Hakea propinqua		Proteaceae	S		serotinous canopy	wind			I-1b; I-4; a-22
Hakea salicifolia subsp. salicifolia	Hakea saligna	Proteaceae	S		serotinous canopy	wind			I-1a; I-105
Hakea sericea		Proteaceae	S	Lacks lignotuber; 100% stem mortality after both low and high intensity fire	serotinous canopy	wind		1G 8I 1E 8BN 8WO	I-1c; VIII-37; VIII-39; I-66; I-91; I-103; I-104; I-105
Hakea tephrosperma		Proteaceae	S		canopy			8CE	
Hakea teretifolia	subsp. teretifolia and hirsuta overlap	Proteaceae	S r	Some populations in Sydney region produce lignotubers, not know if this relates to a particular subspecies	serotinous canopy	wind		1S 8I 8BE 1K 9KE 8KE 9BG	I-1a; I&V-2; I-4; Va-8; a-22; VIII-35; I-38a; VIII&IX-39; I-52; VIII-91; I-104; I-105
Hakea ulicina		Proteaceae	S r		canopy			1G 8C 1E 8WO 8W	Va-38c
Halgania cyanea		Boraginaceae	S					8C	
Haloragis exalata subsp. velutina		Haloragaceae	S		persistent soil				II-R36
Haloragis glauca forma glauca		Haloragaceae	R					9CN	
Haloragis heterophylla		Haloragaceae	R s		persistent soil			8BD?	IX-11; VIII-38d; XI-40; IX-79
Haloragis odontocarpa		Haloragaceae	S					8C	
Haloragodendron monospermum		Haloragaceae	S		persistent soil				II-3; II-R35
Hardenbergia comptoniana		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat	5WJ 9BA 9T	
Hardenbergia violacea		Fabaceae: Faboideae	R s		persistent soil	a-ant	heat	5F 9I 9A 9P 9BN 5PU 8CH	Vb-1; VIII-38d; VIII&IX-39; IX-66; IX-67; VIII-78; V-95a; IX-100; II&V-105
Harmsiodoxa blennodioides		Brassicaceae	S					8C	
Harnieria hygrophiloides	Calophanoides hygrophiloides, Justicia hygrophiloides	Acanthaceae	S						VIII-74
Hedycarya angustifolia		Monimiaceae	R s			bird?		9I 8CT 9M	V-108
Hedypnois rhagadioloides		Asteraceae	S					8C	
Helichrysum adenophorum var. waddelliae		Asteraceae	S		persistent soil	wind			II-66
Helichrysum collinum		Asteraceae	S r		transient	wind		8P 5PU	VIIId-R35
Helichrysum elatum		Asteraceae	S					8BX	
Helichrysum leucopsideum		Asteraceae	S R					8M ~~9W~~ 4WA	

Hakea propinqua	CI	1	1	3-7					CC CT	OW H	Spring
Hakea salicifolia subsp. salicifolia	C	1	4	6.5			30		NC CC SC NT CT	OF S	Spring
Hakea sericea	CT	1	3	3-4			>25		NC CC SC CT ST	W	Winter
Hakea tephrosperma	C	1	4						NWS CWS SWS NWP SWP NFWP SFWP	S	Spring
Hakea teretifolia	CI	1	1	6-8			60		NC CC SC CT ST	H W	Spring-Summer
Hakea ulicina	C	1	4	2			>50		SC	H	Spring
Halgania cyanea	C	1	4						CWS NWP SWP NFWP SFWP	Mallee	all year
Haloragis exalata subsp. velutina	G	1	4					TSC V, ESP V, Rotap 3VC-	NC NT		
Haloragis glauca forma glauca	V	4	4						NWS SWS NWP SWP NFWP SFWP	W G Bluebush	
Haloragis heterophylla	UGT	3	3	1	<1		20		NC CC SC NT CT ST NWS CWS SWS NWP SWP	W G	
Haloragis odontocarpa	A	5	5						CWS NWP SWP NFWP SFWP	Mulga-OW	
Haloragodendron monospermum	GI	1	1	2				Rotap 3RC-	SC ST	S H DSF	
Hardenbergia comptoniana	E	5	5						Exotic		
Hardenbergia violacea	USI	2	1	1	1		60		NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP	OF W H S	Spring
Harmsiodoxa blennodioides	A	5	5						NWS CWS SWS NWP SWP NFWP SFWP	various	
Harnieria hygrophiloides	C	1	4					TSC E	NC	RF WSF	all year
Hedycarya angustifolia	VD	4	4				50		NC CC SC NT CT ST CWS	RF (Temp) RF-margins	Spring-Summer
Hedypnois rhagadioloides	E	5	5						Exotic		
Helichrysum adenophorum var. waddelliae	A	5	5	<1					NC CC CT ST CWS	SF W	Spring-Autumn
Helichrysum collinum	CI	1	1	2					NC CC SC NT CT ST NWS CWS NWP	SF	Spring-Summer
Helichrysum elatum	CI	1	1						NC CC SC NT CT ST	WSF DSF RF	Winter-Spring
Helichrysum leucopsideum	CI	1	1		1				CC SC CT ST NWP SWP SFWP	Mallee S	Spring-Summer

Helichrysum rutidolepis		Asteraceae	R			wind?		9BX	IV-58; IX-79
Helichrysum scorpioides		Asteraceae	R s		persistent soil	wind		4W 2E 9WO 4WA 9BX	Vc-38c&d; II-66; IX-67; IV-105
Heliotropium europaeum		Boraginaceae	S					8C	VIII-78
Hemarthria uncinata var. uncinata		Poaceae	R					9KE	IX-2; IV-105
Hemigenia purpurea		Lamiaceae	S r		persistent soil		a-heat	5S 2K 8BD	II-4; VIII-91
Herniaria cinerea	Herniaria hirsuta	Caryophyllaceae	S					8C	
Herpolirion novae-zelandiae		Anthericaceae	R						V-58
Heteropogon contortus		Poaceae	R				heat & smoke	5SA	
Hibbertia acicularis		Dillenaceae	R s		persistent soil			2F 9B 9BW 9CH	Vb-8; V-37; IV-38b; VIII&IX-39; VIII-78; IX-100
Hibbertia aspera subsp. aspera	Pleurandra parviflora, Pleurandra cinerea auct. non R.Br. ex DC. Sieber	Dillenaceae	S R		persistent soil			8CH 5BB	IX-39; VIII-78; Vb-105
Hibbertia bracteata		Dillenaceae	R		persistent soil?	a-ant		5BB	V-52; VIII-91
Hibbertia calycina		Dillenaceae	R		persistent soil			9P 5PU 4PU	Vb-R42
Hibbertia cistiflora subsp. cistiflora		Dillenaceae	S r		persistent soil			8BE 2E 8WO 5BB	Vb-1; IXb-4
Hibbertia cistoidea		Dillenaceae	R						IX-100
Hibbertia dentata		Dillenaceae	R		persistent soil			9I 5BB	IX-39; IXb-49
Hibbertia diffusa		Dillenaceae	S R		persistent soil			8I 9BB?	IXb-49
Hibbertia empetrifolia subsp. empetrifolia	Pleurandra empetrifolia, Hibbertia empetrifolia subsp. uncinata	Dillenaceae	R		persistent soil			9G 9CL 5K 5BB	IXb-7; V-38b
Hibbertia fasciculata		Dillenaceae	S r		persistent soil	a-ant		2F 9VE 2BW 8I 5S 2E 8BN	II-8; VIII&IX-39; II-46
Hibbertia hermanniifolia		Dillenaceae	S	Can resprout after low intensity fire	persistent soil			8CE	II&IX-R35; VIII-R41
Hibbertia incana	Hibbertia sericea	Dillenaceae	S r		persistent soil			8C 9VE 8MO 2E 8WO 9CH 5W	IXb-9; VIII&IX-39; VIII-83
Hibbertia linearis		Dillenaceae	S r		persistent soil	a-ant		2C 8B 5F 5S 8I 2BW 8BB	VIII&IX-39; IX-100
Hibbertia marginata		Dillenaceae	R						IV-R36
Hibbertia monogyna		Dillenaceae	S					8BE	VIII-39
Hibbertia nitida		Dillenaceae	S			a-ant		8BB	
Hibbertia obtusifolia		Dillenaceae	S R		persistent soil	ant		4HO 9P 5PU 4PU 2BW	IXb-3; II-8; V-38b; II-38c; VIII&IX-39; II-66; IX-69; IX-100

Helichrysum rutidolepis	UDT	3	3	1	<1		>10		NC CC SC NT CT ST SWS SWP	SF W	Summer-Autumn
Helichrysum scorpioides	UD	4	3		1				NC CC SC NT CT ST NWS CWS SWS	F	Spring
Heliotropium europaeum	E	5	5	<1					Exotic		Summer-Autumn
Hemarthria uncinata var. uncinata	UT	3	3		1		100		NC CC SC NT CT ST NWS CWS SWS	Swamp	Summer
Hemigenia purpurea	SI	2	1	2-3			70		CC SC CT	W H	all year
Herniaria cinerea	E	5	5						Exotic		
Herpolirion novae-zelandiae	VT	3	3	1			>10		ST	H	Summer
Heteropogon contortus	VI	2	1						NC NT NWS CWS NWP	OP W	Summer
Hibbertia acicularis	VGI	2	1						NC CC SC NT CT ST NWS CWS	W OF H	Spring-Summer
Hibbertia aspera subsp. aspera	G	1	4		1		>32		NC CC SC CT ST	OF W H WSF	Summer
Hibbertia bracteata	UG	4	4		1				CC CT	OF W H	Spring-Summer
Hibbertia calycina	UG	4	4		1				CT ST	DSF W	Winter-Spring
Hibbertia cistiflora subsp. cistiflora	GI	1	1	3					CC NT CT	OW H	Spring
Hibbertia cistoidea	V	4	4				>20		NC CC NT CT NWS	OF	Winter
Hibbertia dentata	UG	4	4		1		>32		NC CC SC NT CT CWS	TOF S RF OF WSF	Spring
Hibbertia diffusa	G	1	4		0.5				NC CC SC NT CT ST	H W OF	Spring-Autumn
Hibbertia empetrifolia subsp. empetrifolia	UGI	2	1		1		70		NC CC SC CT ST	OF dry	all year
Hibbertia fasciculata	GI	1	1	1.5			20		NC CC SC CT ST	H OF	Winter-Summer
Hibbertia hermanniifolia	GI	1	1					Rotap 3RCa	NC CC SC NT	W OF	Spring-Autumn
Hibbertia incana	GI	1	1		2		>25	TSC Endangered Population (Baulkham Hills LGA)	CC CT ST CWS SWS SWP	OF H OW	all year
Hibbertia linearis	GI	1	1	1.5					NC CC SC NT CT CWS	H OF S	Spring-Summer
Hibbertia marginata	V	4	4					TSC V, ESP V	NC	F	Spring
Hibbertia monogyna	G	1	4	4					CC SC CT ST NWS CWS	OF	Spring-Autumn
Hibbertia nitida	G	1	4					Rotap 2RC-	CC	OF W	Spring
Hibbertia obtusifolia	GT	1	3		1		30		NC CC SC NT CT ST NWS CWS SWS NWP SWP	OF dry	Spring-Summer

Hibbertia pedunculata		Dillenaceae	R		persistent soil				IXb-3
Hibbertia procumbens		Dillenaceae	R		persistent soil			9KP	V-37; IXb-59
Hibbertia riparia	Hibbertia stricta	Dillenaceae	R		persistent soil	a-ant		5W 9KE 9CH 5WA 9I 9VE 9B 9C 9E 9WO 9CH 5BB	IXb-2; IX-39; IX-78; IX-100; V-105
Hibbertia rufa		Dillenaceae	S		persistent soil			8CE	II-5
Hibbertia saligna		Dillenaceae	S		persistent soil	a-ant			II-R35
Hibbertia scandens		Dillenaceae	R s		persistent soil	bird		2F 9I 5BB	VIII&IX-39; V-105
Hibbertia serpyllifolia		Dillenaceae	R s	Mortality 37-44% after spring burn 79-87% after autumn burn	persistent soil			5S 9KE 9BG 2K 9BB	IXb-2; VIII-57; IX-100
Hibbertia sp. B	Hibbertia sp. 'Torrington'	Dillenaceae	S		persistent soil				II-100
Hibbertia vestita		Dillenaceae	R		persistent soil			9B 9BW	IXb-6; IX-39; IX-100
Hibbertia villosa	Hibbertia sp. A	Dillenaceae	S						VIII-74
Hibbertia virgata subsp. virgata		Dillenaceae	S r		persistent soil			8I 9C 9WO 2E 8CH	V-38c; VIII-78
Hibiscus diversifolius		Malvaceae	R		persistent soil		a-heat	5SA 8BD?	
Hibiscus heterophyllus subsp. heterophyllus		Malvaceae	S		persistent soil		a-heat	2BD	VIII-39
Hibiscus splendens	Abelmoschus splendens	Malvaceae	S		persistent soil		a-heat	2BD	
Hibiscus tiliaceus		Malvaceae	R				heat	9BO	
Hierochloe rariflora		Poaceae	R					11M	
Hierochloe redolens		Poaceae	S						VIII-61
Histiopteris incisa		Dennstaedtiaceae	R s		transient	wind		9BM 9M	IX-39; III-61
Holcus lanatus		Poaceae	R					9W 9MO 9WA	
Homopholis proluta	Panicum prolutum	Poaceae	R						IX-11
Homoranthus binghiensis	Homoranthus sp. 'Torrington'	Myrtaceae	S		persistent soil				II-100; VIII-107
Homoranthus croftianus		Myrtaceae	S						VIII-107
Homoranthus lunatus		Myrtaceae	S		soil				VIII-69; II-100
Homoranthus virgatus		Myrtaceae	S		persistent soil			2BW	
Hovea apiculata		Fabaceae: Faboidea	S		persistent soil	a-ant	a-heat		II-100
Hovea beckeri	Hovea sp. Q, Hovea longifolia var. longifolia	Fabaceae: Faboideae	S		soil	a-ant	a-heat		II-69
Hovea graniticola		Fabaceae: Faboidea	S		persistent soil	a-ant	a-heat		II-100
Hovea lanceolata	Hovea sp. R, Hovea sp. B	Fabaceae: Faboideae	S		persistent soil	a-ant	heat		II-49

Hibbertia pedunculata	VGI	2	1						NC CC NT CT ST NWS CWS SWS	OF	Spring-Autumn
Hibbertia procumbens	VGI	2	1					TSC E	CC	H	Summer
Hibbertia riparia	VGI	2	1		2		90		NC CC SC NT CT ST NWS CWS SWS NWP SWP	OW	Spring-Summer
Hibbertia rufa	GI	1	1						NC CC NT CT ST	Swamp Sedgeland H	Summer
Hibbertia salignа	GI	1	1						CC SC NT CT ST CWS	moist-OF	Spring
Hibbertia scandens	VDI	2	2	1-5			40		NC CC SC NT CT	S RF OF WSF	all yeaı
Hibbertia serpyllifolia	VGI	2	1		2		90		NC CC SC NT CT ST NWS	H Mallee	Spring-Summer
Hibbertia sp. B	G	1	4					Rotap 2K	NT NWS		Summer
Hibbertia vestita	VGI	2	1						NC CC NT NWS SWP	H DSF	all year
Hibbertia villosa	G	1	4					Rotap 3KC-	NC NT	OF	Winter-Summer
Hibbertia virgata subsp. virgata	G	1	4						CC SC SWP SFWP	H	Spring
Hibiscus diversifolius	VSI	2	1				40		NC CC SC LHI	F	
Hibiscus heterophyllus subsp. heterophyllus	SI	2	1				70		NC CC NT	OF RF RF-margins	
Hibiscus splendens	SI	2	1				40		NC CC	RF OF	
Hibiscus tiliaceus	VSI	2	1						NC LHI	RF-margins swamp-F	
Hierochloe rariflora	VR	2	3						NC SC NT CT ST	WSF	Spring-Summer
Hierochloe redolens	C	1	4						NT ST		Summer
Histiopteris incisa	VD	4	4				100		NC CC SC NT CT ST CWS LHI	RF F moist-S	
Holcus lanatus	E	5	5						Exotic		
Homopholis proluta	U	4	4		0.5				NC NWS CWS SWS NWP SWP NFWP SFWP	G W	Summer
Homoranthus binghiensis	G	1	4	>7		>10		Endangered	NWS		
Homoranthus croftianus	G	1	4	>7		>10		TSC E	NT	S LW	Spring-Summer
Homoranthus lunatus	G	1	4					TSC V, ESP V, Rotap 2VCit	NT	H	Spring-Summer
Homoranthus virgatus	GI	1	1						NC	H DSF	Spring-Summer
Hovea apiculata	SI	2	1								
Hovea beckeri	SI	2	1						NT CT NWS	W	Spring
Hovea graniticola	SI	2	1								
Hovea lanceolata	SI	2	1						NC CC NT CT NWS CWS SWS NWP	Pine/Euc-LOF	Spring

Hovea linearis	Hovea heterophylla	Fabaceae: Faboideae	R s		persistent soil	a-ant	a-heat	5F 5S 9WO ~~2K~~ 2E 9BN 5PU 9P 5W	IXb-3; IXb-4; IXb-5; V-38b&c; VIII&IX-39; V-52; II-66; IX-100
Hovea longifolia		Fabaceae: Faboidea	S		persistent soil	a-ant	a-heat		II-R35
Hovea montana	Hovea longifolia var. montana, Hovea sp. Q	Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat		IVb-58
Hovea purpurea	Hovea pannosa, Hovea sp. C	Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8CN	
Howittia trilocularis		Malvaceae	S		persistent soil		a-heat	2BD	II-38c
Huperzia varia	Lycopodium myrtifolium	Lycopodiaceae	R			wide			IX-R35
Hyalosperma demissum	Helipterum demissum	Asteraceae	S			wide		8C	VIII-38d
Hybanthus floribundus subsp. floribundus		Violaceae	S			a-ant			VIII-78
Hybanthus monopetalus		Violaceae	S r		persistent soil	a-ant		2F	IXb-4; II-5; VIII-39
Hybanthus vernoni		Violaceae	S R			a-ant			IX-57; VIII-74
Hydrocotyle acutiloba		Apiaceae	R			wind		9M	IX-39; IV-105
Hydrocotyle bonariensis		Apiaceae	R			wind		5BM	V-96
Hydrocotyle callicarpa		Apiaceae	S		persistent soil		smoke	8W 8C 2E 8CH 8WA	II-38c&d
Hydrocotyle geraniifolia		Apiaceae	S		persistent soil			8M	II-105
Hydrocotyle hirta		Apiaceae	R s		transient	wide		~~8W~~ 9M 8WA	IId-38c; IV-59; IX-67
Hydrocotyle laxiflora		Apiaceae	R s					~~8W~~ 8WA	IV-38c; IX-78; IV-105; IV-R42
Hymenanthera dentata		Violaceae	R		persistent soil	a-vertebrate			V-58; V-76; V-77
Hymenophyllum australe	Mecodium australe	Hymenophyllaceae	S		transient	wind		8CT	III-59
Hymenophyllum cupressiforme		Hymenophyllaceae	S		transient?	wind		8BM 8CT 8M	
Hypericum gramineum		Clusiaceae	R s	Juveniles die; Killed at sites with high-intensity fire, resprout at site with low-intensity	persistent soil	wind?	heat & smoke	8M ~~8W~~ 9KE 8WA 9BB	IXb-2; V-38b; IId-38c; VIII&IX-39; IX-67; IX-79; II&IV-105
Hypericum japonicum		Clusiaceae	S R		persistent soil	wind?			II-5; V-58
Hypericum perforatum		Hypericaceae	R					9BB	
Hypochaeris glabra		Asteraceae	S					8C 8WO 8P	
Hypochaeris radicata		Asteraceae	R s				possibly heat-sensitive	8I 11W 9HO 9M 8C 9P 5K 8BN 5PU 9BX 11WA	IX-67; V-105

Hovea linearis	VSI	2	1	2	2-3				NC CC SC NT CT ST NWS CWS SWS	H OF	Spring
Hovea longifolia	SI	2	1						NC CC SC CT	moist-OF S	Spring
Hovea montana	VST	3	3	15			>100		ST	subalpine W	Spring
Hovea purpurea	SI	2	1						NC CC SC NT CT ST NWS CWS	W SF	Spring
Howittia trilocularis	SI	2	1				50		NC CC SC NT CT CWS	RF TOF	
Huperzia varia	UDR	2	3		<2				NC CC NT CT ST LHI	subalpine-S F	
Hyalosperma demissum	A	5	5	1					CWS SWS SWP SFWP	W	Spring
Hybanthus floribundus subsp. floribundus	G	1	4						CWS SWP SFWP	Mallee	Spring-Summer
Hybanthus monopetalus	GI	1	1						NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP	DSF W	Summer
Hybanthus vernoni	G	1	4						NC CC SC CT ST	OF	Spring-Summer
Hydrocotyle acutiloba	VT	3	3	1					CWS	WSF	all year
Hydrocotyle bonariensis	E	5	5	1					Exotic		
Hydrocotyle callicarpa	A	5	5	1-2					CT CWS SWS SWP		Spring
Hydrocotyle geraniifolia	CI	1	1						NC CC SC NT CT	WSF RF	Spring-Summer
Hydrocotyle hirta	VD	4	4						LHI	WSF	
Hydrocotyle laxiflora	VI	2	1	2					NC SC NT CT ST NWS CWS SWS SWP	F W G	Spring-Autumn
Hymenanthera dentata	VDT	3	3	5			>70		NC CC SC NT CT ST NWS CWS SWS	H	Spring
Hymenophyllum australe	DR	2	3						NC CC SC CT	RF TOF	
Hymenophyllum cupressiforme	C	1	4				100		NC CC SC NT CT ST CWS	RF	
Hypericum gramineum	UDI	2	3	1-2	<1		35		NC CC SC NT CT ST NWS CWS SWS NWP NFWP	OF G	Spring-Summer
Hypericum japonicum	GT	1	3	1			>20		NC CC SC NT CT ST NWS SWS SWP NFWP	F moist G	Summer
Hypericum perforatum	E	5	5						Exotic		
Hypochaeris glabra	E	5	5						Exotic		
Hypochaeris radicata	E	5	5	1	1				Exotic		

Hypolaena fastigiata		Restionaceae	R		persistent soil		heat & smoke	4BW 9VE 9I 11C 9WO 9M 11MO 4K 9E 9BN 9KE 4&11W	IVb-6; IVb-7; IV-8; IV 38c; IX-39; IV-52; IX 78; XI-83; IX-94; IV-105
Hypolepis elegans		Dennstaedtiaceae	R					9CE	
Hypolepis mueller		Dennstaedtiaceae	R		transient?	wind		4BM	IV-105
Hypolepis rugosula		Dennstaedtiaceae	R		transient?	wind		4WA	
Hypoxis glabella var. glabella		Hypoxidaceae	R						XI-40
Hypoxis hygrometrica		Hypoxidaceae	R					9I 9KE	IX-2; IX-39
Hypoxis hygrometrica var hygrometrica		Hypoxidaceae	R						IX-105
Impatiens wallerianа		Balsaminaceae	S					8BX	
Imperata cylindrica		Poaceae	R					4F 4SA 9BN	IV-38b; IX-39; IV-98; IX-104
Imperata cylindrica var. major		Poaceae	R						IV-105
Indigofera adesmiifolia	Indigofera australis var. signata, Indigofera australis var. platypoda	Fabaceae: Faboideae	S R		persistent soil		a-heat	8CE	IX-100
Indigofera australis		Fabaceae: Faboideae	R s		persistent soil	none developed	heat	~~8W~~ 5F 9P 9BN 5PU 4PU ~~8FO(1)~~ 8WA	Vb-38b&c; VIII-78; IX-100
Ipomoea cairica		Convolvulaceae	R					9BB	
Ipomoea indica		Convolvulaceae	R					9BB	
Isoetopsis graminifolia		Asteraceae	S			wide		8C	VIII-38d
Isolepis aucklandica	Scirpus aucklandicus	Cyperaceae	S						VIII-58
Isolepis crassiuscula	Scirpus crassiusculus	Cyperaceae	S						VIII-58
Isolepis hystrix	Scirpus hystrix		R					11W 11WA	
Isolepis inundata	Scirpus inundatus	Cyperaceae	R					4&11W 4&11WA	
Isolepis marginata		Cyperaceae	R s					8WJ 8C 4&11W 4&11WA	
Isolepis montivaga	Scirpus montivagus	Cyperaceae	S						VIII-58
Isolepis nodosa		Cyperaceae	R		persistent soil		heat	5WJ 9I 9MO 9CH	IX-39; IX-78; XIb-83
Isolepis platycarpa	Scirpus platycarpus	Cyperaceae	S					8C	
Isolepis subtilissima		Cyperaceae	S						VIII-58
Isopogon anemonifolius		Proteaceae	R s		serotinous canopy	wind		5S 9I 5K ~~8BN~~ 9BN 9KE 9BG	Va-1c; IXa-2; IXa-4; Va-8; Va-29; VIII&IX-39; V&I-105
Isopogon anethifolius		Proteaceae	R s		serotinous canopy	wind		5S ~~1K~~	IXa-1b; IXa-4; V-52; I 105
Isopogon dawsoni		Proteaceae	S		serotinous canopy	gravity			I-1a

Hypolaena fastigiata	VG	4	4		2		110		NC CC SC CT	H Swamp	Spring-Summer
Hypolepis elegans	V	4	4					TSC E (presumed extinct), Rotap 3KC-+	NC LHI	F	
Hypolepis mueller	VC	4	4				100		NC CC SC CT ST CWS	RF OF TOF	
Hypolepis rugosula	VC	4	4		2				NT CT ST CWS SWS	WSF	
Hypoxis glabella var. glabella	VR	2	3						CWS SWS SWP	Mallee	Winter-Summer
Hypoxis hygrometrica	U	4	4		<2		60		NC CC SC NT CT ST NWS SWS		
Hypoxis hygrometrica var hygrometrica	U	4	4		<1				NC CC SC NT CT ST NWS		Spring-Autumn
Impatiens walleriana	E	5	5						Exotic		
Imperata cylindrica	V	4	4						NC CC SC NT CT NWS SWS		Summer
Imperata cylindrica var. major	U	4	4		1		>22		NC CC SC NT CT NWS SWS LHI	various	Summer
Indigofera adesmiifolia	SI	2	1						NT CT ST NWS CWS SWS NWP	W	
Indigofera australis	VSI	2	1	2	2		30		NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W OF	
Ipomoea cairica	E	5	5						Exotic		
Ipomoea indica	E	5	5						Exotic		
Isoetopsis graminifolia	A	5	5	1					NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	Mallee S W Pasture	Winter-Spring
Isolepis aucklandica	GT	1	3	1			>15		NT ST	Swamp	
Isolepis crassiuscula	GT	1	3	1			>15		NT CT ST	Swamp	
Isolepis hystrix	E	5	5						Exotic		
Isolepis inundata	UR	2	3		1				NC CC SC NT CT ST SWS NWP SWP		
Isolepis marginata	E	5	5		1				Exotic		
Isolepis montivaga	GT	1	3	1			>15		ST	Bog	
Isolepis nodosa	VG	4	4						NC CC SC LHI		
Isolepis platycarpa	A	5	5						NC CC SC CT ST SWS		
Isolepis subtilissima	GT	1	3	1			>15		NC NT CT ST		
Isopogon anemonifolius	VCI	2	1	10	2	15	80		NC CC SC NT CT ST	H OF	Spring
Isopogon anethifolius	VCI	2	1				>30		CC SC CT ST	W H	Spring
Isopogon dawsoni	C	1	4				25		CC CT CWS	OF H	Spring

Isopogon fletcheri		Proteaceae	R		canopy	gravity			Va-1b
Isopogon petiolaris		Proteaceae	R		canopy				IXa-5; IX-100
Isopogon prostratus		Proteaceae	R		canopy	wind		9CE	IX-1a?; IXa-3; V-R38
Isotoma axillaris		Lobeliaceae	R					5BD	
Isotoma fluviatilis subsp. australis		Lobeliaceae	S		transient				IId-38c
Jacksonia scoparia		Fabaceae: Faboideae	R	Stem mortality 100% after high intensity (100% scorch), 60% after low intensity fire; Mortality may be increased by repeated burning	persistent soil		a-heat	4BF	IVb-1; IX-39; IX-100; IV-103; IXb-R35
Jacksonia stackhousi		Fabaceae: Faboidea	S r	resprouts at lower fire inensit	persistent soil		a-heat	8BW 9BW 9B	II&IXb-6
Jasminum lineare		Oleaceae	R					9FO(1)	
Joycea pallida	Danthonia pallida, Chionochloa pallida	Poaceae	R		persistent soil	wide	possibly heat-sensitive	~~9W~~ 9P 5PU 4WA	IXb-4; IX-39
Juncus amabilis		Juncaceae	R						IV-R42
Juncus bufonius	Juncus plebeius	Juncaceae	S						VIII-38d
Juncus capitatus		Juncaceae	S					8P	VIII-38d
Juncus continuus		Juncaceae	R					9BN	IX-39
Juncus falcatus		Juncaceae	R						V-58
Juncus homalocaulis		Juncaceae	R						V-58
Juncus pallidus		Juncaceae	R					9MO	IX-83
Juncus pauciflorus		Juncaceae	R					4&11W 4&11WA	
Juncus planifolius		Juncaceae	R					4&11W 9KE 4&11WA	IX-2; V-38b
Juncus remotiflorus	Juncus sp. A	Juncaceae	R						IX-95a
Juncus subsecundus		Juncaceae	R						IX-79
Juncus usitatus		Juncaceae	R					11CH	
Kennedia prostrata		Fabaceae: Faboideae	S r		persistent soil	a-ant	heat	8M 8VE 8WO 8V 9I 8W ~~9W~~ 9BA 2E 2T 8CH 2BU 8WA	b-1; IV-38b; II-38c; VIII&IX-39; VIII-78; II-105
Kennedia retrorsa		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat		IX-66
Kennedia rubicunda		Fabaceae: Faboideae	S r		persistent soil	a-ant	heat	2F 8I 9A?	IV-38a; VIII&IX-39; II-96; II-105
Korthalsella rubra subsp. rubra		Viscaceae	S		transient	wide		8CE	III-R35; III-R41

Isopogon fletcheri	VC	4	4					TSC V, ESP V, Rotap 2VCat	CT	moist cliff vegetation	Spring
Isopogon petiolaris	VCI	2	1						NC NT NWS CWS NWP	DSF H	Spring-Summer
Isopogon prostratus	VCI	2	1						SC CT ST	OF H	Spring-Summer
Isotoma axillaris	V	4	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W	Spring-Autumn
Isotoma fluviatilis subsp. australis	CT	1	3	4			100		CT ST CWS SWS	Swamp	Spring-Summer
Jacksonia scoparia	USI	2	1	5	<2	10			NC CC SC NT CT NWS CWS NWP SWP	W	Spring-Summer
Jacksonia stackhousii	SI	2	1						NC	H S	Spring
Jasminum lineare	V	4	4						NWS CWS NWP SWP NFWP SFWP	W S vine-thickets	all year
Joycea pallida	UD	4	3		1-2				NC CC SC NT CT ST NWS CWS SWS NWP SWP		Spring-Summer
Juncus amabilis	V	4	4						CC SWS SWP SFWP	DSF	
Juncus bufonius	E	5	5	1					Exotic		
Juncus capitatus	E	5	5	1					Exotic		
Juncus continuus	V	4	4						NC CC SC NT CT ST NWS CWS SWS NWP		
Juncus falcatus	VT	3	3	1			>15		NT CT ST	Swamp	
Juncus homalocaulis	VT	3	3	1			>15		NC CC SC NT CT ST NWS CWS SWS SWP	W G	
Juncus pallidus	V	4	4						NC CC SC SWP LHI		
Juncus pauciflorus	UR	2	3		2				NC CC SC NT CT ST		
Juncus planifolius	UR	2	3		1-2		25		NC CC SC NT CT ST NWS CWS SWS NWP		
Juncus remotiflorus	V	4	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP		
Juncus subsecundus	U	4	4		<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP		
Juncus usitatus	VR	2	3						NC CC SC NT CT ST NWS CWS SWS NWP SWP		
Kennedia prostrata	SI	2	1	1-4					NC CC SC CT ST SWS	W	Winter-Spring
Kennedia retrorsa	VSI	2	1	2-3		6	50	TSC V, ESP V, Rotap 2VCa	CC CWS	vine-thicket WSF riparian-S	Spring
Kennedia rubicunda	SI	2	1	1-5			>50		NC CC SC NT CT	TOF OF W S	Winter-Spring
Korthalsella rubra subsp. rubra	DR	2	3						NC CC SC NT CT ST LHI	RF WSF	Spring

Kunzea ambigua		Myrtaceae	S	Limited ability to resprout after low intensity fire	persistent soil	ant	heat & smoke	2S	II-1; II-19; II-34; IV-38a; V&II-105
Kunzea bracteolata		Myrtaceae	S		persistent soil		smoke		II-5; I-69; IX-74?; II-100
Kunzea capitata		Myrtaceae	R s	Many plants killed by high intensity fire	persistent soil		heat & smoke	2F 5S 2K 9BN 9KE 9BG	V&VIII-1; IXb-2; IXb-4; II-8; II-46; II-66; II-105
Kunzea ericoides	Leptospermum phylicoides	Myrtaceae	R		canopy	wind		9M	Va-1
Kunzea muelleri		Myrtaceae	R						V-58; IV&V-77
Kunzea parvifolia		Myrtaceae	S		persistent soil				II-38c
Kunzea rupestris		Myrtaceae	R		persistent soil?				V-R31
Lactuca serriola		Asteraceae	S					8P	
Lagenifera gracilis		Asteraceae	R					4W 4WA 9BX	IV-38b; IV-105
Lagenifera stipitata		Asteraceae	R s					8I 9M 4WA 9BX	IV-38b&c; IX-39; IX-78; II-105
Lambertia formosa		Proteaceae	R		canopy	none developed		5S 9I 5K 9KE 9BG	Va-1b; IXa-2; IXa-4; V-26; IX-39; V-52; IX 57; V-105
Lantana camara		Verbenaceae	R			vertebrate			V-95c
Lasiopetalum ferrugineum		Sterculiaceae	R s		persistent soil	a-ant	heat	2F 5S 9M 8I	IXb-4; VIII&IX-39; V-105
Lasiopetalum macrophyllum	Lasiopetalum dasyphyllum	Sterculiaceae	S R			a-ant		9M 8E	
Lasiopetalum parviflorum		Sterculiaceae	S R		persistent soil	a-ant			II-49; IXb-R35
Lastreopsis acuminata	Lastreopsis shepherdii	Dryopteridaceae	R		transient?	wind			IX-39
Lastreopsis decomposita		Dryopteridaceae	R		transient?	wind		9CE	
Lastreopsis hispida		Dryopteridaceae	S		transient?	wind		8CE	
Laxmannia compacta		Anthericaceae	S		persistent soil				II-49
Laxmannia gracilis		Anthericaceae	S r		persistent soil			2BW	II-4; IV-105
Laxmannia orientalis		Anthericaceae	S				heat & smoke	8WO 8W	
Laxmannia sessiliflora		Anthericaceae	S r					8C 8MO 9E 8V 8M	VIII-83
Lechenaultia divaricata		Goodeniaceae	R					9PL	
Leionema ambiens	Phebalium ambiens	Rutaceae	S		persistent soil	explosive capsule			VIII-69; II-100
Leionema carruthersii	Phebalium carruthersii	Rutaceae	R			explosive capsule			IX-R15
Leionema diosmeum	Phebalium diosmeum	Rutaceae	S		persistent soil	explosive capsule		8KE	II-2

Kunzea ambigua	GI	1	1	2-4			50		CC SC CT ST	S H DSF	Spring-Summer
Kunzea bracteolata	GI	1	1			5	30	Rotap 3RC-	NC NT	DSF	Spring-Summer
Kunzea capitata	UGI	2	1		<2		90		NC CC SC CT ST	H W DSF	Winter-Spring
Kunzea ericoides	VCI	2	1	2			>70		SC NT CT ST CWS SWS	OF H	Spring-Summer
Kunzea muelleri	VT	3	3	5			>50		ST	alpine-H sub-alpine-H montane-H	Summer
Kunzea parvifolia	GI	1	1	4					CC SC NT CT ST NWS CWS SWS	DSF H	Spring-Summer
Kunzea rupestris	VGT	3	3					TSC V, ESP V, Rotap 2VCa	CC	H	Spring
Lactuca serriola	E	5	5						Exotic		
Lagenifera gracilis	U	4	4		1		>20		NC CC SC CT ST	OF S	Spring-Summer
Lagenifera stipitata	U	4	4		1				NC CC SC NT CT ST NWS	G Herbfield W SF	Spring-Summer
Lambertia formosa	VCI	2	1		2-3		80		NC CC SC CT ST	H OF W	all year
Lantana camara	E	5	5						Exotic		
Lasiopetalum ferrugineum	VGI	2	1		1				NC CC SC NT CT NWS CWS	OF H	Spring
Lasiopetalum macrophyllum	G	1	4						NC CC SC CT ST CWS	F W	Spring
Lasiopetalum parviflorum	GI	1	1		<2				NC CC SC CT	OF	Spring
Lastreopsis acuminata	VC	4	4						NC CC SC NT CT NWS CWS	RF WSF	
Lastreopsis decomposita	VCR	2	3				100		NC CC SC NT CT CWS	RF WSF	
Lastreopsis hispida	C	1	4				100	TSC E	CT	RF	
Laxmannia compacta	G	1	4						NC CC SC NT NWS CWS	S H	Spring
Laxmannia gracilis	G	1	4		1				NC CC SC NT CT ST NWS CWS NWP	W	Winter-Spring
Laxmannia orientalis	G	1	4						SC	H	Spring
Laxmannia sessiliflora	G	1	4				25		SC		
Lechenaultia divaricata	V	4	4						NWP NFWP	O-Mulga	Summer
Leionema ambiens	G	1	4			5	15	Rotap 3RC-	NT	H	Spring
Leionema carruthersii	V	4	4					Rotap 3RC-	SC	SF	all year
Leionema diosmeum	GI	1	1						CC SC CT ST	H DSF	Winter-Spring

Leionema elatius subsp. beckleri	Phebalium elatius subsp. beckleri	Rutaceae	S		persistent soil, exhausted by disturbance	explosive capsule			II-89
Leionema phylicifolium	Phebalium phylicifolium	Rutaceae	R		persistent soil	explosive capsule			Vb-58
Leionema ralstonii	Phebalium ralstonii	Rutaceae	S	can survive cool fires	persistent soil	explosive capsule			V-R15?; II-R35
Leionema rotundifolium	Phebalium rotundifolium	Rutaceae	S		persistent soil	explosive capsule	heat & smoke		II-69; II-100
Lepiderema pulchella		Sapindaceae	R	suckers after low-moderate intensity fire	persistent soil		a-heat		IV-89
Lepidium aschersonii		Brassicaceae	R		persistent soil			9CE	IXb-R38
Lepidium hyssopifolium		Brassicaceae	S		persistent soil	none developed		8CE	II-R35; II-R40
Lepidium monoplocoides		Brassicaceae	S					8CE	
Lepidium pseudopapillosum		Brassicaceae	S					8CE	
Lepidium pseudotasmanicum		Brassiaceae	S		persistent soil				II-R35
Lepidosperma concavum		Cyperaceae	R		persistent soil			9I 9MO 5K 4W	IXb-7; V-38b; IX-39; XI-83; IV-105
Lepidosperma elatius		Cyperaceae	R		persistent soil	a-ant		~~11W~~ 4WA	IX-39; IXb-49
Lepidosperma filiforme	Lepidosperma flexuosum	Cyperaceae	R s			a-ant		11H 4W 5K 8E 9KP 9WO 9KE 9I	IX-2; V-8; IV-52; IX-59
Lepidosperma forsythi		Cyperaceae	R					9KE	IX-2
Lepidosperma gladiatum		Cyperaceae	R					5WJ 9BA	
Lepidosperma gunnii		Cyperaceae	R		persistent soil				IXb-3; IX-39; IXb-49; IV-105
Lepidosperma laterale		Cyperaceae	R		persistent soil	a-ant		11H 9VE 11M 11WO 11CH	IX-4; IV-9; V-38b&c; IX-39; IXb-49; IX-91; IX-96; IV-105
Lepidosperma limicola		Cyperaceae	R					9KE	IV-2; IV-5
Lepidosperma longitudinale		Cyperaceae	R					11H 5WJ 5F 11C 11E	
Lepidosperma neesii		Cyperaceae	R		persistent soil			11H 9I 4K 9KE 4W	IV-2; IVb-7; IX-39; IV 105
Lepidosperma semiteres		Cyperaceae	R					11H 9W 9WO	V-38c
Lepidosperma tortuosum		Cyperaceae	R		persistent soil				IXb-3; IV-R42
Lepidosperma urophorum		Cyperaceae	R		persistent soil	a-ant			V-38b; IXb-49

Leionema elatius subsp. beckleri	G	1	4	3					NC NT	RF (WT) WSF	Spring
Leionema phylicifolium	VGI	2	1	5			>80		SC ST	H DSF	Spring
Leionema ralstonii	GT	1	3				70	TSC V, ESP V, Rotap 2VCi	SC	OF	Winter
Leionema rotundifolium	GI	1	1			10	30	Rotap 3RC-	NC NT NWS	H S	Winter-Spring
Lepiderema pulchella	VSI	2	1					Rotap 2RC-	NC	RF (Riv)	Spring
Lepidium aschersonii	VGT	3	3					TSC V, ESP V, Rotap 3VCa	CWS NWP		
Lepidium hyssopifolium	GT	1	3				17	TSC E, ESP E, Rotap 3ECi+	CT	G W	Summer
Lepidium monoplocoides	A	5	5					TSC E, ESP E, Rotap 3ECi+	SWS NWP SWP NFWP SFWP	BimbleBox	
Lepidium pseudopapillosum	G	1	4					TSC E, Rotap 3VCa	ST		
Lepidium pseudotasmanicum	A	5	5						CC SC	G W	
Lepidosperma concavum	VGR	2	3		2		110		NC CC SC CT ST	H W F	
Lepidosperma elatius	VG	4	4		2				NC CC SC NT CT	F RF margins	
Lepidosperma filiforme	U	4	4		1-2				NC CC SC NT CT ST	H W F	
Lepidosperma forsythi	U	4	4		<2				NC CC SC CT	H	
Lepidosperma gladiatum	V	4	4						SC		
Lepidosperma gunnii	VG	4	4		1				NC CC SC NT CT ST NWS CWS	W H	
Lepidosperma laterale	VGR	2	3	1			110		NC CC SC NT CT ST NWS CWS SWS SWP	W F	
Lepidosperma limicola	U	4	4		<2		100		NC CC SC NT CT ST	Swamp	
Lepidosperma longitudinale	VR	2	3						NC CC SC NT CT ST		
Lepidosperma neesii	UGR	2	3		2		110		NC CC SC CT	H W	
Lepidosperma semiteres	VR	2	3						SC	H W OF	
Lepidosperma tortuosum	VG	4	4						NC SC NT CT ST	H W	
Lepidosperma urophorum	VG	4	4						NC CC SC CT ST	F	

Lepidosperma viscidum		Cyperaceae	R		persistent soil			11H 11C 5K 9CH	IX-4; IX-46; IXb-49; IX-78
Leptinella filicula	Cotula filicula	Asteraceae	R		persistent soil				IV-58
Leptocarpus tenax		Restionaceae	R		persistent soil			5WJ 9VE 9WO 9I 4BW 9BN 9KE	IVb-6; IV-8; IX-39; IV 59; IX-94; IV-105
Leptomeria acida		Santalaceae	S r	Some resprouting with low intensity fire	persistent soil	a-vertebrate		2S 4F 2BW 8KE	VIII-2; II-8; II-38d; VIII&IX-39; V&II-105
Leptomeria aphylla		Santalaceae	S					8E	
Leptorhynchos elongatus	Leptorrhynchos elongatus	Asteraceae	R			wind		9CE	IV-38d
Leptorhynchos scaber	Leptorhynchus scabrus, Rhytidanthe scabra	Asteraceae	S					8CE	
Leptorhynchos squamatus	Conyza squamata, Chrysocoma squamata, Leptorhynchus squamatus	Asteraceae	R		short-lived soil	wind		4W 4WA	IX-11; IV-58; IX-78; IX-79
Leptorhynchos waitzia		Asteraceae	S					8CE	
Leptospermum arachnoides		Myrtaceae	R s		canopy			5S 9KE	Va-1; IXa-2; IXa-4; IXa-5; VIII&IX-39; VIII-52; I-66; IX-100
Leptospermum brevipes		Myrtaceae	R						IX-5; IX-100
Leptospermum continentale	Leptospermum sp. A	Myrtaceae	R s		canopy		smoke		Va-1; IXa-2; Va-38b&c; VIII-48; IX-78
Leptospermum coriaceum		Myrtaceae	R					9C 9CH	IX-78
Leptospermum emarginatum		Myrtaceae	R		canopy			9CE	
Leptospermum grandifolium	Leptospermum lanigerum var. grandifolium	Myrtaceae	R		canopy			9KE	IXa-1; IXa-2
Leptospermum gregarium		Myrtaceae	R		canopy				IXa-5; IX-100
Leptospermum juniperinum		Myrtaceae	R s		canopy			5W 5S 5F 9VE 9BW 9I 9C 9E 9WO 9KE 9BG	IXa-1; IXa-2; IXa-6; Va-8; IX-37; VIII&IX-39; I-66; IX-67; IX-78
Leptospermum laevigatum		Myrtaceae	S r		canopy - transient			1G 8I 8MO 9CH	VIII-1; I-19; I-34; Va-38b; VIII&IX-39; IX-78; VIII-83; I-96
Leptospermum lanigerum		Myrtaceae	R		canopy			9WO 9BG	Va-38c; IX-39

Lepidosperma viscidum	VGT	3	3				110		NC CC SC NT CT ST	H W	
Leptinella filicula	VGT	3	3	1			>20		NC NT ST	F	Spring-Summer
Leptocarpus tenax	VG	4	4						NC CC SC NT CT ST	wet-H Sedgeland W Swamp	Spring
Leptomeria acida	D	4	4				70		NC CC SC NT CT ST	DSF	Summer
Leptomeria aphylla	D	4	4						NT	LOF Mallee	Winter-Spring
Leptorhynchos elongatus	V	4	4				10		NT CT ST NWS CWS SWS SWP	W G	Spring-Summer
Leptorhynchos scaber	A	5	5						SWS		
Leptorhynchos squamatus	UDT	3	3	1	1		>15		NC NT CT ST NWS CWS SWS SWP	G	Summer-Autumn
Leptorhynchos waitzia	A	5	5					TSC E	SFWP		Spring
Leptospermum arachnoides	VCI	2	1		<3		80		NC CC SC NT CT ST NWS CWS	H W F	Summer
Leptospermum brevipes	VI	2	1						NC SC NT CT ST NWS SWS NWP	DSF W S	Spring-Summer
Leptospermum continentale	VCI	2	1	5	2		80		CC SC CT ST CWS SWS	OF H S	Spring-Summer
Leptospermum coriaceum	V	4	4						SWP NFWP SFWP	Mallee	Winter-Spring
Leptospermum emarginatum	VC	4	4						CC SC CT	riparian-S	Spring-Summer
Leptospermum grandifolium	VCI	2	1		3		80		CC SC CT ST SWS	S H Swamp	Spring-Summer
Leptospermum gregarium	VCI	2	1						NT NWS	Swamp	Spring-Summer
Leptospermum juniperinum	VCI	2	1	12	2		80		NC CC SC CT ST	H S Swamp Sedgeland	
Leptospermum laevigatum	CT	1	3	5			150		NC CC SC	S H	Spring
Leptospermum lanigerum	VC	4	4						SC CT ST	OF OW Swamp	Spring-Summer

Leptospermum liversidgei		Myrtaceae	R		canopy			5F 9BW	IXa-6; Va-8
Leptospermum macrocarpum	Leptospermum lanigerum var. macrocarpum	Myrtaceae	R		canopy				Va-1
Leptospermum minutifolium		Myrtaceae	R						IX-100
Leptospermum multicaule		Myrtaceae	R					9P 5PU	
Leptospermum myrsinoides		Myrtaceae	R		persistent soil		heat & smoke	9C 9VE 9WO 5W 9MO 9E 11CH	IX-33; Vb-34; IX-37; V-38c; IX-67; IX-78; IX-83
Leptospermum novae-angliae	Leptospermum sp. C	Myrtaceae	R s		canopy				IXa-5; IX-69; VIII-95a; IX-100
Leptospermum obovatum		Myrtaceae	R		canopy			9WO	Va-1
Leptospermum parvifolium		Myrtaceae	R s		transient			9BN	V-1; IXd-4; I-66
Leptospermum polygalifolium subsp. cismontanum		Myrtaceae	R s		canopy?				IX&VIII-39
Leptospermum polygalifolium subsp. polygalifolium	Leptospermum flavescens	Myrtaceae	R s		canopy			9BN 9KE 5F 9I 9BW	Va-1; IXa-2; IXa-6; Va-8; I-66; V-105
Leptospermum polygalifolium subsp. transmontanum		Myrtaceae	R						IX-100
Leptospermum rotundifolium	Leptospermum sp. D	Myrtaceae	R s		canopy				V&I-105
Leptospermum scoparium		Myrtaceae	S R		canopy		smoke	9M	V-38c; I-59; I-R35
Leptospermum semibaccatum		Myrtaceae	R		persistent soil			9B 9BW	IXb-6
Leptospermum speciosum		Myrtaceae	R					9B	
Leptospermum squarrosum		Myrtaceae	S r		canopy			1S 8I 1K 8KE	I-1; I-2; I-4; V-105
Leptospermum thompsonii		Myrtaceae	S		persistent soil?				VIII-102
Leptospermum trinervium	Leptospermum attenuatum	Myrtaceae	R	Plant mortality 2%; Stem mortality 80% after high intensity fire, 28% after low intensity; Mortality may be increased by repeated burning	soil			9BW 9BN 6M	V&VI-1; IXd-2; IXd-4; IXb-6; VId-8; IX-39; V&VI-52; V-69; IX-100; V&VI-103; V&VI-105
Lepyrodia anarthria		Restionaceae	R					9KE	IV-2; IV-5
Lepyrodia muelleri		Restionaceae	R					9BN	IX-94; IV-105
Lepyrodia scariosa		Restionaceae	R		persistent soil			4K 9BN 9KE	IVb-2; IVb-4; IV-5; IVb-8; IV-52; IX-94; IV-105
Lepyrodia sp. A sensu Harden (1994)	Lepyrodia imitans	Restionaceae	R						IX-94

Leptospermum liversidgei	VCI	2	1						NC	swampy-H	Summer
Leptospermum macrocarpum	VC	4	4						CC CT	DSF H	Spring-Summer
Leptospermum minutifolium	V	4	4						NC NT NWS	Swamp	Spring
Leptospermum multicaule	V	4	4		2				CT ST CWS SWS	W	Spring
Leptospermum myrsinoides	VGI	2	1		2		35		SC	Mallee H	Spring
Leptospermum novae-angliae	VCI	2	1						NC NT NWS	H DSF	Spring
Leptospermum obovatum	VC	4	4				50		CC SC CT ST	OW S	Spring-Summer
Leptospermum parvifolium	UCI	2	1		<4		80		NC CC SC NT CT NWS CWS NWP	DSF W S H	Spring
Leptospermum polygalifolium subsp. cismontanum	VC	4	4						NC CC	DSF	Spring
Leptospermum polygalifolium subsp. polygalifolium	VCI	2	1		<3		80		NC CC SC CT ST	H DSF RF	Spring-Summer
Leptospermum polygalifolium subsp. transmontanum	V	4	4						NC NT CT NWS CWS NWP	DSF	Spring-Summer
Leptospermum rotundifolium	VC	4	4						CC SC CT ST	H DSF	Spring-Summer
Leptospermum scoparium	CI	1	1						SC	H	Spring-Summer
Leptospermum semibaccatum	VGI	2	1						NC	H	Spring
Leptospermum speciosum	V	4	4						NC	swampy-H	Spring
Leptospermum squarrosum	CI	1	1	<9			60		CC SC CT ST	S H OF	irregular
Leptospermum thompsonii	GI	1	1	5			40	TSC V, ESP V, Rotap 2V	ST	F	Summer
Leptospermum trinervium	UCI	2	1		0.5		80		NC CC SC NT CT ST CWS	DSF W S	Spring-Summer
Lepyrodia anarthria	U	4	4		<2		100		CC SC NT CT ST	Swamp H W	Summer
Lepyrodia muelleri	V	4	4						NC CC SC CT	Swamp	Summer
Lepyrodia scariosa	UG	4	4		1		110		NC CC SC NT CT ST	H W	Summer
Lepyrodia sp. A sensu Harden (1994)	V	4	4						NC	H W	Summer

Lespedeza juncea subsp. sericea		Fabaceae: Faboideae	R		persistent soil		a-heat	9BF	
Leucochrysum molle	Helipterum molle	Asteraceae	S						VIII-R41
Leucopogon amplexicaulis		Epacridaceae	S		persistent soil			2BB	
Leucopogon appressus		Epacridaceae	S					8BB	VIII-39
Leucopogon attenuatus		Epacridaceae	R		persistent soil			9M	IXb-3
Leucopogon biflorus	Leucopogon sp. C	Epacridaceae	R						IX-100
Leucopogon collinus	Leucopogon sp. A	Epacridaceae	S		persistent soil				II-59
Leucopogon deformis		Epacridaceae	S		persistent soil			2BW	
Leucopogon ericoides		Epacridaceae	S r		persistent soil		heat	2F 8I 5F 2BW 2K 9E 8BN 8WO	II-8; V-38c; VIII&IX-39
Leucopogon esquamatus		Epacridaceae	S		persistent soil	a-ant		2S 8I 8KE	II-1; II-2; II-4; II-38d; II-105
Leucopogon exolasius		Epacridaceae	S	recruitment may be delayed after winter burn					VIII-107
Leucopogon fletcheri subsp. brevisepalus	Leucopogon fletcheri subsp. A	Epacridaceae	R					9P	
Leucopogon fraseri		Epacridaceae	R		persistent soil	a-vertebrate			V-58
Leucopogon hookeri		Epacridaceae	S		persistent soil				II-100
Leucopogon juniperinus		Epacridaceae	S r		persistent soil	a-ant & a-vertebrate		9BG 8BB	IV-38a; VIII&IX-39; II-66
Leucopogon lanceolatus var. gracilis	Leucopogon pimeleoides	Epacridaceae	S		persistent soil			2BW	
Leucopogon lanceolatus var. lanceolatus		Epacridaceae	R		persistent soil	a-ant & a-vertebrate		9BB 9M 5F	Vb-8; IV-38b; IX&VIII-39; IV-52; II-66; IX-100; V-105; V-108
Leucopogon leptospermoides		Epacridaceae	R		persistent soil			9BW	IXb-6
Leucopogon margarodes		Epacridaceae	R					6F	
Leucopogon melaleucoides		Epacridaceae	R						IX-69; IV-89; IX-100
Leucopogon microphyllus		Epacridaceae	S		persistent soil	a-vertebrate		2S 2K 8KE 8BE	II-2; II-4; II-38d; II-66
Leucopogon microphyllus var. microphyllus		Epacridaceae	S r		persistent soil	a-ant		2BB 9BB	VIII&IX-39

Lespedeza juncea subsp. sericea	VSI	2	1						NC CC SC NT CT ST NWS	OF G W	Summer-Autumn
Leucochrysum molle	A	5	5						NWS CWS NWP SWP NFWP SFWP	S	Spring
Leucopogon amplexicaulis	G	1	4				40		CC SC	W OS	Winter-Spring
Leucopogon appressus	G	1	4						CC SC CT ST	H DSF	Summer
Leucopogon attenuatus	VGI	2	1						NC CC SC NT CT ST NWS CWS SWS NWP	DSF OW H	Spring
Leucopogon biflorus	V	4	4						NC NT ST NWS CWS SWS NWP	swampy-H H DSF	Winter-Spring
Leucopogon collinus	GI	1	1						SC ST	W	all year
Leucopogon deformis	GI	1	1						NC CC	H	Autumn
Leucopogon ericoides	GI	1	1	>3			50		NC CC SC CT ST CWS	H W	Winter-Spring
Leucopogon esquamatus	GI	1	1	4			35		NC CC SC CT ST	H Swamp W	Spring
Leucopogon exolasius	G	1	4	>10				TSC V, ESP V, Rotap 2VC-	CC	W	Spring
Leucopogon fletcheri subsp. brevisepalus	V	4	4						CT ST SWS	W	Spring
Leucopogon fraseri	VDI	2	2	1			>60		SC NT CT ST	DSF S H	Spring
Leucopogon hookeri	G	1	4						NT ST CWS	subalpine-W subalpine-S alpine-H	Spring-Summer
Leucopogon juniperinus	GI	1	1						NC CC SC NT CT	DSF WSF W OS	Winter-Spring
Leucopogon lanceolatus var. gracilis	GI	1	1						NC NT	W OF	all year
Leucopogon lanceolatus var. lanceolatus	UGI	2	1	5	1-2		>35		NC CC SC NT CT ST NWS	F TOF RF	all year
Leucopogon leptospermoides	VGI	2	1						NC	H OW	Spring
Leucopogon margarodes	V	4	4						NC CC	H DSF W Swamp	Spring-Summer
Leucopogon melaleucoides	VT	3	3						NC NT NWS	H OW	Winter-Spring
Leucopogon microphyllus	GI	1	1	4-5			35		NC CC SC NT CT ST CWS	H S DSF	Spring
Leucopogon microphyllus var. microphyllus	G	1	4	2-5			>35		NC CC SC NT CT ST CWS	H DSF	Spring

Leucopogon microphyllus var. pilibundus		Epacridaceae	S r					8CE	II&IX-100
Leucopogon montanus	Lissanthe montana	Epacridaceae	S R		persistent soil	wide		8CE	Vb-58
Leucopogon muticus		Epacridaceae	S r	May resprout after low/medium intensity fire	persistent soil			9BB	II-49; II-66; II-100
Leucopogon neo-anglicus		Epacridaceae	S		persistent soil				II-100
Leucopogon parviflorus		Epacridaceae	R		persistent soil	bird		5WJ 9BA 9CH	V-8; V-14; IX-39; IX&VIII-78
Leucopogon rodwayi		Epacridaceae	S R		persistent soil			2BW	V-8
Leucopogon rufus		Epacridaceae	S R					8C 8WO 9E 9CH	
Leucopogon setige		Epacridaceae	S		persistent soil			8BB	II-4; II-66; II-R35
Leucopogon virgatus		Epacridaceae	R		persistent soil			~~2F~~ 9VE 9WO 5W 5F 9MO 9BW 9E 9BN 5PU?	IXb-6; V-8; V-37; Vb-38c; IX-39; IX-83; IX-100
Levenhookia dubia		Stylidiaceae	S		transient			8C	IId-38c&d
Limosella australis		Scrophulariaceae	R						V-58
Linaria pelisseriana		Scrophulariaceae	S					8P	
Lindsaea dimorpha		Lindsaeaceae	R		transient?	wind			IX-1
Lindsaea linearis		Lindsaeaceae	R		transient	wind			Vd-1; IX-2; IX-3; IX-4; IX-5; IV-10; IV-38b&c; IX-39; IV-52; IXd-59; IV-105
Lindsaea microphylla		Lindsaeaceae	R		transient	wind			Vd-1; IXd-49
Linum marginale		Linaceae	R		soil			5BD?	IX-11; V-38b
Linum trigynum		Linaceae	S					8BD	
Lissanthe sp. A sensu Powell (1992)	Leucopogon pedicellatus, Lissanthe pedicellata ms.	Epacridaceae	R		persistent soil			4BW	IVb-6
Lissanthe strigosa subsp. strigosa		Epacridaceae	R					5BB	
Lissanthe strigosa subsp. subulata		Epacridaceae	R			a-vertebrate		5BB 5W 9E 11CH 5WA	V-38d; IX-100
Litsea reticulata		Lauraceae	S			bird?		8BD	
Livistona australis		Arecaceae	R			a-vertebrate		9I	IX-39; IX-R35; VII-105
Lobelia alata	Lobelia anceps	Lobeliaceae	S R					11M 8WJ 8BU	VIII&IX-39; IX-105
Lobelia dentata		Lobeliaceae	R					~~5K~~ 5BD	IX-39; V-52
Lobelia gibbosa		Lobeliaceae	R s		persistent soil	wind?		8C 4&11W 8WJ 4&11WA 9BD?	II-38b; II-62
Lobelia gracilis		Lobeliaceae	S					8I 8BD?	
Lobularia maritima		Brassicaceae	S					8BX	

Leucopogon microphyllus var. pilibundus	G	1	4						CC SC NT CT ST CWS SWS	OF W	Spring
Leucopogon montanus	GI	1	1	5			>60		ST	H G	Summer-Autumn
Leucopogon muticus	G	1	4		1		35		NC CC SC NT CT ST NWS CWS SWS	H DSF	Spring
Leucopogon neo-anglicus	G	1	4						NC CC SC NT CT ST NWS		Autumn-Spring
Leucopogon parviflorus	VDI	2	2	>7			110		NC CC SC LHI	H S LOF dune	all year
Leucopogon rodway	GI	1	1						NC SC	H	Spring
Leucopogon rufus	G	1	4						CWS SWS	Mallee OF	Summer
Leucopogon setige	GI	1	1	4			35		CC SC CT CWS	W DSF Mallee	Winter-Spring
Leucopogon virgatus	VGI	2	1		2				NC CC SC NT CT ST NWS CWS SWS	H W	all year
Levenhookia dubia	A	5	5	1					CC NWS CWS SWS NWP		Spring-Summer
Limosella australis	VT	3	3	1			>10		CC SC NT CT ST NWS CWS SWS NWP SWP	Swamp Mudflat	
Linaria pelisseriana	E	5	5	1					Exotic		
Lindsaea dimorpha	VCI	2	1				100		NC CC SC	H W	
Lindsaea linearis	UCI	2	1		2		100		NC CC SC NT CT ST	OF H Swamp	
Lindsaea microphylla	VCI	2	1				100		NC CC SC NT CT CWS	W OF RF-margins	
Linum marginale	U	4	4		1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP	OF W	Spring-Summer
Linum trigynum	E	5	5						Exotic		
Lissanthe sp. A sensu Powell (1992)	VGI	2	1						NC	DSF W H	Spring
Lissanthe strigosa subsp. strigosa	U	4	4		1		60		NC CC	OF W	Spring
Lissanthe strigosa subsp. subulata	VD	4	4		2		60		NC CC SC NT CT ST NWS CWS SWS NWP	OF W S	Spring
Litsea reticulata	D	4	4				60		NC CC SC	RF	
Livistona australis	UDT	3	3		<2				NC CC SC	WSF RF margins	Summer
Lobelia alata	G	1	4	1.5					NC CC SC CT LHI	Swamp RF	all year
Lobelia dentata	UI	2	1		1				NC CC SC CT ST	DSF W	Autumn-Spring
Lobelia gibbosa	A	5	5	1-4	<1				NC CC SC NT CT ST NWS CWS SWS NWP SFWP	W DSF	Spring-Summer
Lobelia gracilis	A	5	5	<1					NC CC NT NWS	OF S H	all year
Lobularia maritima	E	5	5						Exotic		

Logania albiflora		Loganiaceae	R					5BD	IX-39
Logania pusilla		Loganiaceae	S r	Can resprout after low intensity fire but not after high intensity	persistent soil			9BD?	II-5; II-38d; V-105; II&IX-R35
Lolium perenne		Poaceae	S					8C	
Lolium rigidum	Lolium rigidum var. rottboellioides	Poaceae	S					8P	
Lomandra brevis		Lomandraceae	R		persistent soil				IXb-49; IX-66; IV-71
Lomandra confertifolia		Lomandraceae	R			a-ant		11M 9BG	
Lomandra confertifolia subsp. leptostachya		Lomandraceae	R					11CE	IV-105
Lomandra confertifolia subsp. pallida		Lomandraceae	R						IX-39; IV-105
Lomandra confertifolia subsp. rubiginosa		Lomandraceae	R						IX-39; IV-105
Lomandra confertifolia subsp. similis		Lomandraceae	R						V-38a
Lomandra cylindrica		Lomandraceae	R		persistent soil			5K 9BN 9KE	IXb-2; IX-4; IXb-7; IX 57; IV-105
Lomandra effusa		Lomandraceae	R					11C 11CH	
Lomandra elongata		Lomandraceae	R		persistent soil			9BW	IX-5; IXb-6
Lomandra filiformis		Lomandraceae	R		persistent soil	a-ant		5F 9HO 11H 11W 11MO 11P 5K 8E 9BN 9BW 9PU 9WO 11WA	IXb-7; V-8; IV-38b&c; V-52; IX-57; IX-67; XI-83
Lomandra filiformis subsp. coriacea		Lomandraceae	R		persistent soil			9KE	IXb-2; IX-3; IX-39
Lomandra filiformis subsp. filiformis		Lomandraceae	R		persistent soil			9KE	IXb-2; IX-39; IXb-49; IV-105
Lomandra glauca		Lomandraceae	R		persistent soil	a-ant		9I 9VE 11C 5K 8E 9BN 9BG	IX-3; IXb-4; IXb-7; IX 39; IXb-49; V-52; IX-91; IV-105
Lomandra gracilis		Lomandraceae	R		persistent soil	a-ant		5K	IXb-49; IX-91
Lomandra leucocephala subsp. robusta		Lomandraceae	R						IX-78
Lomandra longifolia		Lomandraceae	R		persistent soil	a-ant	heat-sensitive	4F 11H 9I 11W 11P 8E 9BN 9PU 11WA 11BW	IX-3; IX-5; V-8; V-38b&c; IX-39; IXb-49; IV-58; IX-67; IX-99; IV-105
Lomandra micrantha		Lomandraceae	R					11W 9VE 11H 11C 9BA 9WO 11CH 11WA	IX-60; XI-78
Lomandra multiflora subsp. multiflora		Lomandraceae	R		persistent soil	a-ant		11W 11P 9BN 9PU 11WO 11WA	V-38a; IX-39; IXb-49; IX-104; IV-105

Logania albiflora	U	4	4		1-3				NC CC SC NT CT ST NWS CWS SWP LHI	WSF W	Spring
Logania pusilla	GI	1	1						NC CC SC NT ST	DSF W	Spring
Lolium perenne	E	5	5						Exotic		
Lolium rigidum	E	5	5	1					Exotic		
Lomandra brevis	UG	4	4		1-2	3-6	25	Rotap 2RC-	CC	DSF	Spring-Autumn
Lomandra confertifoli	VR	2	3						NC CC SC NT CT ST CWS	SF	
Lomandra confertifolia subsp. leptostachya	VR	2	3						SC	SF	Winter-Spring
Lomandra confertifolia subsp. pallida	V	4	4						NC CC NT CT CWS		Winter-Spring
Lomandra confertifolia subsp. rubiginosa	U	4	4		1				NC CC SC CT ST CWS	DSF	Autumn-Spring
Lomandra confertifolia subsp. similis	V	4	4						SC	SF	Winter-Spring
Lomandra cylindrica	UG	4	4		<2		110		CC SC CT ST NWS	DSF	
Lomandra effusa	VR	2	3						CWS SWS NWP SWP SFWP	Mallee	after rain
Lomandra elongata	UG	4	4		<2				NC NT	H DSF	Spring
Lomandra filiformis	UG	4	4		1		110		NC CC SC NT CT ST NWS CWS SWS NWP SWP	DSF	Spring
Lomandra filiformis subsp. coriacea	UG	4	4		<2		110		NC CC CT ST NWS CWS SWS SWP	DSF	Spring
Lomandra filiformis subsp. filiformis	UG	4	4		<2		110		NC CC SC NT CT ST NWS CWS SWS NWP	DSF	Spring
Lomandra glauca	UGR	2	3		<1		110		NC CC SC CT ST CWS	H DSF	Spring
Lomandra gracilis	VG	4	4						CC CT	DSF	Spring
Lomandra leucocephala subsp. robusta	V	4	4						CWS SWP SFWP	Mallee	Winter
Lomandra longifolia	UGT	3	3	1	1		40		NC CC SC NT CT ST NWS CWS SWS NWP	various	Spring
Lomandra micrantha	UR	2	3		1				NC CC CT ST	DSF	Autumn-Winter
Lomandra multiflora subsp. multiflora	UGR	2	3		1-2				NC CC SC NT CT ST NWS CWS SWS NWP SWP	W F	Winter-Summer

Lomandra obliqua		Lomandraceae	R s		persistent soil	a-ant		9I 5K 9KE 9BG	IXb-2; IXb-4; VIII&IX-39; IXb-49; V-52; IX-57; IX-104; V-105
Lomatia fraser		Proteaceae	R				smoke	9M	IX-100
Lomatia ilicifolia		Proteaceae	R		soil	wind		9I 5W 9G 9CL 9I 5WA	V-1b; V-22; IV-38b; V-105
Lomatia myricoides		Proteaceae	R		soil	wind		4HO	V-1b; V-22; IV-38b
Lomatia silaifolia		Proteaceae	R		transient	wind		5S 5K 9KE 9BG	IXd-2; IX-39; IX-49; V-52; IX-69; IX-100
Lonicera japonica		Caprifoliaceae	R					9BB	
Lophostemon confertus	Tristania conferta	Myrtaceae	R					5SA	V-1
Lophostemon suaveolens	Tristania suaveolens	Myrtaceae	R						IX-92
Lotus australis		Fabaceae: Faboideae	R		persistent soil		a-heat		IXb-R35
Lotus cruentus		Fabaceae: Faboideae	S		persistent soil		heat	8C	VIII-78
Luzula flaccida	Luzula meridionalis var. flaccida	Juncaceae	R		persistent soil				IXb-67
Luzula meridionalis	Luzula meridionalis var. meridionalis	Juncaceae	R		persistent soil			~~11W~~ 9BA 4&11WA	II-38c; IX-40
Luzula modesta	Luzula australasica	Juncaceae	R		persistent soil				V-58
Luzula novae-cambriae		Juncaceae	R		persistent soil				V-58
Lycium ferocissimum		Solanaceae	R					9CH	IX-78
Lycopodiella lateralis	Lycopodium laterale	Lycopodiaceae	R		transient	wind		9BM 9KE	IXd-2; IVd-59
Lycopodium deuterodensum		Lycopodiaceae	R		transient	wind			IX-5; IV-38b
Lycopodium fastigiatum		Lycopodiaceae	R		transient	wide			IVd-61
Lyperanthus suaveolens		Orchidaceae	R					5F	
Lythrum hyssopifolia		Lythraceae	S						VIII-38d
Macarthuria neo-cambrica		Aizoaceae	S	Fire ephemeral	persistent soil	a-ant		2BW	
Macfadyena unguis-cati		Bignoniaceae	R					9BX	
Maclura cochinchinensis	Cudrania cochinchinensis	Moraceae	R		transient?	bird?		4BD	
Macrozamia communis		Zamiaceae	R		transient	a-vertebrate		7F 7BM	IV-38a; IX-39; IX-96; V-105; IX-R35
Macrozamia plurinervia	Macrozamia pauli-guillielmi subsp. plurinervia	Zamiaceae	R						IX-100
Macrozamia spiralis		Zamiaceae	R		transient			5BM 9BN	

Lomandra obliqua	UG	4	4		1		110		NC CC SC CT ST CWS	W F	Spring
Lomatia fraser	VI	2	1						NC NT ST	RF-margins	
Lomatia ilicifolia	U	4	4	4-5	1-2		100		CC SC CT ST	OF	Summer
Lomatia myricoides	VC	4	4				60		CC SC CT ST CWS	riparian F montane OF	Summer
Lomatia silaifolia	UCI	2	1	4-5	1		80		NC CC NT CT NWS CWS	OF	Spring-Summer
Lonicera japonica	E	5	5						Exotic		
Lophostemon confertus	V	4	4				200		NC CC	RF WSF	Spring-Summer
Lophostemon suaveolens	V	4	4						NC	SF	Spring-Summer
Lotus australis	USI	2	1		<2				NC CC NT CT ST NWS CWS SWS SWP NFWP	G SF	Spring
Lotus cruentus	SI	2	1						CT NWS CWS SWS NWP SWP NFWP SFWP	various	Spring-Summer
Luzula flaccida	VGT	3	3						NC CC SC NT CT ST NWS CWS SWS		Spring-Summer
Luzula meridionalis	UGT	3	3		1				NT CT ST NWS CWS SWS	OF G	Spring-Summer
Luzula modesta	VGT	3	3	1			>20		NT CT ST	Bog	Spring-Summer
Luzula novae-cambriae	VGT	3	3	1			>20		ST	Herbfield W	Summer
Lycium ferocissimum	E	5	5						Exotic		
Lycopodiella lateralis	VCI	2	1				100		NC CC SC NT CT ST NWS	wet-H Swamp	
Lycopodium deuterodensum	VD	4	4				100		NC CC SC NT CT ST	W H Mallee	
Lycopodium fastigiatum	VDT	3	3	1					NT CT ST	W	
Lyperanthus suaveolens	V	4	4						NC CC SC CT CWS	SF S	Spring
Lythrum hyssopifolia	A	5	5	1					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP LHI	W Sedgeland	Spring-Summer
Macarthuria neo-cambrica	A	5	5	1					NC CC NWP	H	
Macfadyena unguis-cati	E	5	5						Exotic		
Maclura cochinchinensis	VDT	3	3	1-5			>50		NC CC SC NT CT CWS	RF S	
Macrozamia communis	UDT	3	3	10-20	<2		120		NC CC SC	SF	
Macrozamia plurinervia	V	4	4						NT NWS	DSF W	
Macrozamia spiralis	VC	4	4	10-20			>60		CC CT CWS	DSF	

Maireana cheelii	Kochia cheelii	Chenopodiaceae	S					8CE	
Maireana humillima	Kochia humillima	Chenopodiaceae	S					8CE	
Maireana lobiflora	Kochia lobiflora	Chenopodiaceae	S					8CE	
Maireana pyramidata	Kochia pyramidata	Chenopodiaceae	S						VIII-78
Maireana sedifolia	Kochia sedifolia	Chenopodiaceae	S r					8C 8HG	IX-78
Maireana triptera	Kochia triptera, Kochia triptera var. pentaptera	Chenopodiaceae	S					8FO(1)	
Mallotus philippensis		Euphorbiaceae	S R		transient?	bird?		5SA 8BB 4BB 5BB	
Malva australiana	Lavatera plebeia	Malvaceae	S				a-heat	8C	
Malva parviflora		Malvaceae	S					8BD	
Marsdenia australis	Leichhardtia australis	Asclepiadaceae	R s					9FO 8FO 5FO(1) 9PL	
Marsdenia flavescens		Asclepiadaceae	S			wind		8CE	
Marsdenia longiloba		Asclepiadaceae	S		short-lived soil	wind			IX-74?; V-89; VIII-R36
Marsdenia rostrata		Asclepiadaceae	R			wind		9I 5CT 9M	IX-39
Marsdenia suaveolens		Asclepiadaceae	R			wind		4S 9BM	IX-39; IV-105
Marsdenia viridiflora subsp. viridiflora	Leichhardtia leptophylla	Asclepiadaceae	R			wind		11HO 9BM	
Maytenus silvestris		Celastraceae	R			a-ant		5BB	IX-39; IX-100
Medicago minima		Fabaceae	S					8C	
Medicago polymorpha	Medicago polymorpha var. vulgaris, Medicago polymorpha var. brevispina	Fabaceae	S					8C	VIII-95
Medicago truncatula	Medicago truncatula var. longispina	Fabaceae	S					8C	
Melaleuca acuminata		Myrtaceae	R						IX-78
Melaleuca armillaris subsp. armillaris		Myrtaceae	S r		canopy	wind		9G 9CL	I-1; VIII-39?; VIII-70; VIII-96
Melaleuca biconvexa	Melaleuca pauciflora	Myrtaceae	R					9WJ	V-1?; VI-105
Melaleuca capitata		Myrtaceae	R					9I	V-105
Melaleuca deanei		Myrtaceae	R		canopy				IV&V&VIa-1; IX-66
Melaleuca decora		Myrtaceae	R	Saplings (5yo) 50% mortality	canopy				V-1; VI-1
Melaleuca ericifolia		Myrtaceae	R	Stems killed	canopy	wind			V-1; IV-38a&b
Melaleuca glomerata		Myrtaceae	R					9PL	
Melaleuca groveana		Myrtaceae	R s		canopy			5LE	IX-39; IX-66; V&VIa-71; VIII-74; IX-89
Melaleuca hypericifolia		Myrtaceae	S r		canopy				I-1; IX-1
Melaleuca lanceolata		Myrtaceae	R					9C 9CH	IX-78

Maireana cheelii	C	1	4					TSC V, ESP V, Rotap 3V	SWP	Saltbush	
Maireana humillima	C	1	4						CWS SWS NWP SWP	various	
Maireana lobiflora	C	1	4						NFWP SFWP		
Maireana pyramidata	C	1	4						NWP SWP NFWP SFWP	Saltbush Bluebush Belah Mallee	
Maireana sedifolia	C	1	4						SWP NFWP SFWP	Bluebush Saltbush Belah	
Maireana triptera	C	1	4						NWP NFWP SFWP	Mallee	
Mallotus philippensis	D	4	4				>50		NC CC CWS	RF	Spring-Summer
Malva australiana	A	5	5						CC NWP SWP NFWP SFWP	various	
Malva parviflora	E	5	5						Exotic		
Marsdenia australis	V	4	4						CWS NWP SWP NFWP SFWP	W S	Spring-Summer
Marsdenia flavescens	C	1	4				50		NC CC SC NT CT	RF	Summer
Marsdenia longiloba	C	1	4	2				TSC E, Rotap 3RC-	NC	RF (CT)	Spring-Summer
Marsdenia rostrata	VT	3	3	1					NC CC SC NT CT ST NWS CWS LHI	RF WSF	Spring-Summer
Marsdenia suaveolens	U	4	4		0.5				NC CC SC CT	H SF RF	Summer
Marsdenia viridiflora subsp. viridiflora	VR	2	3						CC NWS CWS	W S	Spring
Maytenus silvestris	V	4	4				>30		NC CC SC NT CT NWS CWS	F TOF RF	Spring-Summer
Medicago minima	E	5	5						Exotic		
Medicago polymorpha	E	5	5						Exotic		
Medicago truncatula	E	5	5						Exotic		
Melaleuca acuminata	V	4	4						SWP	Mallee	Spring
Melaleuca armillaris subsp. armillaris	CI	1	1	1-5			30		NC CC SC CT ST	H S	Summer
Melaleuca biconvexa	V	4	4					TSC V	NC CC SC	OF Melaleuca-S	Summer
Melaleuca capitata	V	4	4						SC CT ST	H DSF	Summer
Melaleuca deanei	UCI	2	1	3-4	<2	8	>100	TSC V, ESP V, Rotap 3RC-	CC SC	W wet-H	Spring-Summer
Melaleuca decora	WCI	2	1			>5	>100		NC CC SC CWS	OF W S Swamp	Summer
Melaleuca ericifolia	VCI	2	1				100		NC CC SC	DSF W H Swamp	Summer
Melaleuca glomerata	VC	4	4						NFWP		Winter-Spring
Melaleuca groveana	VC	4	4	3-4		10	>20	TSC V, Rotap 3RC-	NC CC NT	H	Spring
Melaleuca hypericifolia	C	1	4						CC SC CT ST	H SW	Spring-Summer
Melaleuca lanceolata	VC	4	4						CC CWS SWP SFWP	Mallee OW	Summer

Melaleuca linariifolia		Myrtaceae	R s		canopy & soil			9I 9KE	VI-1; IXa-2; VIII&IX-39; II-66; VI-105
Melaleuca nodosa		Myrtaceae	R		canopy			5F 5S 9B 4BW	IXa-6; VI-8; IX-39
Melaleuca quinquenervia		Myrtaceae	R s	Killed by crown fire, resprouts after partail burn	canopy	wind		2F 9B 9BW	VIa-1; IXa-6; VIII-96
Melaleuca sieberi		Myrtaceae	R		canopy & soil			9B 9BW	V-1; IXb-6; VI-8; V-105
Melaleuca squamea		Myrtaceae	S r		canopy			9WO 1BW 1KP 8KE	I-1; I-2; I-59
Melaleuca squarrosa		Myrtaceae	R s		canopy			2F 9WO 9I 5W 9G 9CL 9KE 5WA	Va-1; IXa-2; V-38b&c; IXa-59
Melaleuca styphelioides		Myrtaceae	R		canopy				Va-1; VIa-1
Melaleuca thymifolia		Myrtaceae	R	Stems killed	canopy			5S 9B 9I 9BW 9BN 9KE	Va-1; IXa-2; Va-8; IX-39
Melaleuca uncinata		Myrtaceae	R					9C 9T 9CH 5FO(1)	IX-78
Melastoma affine	Melastoma denticulatum, Melastoma malabathricum, Melastoma polyanthum	Melastomaceae	R						IX-92
Melia azedarach		Meliaceae	R		transient	bird		5BD	
Melichrus erubescens		Epacridaceae	S R						IX-69; II-100
Melichrus procumbens		Epacridaceae	R s		persistent soil			5F	IX-5; VIII&IX-39; II-66; IX-100
Melichrus urceolatus		Epacridaceae	R s		persistent soil	a-vertebrate		5PU	VIII&IX-39; II-66; IX-100
Melilotus indicus	Melilotus indica	Fabaceae	S					8C	
Melinis repens	Rhynchelytrum repens	Poaceae	S		persistent soil			2SA	
Menkea australis		Brassicaceae	S					8C	
Mentha satureioides		Lamiaceae	R				a-heat	4BD	
Mesembryanthemum crystallinum	Cryophytum crystallinum, Gasoul crystallinum	Aizoaceae	S					8C	
Micrantheum ericoides		Euphorbiaceae	S r		persistent soil	a-ant		5S 8BB	II-4; II-49
Microlaena stipoides var. stipoides		Poaceae	R	Juveniles die	persistent soil	wide		5WJ 9WO 9W 9MO 9BA 9BN 5PU 4PU 5BU 9WA 9KE	IXb-2; IXb-3; V-38b; IX-67; IX-83; IV-105
Micromyrtus blakelyi		Myrtaceae	S		persistent soil				II-1
Micromyrtus ciliata		Myrtaceae	S R					9CH	VIII-8; V-38d; VIII-78

Melaleuca linariifolia	VCI	2	1		4		150		NC CC SC CT ST	H DSF	Spring-Summer
Melaleuca nodosa	VCI	2	1		<4				NC CC CWS	H W DSF	Spring-Summer
Melaleuca quinquenervia	UCI	2	1	1-5	0.5		>100		NC CC	Swamp F	Autumn-Winter
Melaleuca sieberi	VCI	2	1		2-3				NC CC	wet-H	Summer
Melaleuca squamea	CI	1	1	5			60		NC CC CT	wet-H	Spring
Melaleuca squarrosa	VCI	2	1		2-3		80		CC SC CT ST	wet-H DSF	Summer
Melaleuca styphelioides	VC	4	4						NC CC SC NT CT CWS	OF	Summer
Melaleuca thymifolia	UCI	2	1		0.5		80		NC CC SC CT NWS CWS	OF W H S	Summer
Melaleuca uncinata	V	4	4						CC NWS CWS NWP SWP NFWP	Mallee W DSF	Spring
Melastoma affine	VI	2	1						NC	SF Swamp	Spring-Summer
Melia azedarach	VD	4	4	5			100		NC CC SC NWS CWS	RF (ST Dry)	Spring
Melichrus erubescens	G	1	4						CT NWS CWS SWS	SF W S	Spring
Melichrus procumbens	VGI	2	1						NC CC NT CT	H DSF	Winter
Melichrus urceolatus	VG	1	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP	DSF W (Callitris) S (Acacia)	Autumn-Spring
Melilotus indicus	E	5	5						Exotic		
Melinis repens	E	5	5						Exotic		
Menkea australis	A	5	5						NWP SWP NFWP	Saltbush G	
Mentha satureioides	VSI	2	1				130		NC CC SC NT CT ST NWS CWS SWS NWP SWP	OF W G	all year
Mesembryanthemum crystallinum	E	5	5						Exotic		
Micrantheum ericoides	GI	1	1				110		NC CC SC NT CT NWS	W H DSF	Spring
Microlaena stipoides var. stipoides	WD	4	3	1	1		35		NC CC SC NT CT ST NWS CWS SWS NWP LHI		all year
Micromyrtus blakelyi	G	1	4	2				TSC V, ESP V, Rotap 2VCi	CC	H	Spring
Micromyrtus ciliata	G	1	4		4		>32		CC SC CT ST CWS SWS	H W DSF	Spring-Summer

Micromyrtus sessilis		Myrtaceae	R s						II&IX-100
Microseris lanceolata		Asteraceae	R		transient	wind		9C 9E 9BX	V-1; Vc-38c; V-40; V-58
Microsorum pustulatum subsp. pustulatum	Microsorum diversifolium, Phymatosorus diversifolius, Phymatosorus pustulatus subsp. pustulatus	Polypodiaceae	S			wind			VIII-1?; VIII-20; VIII-39?
Microstrobos fitzgeraldii		Podocarpaceae	S		canopy?	wind? & water?		8BM	
Microtis parviflora	Microtis bipulvinaris	Orchidaceae	R					11P	V-38d
Microtis unifolia		Orchidaceae	R					11WJ 5F 9BA 9M	V-38d; IX-39; XI-40; XI-83
Millotia macrocarpa		Asteraceae	S					8CE 8C	
Millotia myosotidifolia		Asteraceae	S					8WJ 8C	
Millotia perpusilla	Toxanthes perpusillus	Asteraceae	S					8C	
Minuria leptophylla		Asteraceae	R						IX-11; IX-79
Mirbelia platylobioides		Fabaceae: Faboidea	R		persistent soil		heat	9A 5BF	IXb-4
Mirbelia pungens		Fabaceae: Faboideae	S R		persistent soil		a-heat	8CE	IX-69; IXb-R35; II-100; VIII-R41
Mirbelia rubiifolia		Fabaceae: Faboideae	S r		persistent soil	a-ant	a-heat	8B 5S 8I 2BW 2K 8KE 9BG 4BF	II-2; IX-5; II-8; VIII&IX-39; II-49; IX-100; II-105; VIII-R41
Mirbelia speciosa subsp. speciosa		Fabaceae: Faboideae	S		persistent soil		a-heat	8KE	II-1; II-2; II-100
Mitrasacme paludosa		Loganiaceae	S		persistent soil			8KE	VIII-1; II-2
Mitrasacme paradoxa		Loganiaceae	S						VIII-38d
Mitrasacme polymorpha		Loganiaceae	S r		persistent soil		heat & smoke	2F 8BE 9I 2BW 9BW 2K 8BN 9KE	IXb-2; IXb-4; II-8; VIII-39; II-46; II-49; VIII-91; II-105
Modiola caroliniana		Malvaceae	S					8BD	
Moenchia erecta		Caryophyllaceae	S						VIII-38d
Monotaxis linifolia		Euphorbiaceae	R			a-ant		5K 9KE	IX-1; IX-2
Monotoca elliptica		Epacridaceae	R s			a-vertebrate		5F 5S 9I 9BW 6BB 8BB	II-38b; VIII&IX-39; II-62; V-96
Monotoca rotundifolia		Epacridaceae	S r		persistent soil			8CE	II&IX-R35
Monotoca scoparia		Epacridaceae	R s		persistent soil	ant & a-vertebrate		~~8C~~ 9HO 9WO 5W 9BW 9I 9MO 8VE 9E 9BN 5PU 11CH	V-1; IXb-3; IXb-5; IXb-6; IXb-8; V-38c; VIII&IX-39; V-52; II-66; IX-67; IX-78; IX-83; IX-99; IX-100; V-105

Micromyrtus sessilis	V	4	4						SC NT CT ST NWS CWS NWP SWP	Mallee W DSF	Spring
Microseris lanceolata	VDT	3	3	1-2			>15		NC CC SC NT CT ST NWS CWS SWS NWP SWP SFWP	W	Spring-Summer
Microsorum pustulatum subsp. pustulatum	C	1	4				100		NC CC SC NT CT ST	RF	
Microstrobos fitzgeraldii	C	1	4					TSC E, ESP E, Rotap 2ECi	CT		
Microtis parviflora	UR	2	3	1	1				NC CC SC NT CT CWS	SF G Bog	Spring-Summer
Microtis unifolia	UR	2	3	1	<2				NC CC SC NT CT ST NWS CWS SWS NWP SWP LHI		Spring-Summer
Millotia macrocarpa	A	5	5						SFWP		Spring
Millotia myosotidifolia	A	5	5						CWS NWP SWP NFWP SFWP	W Mallee S	Winter-Spring
Millotia perpusilla	A	5	5						SWS SWP NFWP SFWP	G WhiteCypress	Winter-Spring
Minuria leptophylla	U	4	4		<1				NC NWS CWS SWS NWP SWP NFWP SFWP	Mulga BimbleBox	
Mirbelia platylobioides	VSI	2	1						SC CT ST CWS	OF W H	Spring
Mirbelia pungens	SI	2	1		<2				NC CC SC NT CT ST NWS CWS NWP SWP	OF H	Spring
Mirbelia rubiifolia	SI	2	1	1-3			55		NC CC SC NT CT ST	H DSF	Spring-Summer
Mirbelia speciosa subsp. speciosa	SI	2	1				55		CC NT NWS	H OF	Spring
Mitrasacme paludosa	GI	1	1	2-5			35		NC CC NT CT NWS NWP	H	Spring-Autumn
Mitrasacme paradoxa	GT	1	3	1					SWS SWP		Spring-Summer
Mitrasacme polymorpha	GI	1	1	2-5			35		NC CC SC CT ST	W H	Spring-Summer
Modiola caroliniana	E	5	5						Exotic		
Moenchia erecta	E	5	5	1					Exotic		
Monotaxis linifolia	UI	2	1		2		25		CC SC CT ST	Swamp wet H	Spring-Summer
Monotoca elliptica	VDT	3	3	6			>100		NC CC SC CT ST	OF LF S	Winter
Monotoca rotundifolia	GI	1	1					TSC E, Rotap 3RCi	ST	S H	Autumn
Monotoca scoparia	VGI	2	1		2		50		NC CC SC NT CT ST NWS CWS	DSF W H	Autumn-Winter

Morinda jasminoides		Rubiaceae	R			vertebrate		9M	IX-1a; IX-98; IV-105
Morus alba		Moraceae	R					9BD	
Muehlenbeckia adpressa		Polygonaceae	S		soil			8WJ 8MO 8CH	VIII-38d; VIII&IX-78; VIII-83
Muehlenbeckia axillaris		Polygonaceae	S					8CE	
Muehlenbeckia rhyticarya		Polygonaceae	S					8CE	
Myoporum acuminatum		Myoporaceae	R					9PL ~~8BD~~	
Myoporum bateae		Myoporaceae	S		persistent soil				VIII-1?; II-R35
Myoporum floribundum		Myoporaceae	S	requires recolonisation from unburnt sites				8CE	III-R41
Myoporum insulare		Myoporaceae	R s			vertebrate		9BA 9CH	VIII-78
Myoporum platycarpum		Myoporaceae	R						IX-78
Myosotis australis		Boraginaceae	S		transient				IId-38d
Myriocephalus rhizocephalus		Asteraceae	S					8C	VIII-38d
Myriocephalus stuarti	Polycalyma stuarti	Asteraceae	S					8C	
Myriophyllum alpinum		Haloragaceae	S					8CE	
Myriophyllum pedunculatum		Haloragaceae	R						IV-58
Myrsiphyllum asparagoides	Asparagus asparagoides	Liliaceae	R					9CH	
Neopaxia australasica	Claytonia australasica, Paxia australasica, Montia australasica	Portulacaceae	R						V-58
Nephrolepis cordifolia		Davallaceae	R		persistent soil	wind		9BM?	IXb-49
Nertera granadensis		Rubiaceae	S						VIII-58
Nestegis ligustrina	Notelaea ligustrina	Oleaceae	R					9M	
Nicotiana goodspeedii		Solanaceae	S					8C	
Nicotiana velutina		Solanaceae	R					9PL	
Notelaea linearis		Oleaceae	R						IX-74?; IX-100
Notelaea longifolia forma intermedia		Oleaceae	R			bird			IX-39
Notelaea longifolia forma longifolia		Oleaceae	R			bird			V-1
Notelaea microcarpa var. microcarpa		Oleaceae	R					9RS	IX-63; IX-100
Notelaea ovata		Oleaceae	R			a-vertebrate			IX-1; V-105
Notelaea sp. A	Notelaea venosa var. A	Oleaceae	R						V-108

Morinda jasminoides	UD	4	3		<2				NC CC SC NT CT ST CWS	RF riparian-S moist-F WSF	Spring
Morus alba	E	5	5						Exotic		
Muehlenbeckia adpressa	G	1	4						CC SC CT		
Muehlenbeckia axillaris	C	1	4						NT ST		
Muehlenbeckia rhyticarya	C	1	4						NC CC SC NT CT ST NWS CWS	W F	
Myoporum acuminatum	V	4	4				80		NC CC SC	RF WSF Casuarina-F	Winter-Spring
Myoporum bateae	GI	1	1				40	Rotap 3RC-	CC SC ST	SF	Spring-Summer
Myoporum floribundum	CT	1	3					Rotap 3RCi	CC SC CT	SF	Winter-Summer
Myoporum insulare	VD	4	4	1-5			30		CC SC LHI	H	Spring-Summer
Myoporum platycarpum	V	4	4						NWS CWS NWP SWP NFWP SFWP	W Mallee Belah	Winter-Summer
Myosotis australis	A	5	5						NC SC NT CT ST NWS CWS SWS SWP	OF G	Spring-Summer
Myriocephalus rhizocephalus	A	5	5	1					CWS SWS NWP SWP NFWP	Mallee	Spring
Myriocephalus stuarti	A	5	5						NWP SWP NFWP SFWP		Spring
Myriophyllum alpinum	C	1	4						NC NT CT ST		
Myriophyllum pedunculatum	VT	3	3	1			100		NC SC NT CT ST	H	
Myrsiphyllum asparagoides	E	5	5						Exotic		
Neopaxia australasica	VT	3	3	1			>10		SC NT CT ST CWS SWS SWP	Bog Swamp	Spring-Summer
Nephrolepis cordifolia	VG	4	4						NC CC LHI	RF OF	
Nertera granadensis	CT	1	3	1			>10		NC NT CT ST	Bog	Spring-Summer
Nestegis ligustrina	V	4	4						SC ST	RF (WT CT)	Summer-Autumn
Nicotiana goodspeedii	A	5	5						SWP SFWP	BimbleBox-WhiteCypress	Spring-Summer
Nicotiana velutina	V	4	4						NWP SWP NFWP SFWP	WhiteCypress Mulga	Spring
Notelaea linearis	V	4	4						NC NT NWS	H DSF W	Spring
Notelaea longifolia forma intermedia	VD	4	4						NC CC CWS	RF RF-margins	Autumn-Spring
Notelaea longifolia forma longifolia	UDT	3	3	1-5	<2		>30		NC CC SC CT ST	RF RF-margins OF	Autumn-Spring
Notelaea microcarpa var. microcarpa	V	4	4						NC NT ST NWS CWS NWP	DSW RF (gully)	Winter-Spring
Notelaea ovata	VD	4	4						NC CC SC CWS	OF H	Summer
Notelaea sp. A	V	4	4						NC NT	RF WSF	Spring-Summer

Notelaea venosa		Oleaceae	R			a-vertebrate		9G 9CL 5M	IX-39; IX-95a
Notodanthonia longifolia	Danthonia longifolia, Thonandia longifolia	Poaceae	R		persistent soil			9M	V-38a; IXb-49
Notodanthonia semiannularis	Danthonia semiannularis, Thonandia semiannularis	Poaceae	R					9W 9BA 9WA	
Notothixos subaureus		Viscaceae	S		transient	wide		8CE	VIII-38d; III-R35
Ochrosia moorei		Apocynaceae	S		transient	bird & mammal			III-89
Ochrosperma citriodorum	Baeckea citriodora	Myrtaceae	S		persistent soil			2BW	
Ochrosperma lineare	Baeckea linearis	Myrtaceae	R s		persistent soil			9B 2BW	V-8
Olax retusa		Olacaceae	R		persistent soil	wide		9BW	IXb-6
Olax stricta		Olacaceae	R s		persistent soil	wide		2BW 4F 5K 9BG	IXb-4; Vb-8; IV-38d; IX-39; IX-100
Olea europaea subsp. europaea		Oleaceae	R						IX-78
Olearia aglossa	Olearia alpicola var. aglossa, Olearia sp. A	Asteraceae	S					8CE	
Olearia algida		Asteraceae	R s		transient	wind			IV-58; VIII-61; IX-61b
Olearia argophylla		Asteraceae	R	Once damaged, heartwood of lignotuber decays and new material is developed		wind		5M ~~9W~~ 5CT 5WA	V-15; V-101a
Olearia axillaris		Asteraceae	S r		soil	wind	smoke	3WJ 9BA 2T 8CH	
Olearia calcarea		Asteraceae	S					8CN	
Olearia cordata		Asteraceae	R			wind		9BX	IX-66; V-71
Olearia erubescens		Asteraceae	R s		transient	wide		8W 9G 9CL	Vc-38c; IV-58; IX-67
Olearia flocktoniae		Asteraceae	S	Killed by fire, but can reshoot from damaged stems					VIII-74?; VIII-R11
Olearia floribunda		Asteraceae	S					8E	
Olearia gravis		Asteraceae	R	Seedlings killed	soil	wind	heat & smoke		IX-69
Olearia lepidophylla		Asteraceae	R					11CH	
Olearia magniflora		Asteraceae	S					8C	
Olearia microphylla		Asteraceae	S	Occassional resprouting, Killed by moderate-high intensity fire, Soil stored seed probably destroyed by high intensity fire (1)				8BX	
Olearia mueller		Asteraceae	S					8C	
Olearia myrsinoides		Asteraceae	R						IV-1?; IX-100

Notelaea venosa	VD	4	4						NC CC SC NT CT ST CWS	RF WSF	Spring-Summer
Notodanthonia longifolia	VC	4	4						NC CC SC NT CT ST NWS CWS NWP	OF	Spring-Summer
Notodanthonia semiannularis	U	4	4		1				NC CC SC CWS SWP	W	Spring-Summer
Notothixos subaureus	DR	2	3						NC CC SC NT CT NWS CWS		all year
Ochrosia moorei	D	4	4	5				TSC E, ESP E, Rotap 2ECi	NC	RF (ST)	Autumn
Ochrosperma citriodorum	GI	1	1						NC	H	Spring-Summer
Ochrosperma lineare	VGI	2	1						NC	H DSF	Spring
Olax retusa	VD	4	4						NC	H S	Spring
Olax stricta	VD	4	4		3.5				NC CC SC NT CT ST NWS CWS NWP	W H DSF	all year
Olea europaea subsp. europaea	E	5	5						Exotic		
Olearia aglossa	C	1	4					Rotap 2KC-	ST	DSF	Summer
Olearia algida	VDT	3	3	2			>50		ST	H G	Spring-Autumn
Olearia argophylla	VI	2	1		3		300		NC CC SC NT CT ST	WSF RF	Spring-Autumn
Olearia axillaris	GI	1	1	1-5			30		SC	H S	all year
Olearia calcarea	C	1	4						SWP NFWP SFWP	Mallee	Winter-Spring
Olearia cordata	VC	4	4	1-2		6-8	20	TSC V, ESP V, Rotap 2VCi	NC CC	DSF OS	Spring-Autumn
Olearia erubescens	VDT	3	3	2			>50		NC CC SC NT CT ST	DSF	Spring-Summer
Olearia flocktoniae	CI	1	1	2				TSC E, ESP E, Rotap 2ECi	NC	WSF RF	Summer-Autumn
Olearia floribunda	C	1	4						ST CWS SWS SWP	W	Winter-Summer
Olearia gravis	WGI	1	1	>2			10	Rotap 3KC-	NT CT NWS	OF W	Spring
Olearia lepidophylla	VR	2	3						CWS SWP SFWP	Mallee	Autumn-Winter
Olearia magniflora	C	1	4						NFWP SFWP	Mallee W H	Winter-Summer
Olearia microphylla	CI	1	1						NC CC SC NT CT ST NWS CWS	SF H	Winter-Spring
Olearia mueller	C	1	4						NFWP SFWP	Mallee W	Winter-Summer
Olearia myrsinoides	V	4	4						NC CC SC NT CT ST	G W DSF Swamp	Spring-Summer

Olearia phlogopappa		Asteraceae	S R					~~8W~~ 8WA	V-77
Olearia pimeleoides		Asteraceae	R					9FO(1)	
Olearia ramulosa		Asteraceae	S r	Post-fire pioneer	persistent soil	wind	heat	~~8W~~ 8MO 9CH 8WA	IV-38b; Vb-38d; VIII-78; II-83
Olearia rosmarinifolia		Asteraceae	R						IX-100
Olearia rudis		Asteraceae	S					8C	
Olearia stellulata	Olearia lirata	Asteraceae	S r					8CN ~~8W~~ 9M 8WA	
Olearia subspicata		Asteraceae	S					8CN	
Olearia suffruticosa		Asteraceae	S					8CE	
Olearia tenuifolia		Asteraceae	S					8CN	
Olearia tomentosa		Asteraceae	S	Occassional suckering	transient	wide		8I 8BX	III-38a
Olearia viscidula		Asteraceae	R			a-wind			IX-100
Omalanthus populifolius	Omalanthus nutans, Homalanthus populifolius	Euphorbiaceae	R s			bird		8I 9BB	VIII&IX-39
Omphacomeria acerba		Santalaceae	R			wide			IX-4
Omphalolappula concava		Boraginaceae	S					8C	
Onopordum acaulor		Asteraceae	S					8C	
Opercularia aspera		Rubiaceae	S r		persistent soil	a-ant		8M	IX-1b; VIII-39; II-46; IXb-49; II-105
Opercularia diphylla		Rubiaceae	S r		persistent soil	a-ant		2F	VIII-39; IXb-49; II-R35
Opercularia varia		Rubiaceae	S r		persistent soil	a-ant		8W ~~8&~~9M 8MO 2K 2E 8KE 8CH 8WA	II-2; II-38c; VIII&IX-39; II-67; VIII-70; VIII-78; II-83; II-105
Oplismenus aemulus		Poaceae	R						IV-105
Oplismenus imbecillis		Poaceae	R			bird			IV-105
Oreobolus distichus		Cyperaceae	R						V-58; IV-61
Oreobolus pumilio		Cyperaceae	R					9KP	IV-61
Oreomyrrhis argentea		Apiaceae	S		persistent soil				II-58
Oreomyrrhis ciliata		Apiaceae	S		persistent soil				II-58
Oreomyrrhis eriopoda		Apiaceae	S		persistent soil				II-58; VIII-74
Orites lancifolia		Proteaceae	R		persistent soil				V-58; V-77
Orobanche minor		Orobanchaceae	S R					8C 9WJ	
Orthoceras strictum		Orchidaceae	R		transient			11C 11WO 9KE 11W	IXd-2
Oschatzia cuneifolia		Apiaceae	R						IV-58
Owenia acidula		Meliaceae	R					9PL	
Owenia cepiodora		Meliaceae	R		short-lived soil, exhausted by disturbance	bird			IV-89
Oxalis corniculata	Oxalis corniculata var. repens, Oxalis corniculata var. microphylla	Oxalidaceae	R s					5PU 4PU 8I 9M 9W 9P 9WA	IV-38c; IX-67

Olearia phlogopappa	CT	1	3	2					NT CT ST	W SF H	Spring-Summer
Olearia pimeleoides	V	4	4						CWS SWS NWP SWP NFWP SFWP	OW DSF TS	Winter
Olearia ramulosa	GI	1	1	2			20		NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	SF	Spring-Autumn
Olearia rosmarinifolia	V	4	4						NT CT ST NWS CWS		Spring-Summer
Olearia rudis	C	1	4						NWP SWP SFWP	Mallee W	Winter
Olearia stellulata	C	1	4	2					CC SC NT CT ST	SF	Spring-Summer
Olearia subspicata	C	1	4						NWP SWP NFWP SFWP	S Mallee	Spring
Olearia suffruticosa	C	1	4						CT		Summer-Autumn
Olearia tenuifolia	C	1	4						SC CT ST CWS SWS SWP	DSF W Mallee	all year
Olearia tomentosa	D	4	4						NC CC SC CT ST	DSF S H	Spring-Autumn
Olearia viscidula	V	4	4						NC CC SC NT CT ST NWS CWS	TOF RF DSF W	Winter-Spring
Omalanthus populifolius	VDI	2	2	3			30		NC CC SC NT CT NWS LHI	RF F	Summer
Omphacomeria acerba	VDI	2	2						NC CC SC CT ST CWS	SF	Spring
Omphalolappula concava	A	5	5						NC NWS CWS NWP SWP NFWP SFWP	S SF	Spring
Onopordum acaulor	E	5	5						Exotic		
Opercularia aspera	GT	1	3	1	<1		35		NC CC SC NT CT ST NWS CWS	DSF riparian-S H	Spring
Opercularia diphylla	GI	1	1						NC CC SC CT NWS CWS	DSF W H G	Spring-Summer
Opercularia varia	GI	1	1	1-2			35		NC CC SC CT ST SWS	OF H	Spring
Oplismenus aemulus	V	4	4						NC CC SC CT NWS SWS	F	all year
Oplismenus imbecillis	VD	4	4						NC CC SC NT NWS CWS LHI	F	all year
Oreobolus distichus	VT	3	3	1			>10		NT ST		
Oreobolus pumilio	V	4	4						ST	Bog Swamp	
Oreomyrrhis argentea	GT	1	3	1			>20		ST	G	Summer
Oreomyrrhis ciliata	GT	1	3	1			>20		NT ST	Bogs	Summer
Oreomyrrhis eriopoda	GT	1	3	1			>20		NC CC SC NT CT ST CWS SWS	F Herbfield H	Summer
Orites lancifolia	VGT	3	3	5			>80		ST	alpine-H sub-alpine-H	
Orobanche minor	E	5	5						Exotic		
Orthoceras strictum	UCR	2	3		1		100		NC CC SC NT CT ST NWS CWS		Spring-Summer
Oschatzia cuneifolia	VT	3	3	1			>10	Rotap 3RC-	ST	Herbfield Bog	Summer
Owenia acidula	V	4	4						NWS NWP NFWP	Mulga BimbleBox	
Owenia cepiodora	VDT	3	3	11			>200	TSC V, ESP V, Rotap 2VCi	NC	RF (ST dry)	Spring
Oxalis corniculata	E	5	5						Exotic		

Oxalis exilis		Oxalidaceae	S R		persistent soil	ballistic capsule			IV-38b; II-105
Oxalis perennans		Oxalidaceae	R s						IX-11; IV-38b; IX-79; II-105
Oxylobium arborescens	Podolobium arborescens	Fabaceae: Faboideae	S		persistent soil		a-heat		II-100
Oxylobium ellipticum		Fabaceae: Faboidea	R		persistent soil		heat		Vb-58; IVb-77
Oxylobium pulteneae		Fabaceae: Faboidea	R		persistent soil		a-heat		IX-66
Ozothamnus adnatus	Helichrysum adnatum	Asteraceae	S r					8CE	VIII-74; IX-100; VIII-R41
Ozothamnus alpinus	Helichrysum alpinum	Asteraceae	R			wide			V-58
Ozothamnus argophyllus	Helichrysum argophyllum	Asteraceae	S		transient	wind		8CE	III-38d
Ozothamnus conditus	Helichrysum conditum	Asteraceae	S		transient	wide			III-R35
Ozothamnus cuneifolius	Helichrysum cuneifolium	Asteraceae	S		transient	wide		8M	III-38a
Ozothamnus diosmifolius	Helichrysum diosmifolium	Asteraceae	S R	Most killed by high intensity fire; Some resprouting after low intensit fire	persistent soil	a-wind		9BN 8BX	IV-38a; VIII&IX-39; II-62; IX-100
Ozothamnus ferrugineus		Asteraceae	S					8WA	
Ozothamnus hookeri	Helichrysum hookeri	Asteraceae	R s			wind			V-58; VIII-61; IX-61b; V-77
Ozothamnus obcordatus		Asteraceae	S		transient	wide			III-38c
Ozothamnus obcordatus subsp. major		Asteraceae	S						VIII-74; II&IX-100
Ozothamnus obcordatus subsp. obcordatus	Helichrysum obcordatum	Asteraceae	S		persistent soil			2E	
Ozothamnus rufescens	Helichrysum rufescens	Asteraceae	S						VIII-35
Ozothamnus secundiflorus	Helichrysum secundiflorum	Asteraceae	R			wide			V-58
Ozothamnus tucker	Helichrysum tucker	Asteraceae	S					8CE	
Ozothamnus vagans	Helichrysum vagans	Asteraceae	S		persistent soil	wind			II-89
Pachymitus cardaminoides		Brassicaceae	S					8C	
Pandanus tectorius var. australianus	Pandanus pedunculatus	Pandanceae	S	killed by crown fire, resprouts after partail burn	persistent soil	vertebrate			II-96
Pandorea pandorana subsp. pandorana	Pandorea doratoxylon	Bignoniaceae	S R		persistent soil	a-wind		2F 9M 9BX 8PL	VIII&IX-39; V-105
Panicum decompositum		Poaceae	R				smoke	9PL	
Panicum obseptum		Poaceae	S					8CE	
Panicum simile	Panicum effusum var. simile	Poaceae	R		persistent soil		smoke	9BW 5SA	IXb-6; V-8; IX-39; V-105
Papaver aculeatum		Papaveraceae	S					8C	
Papaver hybridum		Papaveraceae	S					8C	
Papillilabium beckler		Orchidaceae	S		transient	wind			III-74

Oxalis exilis	G	4	4	1					NC CC SC NT CT ST NWS CWS SWS	W OF G	Spring-Autumn
Oxalis perennans	U	4	4	1	<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W	Winter-Spring
Oxylobium arborescens	SI	2	1						NC CC NT CT ST	W	Spring-Summer
Oxylobium ellipticum	VST	3	3	5			>80		SC NT CT ST SWS	OF W	Spring-Summer
Oxylobium pulteneae	VSI	2	1						NC CC CT CWS	DSF swamp F	Spring-Summer
Ozothamnus adnatus	D	4	4					Rotap 3KC-	CC NT CT ST	SF W	Spring
Ozothamnus alpinus	VDT	3	3	5			>50		ST	Bog H	Summer-Autumn
Ozothamnus argophyllus	D	4	4						CC SC NT CT ST NWS	W RF	Spring-Summer
Ozothamnus conditus	DI	2	2						SC ST	SF	Spring-Summer
Ozothamnus cuneifolius	D	4	4						SC	SF	Spring-Summer
Ozothamnus diosmifolius	G	1	4						NC CC SC NT CT ST NWS CWS NWP SWP	H RF margins	Winter-Spring
Ozothamnus ferrugineus	D	4	4	2					CT ST	S	Summer-Autumn
Ozothamnus hookeri	VDT	3	3	2			>50		ST	H	Summer-Autumn
Ozothamnus obcordatus	D	4	4						NC SC NT ST NWS CWS NWP	H	Spring-Summer
Ozothamnus obcordatus subsp. major	D	4	4						NC SC NT ST NWS NWP	H	Spring-Summer
Ozothamnus obcordatus subsp. obcordatus	G	1	4						CWS	H	Spring-Summer
Ozothamnus rufescens	D	4	4	5		10			NC CC NT CWS	RF	Spring
Ozothamnus secundiflorus	VDT	3	3	5			>50		ST	montane-OF subalpine-OF	Summer
Ozothamnus tucker	D	4	4						CWS NWP SWP	Mallee	Spring-Summer
Ozothamnus vagans	G	1	4	2				Rotap 2RCa	NC	RF RF-margins	Spring-Autumn
Pachymitus cardaminoides	A	5	5						CWS SWS SWP NFWP SFWP		
Pandanus tectorius var. australianus	DI	2	2	5			>40		NC LHI		all year
Pandorea pandorana subsp. pandorana	GT	1	3	1-5	1		110		NC CC SC NT CT ST NWS CWS SWS NWP SWP SFWP LHI	RF SF W	Winter-Spring
Panicum decompositum	VI	2	1						NC CC CT NWS CWS SWS NWP SWP NFWP SFWP		Summer
Panicum obseptum	G	1	4						NC CC SC NT CT ST		Spring-Summer
Panicum simile	UG	4	4		1		>35		NC CC SC NT CT ST NWS SWP	W S	Summer
Papaver aculeatum	E	5	5						Exotic		
Papaver hybridum	E	5	5						Exotic		
Papillilabium beckler	D	4	4					3RC-	NC CC	RF	Spring

Parentucellia latifolia		Scrophulariaceae	S					8P	
Parentucellia viscosa		Scrophulariaceae	S		none			3WJ	
Parietaria debilis		Urticaceae	S					8C	VIII-38d
Parsonsia browni		Apocynaceae	S R			wind		9M	VIII-74
Parsonsia dorrigoensis	Parsonsia sp. B	Apocynaceae	R		persistent soil				IX-74?; Vb-R36
Parsonsia eucalyptophylla		Apocynaceae	R					9CN	
Parsonsia lanceolata		Apocynaceae	R		persistent soil	wind			IXb-49
Parsonsia straminea	Parsonsia straminea var. glabrata	Apocynaceae	R						IV-105
Paspalidium grandispiculatum		Poaceae	R						IV-R36
Passiflora cinnabarina		Passifloraceae	S R		persistent soil			9M	II-105
Passiflora herbertiana subsp. herbertiana		Passifloraceae	R						IX-1?
Patersonia fragilis		Iridaceae	R		persistent soil			9I 11M 9BW 9KE 4W	IXb-6; V-38c; IX-39; IXb-49; IX-59
Patersonia glabrata		Iridaceae	R		persistent soil	a-ant	smoke	5F 9BW 9I 9B	IXb-4; IXb-6; V-38b; IX-39; IXb-49; IV-52; IV-105
Patersonia longifolia	Patersonia sericea var. longifolia	Iridaceae	R		persistent soil	a-ant		9I	IXb-3; IX-8
Patersonia sericea	Patersonia sericea var. sericea	Iridaceae	R	better recruitment after autumn burn cf spring	persistent soil	a-ant	heat	9BW 5K 9T 9KE 9BG 9I	IXb-2; IXb-3; IXb-4; IX-5; IXb-6; IXd-7; IX 39; IXb-49; IV-52; IX-57; IV-105
Pavonia hastata		Malvaceae	S					8BD	
Pelargonium australe		Geraniaceae	R s			wind		9W 9WO 9WA	V-38c; VIII&IX-39; IX 95a
Pelargonium capitatum		Geraniaceae	S R		persistent soil			9BA	II-60
Pelargonium helmsi		Geraniaceae	R		persistent soil				V-58
Pelargonium inodorum		Geraniaceae	S					8M	VIII-38d
Pelargonium rodneyanum		Geraniaceae	R						IX-11
Pellaea falcata	Pellaea falcata var. falcata	Sinopteridaceae	R		transient?	wind			IX-39
Pentachondra pumila		Epacridaceae	S			wide		8KP	VIII-61
Pentapogon quadrifidus		Poaceae	S r			wide			VIII-38d; IX-40; III-R35
Pentaschistis airoides		Poaceae	S					8C	VIII-38d
Persicaria decipiens	Polygonum decipiens, Polygonum minus	Polygonaceae	R						IX-1?
Persicaria lapathifolia	Polygonum lapathifolium	Polygonaceae	R						IX-1?
Persicaria strigosa	Polygonum strigosum	Polygonaceae	R			bird? & water?			IX-1?

Parentucellia latifolia	E	5	5	1					Exotic		
Parentucellia viscosa	E	5	5						Exotic		
Parietaria debilis	A	5	5	1					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP LHI		
Parsonsia browni	G	1	4						NC CC SC NT CT ST	RF WSF	Summer
Parsonsia dorrigoensis	VG	4	4					TSC V, Rotap 2VCi	NC NT	RF	Summer
Parsonsia eucalyptophylla	V	4	4						NWS CWS SWS NWP SWP NFWP SFWP	W S	Spring-Autumn
Parsonsia lanceolata	VG	4	4						NC CC NT NWS CWS NWP	W RF	Summer-Autumn
Parsonsia straminea	VT	3	3						NC CC SC NT CT CWS	RF SF	all year
Paspalidium grandispiculatum	V	4	4						NC		
Passiflora cinnabarina	G	1	4						CC SC NT CT ST CWS SWS	OF	
Passiflora herbertiana subsp. herbertiana	V	4	4		<3		10		NC CC SC CT CWS	moist-F	
Patersonia fragilis	UGR	2	3		1				NC CC SC NT CT ST	H	Spring
Patersonia glabrata	UG	4	4		1		110		NC CC SC NT CT ST CWS	W DSF H	Spring
Patersonia longifolia	UGI	2	1		<2				NC CC SC CT ST	DSF H	Spring-Summer
Patersonia sericea	UGI	2	1		0.5		110		NC CC SC NT CT ST NWS CWS	DSF W H	Winter-Spring
Pavonia hastata	E	5	5						Exotic		
Pelargonium australe	U	4	4	1	1				NC CC SC CT ST NWS CWS SWS SFWP LHI	S	Spring-Summer
Pelargonium capitatum	E	5	5						Exotic		
Pelargonium helmsi	VGT	3	3	1			>20		ST	alpine-H	Summer
Pelargonium inodorum	A	5	5	<1					NC CC SC NT CT ST NWS CWS SWP	W F G	Summer
Pelargonium rodneyanum	U	4	4		0.5				SC CT ST	SF	Spring-Autumn
Pellaea falcata	VC	4	4				100		NC CC SC NT CT ST NWS CWS LHI	OF RF	
Pentachondra pumila	DT	3	3				>25		ST	H Herbfield G Feldmark	Summer
Pentapogon quadrifidus	A	5	5	1					SC NT ST SWS	W	Spring-Summer
Pentaschistis airoides	E	5	5	1					Exotic		
Persicaria decipiens	U	4	4		0.5				NC CC SC NT CT ST NWS NWP SWP	Herbland	
Persicaria lapathifolia	A	5	5		0.5				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	Herbland	
Persicaria strigosa	UD	4	3		0.5		100		NC CC CT	Herbland open-Swamp	

Persoonia acerosa		Proteaceae	S		persistent soil	vertebrate?			VIII-107
Persoonia asperula	Persoonia nutans subsp. G	Proteaceae	S		persistent soil				II-3
Persoonia bargoensis		Proteaceae	S		persistent soil	vertebrate?			VIII-107
Persoonia chamaepeuce		Proteaceae	R		persistent soil	vertebrate?		4HO	IV-1b?; IXb-3
Persoonia chamaepitys		Proteaceae	S		persistent soil	vertebrate?			II-1b
Persoonia confertiflora		Proteaceae	R		transient	wide		6M	III-38b
Persoonia cornifolia	Persoonia cornifolia subsp. D	Proteaceae	R						IX-69; IX-100
Persoonia fastigiata		Proteaceae	R						IX-100
Persoonia glaucescens	Persoonia lanceolata subsp. B	Proteaceae	S		persistent soil	vertebrate?			II-1b; VIII-107
Persoonia hirsuta		Proteaceae	S		persistent soil	vertebrate?			VIII-107
Persoonia isophylla	Persoonia sp. A	Proteaceae	S		persistent soil	vertebrate?			II-1b
Persoonia juniperina		Proteaceae	R s		persistent soil			8C 8WO 9E	V-37; V-38c; II-59; IX 78
Persoonia lanceolata	Persoonia lanceolata subsp. A	Proteaceae	S		persistent soil	a-vertebrate		2F 2S 2K 8KE	II-2; II-4; II-8; VIII-39; II-46
Persoonia laurina		Proteaceae	R		persistent soil			5S 9BN 9BG	IX-39
Persoonia laurina subsp. intermedia	Persoonia laurina subsp. B	Proteaceae	R		persistent soil	a-vertebrate			Vb-1a
Persoonia laurina subsp. laurina	Persoonia laurina subsp. A	Proteaceae	R		persistent soil	a-vertebrate			Vb-1b
Persoonia laurina subsp. leiogyna	Persoonia laurina subsp. C	Proteaceae	R		persistent soil	a-vertebrate			Vb-1b
Persoonia levis		Proteaceae	R		persistent soil	a-vertebrate		6G 6F 6S 6CL 9I 6K 9KE 9BG	VIb-1a; IXb-2; IX-39; V&VI-52; V&VI-105
Persoonia linearis		Proteaceae	R	Epicormic shoots from stems >2cm diam; Stem mortality 72% after high intensity fire, 44% after low intensity	persistent soil	a-vertebrate		6G 6F 9CL 6M	V&VIb-1a; V-38b; IX-39; V&VI-103; V&VI-105
Persoonia marginata		Proteaceae	S R		persistent soil	vertebrate?			IXb-1a; VIII-107
Persoonia mollis subsp. caleyi	Persoonia caleyi	Proteaceae	S		persistent soil	vertebrate?			II-1c

Persoonia acerosa	G	1	4			>7		TSC V, ESP V, Rotap 2VC-	CC CT	H DSF	Summer-Autumn
Persoonia asperula	GI	1	1						ST	montane-H WSF	
Persoonia bargoensis	G	1	4			>7		TSC E, Rotap 2V	CC	DSF W	Summer
Persoonia chamaepeuce	VGI	2	1						NT CT ST	OF W	Summer
Persoonia chamaepitys	GI	1	1						CC CT ST CWS	OF W	Spring-Summer
Persoonia confertiflora	VD	4	4						SC ST	W WSF	
Persoonia cornifolia	V	4	4						NT NWS NWP	W DSF	
Persoonia fastigiata	V	4	4						NT NWS	DSW DSF	
Persoonia glaucescens	G	1	4			>7		TSC V (being changed to E), ESP V, Rotap 2VC-	CC CT	W OF	Summer-Autumn
Persoonia hirsuta	G	1	4	6		>7		TSC E	CC	W DSF	Spring-Summer
Persoonia isophylla	GI	1	1						CC	W H	Autumn
Persoonia juniperina	VGI	2	1		6		40		SC	H SF	
Persoonia lanceolata	DI	2	2	3-7			70		NC CC SC CT ST	OF W H S	Summer-Autumn
Persoonia laurina	VG	4	4						NC CC SC CT ST	H DSF	
Persoonia laurina subsp. intermedia	VG	4	4						CC CT	OF	Summer
Persoonia laurina subsp. laurina	VG	4	4		3		110		NC CC CT	W H	Summer
Persoonia laurina subsp. leiogyna	VG	4	4						SC CT ST	OF	Spring
Persoonia levis	VGI	2	1		1-4		90		NC CC SC CT ST	OF W	Summer
Persoonia linearis	VG	4	4						NC CC SC NT CT ST CWS	W OF WSF	Summer
Persoonia marginata	G	1	4			>7		TSC V, ESP V, Rotap 2VC-	CT	OF	Summer
Persoonia mollis subsp. caleyi	G	1	4				>32		SC	OF	Summer

Persoonia mollis subsp. ledifolia	Persoonia ledifolia	Proteaceae	S		persistent soil	vertebrate?			II-1c
Persoonia mollis subsp. leptophylla		Proteaceae	S		persistent soil	vertebrate?			II-1c
Persoonia mollis subsp. livens		Proteaceae	S		persistent soil	vertebrate?			II-1c
Persoonia mollis subsp. maxima		Proteaceae	S		persistent soil	bird			II-1c; II-R2
Persoonia mollis subsp. mollis		Proteaceae	S		persistent soil	vertebrate?			II-1c; II-49
Persoonia mollis subsp. nectens		Proteaceae	S		persistent soil	vertebrate?			II-1c
Persoonia mollis subsp. revoluta	Persoonia revoluta	Proteaceae	S		persistent soil	vertebrate?			II-1c
Persoonia nutans	Persoonia nutans subsp. A	Proteaceae	S		persistent soil	vertebrate?		8BN	II-1c; VIII-107; VII-R33
Persoonia oblongata		Proteaceae	S		persistent soil	vertebrate?			II-1a?; II-49
Persoonia oxycoccoides	Persoonia nutans subsp. E	Proteaceae	R		persistent soil	vertebrate?			Vb-1b
Persoonia pauciflora		Proteaceae	S						VIII-107
Persoonia pinifolia		Proteaceae	S r		persistent soil	vertebrate		2S 2K 8KE 9BG	II-1a; II-2; II-49
Persoonia rigida		Proteaceae	S		persistent soil	vertebrate?		8E	
Persoonia rufa	Persoonia cornifolia subsp. C	Proteaceae	S		persistent soil				II-5; VIII-74?; II-100
Persoonia silvatica		Proteaceae	S R		persistent soil			5G	II-3
Persoonia subvelutina		Proteaceae	R					9CE	
Persoonia tenuifolia		Proteaceae	R					9B	IX-69; IX-100
Persoonia terminalis subsp. terminalis	Persoonia nutans subsp. D	Proteaceae	S		persistent soil				II-69; II-100
Persoonia virgata		Proteaceae	S		persistent soil			8B 2BW	
Petalostigma pubescens		Euphorbiaceae	R			wide	smoke	9RS	IX-63
Petrophile canescens		Proteaceae	R		canopy	gravity		9BW	Va-1a; IXa-5; IXa-6; IX-69; IX-100; V-105
Petrophile pedunculata		Proteaceae	R s		canopy	gravity		9I	IXa-1a; I-105
Petrophile pulchella	Petrophile fucifolia	Proteaceae	S r		serotinous canopy	none developed		1S ~~9BW~~ 8BE 1K 8BN 8KE 9BG	I-2; I-4; 8; I-4; I-30; VIII-39; I-52; I-66; I-91
Petrophile sessilis		Proteaceae	S r	seedling establishment related to rainfall	canopy	gravity		8I	Va-1a; I&V-105
Petrorhagia nanteuilii	prev.identified as Petrorhagia prolifera	Caryophyllaceae	S					8BB	
Petrorhagia velutina		Caryophyllaceae	S					8C	VIII-38d
Phebalium glandulosum subsp. eglandulosum		Rutaceae	S		persistent soil	explosive capsule			II-69; II-100; VIII-107

Persoonia mollis subsp. ledifolia	G	1	4						CC CT	OF W	Summer
Persoonia mollis subsp. leptophylla	GT	1	3				>40		CC SC ST	W S	Summer-Autumn
Persoonia mollis subsp. livens	G	1	4						CT ST	OF W	Summer
Persoonia mollis subsp. maxima	DT	3	3	10-15		12-15	40	TSC E, ESP E, Rotap 2E	CC	OF S	Summer
Persoonia mollis subsp. mollis	G	1	4						CC CT	OF	Summer-Autumn
Persoonia mollis subsp. nectens	G	1	4						CC CT	OF	Summer-Autumn
Persoonia mollis subsp. revoluta	G	1	4					Rotap 2RCa	CT	OF	Summer
Persoonia nutans	GI	1	1			>7		TSC E, ESP E, Rotap 2ECi	CC	W OW	Summer
Persoonia oblongata	G	1	4						CC CT CWS	OF W	Summer-Winter
Persoonia oxycoccoides	VG	4	4					Rotap 2RCa	CT	montane H OF	Summer-Autumn
Persoonia pauciflora	G	1	4			>7		TSC E	NC	DSF W	
Persoonia pinifolia	GI	1	1	>5			70		CC	OF W H	Summer
Persoonia rigida	G	1	4						CC NT CT ST CWS SWS	OF	Summer
Persoonia rufa	GI	1	1					Rotap 2RCa	NT	H DSF	
Persoonia silvatica	GI	1	1						SC ST	W WSF	
Persoonia subvelutina	V	4	4						ST	H SF	
Persoonia tenuifolia	V	4	4						NC NT NWS NWP	H DSF	
Persoonia terminalis subsp. terminalis	G	1	4			5	20	Rotap 2R	NT NWS	DSF	Spring-Summer
Persoonia virgata	GI	1	1						NC	DSF H	
Petalostigma pubescens	VDI	2	2						NC NWS NWP	RF (dry) OF	Autumn-Spring
Petrophile canescens	VCI	2	1						NC CC NT CT ST NWS CWS	W	Summer
Petrophile pedunculata	VC	4	4						CC SC CT	OF	Spring-Summer
Petrophile pulchella	CI	1	1	4-9		13	60		NC CC SC CT	OF W H	Summer
Petrophile sessilis	CT	1	3				>30		CC SC CT ST	W H	Summer
Petrorhagia nanteuilii	E	5	5						Exotic		
Petrorhagia velutina	E	5	5	1					Exotic		
Phebalium glandulosum subsp. eglandulosum	G	1	4	5		>7	15	TSC E, Rotap 2VCi	NT	H OF	Spring

Phebalium glandulosum subsp. glandulosum		Rutaceae	S			explosive capsule		8CE	
Phebalium obcordatum		Rutaceae	S			explosive capsule		8CE	
Phebalium squamulosum		Rutaceae	S R	Minor basal shoots	persistent soil	explosive capsule & a-ant		5S 2K	Vb-58; II-77
Phebalium squamulosum subsp. verrucosum		Rutaceae	S			explosive capsule			VIII-74
Phebalium stenophyllum		Rutaceae	R			explosive capsule		9C 9E	
Philotheca buxifolia	Eriostemon buxifolius	Rutaceae	S r		persistent soil	explosive capsule		8BE 5S 9I 2K	II-46; II-91
Philotheca difformis subsp. difformis	Eriostemon difformis subsp. difformis	Rutaceae	S			explosive capsule		8CN 8CE	
Philotheca hispidula	Eriostemon hispidulus	Rutaceae	S		persistent soil	explosive capsule			II-4; II-49
Philotheca myoporoides subsp. epilosa	Eriostemon myoporoides subsp. epilosus	Rutaceae	S		persistent soil	explosive capsule			VIII-69; II-100
Philotheca myoporoides subsp. mypoporoides	Eriostemon myoporoides subsp. myoporoides	Rutaceae	S	May be killed by high intensity fire	persistent soil	explosive capsule			II-105; IX&II-R35
Philotheca obovalis	Eriostemon obovalis	Rutaceae	S		persistent soil	explosive capsule			II-4
Philotheca salsolifolia subsp. salsolifolia	Philotheca salsolifolia	Rutaceae	R s		persistent soil	explosive capsule & a-ant		9I 9BN 8BE 2K	IXb-4; Vb-8; VIII&IX-39; II-91
Philotheca scabra subsp. scabra	Eriostemon scaber subsp. scaber	Rutaceae	S R		persistent soil	explosive capsule		5S	II-105
Philotheca virgata	Eriostemon virgatus	Rutaceae	S		persistent soil	explosive capsule		8CE 2M	II-38s; II-R35; VIII-R41
Phragmites australis	Phragmites communis	Poaceae	R			wide		9KE 9PL	IX-2; V-38b; IX-39
Phyllanthus gunnii	Phyllanthus gasstroemii	Euphorbiaceae	R			explosive capsule		9BB	IX-39
Phyllanthus hirtellus	Phyllanthus hirtellus forma A, Phyllanthus thymoides	Euphorbiaceae	R s			explosive capsule		9WO 9E 9BW 5BB 9I 5K	IXb-6; IV-38a; III-38c; IX-39; IXd-49; V 52; V-105
Phyllanthus lacunarius		Euphorbiaceae	R					9PL	
Phyllanthus lacunellus	Phyllanthus sp. C	Euphorbiaceae	S					8CN	
Phyllanthus oblanceolatus	Phyllanthus australis	Euphorbiaceae	S					8CH	VIII-78
Phyllanthus similis		Euphorbiaceae	R		persistent soil	explosive capsule		9BB	IXb-1; IX-95a
Phyllanthus virgatus		Euphorbiaceae	R		persistent soil	wide		9RS 9BB?	IX-63; IXb-95a

Phebalium glandulosum subsp. glandulosum	G	1	4						ST CWS NWP SWP	H SF Mallee	Spring
Phebalium obcordatum	G	1	4					Rotap 3RCa	CWS SWP	W	Winter-Spring
Phebalium squamulosum	GI	1	1	5			80		NC CC SC NT CT ST NWS CWS NWP SWP	H DSF	Spring
Phebalium squamulosum subsp. verrucosum	G	1	4					Rotap 2RC-	NC NT	W RF (dry)	Spring
Phebalium stenophyllum	V	4	4						CT ST NWS	H	Spring
Philotheca buxifolia	GI	1	1	3-6			50		CC SC	H	Winter-Spring
Philotheca difformis subsp. difformis	G	1	4						NWS CWS NWP SWP NFWP SFWP	Mallee W DSF	all year
Philotheca hispidula	GI	1	1	3			35		CC CT	DSF	Spring
Philotheca myoporoides subsp. epilosa	G	1	4	3				Rotap 3RC-	NT	OF H	Spring-Autumn
Philotheca myoporoides subsp. mypoporoides	GI	2	1		<2				NC CC SC CT ST CWS	H DSF	Spring-Autumn
Philotheca obovalis	GI	1	1	3			35	Rotap 3RCa	CC CT ST	H DSF	Spring
Philotheca salsolifolia subsp. salsolifolia	VGI	2	1	5			50		NC CC SC CT ST NWS CWS NWP	H F W	Spring
Philotheca scabra subsp. scabra	G	1	1						CC SC	H DSF	Spring
Philotheca virgata	GI	1	1						SC	H	Summer
Phragmites australis	VD	4	4				100		NC CC SC NT CT ST NWS CWS SWS NWP SWP SFWP LHI		Spring
Phyllanthus gunnii	VI	2	1	1-2					NC CC SC NT CT ST NWS CWS NWP SWP	grassy W OF RF (dry)	Spring-Summer
Phyllanthus hirtellus	UCI	2	1		1				NC CC SC NT CT ST NWS CWS SWS SWP	H DSF	Spring-Summer
Phyllanthus lacunarius	A	5	5						NWS CWS NWP SWP NFWP SFWP	RIverGum BlackBox	all year
Phyllanthus lacunellus	A	5	5						NWP NFWP SFWP		all year
Phyllanthus oblanceolatus	G	1	4						SWP NFWP		Summer
Phyllanthus similis	VG	4	4	<1			100		NC CC SC NT NWS CWS	OF RF	Summer
Phyllanthus virgatus	UDI	2	3		<1				NC CC NT CT NWS CWS NWP SWP	grassy-W OF	Spring-Summer

Phyllota humifusa		Fabaceae: Faboideae	R		persistent soil		a-heat	9BF	
Phyllota phylicoides		Fabaceae: Faboideae	S R		persistent soil	a-ant	heat	2F 2S 8B 8I 4BW 9A	IXb-5; IVb-6; II-8; VIII&IX-39; IXb-49; IX-100; II-105
Phyllota squarrosa	Phyllota phylicoides	Fabaceae: Faboideae	R		persistent soil		a-heat	5BF 4BF	IXb-4
Physalis peruviana		Solanaceae	S R						II&V-105
Phytolacca octandra		Phytolaccaceae	S					8I 8MO	
Picris squarrosa		Asteraceae	S					8CN	
Pilea microphylla	Pilea serpyllifolia	Urticaceae	S		persistent soil			2F	
Pimelea alpina		Thymelaeaceae	R						V-58
Pimelea axiflora		Thymelaeaceae	S					8M	
Pimelea biflora		Thymelaeaceae	R						V-77
Pimelea curviflora		Thymelaeaceae	R s					8M	IX-11; IX-40; IX-79
Pimelea curviflora var. divergens		Thymelaceae	R						IX-100
Pimelea flava subsp. dichotoma	Pimelea dichotoma	Thymelaeaceae	S						VIII-78
Pimelea glauca		Thymelaeaceae	R						IX-11
Pimelea humilis		Thymelaeaceae	S R					8WO 8VE 8W 9MO 9E 8WA	V-38b&c; XI-40; IX-83
Pimelea latifolia subsp. hirsuta	Pimelea hirsuta	Thymelaeaceae	S		persistent soil				II-49
Pimelea ligustrina subsp. ciliata		Thymelaeaceae	R						V-77
Pimelea linifolia		Thymelaeaceae	S R		persistent soil	a-ant		2F 9HO 9I 8WO 5S 8W 8BE 8P 2BW 9BW 2K 8BN 8PU 9KP 8WA	II-2; II-4; II-46; II-49; IXb-6; Vb-8; IX-38c; VIII-57; IX-67; V-77
Pimelea linifolia subsp. collina	Pimelea collina	Thymelaeaceae	S		persistent soil				II-3; II-5; II-100; II-105
Pimelea linifolia subsp. linifolia		Thymelaeaceae	S R		persistent soil		smoke, heat-sensitive	8KE 9CH	II-3; VIII&IX-39; II-49; VIII&IX-78; IX-100; II-105
Pimelea pauciflora		Thymelaeaceae	S		persistent soil				II-R42
Pimelea serpyllifolia subsp. serpyllifolia		Thymelaceae	R						IX-79
Pimelea spicata		Thymelaeaceae	R						V-R30
Pimelea stricta		Thymelaeaceae	S					8CH	VIII-78
Pimelea treyvaud		Thymelaeaceae	S					8CE	
Pimelea trichostachya		Thymelaeaceae	S					8C	
Pinus pinaster		Pinaceae	S					8BM	
Pinus radiata		Pinaceae	S					8BM	

Phyllota humifusa	VSI	2	1				130	TSC V, ESP V, Rotap 2VCa	CT	W DSF	Spring-Summer
Phyllota phylicoides	SI	2	1				>60		NC CC SC NT CT ST CWS	W H	Spring
Phyllota squarrosa	VSI	2	1				130		CC SC CT ST	H W	Summer
Physalis peruviana	E	5	5						Exotic		Summer
Phytolacca octandra	E	5	5						Exotic		
Picris squarrosa	A	5	5						CWS SFWP		Summer
Pilea microphylla	E	5	5						Exotic		
Pimelea alpina	VI	2	1	2			>50		ST	W H tussock-G	
Pimelea axiflora	G	1	4						SC ST	OF WSF	
Pimelea biflora	VT	3	3						ST	alpine-G subalpine G subalpine-F	
Pimelea curviflora	U	4	4		<1		60		NC CC SC NT CT ST NWS CWS SWS NWP SWP	OF	
Pimelea curviflora var. divergens	V	4	4						NC CC NT CT NWS CWS NWP		
Pimelea flava subsp. dichotoma	G	1	4						CWS SWP	Mallee	
Pimelea glauca	U	4	4		1				NC CC SC NT CT ST NWS CWS SWS NWP SWP	F G	
Pimelea humilis	GT	1	3	1	<1		35		SC CT ST	DOF H	
Pimelea latifolia subsp. hirsuta	G	1	4						NC CC SC CT ST	F	
Pimelea ligustrina subsp. ciliata	VT	3	3						ST	OF W H	
Pimelea linifolia	GI	1	1	2-4			32		NC CC SC NT CT ST NWS CWS SWS NWP SWP		
Pimelea linifolia subsp. collina	GI	1	1						CC SC NT CT ST NWS CWS NWP	H F	
Pimelea linifolia subsp. linifolia	GI	1	1				>32		NC CC SC NT CT ST NWS CWS SWS NWP SWP		Winter-Summer
Pimelea pauciflora	GI	1	1						NT ST NWP	WSF OF W S	
Pimelea serpyllifolia subsp. serpyllifolia	V	4	4					TSC E	SFWP	S W	
Pimelea spicata	U	4	4	2	0.5			TSC E, ESP E, Rotap 3ECi	CC	OW	Spring-Autumn
Pimelea stricta	G	1	4						NC CT NWS CWS SWS NWP SWP	OW Mallee	
Pimelea treyvaud	G	1	4						CT ST CWS SWS	DSF	
Pimelea trichostachya	A	5	5						NWS NWP SWP NFWP SFWP	various	
Pinus pinaster	E	5	5						Exotic		
Pinus radiata	E	5	5						Exotic		

Pittosporum bicolor	Pittosporum sp. aff. Bicolor	Pittosporaceae	S R		transient	wide		9M	III-R35
Pittosporum phylliraeoides	Pittosporum phillyraeoides	Pittosporaceae	S r				smoke	11C 9T 8WO 8CH 8PL	VIII-78
Pittosporum revolutum		Pittosporaceae	R s			bird?		9CE	V-1; VIII-39
Pittosporum undulatum		Pittosporaceae	S r	Killed by crown fire, resprouts after partial burn	transient	bird		8MO 8CT 8HL	III-1; III&V-38b; IX-39; VIII-96
Plagiobothrys elachanthus		Boraginaceae	S					8C	
Plantago alpestris		Plantaginaceae	R						V-58
Plantago coronopus		Plantaginaceae	S						VIII-38d
Plantago cunninghamii		Plantaginaceae	S					8C	
Plantago debilis		Plantaginaceae	S		persistent soil				II-49
Plantago drummondi		Plantaginaceae	S					8C	
Plantago euryphylla		Plantaginaceae	R						V-58
Plantago gaudichaudii		Plantaginaceae	R						IX-11; IX-40; IX-79
Plantago lanceolata		Plantaginaceae	R					11CH	V-38d
Plantago turrifera		Plantaginaceae	S					8C	VIII-1?
Plantago varia		Plantaginaceae	R					9W 9WA	
Platycerium bifurcatum		Polypodiaceae	S	Resprouts after low-medium intensity fire	transient	wind			VIII-1?; VIII-39?; III-R35
Platylobium formosum		Fabaceae: Faboideae	R s		persistent soil	a-ant	heat	2F 9M 9A 5BF	IVb-38b
Platylobium formosum subsp. formosum		Fabaceae: Faboideae	R						V-105
Platylobium formosum subsp. parviflorum		Fabaceae: Faboideae	S R		persistent soil	a-ant	a-heat		IX&VIII-39; II&V-105
Platysace clelandi		Apiaceae	S		persistent soil				II-66; IV-71?
Platysace ericoides		Apiaceae	S r	better regeneration after autumn burn cf spring	persistent soil			2F 4BW 2BW 9B 9BN	II-4; II-5; VIII-57
Platysace heterophylla		Apiaceae	S		persistent soil				II-83
Platysace lanceolata		Apiaceae	R s		persistent soil	wind & a-ant		9M 2F 9G 9CL 9BM	IXb-3; II-4; Vb-8; IV-38b&c; VIII&IX-39; IXb-46
Platysace linearifolia		Apiaceae	R s	May be killed by high intensity fire	persistent soil	a-ant		5S 8BE ~~9BW~~ 4K 2BM 4BM	IXb-4; Vb-8; VIII&IX-39; IXb-49; V-52; IX-91; V-105
Platysace stephensonii		Apiaceae	R			a-ant		5S 5BM	
Plectorrhiza tridentata		Orchidaceae	S					8CE	
Plectranthus alloplectus		Lamiaceae	S		persistent soil		a-heat		II-R36
Plectranthus parviflorus		Lamiaceae	S		persistent soil		a-heat	2BD	VIII-39

Pittosporum bicolor	DR	2	3						NC SC CT ST	montane-WSF	Spring
Pittosporum phylliraeoides	DT	3	3						CT NWS CWS NWP SWP NFWP SFWP	W Mallee	Winter-Spring
Pittosporum revolutum	VDT	3	3	1-5	2-3		>30		NC CC SC NT CT ST NWS CWS SWS SWP	RF WSF DSF	Spring
Pittosporum undulatum	DT	3	3	6-8			40		NC CC SC NT CT ST NWS CWS LHI	RF WSF DSF W	Spring
Plagiobothrys elachanthus	A	5	5						CWS SWS SWP		Spring
Plantago alpestris	VT	3	3	1			>10		ST	alpine-G subalpine G Bog	Summer
Plantago coronopus	E	5	5	1					Exotic		
Plantago cunninghamii	A	5	5						NWS CWS SWS NWP SWP NFWP SFWP	G W Saltbush	Spring
Plantago debilis	A	5	5						NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP	RF moist-OF S	all year
Plantago drummondi	A	5	5						NWP SWP NFWP SFWP	G S Saltbush	Winter-Spring
Plantago euryphylla	VT	3	3	1			>10		ST	alpine-Herbfield subalpine-G	Summer
Plantago gaudichaudii	U	4	4		<1		60		NC CC SC NT CT ST CWS SWS SWP	G F W	Spring-Autumn
Plantago lanceolata	E	5	5						Exotic		
Plantago turrifera	A	5	5	<1					CC CT NWS CWS NWP SWP NFWP SFWP	G F W	Spring-Summer
Plantago varia	U	4	4		1				CC SC NT CT ST CWS SWS SWP	OF W G	Spring-Summer
Platycerium bifurcatum	DR	2	3				100		NC CC SC CWS LHI	RF	
Platylobium formosum	VSI	2	1						NC CC SC CT SWS	OF H	Spring
Platylobium formosum subsp. formosum	V	4	4						NC CC SC CT ST CWS SWS		
Platylobium formosum subsp. parviflorum	SI	2	1						NC CC SC CT	OF	Spring
Platysace clelandi	G	1	4	2-3		8-10	20	Rotap 2RCa	NC CC CT	DSF	Spring-Summer
Platysace ericoides	GI	1	1		1		>32		NC CC NT CT NWS CWS NWP	H DSF	all year
Platysace heterophylla	G	1	4						SC		
Platysace lanceolata	UGI	2	1	2-4	1.5		50		NC CC SC NT CT ST NWS CWS SWS SWP	W H DSF	Spring-Summer
Platysace linearifolia	VGI	2	1	3-4	1		50		CC SC CT ST NWS CWS	DSF	Summer-Autumn
Platysace stephensonii	V	4	4				10	Rotap 3RC-	NC CC SC	DSF H	Summer
Plectorrhiza tridentata	C	1	4						NC CC SC NT	RF	Spring-Summer
Plectranthus alloplectus	SI	2	1					TSC E, Rotap 2RC-	NC NT		Summer-Autumn
Plectranthus parviflorus	SI	2	1	1			35		NC CC SC NT CT NWS CWS NWP NFWP	OF W S WSF	all year

Plectranthus suaveolens		Lamiaceae	S				a-heat		VIII-74
Plinthanthesis paradoxa		Poaceae	R					9KE	IX-2; V-8
Plinthanthesis urville		Poaceae	R						IX-4
Pluchea tetranthera		Asteraceae	R					9PL	
Poa annua		Poaceae	S					8I	VIII-38d
Poa cheeli		Poaceae	R						V-38a&b; IX-R35
Poa costiniana		Poaceae	R		persistent soil				Vb-58; IX-R35
Poa fawcettiae		Poaceae	R		persistent soil				Vb-58
Poa helmsi		Poaceae	R					9M	
Poa hiemata		Poaceae	R		persistent soil				Vb-58
Poa hooker		Poaceae	R					9CE	
Poa labillardierei var. labillardierei		Poaceae	R		persistent soil		smoke	9CE	V-38b&d; IXb-49; IX-67
Poa meionectes		Poaceae	R			wind			V-38a
Poa phillipsiana		Poaceae	R		persistent soil				Vb-58
Poa poiformis		Poaceae	R			wind		9WO	V-38c; V-96
Poa sieberiana var. cyanophlla		Poaceae	R		persistent soil				IXb-3
Poa sieberiana var. sieberiana		Poaceae	R					9W 9HO 9WA	IX-11; V-38b&c; XI-40; IX-67; IX-79
Poa tenera		Poaceae	R					~~9W~~ 9WA	V-38d
Podocarpus lawrence	Podocarpus alpinus	Podocarpaceae	S		transient	wide			III-61
Podocarpus spinulosus		Podocarpaceae	R			bird?		5BM	IX-39; IX-R35
Podolepis arachnoidea		Asteraceae	R					9CE	
Podolepis canescens		Asteraceae	S		soil			8CE	
Podolepis capillaris		Asteraceae	S					8C	
Podolepis hieracioides		Asteraceae	S						VIII-74
Podolepis jaceoides		Asteraceae	R s			a-wind		8C	IX-11; IX-79
Podolepis robusta		Asteraceae	R			wide			V-58
Podolobium aciculiferum	Oxylobium aciculiferum	Fabaceae: Faboideae	R		persistent soil		a-heat		IX-66
Podolobium alpestre	Oxylobium alpestre	Fabaceae: Faboidea	R		persistent soil		a-heat		V-58; IVb-77
Podolobium ilicifolium	Oxylobium ilicifolium	Fabaceae: Faboideae	S R		persistent soil		a-heat	2F 5BF	IV-38a; II-38d; VIII&IX-39; II-49; IX-66; IX-100

Plectranthus suaveolens	SI	2	1					Rotap 3KC-	NC NT		all year
Plinthanthesis paradoxa	V	4	4				100		NC CC SC CT ST	Swamp	Spring-Summer
Plinthanthesis urville	V	4	4				100		NC CC CT NWS	W	Spring-Summer
Pluchea tetranthera	V	4	4						NFWP	Mulga BimbleBox	Spring
Poa annua	E	5	5	1					Exotic		
Poa cheeli	UT	3	3		<2				CC SC CT NWS	W	Spring-Summer
Poa costiniana	UGT	3	3	1	<2		>20		NT ST	alpine and subalpine Bog alpine G	Summer
Poa fawcettiae	UGI	2	1	1	<2		>20		ST	W subalpine Meadow	Summer
Poa helmsi	V	4	4						SC ST		Summer
Poa hiemata	UGI	2	1	1	<2		>20		ST	alpine and subalpine Moors and Meadowscheifly above 1600m altitude	Summer
Poa hooker	V	4	4						ST		Summer
Poa labillardierei var. labillardierei	VG	4	4		1				NC CC SC NT CT ST NWS CWS SWS NWP SWP	F G	all year
Poa meionectes	VI	2	1	1					SC CT ST	W WSF	Spring-Summer
Poa phillipsiana	UGT	3	3	1	<2		>20		ST		Summer
Poa poiformis	VI	2	1	1					NC CC SC LHI		all year
Poa sieberiana var. cyanophlla	VG	4	4						CT ST SWS		all year
Poa sieberiana var. sieberiana	UI	2	1	2	1-2				NC CC SC NT CT ST CWS SWS SWP		all year
Poa tenera	U	4	4		1				SC CT ST CWS SWS		Spring-Summer
Podocarpus lawrence	DT	3	3						ST	montane-F	
Podocarpus spinulosus	VCI	2	1				100		NC CC SC CT	OF	
Podolepis arachnoidea	V	4	4						NT NWS CWS NWP SWP NFWP SFWP	Mallee OW	Spring-Summer
Podolepis canescens	A	5	5	<1					CT CWS SWS NWP SWP NFWP SFWP	various	Spring
Podolepis capillaris	A	5	5						NWP SWP NFWP SFWP	Mulga Mallee	Spring-Autumn
Podolepis hieracioides	C	1	4						NT CT ST SWS	W G	Spring-Autumn
Podolepis jaceoides	A	5	5		<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W G	Summer
Podolepis robusta	VDT	3	3	1			>15		NC ST	G	Summer
Podolobium aciculiferum	VSI	2	1						NC CC SC	WSF RF	Spring-Summer
Podolobium alpestre	VST	3	3	5			>80		ST	W	Summer
Podolobium ilicifolium	SI	2	1				90		NC CC SC NT CT ST CWS	W OF WSF	Spring-Summer

Podolobium scandens	Oxylobium scandens, Oxylobium scandens var. obovatum	Fabaceae: Faboideae	R		persistent soil		a-heat		IXb-R35
Podolobium scandens	Oxylobium scandens, Oxylobium scandens var. obovatum	Fabaceae: Faboideae	R		persistent soil		a-heat		IX-66
Podotheca angustifolia		Asteraceae	S					8C 8BA	
Polyalthia nitidissima		Annonaceae	R					9RS	IX-63
Polycarpaea corymbosa var. minor		Caryophyllaceae	R					5BB	
Polycarpon tetraphyllum	Mollugo tetraphylla	Caryophyllaceae	S					8BB	
Polygala japonica		Polygalaceae	S		transient			8CE	IX-1?; III-R41
Polymeria calycina		Convolvulaceae	R		persistent soil		a-heat	9BB	IX-39
Polyosma cunninghamii		Escalloniaceae	S			bird		8BB	
Polyphlebium venosum	Trichomanes venosum, Crepidomanes venosum	Hymenophyllaceae	S		transient?	wind		~~8BM~~ 8CT 8M	
Polypogon monspeliensis		Poaceae	S					8C	
Polyscias murray		Araliaceae	S			bird?		8CN	VIII-R41
Polyscias sambucifolia		Araliaceae	R s		persistent soil	bird		5F 9G 9CL 2CT	IVc-38b; VIII&IX-39; V-77; IX-100; V&VI-R42
Polystichum formosum		Dryopteridaceae	S		transient?	wind		8CE	
Pomaderris angustifolia		Rhamnaceae	S		persistent soil	a-ant	a-heat		II-R35
Pomaderris aspera	Pomaderris apetala	Rhamnaceae	S		persistent soil	a-ant	heat	~~8W~~ 8CT 8WA 2M	II-38b
Pomaderris betulina subsp. betulina		Rhamnaceae	S		persistent soil	a-ant	a-heat		II-R35
Pomaderris brogoensis		Rhamnaceae	R		persistent soil	a-ant	a-heat		IXb-R35
Pomaderris brunnea		Rhamnaceae	S		persistent soil	a-ant	a-heat	8CN	II-66; VIII-R41
Pomaderris costata		Rhamnaceae	S		persistent soil	a-ant	a-heat	8CE	II-R35
Pomaderris cotoneaster		Rhamnaceae	S		persistent soil	a-ant	a-heat	8CE	II-R35; VIII-R41
Pomaderris crassifolia		Rhamnaceae	R		persistent soil	a-ant	a-heat		IX-89
Pomaderris discolor		Rhamnaceae	S			a-ant	a-heat	8CE	VIII-1b
Pomaderris elachophylla		Rhamnaceae	S		persistent soil	a-ant	a-heat	~~8W~~ 8WA	II-R35
Pomaderris eriocephala		Rhamnaceae	S		persistent soil	a-ant	a-heat		IX-100?; II-R35
Pomaderris ferruginea		Rhamnaceae	S		persistent soil	a-ant	a-heat	~~8W~~ 8WA	II-1a; II-38; II-49

Podolobium scandens	VSI	2	1		<2				NC CC SC CT	SF	Spring
Podolobium scandens	VSI	2	1						NC CC SC CT	SF	Spring
Podotheca angustifolia	A	5	5						SFWP	Mallee	Spring
Polyalthia nitidissima	V	4	4						NC	RF	Summer
Polycarpaea corymbosa var. minor	A	5	5						CC NT NWS NWP SWP NFWP	G	
Polycarpon tetraphyllum	E	5	5						Exotic		
Polygala japonica	CR	1	3						NC CC SC NT CT ST NWS CWS	grassy-W grassy-DSF G	Spring-Summer
Polymeria calycina	USI	2	1		1				NC CC SC	OF moist W	Spring-Autumn
Polyosma cunninghamii	D	4	4				>50		NC CC SC NT CT	RF (ST WT)	Autumn-Spring
Polyphlebium venosum	C	1	4				100		NC CC SC NT CT ST	RF	
Polypogon monspeliensis	E	5	5						Exotic		
Polyscias murray	D	4	4						NC CC SC CT	RF	Autumn
Polyscias sambucifolia	VDT	3	3				110		NC CC SC NT CT ST	DSF WSF RF	Spring-Summer
Polystichum formosum	C	1	4						NC CC SC NT CT ST	RF	
Pomaderris angustifolia	SI	2	1				55		NT CT ST NWS CWS SWS	OF W	
Pomaderris aspera	ST	3	3	8		10	130		NC CC SC NT CT ST CWS SWS	moist-F RF WSF	Spring
Pomaderris betulina subsp. betulina	SI	2	1				55		NC SC NT CT ST	riparian-OF	
Pomaderris brogoensis	USI	2	1		<2			Rotap 3RC-	SC ST	TS	
Pomaderris brunnea	SI	2	1	4-6		10	55	TSC V, ESP V, Rotap 2VC-	CC	riverine-OF	Spring
Pomaderris costata	SI	2	1					Rotap 3RC-	SC NT ST	OF	
Pomaderris cotoneaster	SI	2	1				55	TSC E, ESP E, Rotap 3ECi	SC CT ST	OF	
Pomaderris crassifolia	VST	3	3	3					NC		
Pomaderris discolor	SI	2	1	3			55		NC CC SC CT SWS	OF	Spring
Pomaderris elachophylla	SI	2	1	3				TSC E	ST	F	
Pomaderris eriocephala	SI	2	1				55		NC CC SC NT CT ST NWS	OF	Spring
Pomaderris ferruginea	SI	2	1	3-5			55		NC CC SC CT ST CWS	OF W H	Spring

Pomaderris intermedia	Pommaderris sieberiana, Pommaderris affinis	Rhamnaceae	S		persistent soil	a-ant	a-heat		II-1a
Pomaderris lanigera		Rhamnaceae	S		persistent soil	a-ant	a-heat		II-38b
Pomaderris ledifolia		Rhamnaceae	S			a-ant	a-heat	8CE	
Pomaderris paniculosa subsp. paniculosa	Pomaderris oraria	Rhamnaceae	S			a-ant	a-heat	8CE	
Pomaderris parrisiae		Rhamnaceae	S		persistent soil	a-ant	a-heat		II-R35
Pomaderris pauciflora		Rhamnaceae	S r		persistent soil	a-ant	a-heat	8CE	II&IX-R35
Pomaderris phylicifolia		Rhamnaceae	S		persistent soil	a-ant	a-heat		II-R42
Pomaderris sericea		Rhamnaceae	S			a-ant	a-heat	8CE	VIII-R41
Pomaderris virgata		Rhamnaceae	S		persistent soil	a-ant	a-heat	8CN	II-R35
Pomax umbellata		Rubiaceae	S		persistent soil	ballistic capsule		2F 8M 2BW	
Poranthera corymbosa		Euphorbiaceae	S		persistent soil	explosive capsule		2BB	II-38d
Poranthera ericifolia		Euphorbiaceae	S		persistent soil	explosive capsule & a-ant		2S 8I 8BE ~~2K~~ 8BB	II-4; VIII-39
Poranthera microphylla		Euphorbiaceae	S		persistent soil	explosive capsule & a-ant	heat	2F 8WO 8C 8I 8W 8BA 8P 8HO 8BN 8WA 8M	II-9; II-38c&d; VIII-39; II-60; II-62; VIII-67
Portulaca oleracea		Portulacaceae	R					9PL	
Portulaca pilosa		Portulacaceae	R					9PL	
Prasophyllum affine		Orchidaceae	R					9CE	
Prasophyllum australe		Orchidaceae	R		transient			9KE	IXd-2; Vb-38d
Prasophyllum brevilabre		Orchidaceae	R		transient			11P 9KE	IXd-2; IX-39
Prasophyllum elatum		Orchidaceae	R					11C 11WJ 9BA	IX-39
Prasophyllum fitzgeraldii		Orchidaceae	R					9CN	
Prasophyllum flavum		Orchidaceae	R					9M	
Prasophyllum frenchi		Orchidaceae	R					9CN	
Prasophyllum lindleyanum		Orchidaceae	R					9CE	IV-38d
Prasophyllum morganii		Orchidaceae	R					9CE	IX-R41
Prasophyllum odoratum		Orchidaceae	R					11W 11WJ 11WA	
Prasophyllum patens		Orchidaceae	R					9CE	
Prasophyllum rogersi		Orchidaceae	R					9CE	
Prasophyllum sphacelatum		Orchidaceae	R			wide			V-58

Pomaderris intermedia	SI	2	1	3-4			55		NC CC SC NT CT ST CWS	OF W	Spring
Pomaderris lanigera	ST	3	3	6			55		NC CC SC NT CT ST NWS CWS	OF	Spring
Pomaderris ledifolia	SI	2	1				55		NC CC SC CT ST	OF H	Spring
Pomaderris paniculosa subsp. paniculosa	SI	2	1					TSC E (presumed extinct)	NWP		
Pomaderris parrisiae	SI	2	1					TSC V, ESP V, Rotap 2VC-	SC ST	TOF RF	
Pomaderris pauciflora	SI	2	1				55	Rotap 3RC-	CT ST CWS		Spring
Pomaderris phylicifolia	SI	2	1				>40		CC SC CT ST	DSF	
Pomaderris sericea	ST	3	3				55	TSC E, Rotap 3VCi	CT	TOF	
Pomaderris virgata	SI	2	1					Rotap 3RC-	SC ST	OF	
Pomax umbellata	GI	1	1	<1			35		NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	OF W	Spring
Poranthera corymbosa	GI	1	1	1-3			30		NC CC SC NT CT NWS CWS	W OF	Spring-Summer
Poranthera ericifolia	GI	1	1	1					NC CC SC CT ST	W H	Spring-Summer
Poranthera microphylla	A	5	5	1-2					NC CC SC NT CT ST NWS CWS SWS SFWP	F W	Spring-Summer
Portulaca oleracea	A	5	5	<1					NC CC SC NT CT NWS CWS NWP SWP NFWP SFWP LHI		Spring-Summer
Portulaca pilosa	E	5	5						Exotic		
Prasophyllum affine	U	4	4		<2			TSC E, ESP E, Rotap 2E	CC SC	H	Spring-Summer
Prasophyllum australe	UCI	2	1		<2		60		NC CC SC CT ST	F H Swamp Bog	Spring-Summer
Prasophyllum brevilabre	UCI	2	1		1		60		NC CC SC NT CT ST NWS CWS	H W F	Winter-Summer
Prasophyllum elatum	UR	2	3		<2				NC CC SC CT CWS NWP	H S F Mallee	Spring
Prasophyllum fitzgeraldii	V	4	4						CT		
Prasophyllum flavum	V	4	4						NC CC SC NT CT ST NWS	DSF WSF	Spring-Summer
Prasophyllum frenchi	V	4	4						ST SWP		
Prasophyllum lindleyanum	U	4	4		<2				SC	H	Spring
Prasophyllum morganii	VT	3	3					TSC V, ESP V, Rotap 2VCit	ST	subalpine meadows and snow gum W	Spring-Summer
Prasophyllum odoratum	UR	2	3		1				CC NT CT ST SWS SWP	grassy F	
Prasophyllum patens	U	4	4		<2				NC CC SC NT CT ST NWS CWS SWS NWP SWP		Spring-Summer
Prasophyllum rogersi	V	4	4						NT CT		Summer
Prasophyllum sphacelatum	VD	4	4	2			>15		ST		

Prasophyllum suttonii		Orchidaceae	R			wide			V-58
Pratia pedunculata		Lobeliaceae	R						V-58; IX-67; VIII-74?
Pratia purpurascens		Lobeliaceae	R				heat	9BD	IV-38a; IX-39; IV-105
Pratia surrepens		Lobeliaceae	R						V-58; VIII-74?
Prostanthera cineolifera		Lamiaceae	S		persistent soil				II-66
Prostanthera cuneata		Lamiaceae	R		persistent soil				V-58
Prostanthera decussata		Lamiaceae	S					8CE	
Prostanthera denticulata		Lamiaceae	S		transient			8BD	IId-38c
Prostanthera incana		Lamiaceae	S					8CE	
Prostanthera junonis	Prostanthera sp. 'Somersby' (Conn 4024), Prostanthera marifolia	Lamiaceae	S R		transient		smoke	5BD	VIII-R3?
Prostanthera lasianthos		Lamiaceae	S r		persistent soil			8M 8W 8WA	Vb-38c
Prostanthera linearis		Lamiaceae	S	A few plants may resprou	persistent soil			8KE	II-2
Prostanthera monticola	Prostanthera walteri	Lamiaceae	S					8CE	
Prostanthera nivea var. nivea		Lamiaceae	S		persistent soil		a-heat		II-100
Prostanthera rhombea		Lamiaceae	S					8CE	
Prostanthera saxicola		Lamiaceae	S		persistent soil		a-heat		II-100
Prostanthera scutellarioides	Prostanthera empetrifolia	Lamiaceae	S		persistent soil			2BD	VIII-74; II-100
Prostanthera spinosa		Lamiaceae	S					8CH	II-38d; VIII-78
Prostanthera staurophylla	Prostanthera teretifolia	Lamiaceae	S		persistent soil		heat & smoke		II-69; II-100; VIII-107
Prostanthera striatiflora		Lamiaceae	R				a-heat	9PL	
Prostanthera walter		Lamiaceae	S		persistent soil			8CE 8M	VIII-38d; II-R35
Prunella vulgaris		Lamiaceae	S					8BD	
Pseudanthus divaricatissimus		Euphorbiaceae	R s		persistent soil	a-ant		9BB?	IXb-4; II-R35
Pseudanthus orientalis		Euphorbiaceae	S r		persistent soil	a-ant		9B 8BW 2KE	II-1; II-2; II-6; IXb-6; Vb-8; VIII-39
Pseudanthus ovalifolius		Euphorbiaceae	R			a-ant			IX-69
Pseudanthus pimeleoides		Euphorbiaceae	R		persistent soil	a-ant			IXb-4
Pseuderanthemum variabile		Acanthaceae	R s		persistent soil			11HO 9BM	IX-39; II-105
Pseudognaphalium luteo-album	Gnaphalium luteo-album	Asteraceae	S		persistent soil	wind		8M 8I 8MO 8BX	II-83
Psilotum nudum		Psilotaceae	S		transient?	wind		8CE	
Psychotria daphnoides		Rubiaceae	S					8RS	

Prasophyllum suttonii	VD	4	4	2			>15		ST	Bog, H (alpine & subalpine) G	Summer-Autumn
Pratia pedunculata	VT	3	3	1			100		NC CC SC NT CT ST	W grassy	Spring-Summer
Pratia purpurascens	UT	3	3	1	0.5		100		NC CC SC NT CT NWS CWS LHI	SF W G Swamp	all year
Pratia surrepens	VT	3	3	1			100		SC NT CT ST	Swamp G	Summer
Prostanthera cineolifera	SI	2	1					TSC V, ESP V, Rotap 2K	NC CC	SF	Spring
Prostanthera cuneata	VSI	2	1	5			100		ST	subalpine-H	Spring-Autumn
Prostanthera decussata	SI	2	1						ST SWS	H LW	Spring-Summer
Prostanthera denticulata	CI	1	1	3-4					CC	OF W	Spring-Summer
Prostanthera incana	SI	2	1						NC CC SC CT ST NWS	RF OF W	Spring
Prostanthera junonis	CI	1	1				100	TSC E, ESP E, Rotap 2E	CC	OW	Spring-Summer
Prostanthera lasianthos	SI	2	1	>3					NC CC SC NT CT ST NWS	RF SF subalpine-W	Spring-Summer
Prostanthera linearis	SI	2	1				90		CC SC CT ST SWS	OF riparian-S	Spring
Prostanthera monticola	SI	2	1					Rotap 3RC-	ST	WSF subalpine-W savannah-W	Summer
Prostanthera nivea var. nivea	SI	2	1						NC CC SC NT ST NWS CWS SWS NWP SWP	SF W	Spring
Prostanthera rhombea	SI	2	1						NC CC NT CT NWS CWS	RF SF	Spring
Prostanthera saxicola	SI	2	1						SC CT NWS CWS	OF H	Winter-Summer
Prostanthera scutellarioides	SI	2	1	3			>55		NC CC NT CT ST NWS	OF W	Spring-Summer
Prostanthera spinosa	SI	2	1						NC		Winter-Spring
Prostanthera staurophylla	ST	3	3	5		>7	40	TSC V, ESP V, Rotap 2R	NT NWS	DSF H S	Spring
Prostanthera striatiflora	VSI	2	1						NWP SWP NFWP SFWP	W	Winter-Spring
Prostanthera walter	ST	3	3					Rotap 3RCa	SC ST	DSF	Summer
Prunella vulgaris	E	5	5						Exotic		
Pseudanthus divaricatissimus	VGI	2	1					Rotap 3RCa	CC SC NT CT CWS	montane-H dry-OF	Spring
Pseudanthus orientalis	GI	1	1				70		NC CC	H Swamp	Summer-Autumn
Pseudanthus ovalifolius	V	4	4					TSC E	NC NT		Summer
Pseudanthus pimeleoides	VGI	2	1						NC CC NT CT CWS	OF W	Spring
Pseuderanthemum variabile	UG	4	4		<1		110		NC CC SC NWP	RF WSF	Summer-Autumn
Pseudognaphalium luteo-album	A	5	5	<1					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP LHI	G Swamp	Spring-Summer
Psilotum nudum	C	1	4						NC CC NT CT NWS CWS LHI	OF RF	
Psychotria daphnoides	D	4	4						NC	RF (ST) WSF	Summer

Psychotria loniceroides		Rubiaceae	S R		transient	a-vertebrate		9RS	III-R35
Pteridium esculentum		Dennstaedtiaceae	R	Juveniles die	transient	wind		4WJ 4F 9VE 9BM 9BN 4WO 9KE 4WA 9M	IVd-2; IVd-8; IV-38c; IX-39; IVd-59; IX-67; XI-78; XI-83; IV-105
Pteris comans		Pteridaceae	S R					8CN	IX-74
Pteris tremula		Pteridaceae	S		transient?	wind		8BM	
Pteris vittata		Pteridaceae	S		transient?	wind		8CE	III-R41
Pterocaulon sphacelatum		Asteraceae	R					9PL	
Pterostylis acuminata		Orchidaceae	R					5F	
Pterostylis aestiva		Orchidaceae	R					9CE	
Pterostylis alveata		Orchidaceae	R					9CE	
Pterostylis baptisti		Orchidaceae	R					9CE	IX-R41
Pterostylis bicolor		Orchidaceae	R					9CN	
Pterostylis chaetophora		Orchidaceae	R						IV-R36
Pterostylis coccina		Orchidaceae	R					9CE	IX-70
Pterostylis concinna		Orchidaceae	R		transient				IVd-4; Vb-38d
Pterostylis curta		Orchidaceae	R						V-38d
Pterostylis cycnocephala		Orchidaceae	R					11C	V-38d
Pterostylis decurva		Orchidaceae	R					11HO	
Pterostylis fischii		Orchidaceae	R					9CE	
Pterostylis gibbosa	Pterostylis ceriflora	Orchidaceae	R		transient	a-wind			Vd-R23
Pterostylis grandiflora		Orchidaceae	R					9CE	
Pterostylis laxa		Orchidaceae	R					9CE	
Pterostylis longifolia		Orchidaceae	R	Juveniles die				11W 9BN 11WA	V-38c&d; IX-39; IX-67
Pterostylis longipetala		Orchidaceae	R					9CE	
Pterostylis maxima		Orchidaceae	R					9CE	
Pterostylis mutica		Orchidaceae	R					11C	
Pterostylis nana	Pterostylis clavigera	Orchidaceae	R					11C 11WJ 9BA 9V 9BU 11WA	V-38d; XI-78
Pterostylis nutans		Orchidaceae	R					11W 11WA	V-38d; IX-39
Pterostylis parviflora		Orchidaceae	R		transient			11W 11P 9BW 5PU 9KE 11WA	IXd-2
Pterostylis pedoglossa		Orchidaceae	R					9CE	
Pterostylis pedunculata		Orchidaceae	R						V-38d
Pterostylis plumosa		Orchidaceae	R						IX-R35
Pterostylis truncata		Orchidaceae	R					9CE	V-R37

Psychotria loniceroides	DT	3	3						NC CC SC NT CT	RF WSF TOF	Summer-Autumn
Pteridium esculentum	WDR	2	3		2		100		NC CC SC NT CT ST NWS CWS SWS SWP	OF W TOF	
Pteris comans	G	1	4					3RC-+	NC CT	RF TOF	
Pteris tremula	G	1	4				20		NC CC SC NT CT NWS CWS SWP LHI	RF OF	
Pteris vittata	CR	1	3				100		NC CC ST		
Pterocaulon sphacelatum	V	4	4						NWP NFWP SFWP	Mulga G	Winter-Spring
Pterostylis acuminata	V	4	4						NC CC SC	SF H	Autumn-Winter
Pterostylis aestiva	V	4	4						CT ST	TSF	Summer-Autumn
Pterostylis alveata	V	4	4						NC CC SC	F	Summer-Autumn
Pterostylis baptisti	V	4	4						NC CC SC	SF	Winter-Spring
Pterostylis bicolor	V	4	4						NC CC NT CT ST NWS CWS	SF G	Spring
Pterostylis chaetophora	V	4	4						NC	SF	Spring
Pterostylis coccina	V	4	4						NT CT ST NWS CWS	SF	Summer-Autumn
Pterostylis concinna	VC	4	4						NC CC SC CWS	SF S	Winter-Spring
Pterostylis curta	V	4	4						NC CC SC NT CT ST NWS CWS SWS LHI	SF	Winter-Spring
Pterostylis cycnocephala	VR	2	3						NC CC SC NT CT ST CWS	SF G	Spring-Summer
Pterostylis decurva	VR	2	3						CC SC NT CT ST	SF	Spring-Summer
Pterostylis fischii	V	4	4						NC NT CT ST		Summer-Autumn
Pterostylis gibbosa	VCI	2	1	>3				TSC E, ESP E, Rotap 2E	NC CC	SF	Spring
Pterostylis grandiflora	V	4	4						NC CC SC	SF	Winter
Pterostylis laxa	V	4	4						NC CC NT CT ST CWS	SF	Summer-Winter
Pterostylis longifolia	WR	2	3		1				NC CC SC NT CT ST CWS	SF S	Autumn-Winter
Pterostylis longipetala	V	4	4						NC CC SC NT CT	SF	Summer-Winter
Pterostylis maxima	V	4	4						CWS SWS	SF	Spring
Pterostylis mutica	VR	2	3						NC CC SC NT CT ST NWS CWS SWS SWP		
Pterostylis nana	UR	2	3		1-2				NC SC CWS	SF	Winter-Spring
Pterostylis nutans	UR	2	3		1				NC CC SC NT CT ST NWS CWS SWS	DSF WSF S	Autumn-Spring
Pterostylis parviflora	UCI	2	1		1		60		NC SC NT CT ST NWS CWS SWS	SF H	Summer-Winter
Pterostylis pedoglossa	V	4	4						CC SC	SF	Autumn-Winter
Pterostylis pedunculata	V	4	4						NC CC SC NT CT SWS LHI	SF	Winter-Spring
Pterostylis plumosa	UT	3	3		<2				CC SC CT CWS	SF S	Spring
Pterostylis truncata	VT	3	3						NC CC SC NT CT ST	SF	Summer-Winter

Ptilothrix deusta	Ptilanthelium deustum	Cyperaceae	R		persistent soil			5K 9BN 9KE 9BG	IX-2; IX-4; IX-5; IXb-7; V-8; IX-39; IV-52; IX-91; IV-105
Ptilotus erubescens		Amaranthaceae	R					11CH	XI-R37
Ptilotus macrocephalus		Amaranthaceae	R						IX-79
Ptilotus nobilis		Amaranthaceae	S					8FO(1)	
Ptilotus obovatus		Amaranthaceae	R s					9FO(1) 8PL	IX-78
Ptilotus spathulatus forma spathulatus		Amaranthaceae	R						IX-11; IX-79
Pultenaea altissima		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8CE	
Pultenaea aristata		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8KE	II-2
Pultenaea benthamii		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	2M	
Pultenaea blakelyi		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	2BF	II-R35
Pultenaea campbellii		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat		IX-100
Pultenaea cunninghamii		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat		II-66
Pultenaea daphnoides		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8I 8W 8A 2K 8CH 8WA 8M	II-8; II-38d; VIII-39; II-52; II-66; VIII&IX-78; II-105
Pultenaea dentata		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8W	II-9
Pultenaea divaricata		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat	9KE	IX-1; IXb-2
Pultenaea elliptica		Fabaceae: Faboideae	R s		persistent soil	a-ant	a-heat	5S 2K 9KE 9BG	IXb-2; IXb-4; II-52; II-66; VIII-91
Pultenaea ferruginea var. deanei		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	2K	
Pultenaea flexilis		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8A 8BF	II-66
Pultenaea glabra		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8A	
Pultenaea hispidula		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8WO 2E	II-R35
Pultenaea largiflorens		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8CH	VIII-78
Pultenaea linophylla		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8I 8A	VIII-39; II-105
Pultenaea microphylla	Pultenaea microphylla var. microphylla	Fabaceae: Faboideae	S r		persistent soil	a-ant	a-heat	2A	II-66; IX-100
Pultenaea myrtoides		Fabaceae: Faboideae	R		persistent soil	a-ant	heat	9B	
Pultenaea parrisiae subsp. parrisiae		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat		II-R35; VIII-R41
Pultenaea parviflora		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	2BF	
Pultenaea pedunculata		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat		V-38c
Pultenaea polifolia		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8A	II-5; II-38d
Pultenaea procumbens		Fabaceae: Faboideae	R		persistent soil	a-ant	a-heat	9P ~~2PU~~ 5PU	
Pultenaea pycnocephala		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat		II-5; VIII-74; II-89; II-100
Pultenaea retusa		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	8M 8BF	II-38b; VIII-39
Pultenaea rosmarinifolia		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	2K	II-66

Ptilothrix deusta	UGI	2	1		0.5		110		NC CC SC NT CT ST NWS	H DSF W	
Ptilotus erubescens	VT	3	3						CWS SWS SWP		
Ptilotus macrocephalus	U	4	4		<1				CT NWS CWS SWS NWP SWP NFWP		
Ptilotus nobilis	C	1	4						NWP SWP NFWP SFWP		
Ptilotus obovatus	V	4	4						CWS NWP SWP NFWP SFWP	Mulga	
Ptilotus spathulatus forma spathulatus	U	4	4		<1				CWS SWS NWP SWP NFWP	G Saltbush OW Mallee	
Pultenaea altissima	SI	2	1						NT CT ST	H OF WSF	
Pultenaea aristata	SI	2	1				55	TSC V, ESP V, Rotap 2V	CC	H W	
Pultenaea benthami	SI	2	1						SC	DSF	
Pultenaea blakely	SI	2	1				60		NC CC SC CT ST	WSF DSF	
Pultenaea campbelli	VSI	2	1					Rotap 3K	NT NWS	DSF	
Pultenaea cunninghamii	SI	2	1						NC CC SC NT CT ST NWS CWS SWS	DSW DSF	
Pultenaea daphnoides	SI	2	1	2			60		NC CC SC NT CT ST	H OF WSF	
Pultenaea dentata	SI	2	1						NC CC SC NT CT ST	swamp H	
Pultenaea divaricata	VSI	2	1		3		110		CC CT ST	swamp H	
Pultenaea elliptica	VSI	2	1		2		110		NC CC SC CT ST	OF W H S	
Pultenaea ferruginea var. deanei	SI	2	1						NC CC SC	H W	
Pultenaea flexilis	SI	2	1	5					NC CC SC NT CT NWS CWS	OF	
Pultenaea glabra	SI	2	1					TSC V, ESP V, Rotap 3VCa	CC CT	OF H	
Pultenaea hispidula	SI	2	1						CC SC CT	OF W H	
Pultenaea largiflorens	SI	2	1						CWS SWS SWP	Mallee DSW	
Pultenaea linophylla	SI	2	1						NC CC SC NT CT ST	W H	
Pultenaea microphylla	SI	2	1						CC NT CT ST NWS CWS NWP	DSW DSF	
Pultenaea myrtoides	VSI	2	1						NC NT CT NWS	H DSF	
Pultenaea parrisiae subsp. parrisiae	SI	2	1					TSC V, ESP V, Rotap 3VCi	ST		
Pultenaea parviflora	SI	2	1	3-4			55	TSC E, Rotap 2E	CC	W DSF	
Pultenaea pedunculata	VSI	2	1					TSC E	CC SC	W	Spring
Pultenaea polifolia	SI	2	1						CC SC NT CT ST SWS	H OF WSF	
Pultenaea procumbens	USI	2	1		1				NT CT ST CWS SWS	W H	
Pultenaea pycnocephala	SI	2	1					Rotap 3RCa	NC NT	DSF W	
Pultenaea retusa	SI	2	1				40		NC CC SC NT CT ST	H OF WSF	
Pultenaea rosmarinifolia	ST	3	3				70		CC SC	W H	

Pultenaea scabra		Fabaceae: Faboideae	S		persistent soil	a-ant	heat	2S 8WO 8W 8BF 8WA	II-38b&c; II-66
Pultenaea stipularis		Fabaceae: Faboidea	S		persistent soil	a-ant	heat	2S 8A	
Pultenaea stuartiana		Fabaceae: Faboideae	R	Seedlings killed	persistent soil	a-ant	heat		IX-69; IX-100
Pultenaea subspicata		Fabaceae: Faboidea	S		persistent soil	a-ant	a-heat	8CE	II-38d ;VIII-R41
Pultenaea villifera var. villifera		Fabaceae: Faboideae	S	Can resprout after low intensity fire but not after high intensity	persistent soil	a-ant	a-heat		II-49; II&IX-R35
Pultenaea villosa		Fabaceae: Faboidea	S		persistent soil	a-ant	heat		VIII-39; II-66; II-105
Pultenaea viscosa		Fabaceae: Faboidea	S		persistent soil	a-ant	a-heat	2BF	II-49
Pultenaea vroland		Fabaceae: Faboidea	S		persistent soil	a-ant	a-heat	8CE	
Pycnosorus chrysanthes	Craspedia chrysantha	Asteraceae	R						IX-79
Pycnosorus pleiocephalus	Craspedia pleiocephala	Asteraceae	S					8WJ 8BU	
Pyracantha angustifolia			R					9BD	
Pyracantha crenulata			R					9BD	
Pyracantha fortuneana			R					9BD	
Pyrorchis nigricans	Lyperanthus nigricans	Orchidaceae	R s		transient			5F 11C 9BA 8E	IXd-62
Pyrrosia rupestris		Polypodiaceae	S		transient?	wind		8BM 8CT 8M	VIII-39
Quintinia sieber		Escalloniaceae	R		transient?			5BB	
Radyera farrage	Hibiscus farragei	Malvaceae	S				a-heat	8CN	
Ranunculus graniticola		Ranunculaceae	R		persistent soil				V-58
Ranunculus gunnianus		Ranunculaceae	R		persistent soil				V-58
Ranunculus lappaceus		Ranunculaceae	S		transient	a-adhesion			IId-38c; VIII-39
Ranunculus millani		Ranunculaceae	R		persistent soil				Vb-58
Ranunculus pimpinellifolius		Ranunculaceae	S		persistent soil				II-58
Ranunculus pumilio		Ranunculaceae	S						VIII-38d
Ranunculus repens		Ranunculaceae	R		persistent soil	bird			IXb-1b
Ranunculus sessiliflorus		Ranunculaceae	S		transient				IId-38c&d; VIII-78
Rapanea howittiana		Myrsinaceae	S R		transient	a-vertebrate		8CT 5M	Vc-38b; VIII-39
Rapanea variabilis		Myrsinaceae	R			vertebrate?		5BD	IX-39
Reichardia tingitana		Asteraceae	S					8C	

Pultenaea scabra	ST	3	3	2-4					NC CC SC CT ST CWS	DSF H	
Pultenaea stipularis	SI	2	1						CC SC	OF H	
Pultenaea stuartiana	WSI	2	1	2		5	50	TSC V, ESP V, Rotap 3VC-	NT NWS	OF W	Spring-Summer
Pultenaea subspicata	SI	2	1						NT CT ST SWS	DSF W	
Pultenaea villifera var. villifera	SI	2	1					Rotap 3RC-	CC SC ST	OF	
Pultenaea villosa	SI	2	1						NC CC SC NT NWS	DSF W H G	
Pultenaea viscosa	SI	2	1						CC SC CT	OF	
Pultenaea vroland	SI	2	1						ST SWS	DSF	
Pycnosorus chrysanthes	U	4	4		<1				CWS SWS NWP SWP NFWP SFWP		
Pycnosorus pleiocephalus	A	5	5						NWP SWP NFWP SFWP	Mallee S	Spring-Summer
Pyracantha angustifolia	E	5	5						Exotic		
Pyracantha crenulata	E	5	5						Exotic		
Pyracantha fortuneana	E	5	5						Exotic		
Pyrorchis nigricans	A	5	5	1	1				NC CC SC	H SF W S	Spring
Pyrrosia rupestris	C	1	4				100		NC CC SC NT CT ST NWS CWS	RF OF	
Quintinia sieber	VC	4	4				60		NC CC SC NT CT ST CWS	RF (CT WT)	Spring
Radyera farrage	SI	2	1						CWS NWP SWP SFWP	Mallee	
Ranunculus graniticola	VGT	3	3	1			>25		ST	subalpine-G montane-G subalpine-W montane-W	Summer
Ranunculus gunnianus	VGT	3	3	1			>25		ST	subalpine-G alpine G subalpine-Herbfield alpine-Herbfield	Summer
Ranunculus lappaceus	C	1	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP	G F	Spring
Ranunculus millani	VGT	3	3	1			>25		ST	Swamp Fen	Summer
Ranunculus pimpinellifolius	GT	1	3	1			>25		NT CT ST	H Sedgeland Swamp	Spring-Summer
Ranunculus pumilio	A	5	5	1					NT CT ST NWS CWS SWS NWP SWP SFWP	G W	Winter-Spring
Ranunculus repens	E	5	5		<1				Exotic		
Ranunculus sessiliflorus	A	5	5	1					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	G W	Spring
Rapanea howittiana	DT	3	3						NC CC SC NT CT ST CWS	RF RF-margins moist-OF S	Summer-Winter
Rapanea variabilis	VD	4	4		<3		100		NC CC SC NT CWS	OF RF WSF	Spring-Summer
Reichardia tingitana	E	5	5						Exotic		

Rhagodia candolleana subsp. candolleana		Chenopodiaceae	S		transient	vertebrate			III-R35
Rhagodia parabolica		Chenopodiaceae	S					8CE	
Rhagodia ulicina	Chenopodium ulicinum	Chenopodiaceae	S					8CE	
Rhodamnia rubescens	Rhodamnia trinervia	Myrtaceae	R			bird & water			V-1
Rhodanthe anthemoides	Helipterum anthemoides	Asteraceae	R		transient	wind			IV-58
Rhodanthe corymbiflora	Helipterum corymbiflorum	Asteraceae	S					8C	
Rhodanthe laevis	Helipterum laeve	Asteraceae	S					8C	
Rhodanthe moschata	Helipterum moschatum	Asteraceae	S					8C	
Rhodanthe pygmaea	Helipterum pygmaeum	Asteraceae	S			wind?		8C	
Rhodanthe stuartiana	Helipterum stuartianum	Asteraceae	S					8C	
Rhodanthe tietkensi	Helipterum tietkensi	Asteraceae	S R					8C 9PL	
Rhyncharrhena linearis	Pentatropis kempeana	Asclepiadaceae	R					9PL	
Rhynchospora browni		Cyperaceae	R					11CE	
Rhynchospora rubra		Cyperaceae	S		persistent soil			2BW	
Rhytidosporum procumbens	Billardiera procumbens	Pittosporaceae	S r	Varies with habitat: S in wet heath, R in grassy open forest	persistent soil			2M 8E	VIII-1; IXb-3; IX-4; II-38c; VIII-39; VIII-74?; II&IX-100
Richea continentis		Epacridaceae	S		persistent soil				II-9
Ricinocarpos pinifolius		Euphorbiaceae	R s		persistent soil	a-ant		8MO 5F 5S 9BW 9I 9B 9BN 9BB	IXb-6; Vb-8; V-38b; IX-39
Ricinus communis		Euphorbiaceae	R					9BB	
Roldana petasitis	Senecio petasitis	Asteraceae	R					9BX	
Rorippa dictyosperma		Brassicaceae	S					~~8W~~ 8WA 8M	
Rubus moluccanus var. trilobus	Rubus hillii	Rosaceae	R			a-vertebrate		5CT	
Rubus parvifolius		Rosaceae	R		transient	a-vertebrate			IVc-38d; IX-100
Rubus rosifolius var. rosifolius		Rosaceae	R					9M	
Rulingia dasyphylla	Rulingia pannosa	Sterculiaceae	S			a-ant		8CN	VIII-R41
Rulingia hermanniifolia		Sterculiaceae	S		persistent soil	a-ant		8I	II-R35
Rulingia prostrata		Sterculiaceae	S	Post-disturbance coloniser, readily outcompeted		a-ant		8CN	VIII-R38
Rumex brownii		Polygonaceae	R			a-adhesion			IX-1; IX-95a
Rumex dumosus	Rumex dumosiformis	Polygonaceae	R						IX-79
Rutidosis helichrysoides		Asteraceae	S					8CN	

Rhagodia candolleana subsp. candolleana	DT	3	3	1-5			30		NC CC SC	dune-S swamp-F RF (Lit)	
Rhagodia parabolica	D	4	4						NT NWS CWS SWP	S	Spring-Summer
Rhagodia ulicina	D	4	4						SWS NWP SWP NFWP SFWP	Mallee Belah Saltbush Mulga	
Rhodamnia rubescens	VDT	3	3						NC CC SC NT CT	RF TOF RF-margins	Winter-Spring
Rhodanthe anthemoides	VCT	3	3	1			15		NC CC NT CT ST NWS CWS SWS	G TF grassy-W	Summer
Rhodanthe corymbiflora	A	5	5						NWS CWS SWS NWP SWP NFWP SFWP	W Saltbush G	Spring
Rhodanthe laevis	A	5	5						CWS NWP SWP NFWP	Mallee Mulga	Spring
Rhodanthe moschata	A	5	5						CWS NWP SWP NFWP SFWP	various	Spring
Rhodanthe pygmaea	A	5	5	<1					CC ST NWS CWS SWS NWP SWP NFWP SFWP	various	Spring
Rhodanthe stuartiana	A	5	5						NWP SWP NFWP SFWP		Spring
Rhodanthe tietkensi	A	5	5						SWP SFWP	Mallee	Spring
Rhyncharrhena linearis	V	4	4						NWP SWP NFWP SFWP	OW	Winter-Summer
Rhynchospora browni	VR	2	3						NC CC NT	SF	
Rhynchospora rubra	G	1	4						NC		
Rhytidosporum procumbens	GI	1	1	4	<1				NC CC SC NT CT ST NWS CWS SWP	H S SF	Spring
Richea continentis	G	1	4				>60		ST	Bog G	Summer
Ricinocarpos pinifolius	UGI	2	1	1-5	1-2		40		NC CC SC NT CT	H W OS OF	Winter-Spring
Ricinus communis	E	5	5						Exotic		
Roldana petasitis	E	5	5						Exotic		
Rorippa dictyosperma	CI	1	1	1			10		NC CT ST	F	
Rubus moluccanus var. trilobus	VDT	3	3	1-5			30		NC CC SC NT CT	RF moist F	Spring-Autumn
Rubus parvifolius	VD	4	4				100		NC CC SC NT CT ST NWS CWS SWS	riverflat F RF (dry)	all year
Rubus rosifolius var. rosifolius	V	4	4						NC CC SC NT CT	RF WSF	Winter-Spring
Rulingia dasyphylla	G	1	4						NC CC SC NT CT NWS CWS		Summer
Rulingia hermanniifolia	GI	1	1					Rotap 3RCa	CC SC CT		Summer
Rulingia prostrata	GI	1	1					TSC E, ESP E, Rotap 2ECi	NC CC CT		Spring-Summer
Rumex brownii	UI	2	1	<1	0.5				NC CC SC NT CT ST NWS CWS SWS NWP SWP SFWP LHI	OF G	
Rumex dumosus	U	4	4		<1				NT ST NWS CWS SWS NWP SWP		
Rutidosis helichrysoides	C	1	4						NC NWP SWP NFWP SFWP	Mulga BimbleBox Mallee G	Winter-Spring

Rutidosis leptorrhynchoides		Asteraceae	R		transient	local		9CE	IX-11
Rytidosperma nudiflorum	Danthonia nudiflora, Notodanthonia nudiflora	Poaceae	R		persistent soil				Vb-58
Rytidosperma procerum	Danthonia procera	Poaceae	R					9W 9WA	IX-R42
Sagina apetala		Caryophyllaceae	S					8C 8BB	
Salpichroa origanifolia		Solanaceae	R					9MO	
Salsola kal		Chenopdiaceae	R					9PL	
Salvia plebeia		Lamiaceae	S		transient				III-R41
Salvia plebeia		Lamiaceae	S					8CE	
Sambucus gaudichaudiana		Caprifoliaceae	S					8M	
Santalum acuminatum		Santalaceae	S r		soil			9FO 8FO 8PL	
Santalum lanceolatum		Santalaceae	R	Resistance to repeated fire is doubtful				9FO(1) 9PL	XI-R39
Santalum murrayanum		Santalaceae	R					9C	
Santalum obtusifolium		Santalaceae	S R		transient	wide		9CE	III-R35
Sarcochilus australis		Orchidaceae	S		transient	wide			III-R35
Sarcochilus fitzgeraldii		Orchidaceae	S		transient	wind			VIII-74; III-89; III-R36
Sarcochilus hartmannii		Orchidaceae	S		transient	wind			III-74; III-89
Sarcochilus olivaceus		Orchidaceae	S		transient	wide			III-R35
Sarcochilus spathulatus	Parasarcochilus spathulatus	Orchidaceae	S		transient	wind			III-74
Sarcochilus weinthalii	Parasarcochilus weinthalii	Orchidaceae	R		transient				IXd-89
Sarcomelicope simplicifolia subsp. simplicifolia	Bauerella simplicifolia, Acronychia simplicifolia	Rutaceae	S	Can resprout after low intensity fire but not after high intensity	transient	wide			III&IX-R35
Sarcopetalum harveyanum		Menispermaceae	R			a-vertebrate		5CT 9BD	V-1; IX-39
Sarcostemma australe		Asclepiadaceae	S					8PL	
Saropsis fastigiata	Restio fastigiatus	Restionaceae	R					9I 9KE	IX-2; IX-4; IX-46
Scaevola aemula		Goodeniaceae	S					8CH	VIII-78
Scaevola albida		Goodeniaceae	S					8CH	
Scaevola albida var. albida	Scaevola microcarpa	Goodeniaceae	R					9BD?	
Scaevola depauperata		Goodeniaceae	R					9CE	
Scaevola hookeri		Goodeniaceae	S						VIII-58
Scaevola ramosissima		Goodeniaceae	R		persistent soil	a-ant		9M 5BD	IX-39; IXb-49; V-52; V-105

Rutidosis leptorrhynchoides	UCI	2	1	>1	0.5			TSC E, ESP E, Rotap 3ECa	ST	G W	Summer
Rytidosperma nudiflorum	VGT	3	3	1			>15		NT ST	G	Summer
Rytidosperma procerum	U	4	4		1				ST	W (CT)	Summer
Sagina apetala	E	5	5						Exotic		
Salpichroa origanifolia	E	5	5						Exotic		
Salsola kal	E	5	5						Exotic		
Salvia plebeia	C	5	5						NC NT CT NWS CWS SWS	F RFmargins	Autumn
Salvia plebeia	E	5	5						Exotic		
Sambucus gaudichaudiana	C	1	4						NC CC SC NT CT ST NWS CWS SWS NWP	SF	Spring-Summer
Santalum acuminatum	G	1	4						ST NWS CWS SWS NWP SWP NFWP SFWP	W	all year
Santalum lanceolatum	V	4	4				>50		NWS CWS NWP SWP NFWP SFWP	W	Spring
Santalum murrayanum	V	4	4					TSC E	SFWP	Mallee	Spring-Summer
Santalum obtusifolium	DT	3	3						NC CC SC NT CT ST	SF	Summer
Sarcochilus australis	DR	2	3						NC CC SC ST	RF (Gal)	Spring-Summer
Sarcochilus fitzgeraldii	C	1	4	3				TSC V, ESP V, Rotap 3VC-	NC	RF (ST)	Spring
Sarcochilus hartmannii	C	1	4	3				TSC V, ESP V, Rotap 3VC-	NC	SF	Spring
Sarcochilus olivaceus	DR	2	3						NC CC SC CT	RF	Spring-Summer
Sarcochilus spathulatus	D	4	4						NC	RF	Winter-Spring
Sarcochilus weinthalii	VC	4	4	2				TSC V, ESP V, Rotap 3VC-	NC	RF	Spring
Sarcomelicope simplicifolia subsp. simplicifolia	DT	3	3		<2				NC CC SC LHI	RF RF-margin	Autumn-Winter
Sarcopetalum harveyanum	VDT	3	3	1					NC CC SC CT CWS	RF OF	Summer
Sarcostemma australe	C	1	4						NC NWS NWP SWP NFWP SFWP	Saltbush Mulga	Spring-Summer
Saropsis fastigiata	V	4	4				100		CC SC CT ST	H Wetland	Spring
Scaevola aemula	G	1	4						NC CC SC CT ST NWS CWS NWP SWP NFWP	DSF	Spring-Summer
Scaevola albida	G	1	4						NC CC SC NT CT ST CWS	SF	all year
Scaevola albida var. albida	V	4	4						NC CC SC NT CT ST CWS	G W	all year
Scaevola depauperata	V	4	4						NWP NFWP SFWP	Mulga Mallee	Autumn-Spring
Scaevola hookeri	GT	1	3	1			>20		NC SC NT CT ST	G W	Summer
Scaevola ramosissima	UG	4	4		<1		>40		NC CC SC NT CT ST	W H	Spring-Summer

Scaevola spinescens		Goodeniaceae	R					9HS 11FO 5FO(1)	
Schelhammera undulata		Uvulariaceae	R			a-ant		9I	IV-38a
Schismus barbatus		Poaceae	S					8C	
Schizachyrium fragile	Schizachyrium obliqueberbe	Poaceae	S					8HO	
Schizaea bifida		Schizaeaceae	R		transient	wind		5F 9B 4K 4BM 9BN 9KE	IXd-2; IXd-5; IV&XI-10; IX-39 IXd-49; IV-52
Schizaea dichotoma		Schizaeaceae	R		transient?	wind		5F 9B	IX-39
Schizomeria ovata		Cunoniaceae	R		persistent soil	a-vertebrate	a-heat	5BB	Vb-1; V-108; IX-R35
Schoenoplectus validus	Scirpus validus	Cyperaceae	R					9I	
Schoenus apogon		Cyperaceae	R s		persistent soil		heat & smoke	8M 11H 11W 9E 8WO 11WA	IXb-3; IX-11; VIII-39; IX-79
Schoenus brevifolius		Cyperaceae	R		persistent soil			11H 4BW 11W 4K 9BN 9KE	IV-2; IVb-6; IV-8
Schoenus calyptratus		Cyperaceae	S						VIII-58; VIII-61
Schoenus ericetorum		Cyperaceae	R		persistent soil			4F 9BW 9BN 9KE	IX-2; IXb-3; IX-4; IXb-6; V-8; IX-39; IXb-49; IV-105
Schoenus imberbis		Cyperaceae	R		persistent soil			5K	IXb-49; IX-91; IV-105
Schoenus latelaminatus		Cyperaceae	S R					11H	VIII-38d
Schoenus lepidosperma subsp. pachylepis	Schoenus pachylepis	Cyperaceae	R					9CN 5K 9KE	IX-2; IX-4; IX-7; V-8
Schoenus maschalinus		Cyperaceae	R					11H 9KE	IX-2
Schoenus melanostachys		Cyperaceae	R		persistent soil			11M	IX-5; IXb-49
Schoenus moore		Cyperaceae	R					5K	
Schoenus nitens		Cyperaceae	R						IX-59
Schoenus paludosus	Tricostularia paludosa	Cyperaceae	R		persistent soil			9KE	IX-2; IV-8; IXb-49
Schoenus scabripes		Cyperaceae	R						IV-8
Schoenus subaphyllus		Cyperaceae	R					11C	
Schoenus turbinatus		Cyperaceae	S R		persistent soil			2BW	IX-4
Schoenus villosus		Cyperaceae	R						IX-4; IV-105
Scleranthus biflorus		Caryophyllaceae	R		persistent soil				V-58
Scleranthus minusculus		Caryophyllaceae	S					8C	
Scleranthus singuliflorus		Caryophyllaceae	R		persistent soil				V-58
Scleroblitum atriplicinum	Chenopodium atriplicinum	Chenopodiaceae	S					8C	

Scaevola spinescens	VT	3	3						CWS NWP SWP NFWP SFWP	various	all year
Schelhammera undulata	V	4	4						NC CC SC	OF WSF	Spring
Schismus barbatus	E	5	5						Exotic		
Schizachyrium fragile	A	5	5						NC NWP		Summer
Schizaea bifida	VCI	2	1		2		100		NC CC SC NT CT	OF S H	
Schizaea dichotoma	VC	4	4				100		NC CC SC	OF S H	
Schizomeria ovata	VDT	3	3				90		NC CC SC NT	RF (WT, ST)	Spring
Schoenoplectus validus	V	4	4						NC CC SC NT ST NWS SWS NWP SWP NFWP SFWP		
Schoenus apogon	A	5	5		1				NC CC SC NT CT ST NWS CWS SWS NWP SWP		
Schoenus brevifolius	UGR	2	3		2		110		NC CC SC CT	H Swamp	
Schoenus calyptratus	GT	1	3	1			>20		ST	Herbfield	
Schoenus ericetorum	UG	4	4		<2		110		NC CC SC CT ST NWS CWS NWP	H DSF	
Schoenus imberbis	VG	4	4				110		CC SC CT	DSF H	
Schoenus latelaminatus	A	5	5	1					NC ST CWS SWS NWP		
Schoenus lepidosperma subsp. pachylepis	U	4	4		<2		100		NC CC SC CT ST	H W	
Schoenus maschalinus	VR	2	3				100		NC CC SC CT ST		
Schoenus melanostachys	VGR	2	3						NC CC SC NT CT		
Schoenus moore	V	4	4				100		CC SC CT ST NWS CWS	H	
Schoenus nitens	V	4	4						NC CC SC ST		
Schoenus paludosus	A	5	5						NC CC SC CT	H	
Schoenus scabripes	V	4	4						NC SC	H W	
Schoenus subaphyllus	VR	2	3						NWP SWP SFWP	W Mallee	Spring-Summer
Schoenus turbinatus	GI	1	1				110		NC CC SC NT CT	W H	
Schoenus villosus	U	4	4		1		100		NC CC SC CT ST	H W	
Scleranthus biflorus	VGT	3	3	1			>20		NC CC SC NT CT ST NWS	G	Spring
Scleranthus minusculus	A	5	5						NWP SWP NFWP SFWP	Mallee	Spring
Scleranthus singuliflorus	VGT	3	3	1			>20		ST		Spring
Scleroblitum atriplicinum	A	5	5						CC NWS CWS NWP SWP NFWP SFWP	various	

Sclerolaena convexula	Bassia convexula	Chenopodiaceae	S					8CN	
Scolopia brauni	Scolopia browni	Flacourtiaceae	R		transient			9BD	IX-39
Scutellaria mollis		Lamiaceae	S				a-heal	8CE	
Sebaea ovata		Gentianaceae	S						VIII-38d; VIII-79
Secale cereale		Poaceae	S					8I	
Selaginella gracillima		Selaginaceae	R		none	wide			IVc-38c&d
Selaginella uliginosa		Selaginaceae	R		transient	wind?		5BM 10WO 9KE 11W	IXd-2; IVd-8; IVc-38b&c&d; IX-39; IV-52; IXd-59
Senecio behrianus		Asteraceae	S					8CE	
Senecio biserratus		Asteraceae	S			wind			VIII-74
Senecio diaschides		Asteraceae	S			wind		8BX	
Senecio garlandii	Senecio sp. J	Asteraceae	S		persistent soil				II-72; II&V-75
Senecio georgianus		Asteraceae	S					8CE	
Senecio glomeratus	Senecio sp. H	Asteraceae	S			wind?		8MO	VIII-38c; VIII-83
Senecio glossanthus		Asteraceae	S					8C	
Senecio gunni		Asteraceae	R s		transient	wide		4HO	V-58; VIII-61
Senecio hispidulus		Asteraceae	S r		persistent soil	wide		8MO ~~11M~~ 2T	VIII-2; V-38c
Senecio hispidulus var. hispidulus		Asteraceae	S			wind?		8KE	VIII-105
Senecio lautus		Asteraceae	S			wind			VIII-78
Senecio leptocarpus		Asteraceae	S			wide			VIII-61
Senecio linearifolius		Asteraceae	S		soil	wind & water?		8M	III-38b; II-49
Senecio madagascariensis		Asteraceae	S					8BX	VIII-105
Senecio magnificus		Asteraceae	S					8C	
Senecio minimus	Senecio minimus var. minimus	Asteraceae	S r		none	wind		8C 8I 8BX	III-38c; IX-67; VIII-105
Senecio pectinantus		Asteraceae	R			wide			IV-61
Senecio picridioides	Senecio minimus var. picridioides	Asteraceae	S R						VIII&IX-78
Senecio pinnatifolius var. pleiocephalus		Asteraceae	R		transient	wide			V-58
Senecio platylepis		Asteraceae	S					8CE	
Senecio pterophorus		Asteraceae	S					8CH	VIII-78
Senecio quadridentatus		Asteraceae	S		none	wind		8C 8WO 8P	III-38c; VIII-78

Sclerolaena convexula	C	1	4						NWP SWP NFWP SFWP	Mulga BimbleBox WhiteCypress	
Scolopia brauni	VC	4	4						NC CC SC CWS	RF	Spring
Scutellaria mollis	ST	3	3						NC CC SC	TOF RF WSF	Spring-Summer
Sebaea ovata	A	5	5	<1					CC SC NT CT ST NWS CWS SWS SWP	OF W	Spring
Secale cereale	E	5	5						Exotic		
Selaginella gracillima	A	5	5						SC SWS		
Selaginella uliginosa	VDI	2	2		2		100		NC CC SC NT CT LHI	OF H Swamp	
Senecio behrianus	D	4	4					TSC E (presumed extinct), Rotap 2E	SFWP		Summer-Autumn
Senecio biserratus	A	5	5	<1					NC CC SC NT CT ST	SF	Spring-Summer
Senecio diaschides	D	4	4				10		NC CC NT CT ST NWS CWS NWP	SF	Summer-Autumn
Senecio garlandii	G	1	4	2-3	<1			TSC V, ESP V, Rotap 3VC-	CWS SWS		Spring
Senecio georgianus	D	4	4					TSC E (presumed extinct)	ST		
Senecio glomeratus	A	5	5	<1					NC CC CT ST CWS SFWP		Spring
Senecio glossanthus	A	5	5						CWS NWP SWP NFWP SFWP	various	Winter
Senecio gunni	VDT	3	3	1			>15		NT ST		Summer
Senecio hispidulus	DI	2	2				35		NC CC SC NT CT ST NWS CWS SWS NWP SWP	WSF OF	Spring-Summer
Senecio hispidulus var. hispidulus	A	5	5	<1					NC CC SC NT CT ST NWS SWS	F	Spring-Summer
Senecio lautus	DI	2	2	<1					NC CC SC NT CT ST NSW CWS SWS NWP SWP NFWP SFWP	OF W	all year
Senecio leptocarpus	D	4	4						ST	Herbfield G	Autumn
Senecio linearifolius	DI	2	2	<1			15		NC CC SC NT CT ST NWS SWS	WSF	all year
Senecio madagascariensis	E	5	5		0.5				Exotic		
Senecio magnificus	D	4	4						NFWP SFWP		Winter-Spring
Senecio minimus	A	5	5	<1					NC CC SC NT CT ST CWS	WSF	Spring-Summer
Senecio pectinantus	VD	4	4						ST	Herbfield G	Summer
Senecio picridioides	A	5	5						NC		Summer
Senecio pinnatifolius var. pleiocephalus	VDT	3	3	1			>15		ST		
Senecio platylepis	A	5	5						NWP SWP NFWP SFWP	Mallee Mulga Saltbush	Spring
Senecio pterophorus	E	5	5						Exotic		
Senecio quadridentatus	A	5	5	1-2					NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W	Spring

Senecio tenuiflorus		Asteraceae	S			wind?			III-38b
Senecio vagus subsp. eglandulosus		Asteraceae	S			wind?		8BX	VIII-39
Senecio velleioides		Asteraceae	S			wind?		8M ~~8W~~ 8WA	
Senecio vulgaris		Asteraceae	S					8BW	
Senna acclinis	Cassia retusa	Fabaceae: Caesaelpinodieae	S		persistent soil		a-heat		II-1; II-R36
Senna artemisioides nothosubsp. artemisioides	Cassia artemisioides	Fabaceae: Caesalpinioideae	R		persistent soil		a-heat	5FO(1) 9PL	IX-78
Senna artemisioides subsp. helmsii	Cassia helmsii	Fabaceae: Caesalpinioideae	R		persistent soil		a-heat	11WI 5FO(1)	
Senna artemisioides subsp. oligophylla	Cassia oligophylla	Fabaceae: Caesalpinioideae	R		persistent soil		a-heat	11WI 5FO(1)	
Senna glutinosa nothosubsp. luerssenii	Cassia pruinosa	Fabaceae: Caesalpinioideae	R		persistent soil		a-heat	9WI 5FO(1)	
Senna odorata	Cassia odorata	Fabaceae: Caesalpinioideae	S		persistent soil		a-heat		VIII-39
Senna pendula var. glabrata	Cassia coluteoides, Cassia bicapsularis	Fabaceae: Caesalpinioideae	R					9BF	
Senna pleurocarpa var. pleurocarpa	Cassia pleurocarpa var. pleurocarpa	Fabaceae: Caesalpinioideae	R		persistent soil		a-heat	~~9FO(1)~~ 9PL	
Sicyos australis		Cucurbitaceae	S		persistent soil	a-adhesion		8BB	III-R35; III-R41
Sida ammophila		Malvaceae	S				a-heat	8CN	
Sida cordifolia		Malvaceae	R					5SA	
Sida corrugata		Malvaceae	S				a-heat		V-74?; VIII-78
Sida fibulifera		Malvaceae	S				a-heat	8CE	
Sida phaeotricha	Sida cryphiopetala, Sida virgata var. phaeotricha	Malvaceae	S					8FO(1)	
Sida platycalyx		Malvaceae	R				a-heat	9PL	
Sida rhombifolia		Malvaceae	S					8BD	
Sigesbeckia orientalis subsp. orientalis		Asteraceae	S		persistent soil	wide		2SA 8BX 8M	II-1; VIII-38d; II-105
Silene gallica var. gallica		Caryophyllaceae	S					8BB	
Sisymbrium irio		Brassicaceae	S					8C	
Sisymbrium orientale		Brassicaceae	S					8C	
Smilax australis	Smilax latifolia	Smilacaceae	R		persistent soil	a-vertebrate		11HO 5F 9M 5SA 5CT	Vb-36; IX-39; V-96; IV-105
Smilax glyciphylla		Smilacaceae	R			a-vertebrate		5F 9I	IX-39; IV-105
Solanum adenophorum	Solanum sp. A	Solanaceae	R					9CE	
Solanum americanum		Solanaceae	S					8I	
Solanum aviculare		Solanaceae	S					8CT 8M	VIII-38b; II-105
Solanum aviculare		Solanaceae	S					8CT	

Senecio tenuiflorus	A	5	5						NC CT CWS	OW DSF TS	Spring-Summer
Senecio vagus subsp. eglandulosus	D	4	4	<1					NC CC NT CT CWS	RF F	Spring-Summer
Senecio velleioides	DI	2	2	1-2					NC CC SC NT CT ST CWS	WSF RF	Summer-Autumn
Senecio vulgaris	E	5	5						Exotic		
Senna acclinis	SI	2	1	2			50	TSC E, Rotap 3RC-	NC CC	RF (ST)	Spring-Summer
Senna artemisioides nothosubsp. artemisioides	VSI	2	1						NWS CWS NWP SWP NFWP SFWP	W Mallee Mulga Belah	Winter-Spring
Senna artemisioides subsp. helmsii	VST	3	3						NFWP	Bluebush Maulga Belah	Winter-Spring
Senna artemisioides subsp. oligophylla	VSR	2	3						NFWP	Mulga	Winter-Spring
Senna glutinosa nothosubsp. luerssenii	VSI	2	1						NFWP		Winter-Spring
Senna odorata	SI	2	1						NC CC SC NT CT NWS	S W F	Spring-Summer
Senna pendula var. glabrata	E	5	5						Exotic		
Senna pleurocarpa var. pleurocarpa	VSI	2	1				34		NFWP	Mulga	all year
Sicyos australis	A	5	5	<1					NC CC SC LHI	RF	
Sida ammophila	SI	2	1						NWP SWP NFWP SFWP	various	
Sida cordifolia	E	5	5						Exotic		
Sida corrugata	SI	2	1						NC CC NT CT NWS CWS SWS NWP SWP NFWP SFWP	grassy-W	
Sida fibulifera	SI	2	1						NWP SWP NFWP SFWP	S W	
Sida phaeotricha	E	5	5						Exotic		
Sida platycalyx	VSI	2	1						NWP NFWP	Mulga	
Sida rhombifolia	E	5	5						Exotic		
Sigesbeckia orientalis subsp. orientalis	E	5	5	1					NC CC SC NT CT ST CWS NWP SWP	RF TF W	Summer-Autumn
Silene gallica var. gallica	E	5	5						Exotic		
Sisymbrium irio	E	5	5						Exotic		
Sisymbrium orientale	E	5	5						Exotic		
Smilax australis	UDT	3	3	1-5	<2		40		NC CC SC NT CT ST CWS LHI	RF WSF DSF WH	Spring-Summer
Smilax glyciphylla	VD	4	4						NC CC SC NT	RF WSF DSF WH	Spring-Summer
Solanum adenophorum	V	4	4						CWS SWS NWP SWP		Spring-Autumn
Solanum americanum	E	5	5						Exotic		
Solanum aviculare	E	5	5	1					NC CC SC NT CT ST NWS CWS SWS NWP SWP LHI		Summer
Solanum avicularе	G	5	5						Exotic		

Solanum browni		Solanaceae	S					8CE	VIII-R41
Solanum campanulatum		Solanaceae	S		persistent soil				II-49
Solanum cleistogamum		Solanaceae	R					9PL	
Solanum coactiliferum		Solanaceae	R					9PL	
Solanum ellipticum		Solanaceae	S R					8FO(1) 9PL	
Solanum laciniatum		Solanaceae	S					8W 8WA	VIII-78
Solanum lacunarium		Solanaceae	S					8CE	
Solanum nigrum		Solanaceae	S		none	bird		3WJ 8M 8I 8MO 8P	VIII-105
Solanum opacum		Solanaceae	S		persistent soil				II-105
Solanum petrophilum		Solanaceae	S						VIII-78
Solanum prinophyllum		Solanaceae	S					8M	VIII-38b
Solanum pungetium		Solanaceae	S					8I	
Solanum simile		Solanaceae	S					8CH	VIII-78
Solanum stelligerum		Solanaceae	S		persistent soil	vertebrate			II-95c; II-96
Solanum vescum		Solanaceae	S		persistent soil			8I 2CT 8M	
Solenogyne domini	Lagenifera sp. B	Asteraceae	R						IX-40; IX-79
Solenogyne gunnii	Lagenifera sp. A var. B	Asteraceae	R		persistent soil			9BX	V-58; VIII-74?
Solidago canadensis var. scabra		Asteraceae	R					9BX	
Sollya heterophylla			R					9BA 9T 9BL	
Sonchus asper		Asteraceae	S			wind		8C 8I 8P	
Sonchus oleraceus		Asteraceae	S r		none			3WJ 8C 9W 8MO 9WA 8BX	VIII-105
Sophora fraseri		Fabaceae: Faboideae	R		persistent soil, exhausted by disturbance		heat		IXb-89
Sorghum leiocladum		Poaceae	S			a-adhesion		8CE	VIII-R41
Sowerbaea juncea		Anthericaceae	R		transient			9B 9I 9KE 9BW	IXd-2; IXd-4; IXb-6; IVd-8
Spartothamnella juncea		Chloanthaceae	S		transient	bird?		8BB	
Spergula arvensis		Caryophyllaceae	S					8BB	
Spergularia marina	Spergularia sp. A	Caryophyllaceae	S					8BB	
Spergularia rubra		Caryophyllaceae	S					8C	
Spermacoce brachystema	Borreria brachystema	Rubiaceae	S						VIII-74
Sphaerolobium minus		Fabaceae: Faboidea	S		persistent soil		heat		II-38c
Sphaerolobium vimineum		Fabaceae: Faboideae	S r		persistent soil		heat	8W 5S 2K 9T 8KE	II-1; II-2; II-4; IXb-5; V-38c; VIII-57; II-62

Solanum browni	G	1	4						NC CC SC NT CT ST NWS CWS	W SF	Winter-Spring
Solanum campanulatum	G	1	4				20		NC CC NT CT CWS	WSF DSF	all year
Solanum cleistogamum	A	5	5						NWP NFWP	BimbleBox Mallee	Summer-Autumn
Solanum coactiliferum	V	4	4						CWS NWP SWP NFWP SFWP		Spring-Summer
Solanum ellipticum	G	1	4						CWS NWP SWP NFWP	Mulga Belah BimbleBox	all year
Solanum laciniatum	G	1	4	2					NC ST NWS	S W	Spring-Summer
Solanum lacunarium	G	1	4						NFWP SFWP		Spring-Autumn
Solanum nigrum	E	5	5	<1					Exotic		
Solanum opacum	A	5	5						NC CC SC NT CT ST NWS CWS NWP SWP	W	irregular
Solanum petrophilum	G	1	4						NFWP SFWP	Mulga	Winter-Spring
Solanum prinophyllum	A	5	5						NC CC SC NT CT ST NWS	SF RF-margins	all year
Solanum pungetium	A	5	5						NC CC SC CT ST	SF	Spring-Autumn
Solanum simile	G	1	4						CC CT CWS SWS NWP SWP SFWP	W Mallee	Spring
Solanum stelligerum	DT	3	3	1-5			40		NC CC SC NT ST CWS	SF RF-margins	Spring-Summer
Solanum vescum	GI	1	1				20		NC CC SC NT CT ST NWS CWS NWP	F-margins W	Winter-Spring
Solenogyne domini	V	4	4				60		NC CC NT CT ST CWS SWS	G DSF Pasture	Spring-Summer
Solenogyne gunnii	VGT	3	3	1			>25		CC NT CT ST	G SF	Spring-Summer
Solidago canadensis var. scabra	E	5	5						Exotic		
Sollya heterophylla	E	5	5						Exotic		
Sonchus asper	E	5	5						Exotic		
Sonchus oleraceus	E	5	5						Exotic		
Sophora fraseri	VGI	2	1	>4				TSC V, ESP V, Rotap 3VC-	NC		Autumn-Spring
Sorghum leiocladum	D	4	4						NC CC SC NT CT ST NWS CWS	W	Summer
Sowerbaea juncea	VC	4	4				100		NC CC SC CT ST	H	all year
Spartothamnella juncea	D	4	4				>10		NC CC NWS CWS NWP	RF OF	Summer
Spergula arvensis	E	5	5						Exotic		
Spergularia marina	E	5	5						Exotic		
Spergularia rubra	E	5	5						Exotic		
Spermacoce brachystema	A	5	5						NC NT	SF	Spring-Autumn
Sphaerolobium minus	SI	2	1	3					NC CC SC NT CT ST	OS	Spring
Sphaerolobium vimineum	SI	2	1	1-5	2		55		NC CC SC NT CT ST	H W	Spring

Sporadanthus caudatus	Lepyrodia caudata	Restionaceae	R						IX-94
Sporadanthus gracilis	Lepyrodia gracilis	Restionaceae	R					9KE	IV-2; IX-94
Sporadanthus interruptus	Lepyrodia interrupta	Restionaceae	R		persistent soil			4BW	IVb-6; IV-8; IX-94
Sporobolus caroli		Poaceae	S					8CE	
Sporobolus creber		Poaceae	S R					8CE	IV-105
Sprengelia incarnata		Epacridaceae	S r		persistent soil		heat & smoke	2S 8W 8WO 8I 8KP 8KE 2BB	II-2; II-4; II-5; II-8; V-38b; II-38c; VIII-39; II 59; II-61; II-66; II-100
Sprengelia sprengelioides		Epacridaceae	S		persistent soil			2BW 8B	II-8
Spyridium cinereum		Rhamnaceae	S		persistent soil	a-ant	a-heat	8CE	II-38c&d; II-R35; VIII-R41
Spyridium parvifolium		Rhamnaceae	S r		transient	a-ant	a-heat	8W 9WO 8CH 8WA	IId-38b&c; VIII-78
Stachys arvensis		Lamiaceae	S					8BD	
Stackhousia monogyna		Stackhousiaceae	S R		persistent soil		smoke	4W 9WO 9E 2T 8CH 8BU	IXb-3; II-38c; XI-40; II-60; VIII&IX-78; IX-79; II&IV-105
Stackhousia nuda		Stackhousiaceae	R s		persistent soil			~~2K~~ 9KE 9BW	IXb-2; IXb-6; II-6; IV-105
Stackhousia pulvinaris		Stackhousiaceae	R						V-58
Stackhousia viminea		Stackhousiaceae	S		transient			8H	IId-38c
Stellaria filiformis		Caryophyllaceae	S					8C	
Stellaria flaccida		Caryophyllaceae	S		persistent soil			8M ~~8W~~ 8WA 8BB?	VIII-39?
Stellaria media		Caryophyllaceae	S					8C 8W 8MO 8WA 8BB	
Stellaria multiflora		Caryophyllaceae	S		persistent soil			8C	VIII-38d; II-58
Stellaria pungens		Caryophyllaceae	S r		persistent soil			4HO ~~8W~~ 8WA	IV-38c; II-58
Stenocarpus salignus		Proteaceae	R		soil	wind			V-1a
Stenopetalum lineare		Brassicaceae	S					8C	
Stenopetalum sphaerocarpum		Brassicaceae	S					8C	
Stenopetalum velutinum		Brassicaceae	S R					8CE 9PL	
Stephania japonica var. discolor		Menispermaceae	R			bird?		9I 5BD	IX-39
Sterculia quadrifida		Sterculiaceae	R					9BO 9RS	IX-63
Sticherus lobatus		Gleicheniaceae	R		transient?	wind		5BM	IX-39
Sticherus urceolatus	Sticherus tener	Gleicheniaceae	R		transient	wide			IVc-38d

Sporadanthus caudatus	V	4	4						NC	Swamp	Summer
Sporadanthus gracilis	U	4	4		<2		100		CC CT ST	Swamp	
Sporadanthus interruptus	VG	4	4						NC	Swamp H W	Spring
Sporobolus caroli	A	5	5						NC CC ST NWS CWS SWS NWP SWP NFWP		after rain
Sporobolus creber	C	1	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP	W	Summer
Sprengelia incarnata	GI	1	1	2-4			35		NC CC SC NT CT ST CWS	H Sedgeland	Winter-Spring
Sprengelia sprengelioides	GI	1	1						NC CC	H	Winter
Spyridium cinereum	ST	3	3					Rotap 3RCa	SC	H	
Spyridium parvifolium	CT	1	3	2-5					SC ST SWS	F	Winter-Spring
Stachys arvensis	E	5	5						Exotic		
Stackhousia monogyna	GI	1	1	2	1				NC CC SC NT CT ST NWS CWS SWS NWP SWP	H G W SF	Winter-Spring
Stackhousia nuda	UGI	2	1		<2		50		NC CC SC CT	LH Swamp-margins	Summer-Autumn
Stackhousia pulvinaris	VT	3	3	1			>10		ST	alpine-Herbfield subalpine-G	Summer
Stackhousia viminea	A	5	5	1					NC CC SC NT CT ST NWS NWP	F W	Spring-Autumn
Stellaria filiformis	A	5	5						ST CWS		Spring
Stellaria flaccida	GI	1	1	1			110		NC CC SC NT CT ST	F RF margins	Spring-Summer
Stellaria media	E	5	5						Exotic		
Stellaria multiflora	A	5	5	1					SC CT ST NWS CWS		Spring
Stellaria pungens	GT	1	3	1			>20		NT CT ST NWS CWS SWS	TOF F	Spring
Stenocarpus salignus	VC	4	4		3				NC CC SC NT CT CWS	RF moist OF riparian S	Spring-Summer
Stenopetalum lineare	A	5	5						CWS NWP SWP NFWP SFWP	Mallee BimbleBox WhiteCypress	
Stenopetalum sphaerocarpum	A	5	5						NFWP SFWP	Mallee	
Stenopetalum velutinum	A	5	5					TSC E (presumed extinct)	NWP SWP NFWP SFWP	BimbleBox-WhiteCypress	
Stephania japonica var. discolor	UD	4	3		1				NC CC SC NT CT ST NWS CWS	OF RF	Summer
Sterculia quadrifida	V	4	4						NC	RF (Lit Riverine)	Summer
Sticherus lobatus	VC	4	4				100		NC CC SC NT CT ST LHI	OF RF-margins	
Sticherus urceolatus	VD	4	4						NC CC NT CT		

Streblus brunonianus	Streblus pendulinus	Moraceae	S		transient?	bird		8BD	
Stuartina hamata		Asteraceae	S					8CE	
Stuartina muelleri		Asteraceae	S			wide			VIII-38d
Stylidium debile	Stylidium ornatum, Stylidium sp. B	Stylidiaceae	R		persistent soil			9BW?	Vb-8
Stylidium graminifolium		Stylidiaceae	R s		persistent soil			4HO 9VE 9C 9WO 9B 9I 11MO 9P 9BW 8E 9BN ~~2PU~~ 5PU	IXb-3; IXb-6; IVb-8; V-38d; V-58; IXb-59; IX-67; XI-83; IX-99; V-105
Stylidium laricifolium		Stylidiaceae	S					8CE	VIII-R41
Stylidium lineare		Stylidiaceae	R		soil			9K 9KE	IXb-2; IXb-4; IXd-7
Stylidium productum		Stylidiaceae	R					5K	
Stypandra glauca		Phormiaceae	R		persistent soil			9M 5WJ 5BU	IXb-49
Styphelia adscendens		Epacridaceae	S		persistent soil			8E	II-38d; II-R35
Styphelia laeta subsp. laeta		Epacridaceae	S R		persistent soil			5S	II-66
Styphelia longifolia		Epacridaceae	S					8BB	
Styphelia psiloclada	Styphelia sp. A	Epacridaceae	S		persistent soil				II-3; II-R35
Styphelia triflora		Epacridaceae	S		persistent soil			8BB	II-49; II-66; II-69; II-100
Styphelia tubiflora		Epacridaceae	S r		persistent soil	a-ant		5S 8BB	II-4; II-66
Styphelia viridis		Epacridaceae	S		persistent soil	a-vertebrate		2F 2BW	
Styphelia viridis subsp. viridis		Epacridaceae	S						VIII-39
Swainsona brachycarpa		Fabaceae: Faboideae	S r		transient		a-heat	8CE	V-38d; VIIId-R37
Swainsona galegifolia		Fabaceae: Faboideae	S		persistent soil		heat		VIII-35
Swainsona murrayana		Fabaceae: Faboideae	S		persistent soil		a-heat	8CE	
Swainsona plagiotropis		Fabaceae: Faboideae	S		persistent soil		a-heat	8CE	
Swainsona recta		Fabaceae: Faboideae	S R		persistent soil		a-heat	8CE	IXb-72
Swainsona swainsonioides	Swainsona drummondii	Fabaceae: Faboideae	S		persistent soil		a-heat	8CE	
Symphionema montanum		Proteaceae	S		persistent soil			8I	VIII-1a?; II-4
Symphionema paludosum		Proteaceae	S		persistent soil			2S 8KE	II-2; II-105

Streblus brunonianus	D	4	4				>75		NC CC SC CT NWS	RF	Summer-Autumn
Stuartina hamata	A	5	5						NT ST NWS CWS SWS NWP SWP NFWP SFWP	Mallee DSF W	Winter-Spring
Stuartina muelleri	DT	3	3	1					CT ST NWS CWS SWS NWP SWP NFWP	G W SF	
Stylidium debile	UGI	2	1		<2				NC CC NT		Spring-Autumn
Stylidium graminifolium	UG	4	4	1	1-2		>30		NC CC SC NT CT ST NWS CWS SWS	DSF	Spring-Summer
Stylidium laricifolium	G	1	4						NC CC SC NT CT ST NWS CWS	DSF	Spring-Summer
Stylidium lineare	UCI	2	1		<2		60		CC SC CT ST	H DSF	all year
Stylidium productum	V	4	4						NC CC CT	DSF	Spring-Summer
Stypandra glauca	VG	4	4						NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	SF W	Spring
Styphelia adscendens	GI	1	1	6					SC ST	OS DSF	Spring
Styphelia laeta subsp. laeta	G	1	4						CC CT	DSF	Autumn-Winter
Styphelia longifolia	G	1	4	<4			>30		CC	OF	Autumn-Winter
Styphelia psiloclada	GI	1	1					Rotap 3RC-	ST	OF	Summer-Autumn
Styphelia triflora	G	1	4						NC CC SC NT CT ST NWS CWS NWP	F W S (with Casuarina and Callitris)	Autumn-Spring
Styphelia tubiflora	GI	1	1	3			35		CC SC CT ST	W H	Autumn-Winter
Styphelia viridis	GI	1	1						NC CC	H DSF	Autumn-Spring
Styphelia viridis subsp. viridis	G	1	4						NC CC	H DSF W	Autumn-Winter
Swainsona brachycarpa	CT	1	3						NC NT	G W	
Swainsona galegifolia	SI	2	1	2		5			NC CC SC NT CT ST NWS CWS SWS NWP SWP	OF	
Swainsona murrayana	SI	2	1					TSC V, ESP V, Rotap 3VCi	ST NWS CWS SWS NWP SWP NFWP SFWP	Saltbush BlackBox G	
Swainsona plagiotropis	SI	2	1					TSC V, ESP V, Rotap 3VCi	SWS NWP SWP	G	Spring
Swainsona recta	SI	2	1				>50	TSC E, ESP E, Rotap 3ECi	ST CWS SWS NWP	G OW	Spring
Swainsona swainsonioides	SI	2	1						NWS CWS SWS NWP SWP NFWP SFWP	G Saltbush Mulga BimbleBox	
Symphionema montanum	GI	1	1	3			35		CC CT	H OF	Spring
Symphionema paludosum	GI	1	1	4			35		NC CC SC CT ST	OF wet OH	Spring

Symplocos thwaitesii	Symplocos cochinchinensis subsp. thwaitesii var. thwaitesii	Symplocaceae	S		transient	wide		8CN	III-R35; III-R41
Syncarpia glomulifera subsp. glomulifera		Myrtaceae	R		canopy				IV&V&VIa-1; IX-39; V&VI-105
Synoum glandulosum subsp. glandulosum		Meliaceae	R			a-vertebrate		9I 9BD	IX-39
Syzygium hodgkinsoniae		Myrtaceae	S		transient	water?			III-89
Syzygium paniculatum		Myrtaceae	S R		transient?				VIII-1; V&VI-1
Tagetes minuta		Asteraceae	S					8BX	
Tasmannia lanceolata		Winteraceae	S r		soil	bird		3HR 2KP 8BK(1)	IX-9; VIII-61
Tasmannia stipitata		Winteraceae	R						IV&V-108
Tasmannia xerophila		Winteraceae	S					8CE	
Telopea oreades		Proteaceae	R					5M	
Telopea speciosissima		Proteaceae	R		transient	wind		5S 9I	V-27; V-52; V-106
Templetonia egena		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8CE	
Templetonia stenophylla		Fabaceae: Faboideae	S		persistent soil	a-ant	a-heat	8CE	
Tephrosia brachyodon	Tephrosia purpurea	Fabaceae: Faboideae	S		persistent soil		a-heat		VIII-74
Tetragonia tetragonioides	Tetragonia expansa, Tetragonia tetragonoides	Aizoaceae	S			water		8BM	VIII-39?; VIII-78
Tetraria capillaris		Cyperaceae	R					9KP 9KE	IX-2; IX-59
Tetrarrhena juncea		Poaceae	R					11M ~~9W~~ 9WA	V-38b&d; IX-67
Tetrarrhena turfosa		Poaceae	R						IX-2
Tetratheca ciliata	Tetratheca ciliata var. alba	Tremandraceae	S r		persistent soil	a-ant		8W 9VE 8WO 2E	V-38d
Tetratheca ericifolia		Tremandraceae	R s		persistent soil	a-ant		5S 9I ~~2K~~ 4HO 8BE	IXb-8; VIII-39?
Tetratheca glandulosa		Tremandraceae	R		persistent soil	a-ant			IX-66; II-71?
Tetratheca pilosa subsp. latifolia		Tremandraceae	R		persistent soil	a-ant			IXb-3; IV-105
Tetratheca pilosa subsp. pilosa		Tremandraceae	R			a-ant			IX-78
Tetratheca rupicola		Tremandraceae	R		persistent soil	a-ant			IXb-4
Tetratheca subaphylla		Tremandraceae	R		persistent soil	a-ant			IXb-R35
Tetratheca thymifolia		Tremandraceae	S r		persistent soil	a-ant		2F 2BW 9BW 2K	VIII-39; II-105
Thelionema caespitosum	Stypandra caespitosa	Phormiaceae	R					9KE 9M	IX-2

Symplocos thwaitesii	DR	2	3						NC CC SC NT CT	RF (ST ST)	Spring
Syncarpia glomulifera subsp. glomulifera	VCI	2	1				500		NC CC SC CT	WSF TOF RF-margins	Spring-Summer
Synoum glandulosum subsp. glandulosum	VD	4	4			5	60		NC CC SC NT CT	RF	
Syzygium hodgkinsoniae	C	1	4	10				TSC V, ESP V, Rotap 3VC-	NC	RF (ST) gallery-F	Summer-Autumn
Syzygium paniculatum	CI	1	1		2		200	TSC V, ESP V, Rotap 3VCi	NC CC SC	RF (ST Lit)	Summer
Tagetes minuta	E	5	5						Exotic		
Tasmannia lanceolata	D	4	4						SC CT ST	moist-F RF (Temp)	Summer
Tasmannia stipitata	V	4	4						NC NT	WSF RF TOF	Spring
Tasmannia xerophila	D	4	4						ST	F alpine-G	Summer
Telopea oreades	V	4	4						SC ST	RF (Temp) WSF	
Telopea speciosissima	UC	4	4	5	2	10	60		CC SC CT ST	W OF	Spring
Templetonia egena	SI	2	1						CWS NWP SWP NFWP SFWP	W	Spring
Templetonia stenophylla	SI	2	1						NT CT NWS CWS SWS NWP	OF	Spring
Tephrosia brachyodor	SI	2	1						NC NT NWS NWP	W	
Tetragonia tetragonioides	A	5	5	1					NC CC SC NWS CWS NWP LHI	Saltmarsh	all year
Tetraria capillaris	U	4	4		<2		100		NC CC SC CT ST	H F	
Tetrarrhena juncea	UR	2	3		1				NC CC SC NT CT ST	H WSF	all year
Tetrarrhena turfosa	V	4	4				100		CC NT CT ST	H Swamp	Spring-Summer
Tetratheca ciliata	G	1	4	1					NC SC ST SWS	H SF	Spring
Tetratheca ericifolia	VGI	2	1	3			70		NC CC SC CT ST	H DSF	Winter-Spring
Tetratheca glandulosa	VG	4	4	3-4		6-8	20	TSC V, ESP V, Rotap 2VC-t	NC CC	H S	Winter-Spring
Tetratheca pilosa subsp. latifolia	UGI	2	1		1				SC	H SF	Spring
Tetratheca pilosa subsp. pilosa	V	4	4					TSC E (presumed extinct)	SFWP	H Mallee	Spring
Tetratheca rupicola	VGI	2	1						NC CC CT	H SF	Spring-Summer
Tetratheca subaphylla	UGI	2	1		<2				NC SC ST	TOF	Spring-Summer
Tetratheca thymifolia	GI	1	1				70		NC CC SC NT CT ST	H DSF	Spring
Thelionema caespitosum	V	4	4				100		NC CC SC NT CT ST	H	Spring-Summer

Thelionema grande	Stypandra grandis	Phormiaceae	R						IV-69
Thelionema umbellatum	Stypandra umbellata	Phormiaceae	R		transient			9I 5K 9KE	IX-2; IXd-7; IX-46
Thelymitra aristata		Orchidaceae	R		persistent soil			9BN	Vb-38d; IX-39?
Thelymitra carnea		Orchidaceae	R		persistent soil				Vb-38c&d
Thelymitra circumsepta	Thelymitra retecta	Orchidaceae	R					9CE	
Thelymitra decora		Orchidaceae	R					9CE	
Thelymitra flexuosa		Orchidaceae	S R					11W 8E 8CH 11WA	
Thelymitra ixioides var. ixioides		Orchidaceae	R		transient			11W 11WA 9BW	Vb-38c&d; IX-39; V-52
Thelymitra malvina		Orchidaceae	R					9CE	
Thelymitra media var. media		Orchidaceae	R					9CE	
Thelymitra merraniae		Orchidaceae	R					9CE	IX-R37
Thelymitra nuda		Orchidaceae	R					5F 9BA	
Thelymitra pauciflora		Orchidaceae	R					11WJ 11W 11P 5PU 11WA	XI-40
Thelymitra pulchella		Orchidaceae	R			wide		9CE	V-58
Thelymitra rubra		Orchidaceae	R					11W 11WA	
Themeda australis		Poaceae	R			a-adhesion	smoke	4F 9W 9BW 9M	IXb-6; IX-39; V-105
Themeda avenacea		Poaceae	R					9CE	
Themeda triandra		Poaceae	R		persistent soil		smoke	9CH ~~4F 9W 9BW~~	IX-11; V-38; XI-40; IXb-49; IX-78; IX-79
Thesium australe		Santalaceae	S		short-lived soil				VIII-74
Thismia rodway		Thismiaceae	S		transient?			8CE	III-R40
Thryptomene hexandra	Thryptomene micrantha	Myrtaceae	S					8CE	
Thysanotus bauer		Anthericaceae	R			a-ant		11C	
Thysanotus juncifolius		Anthericaceae	R s		transient	a-ant		11W 5K 11WA	IXd-2; IXd-4; IXd-7; IX-39; V-52; IX-57; VIII-78
Thysanotus patersonii		Anthericaceae	R		soil	a-ant	smoke	11W 9I 11MO 9BA 11P 5PU 9BU 11WA	V-38c; XI-40; XI-78; XI-83; IX-R35
Thysanotus tuberosus subsp. tuberosus		Anthericaceae	R s	Juveniles die	transient	a-ant		9I 9WO 11W 11P 8E 11WA 9BW	IXd-5; V-38c; IX-67
Tinospora smilacina		Menispermaceae	S r					9PL	VIII-74?; VIII-R36
Tmesipteris oblique	Tmesipteris billardier	Psilotaceae	S		transient?	wind		8CT	
Tmesipteris ovata		Psilotaceae	S R		transient?	wind		~~8BM~~ 8CT	IX-R35
Tmesipteris parva		Psilotaceae	S		transient?	wind		8CT	
Todea barbara		Osmundaceae	S R		transient	wind		9WA	III-38c
Toona ciliata	Toona australis	Meliaceae	R		transient?	wind?		9BD	

Thelionema grande	V	4	4					Rotap 3RC-	NT NWS		Spring
Thelionema umbellatun	VC	4	4		1.5		100		CC SC CT ST	H SF	Spring
Thelymitra aristata	VG	4	4						NC CC SC NT CT ST CWS SWS		
Thelymitra carnea	VC	4	4						NC CC NT CT	OS W	Spring
Thelymitra circumsepta	VR	2	3						NC CC SC NT CT ST		Summer
Thelymitra decora	V	4	4						ST	W (montane-subalpine)	Spring-Summer
Thelymitra flexuosa	CT	1	3		1				NC SC	Swamp	Spring
Thelymitra ixioides var. ixioides	UCR	2	3		1				NC CC SC NT CT ST	H SF	Spring-Summer
Thelymitra malvina	V	4	4						CC	TSF H	Spring
Thelymitra media var. media	U	4	4		<2				NC CC SC NT CT ST	SF S	Spring-Summer
Thelymitra merraniae	UI	2	1		<2				CC SC	wet H	Spring
Thelymitra nuda	V	4	4						NC CC SC NT CT ST NWS CWS SWS	H SF W	Spring
Thelymitra pauciflora	UR	2	3		1				NC CC SC NT CT ST NWS CWS SWS	SF W H	Spring-Summer
Thelymitra pulchella	VD	4	4	2			>15		CT ST	subalpine Sphagnum Bog	Summer
Thelymitra rubra	VR	2	3						CC SC ST CWS SWS	SF H	Spring
Themeda australis	U	4	4		1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP		Spring-Summer
Themeda avenacea	V	4	4						CC NWS CWS NWP NFWP	W	after rain
Themeda triandra	UGI	2	1		<1		25		NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP		
Thesium australe	A	5	5					TSC V, ESP V, Rotap 3VCi+	NC CC SC NT ST NWS CWS	G W	variable
Thismia rodway	A	5	5					Rotap 3RC-+	NT	OF	Spring-Summer
Thryptomene hexandra	C	1	4					Rotap 3RC-	NWP	Mulga-W	Winter-Spring
Thysanotus bauer	VR	2	3						NWP SWP NFWP SFWP	W Plains	Spring-Summer
Thysanotus juncifolius	UC	4	4		1		60		NC CC SC CT ST	SF H	Spring-Summer
Thysanotus patersonii	UGT	3	3		1				SC CT ST NWS CWS SWS SWP SFWP	various	Spring
Thysanotus tuberosus subsp. tuberosus	UCT	3	3		1				NC CC SC NT CT ST NWS CWS SWS NWP	DSF W H	Spring-Autumn
Tinospora smilacina	C	1	4					TSC E	NC	RF (dry)	
Tmesipteris oblique	C	1	4				100		CC SC CT ST	RF TF	
Tmesipteris ovata	DR	2	3				100		NC CC SC CT	RF	
Tmesipteris parva	C	1	4						NC CC SC CT ST	RF moist-F	
Todea barbara	CI	1	1		1		100		NC CC SC NT CT ST NWS CWS	RF TOF	
Toona ciliata	VC	4	4				200		NC CC SC NT CT ST CWS	RF	

Trachymene anisocarpa		Apiaceae	S					8C	
Trachymene cyanopetala		Apiaceae	S					8C	
Trachymene humilis subsp. humilis		Apiaceae	S						VIII-58
Trachymene incisa		Apiaceae	R s		persistent soil			2F 9BN	IXb-5; Vb-8
Tradescantia fluminensis	Tradescantia albiflora	Commelinaceae	R		persistent soil				IXb-49
Tragus australianus		Poaceae	S					8CE	
Trema tomentosa var. viridis	Trema aspera	Ulmaceae	S		persistent soil				VIII-105; VIII-R41
Trianthema triquetra	Trianthema triquetra var. clavata, Tryanthema crystallina	Aizoaceae	S				heat	8BM	
Trichodesma zeylanicum		Boraginaceae	R					5SA	
Tricoryne elatior		Anthericaceae	R		transient		smoke	2F 9VE 9C 9BA 9T 5BU 9BW 9M	IX-39; XI-40; IXd-62; IX-79
Tricoryne simplex		Anthericaceae	R		transient			9KE	IXd-2
Tricostularia pauciflora		Cyperaceae	R			a-ant		9WO 9KE 11W	IX-2; IX-4
Trifolium arvense		Fabaceae	S					8C	
Trifolium campestre		Fabaceae	S					8C	
Trifolium tomentosum		Fabaceae	S					8C	
Trigonella suavissima		Fabaceae: Faboideae	S		persistent soil		a-heat	8CE	
Triodia basedowi		Poaceae	R					9PL	
Triodia irritans		Poaceae	R					9C 9CH	
Triodia irritans var. laxispicata		Poaceae	R						IX-43
Triodia scariosa subsp. scariosa	Triodia irritans var. laxispicata form A	Poaceae	R						IX-78
Triplarina nowraensis	Baeckea camphorata	Myrtaceae	R		transient				V-105; Vd-R10
Tripogon loliiformis		Poaceae	S					8CE	
Triptilodiscus pygmaeus	Helipterum australe	Asteraceae	S			wind		8C 8BX?	
Triraphis mollis		Poaceae	S					8CE	
Trisetum spicatum		Poaceae	S R		transient	wide			V-58; III-R35
Tristania neriifolia		Myrtaceae	R	Epicormic shoots after low intensity		wind & water			V-1
Tristaniopsis collina	Tristania laurina	Myrtaceae	R		canopy - transient				V-1
Tristaniopsis laurina	Tristania laurina	Myrtaceae	R	epicormic recovery slow	transient	wind		5&6M	V&VI-1; V&VI-84
Triumfetta rhomboidea		Tiliaceae	S		persistent soil			2SA	

Trachymene anisocarpa	A	5	5						NC CC SC NT CT ST NWS	Swamp	all year
Trachymene cyanopetala	A	5	5						CWS SWS SWP NFWP SFWP	DSF Mallee	Spring
Trachymene humilis subsp. humilis	CT	1	3	1			>15		ST	W	Summer
Trachymene incisa	UGT	3	3		<2				NC CC SC NT NWS CWS NWP	DSF	Summer
Tradescantia fluminensis	E	5	5						Exotic		
Tragus australianus	A	5	5						NC CC NWS CWS NWP SWP NFWP SFWP		after rain
Trema tomentosa var. viridis	G	1	4						NC CC SC NT CT ST NWS CWS NWP	RF-margins moist-SF	Summer
Trianthema triquetra	A	5	5						CC CWS NWP SWP NFWP SFWP		
Trichodesma zeylanicum	A	5	5						CWS NFWP SFWP	Mulga	Winter-Spring
Tricoryne elatior	UCT	3	3	2	<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP	SF H W	all year
Tricoryne simplex	VC	4	4				60		NC CC SC	H WSF	Spring
Tricostularia pauciflora	VR	2	3		2		100		NC CC SC NT CT		
Trifolium arvense	E	5	5						Exotic		
Trifolium campestre	E	5	5						Exotic		
Trifolium tomentosum	E	5	5						Exotic		
Trigonella suavissima	A	5	5						CWS NWP SWP NFWP SFWP	BlackBox Coolibah RiverGum	Autumn-Winter
Triodia basedowi	V	4	4						NFWP	Mulga	after rain
Triodia irritans	V	4	4						NC NT NWS CWS NWP SWP SFWP		
Triodia irritans var. laxispicata	VI	2	1		5				NC NT NWS CWS NWP SWP SFWP	Mallee Mulga	
Triodia scariosa subsp. scariosa	V	4	4						NC NT CT NWS CWS NWP SWP NFWP SFWP	Mallee	after rain
Triplarina nowraensis	VC	4	4				>25	TSC E, ESP E	CC SC	moist-H	Spring
Tripogon loliiformis	A	5	5						NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP		after rain
Triptilodiscus pygmaeus	A	5	5	<1					NC CC SC NT CT ST NWS CWS SWS NWP SWP	S W	Spring
Triraphis mollis	A	5	5						NC CC NWS CWS NWP SWP NFWP SFWP		after rain
Trisetum spicatum	DT	3	3	1			>10		ST		Summer
Tristania neriifolia	V	4	4				75		CC CT	riparian-S	Summer
Tristaniopsis collina	VC	4	4		2				NC CC SC NT CT ST	moist-SF RF-margins	Summer
Tristaniopsis laurina	VCI	2	1		<3		>100		NC CC SC CT	RF SF riparian-S	Summer
Triumfetta rhomboidea	A	5	5						NC		

Trochocarpa laurina		Epacridaceae	R	Juveniles die; Epicormic shoots after low intensity	transient	bird & water		5BB	IX-39; V-108; IXd-R35
Tylophora barbata		Asclepiadaceae	R		persistent soil	a-wind		9M 9BM?	IVb-38a&b; V-105
Tylophora woollsii		Asclepiadaceae	S		persistent soil	wind			IX-74?; II-R36
Typha domingensis		Typhaceae	R					9PL	
Ulex europaeus		Fabaceae	S		persistent soil	explosive capsule & ant & bird			II-95c
Uncinia compacta		Cyperaceae	S			wide			VIII-61
Uncinia tenella		Cyperaceae	S					8BK(1)	
Urochloa subquadripara	Brachiaria milliiformis	Poaceae	R					6SA	
Urtica incisa		Urticaceae	S		persistent soil			8M	
Urtica urens		Urticaceae	S					8C	
Utricularia dichotoma		Lentibulariaceae	R		transient			~~2BW~~ 9KE	IX-2; IXd-5; IId-38c; VIII&IX-39; V-58; IX-59
Utricularia lateriflora		Lentibulariaceae	R			bird & water		~~2BW~~ 9KE	IX-2; VIII&IX-39; IX-59
Velleia arguta		Goodeniaceae	R			a-ant		9CE	
Velleia connata		Goodeniaceae	S			a-ant		8C	
Velleia lyrata		Goodeniaceae	S		persistent soil	a-ant		2BD	
Velleia montana		Goodeniaceae	R		persistent soil	a-ant			V-58
Velleia paradoxa		Goodeniaceae	R			a-ant			IX-11; IX-79; IX-R42
Velleia perfoliata		Goodeniaceae	S		persistent soil	a-ant	heat	2BD	IX-66?; II-R28
Velleia spathulata		Goodeniaceae	R		persistent soil	a-ant		5K	IXb-7; IX-91
Vellereophyton dealbatum	Gnaphalium candidissimum		S					8I	
Ventilago viminalis		Rhamnaceae	R				a-heat	9PL	
Vernonia cinerea var. cinerea		Asteraceae	S R		transient	a-wind			III-38a; V-105
Veronica calycina		Scrophulariaceae	S R		transient			4WA	IId-38c
Veronica notabilis		Scrophulariaceae	S					8M	
Vicia tetrasperma		Fabaceae	S					8BF	
Vigna vexillata var. angustifolia		Fabaceae: Faboideae	R		persistent soil		a-heat		IV-1; IX-39
Villarsia exaltata		Menyanthaceae	R s		transient	ant? & water?		8I 9KE 9BD	IVd-2; VIII&IX-39
Viminaria juncea		Fabaceae: Faboideae	S		persistent soil		heat	2WJ 8I 8A 2T 8KE	II-1; II-2; VIII-39
Viola betonicifolia		Violaceae	R		persistent soil				V-38d; Vb-58; IX-67
Viola caleyana		Violaceae	S R		persistent soil			8CE	IXb-R35
Viola cleistogamoides		Violaceae	S r		persistent soil			8WA 8W	IXb-R35

Trochocarpa laurina	WDR	2	3				>10		NC CC SC NT CT	WSF RF (WT, L)	Summer
Tylophora barbata	VGR	2	3						NC CC SC NT CT ST CWS	RF WSF	Summer
Tylophora woollsii	G	1	4					TSC E, ESP E, Rotap 2E	NC CC NT	WSF RF	Summer-Autumn
Typha domingensis	V	4	4						NC CC SC CT ST NWS CWS SWS NWP SWP NFWP SFWP LHI	Swamp	Spring-Summer
Ulex europaeus	E	5	5	1.5					Exotic		
Uncinia compacta	D	4	4						ST		
Uncinia tenella	C	1	4						NT CT ST	RF	
Urochloa subquadripara	A	5	5						SC NWS CWS NWP SWP NFWP SFWP		Summer
Urtica incisa	GI	1	1				15		NC CC SC NT CT ST NWS CWS SWS NWP LHI		all year
Urtica urens	E	5	5						Exotic		
Utricularia dichotoma	UCT	3	3	1	1		100		NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP	Swamp	all year
Utricularia lateriflora	UD	4	3		<1		100		NC CC SC CT	S	all year
Velleia arguta	V	4	4						NWP NFWP	G Mallee	Winter-Summer
Velleia connata	A	5	5						NWP SWP SFWP	Mallee	all year
Velleia lyrata	GI	1	1	1			15		CC	H S	all year
Velleia montana	VGT	3	3	1			>20		NT CT ST	subalpine-G subalpine-W	Spring-Summer
Velleia paradoxa	A	5	5		<1				NC CC NT CT ST NWS CWS SWS NWP SWP NFWP	SF G	Spring-Summer
Velleia perfoliata	GT	1	3	<1		2-5	25	TSC V, ESP V, Rotap 2VC-	CC CT CWS	H OW	Spring-Summer
Velleia spathulata	VGI	2	1				70		NC CC	coastal dunes	all year
Vellereophyton dealbatum	E	5	5						Exotic		
Ventilago viminalis	VSI	2	1						NWS NWP	OF	
Vernonia cinerea var. cinerea	DI	2	2		1		5		NC CC SC NT CT CWS NWP	OF G	
Veronica calycina	CT	1	3		1				CC SC NT CT ST NWS CWS	F W	Spring-Summer
Veronica notabilis	C	1	4						NC CC SC NT CT ST	WSF RF	Spring-Summer
Vicia tetrasperma	E	5	5						Exotic		
Vigna vexillata var. angustifolia	VSI	2	1						NC CC		Spring-Summer
Villarsia exaltata	UCI	2	1		<1		100		NC CC SC CT ST	Swamp	Spring-Autumn
Viminaria juncea	SI	2	1	2-6			55		NC CC SC	swamp OH W	Spring
Viola betonicifolia	UGT	3	3	1	<2		>25		NC CC SC NT CT ST NWS CWS SWP	W F	Summer
Viola caleyana	GI	1	1		<2				NC CC SC NT CT ST	F W	Summer
Viola cleistogamoides	GI	1	1	1	<2			TSC E	SC		Summer

Viola hederacea		Violaceae	S r		persistent soil	a-ant		2F 8WO 8W 9I 2E 8WA	Vb-38b&d; II-38c; VIII&IX-39; Vb-58; IXb-67
Viola hederacea forma B		Violaceae	S r						IX&VIII-39
Viola sieberiana		Violaceae	R		persistent soil				IXb-2; IXb-4
Vittadinia blacki		Asteraceae	R					9CE	
Vittadinia condyloides	Vittadinia sp. B	Asteraceae	R					9CE	
Vittadinia cuneata		Asteraceae	R			a-wind			IX-11; IX-79
Vittadinia hispidula		Asteraceae	R		persistent soil	wind			IXb-49; VIII-74?
Vittadinia pterochaeta		Asteraceae	S					8CE	
Vittadinia tenuissima		Asteraceae	S					8CN	VIII-R41
Vulpia bromoides		Poaceae	S					8C 8W 8P	VIII-38d
Vulpia myuros		Poaceae	S					8C 8W 8WA	
Wahlenbergia ceracea		Campanulaceae	R						IV-58
Wahlenbergia communis		Campanulaceae	S r		persistent soil	wind		2F 8I	IX-11; Vb-38b; VIII-39
Wahlenbergia gloriosa		Campanulaceae	R						IV-58; IX-R35
Wahlenbergia gracilenta		Campanulaceae	S		persistent soil		heat & smoke	8C 8W 8HO 2E 8WA	II-38c&d; VIII-79
Wahlenbergia gracilis	Wahlenbergia quadrifida	Campanulaceae	R s				heat & smoke	9M 8BB?	Vb-38c; VIII-38d; II-105
Wahlenbergia graniticola		Campanulaceae	R			wind?		9BB	VIII-74?
Wahlenbergia luteola		Campanulaceae	R						IX-11; VIII-74?; IX-R35
Wahlenbergia multicaulis	Wahlenbergia simplicicaulis, Wahlenbergia tadgellii	Campanulaceae	R						IV-58; IX-R35
Wahlenbergia stricta subsp. stricta		Campanulaceae	S r		persistent soil			8W 2E 8WA	Vb-38c; IX-67
Waitzia acuminata		Asteraceae	S					8C	
Waitzia citrina		Asteraceae	S		persistent soil			3WJ 8BA 2BU	
Westringia davidii		Lamiaceae	S		persistent soil		a-heat		VIII-R15?; II-R35
Westringia fruticosa	Westringia rosmariniformis	Lamiaceae	R				a-heat	9I	IX-39; IX-70
Westringia kydrensis		Lamiaceae	S		persistent soil		a-heat		II-R35
Westringia lucida		Lamiaceae	S				a-heat	8CN	VIII-77
Westringia rigida		Lamiaceae	S				a-heat	8C	

Viola hederacea	GT	1	3	1	<1		25		NC CC SC NT CT ST CWS		Spring-Summer
Viola hederacea forma B	G	1	4						NC CC		Spring-Summer
Viola sieberiana	VGI	2	1				70		CC SC NT CT ST		Spring-Summer
Vittadinia blacki	V	4	4						SWP SFWP	W Mallee	all year
Vittadinia condyloides	V	4	4						CWS SWS NWP SWP SFWP	W Mallee	Spring
Vittadinia cuneata	A	5	5		<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP	OF W	all year
Vittadinia hispidula	A	5	5	<1					NC CC SC NT CT	SF	all year
Vittadinia pterochaeta	A	5	5						NWS CWS NWP SWP NFWP SFWP	W S Plains	Autumn-Spring
Vittadinia tenuissima	G	1	4						NC CC SC NT CWS		Spring
Vulpia bromoides	E	5	5	1					Exotic		
Vulpia myuros	E	5	5						Exotic		
Wahlenbergia ceracea	VT	3	3	1			>15		NT CT ST	Swamp G montane W subalpine-W	Summer
Wahlenbergia communis	GI	1	1	<1	0.5				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	W G	all year
Wahlenbergia gloriosa	VT	3	3	1			>15		ST	W Herbfield G	Summer
Wahlenbergia gracilenta	A	5	5	1					SC ST NWS CWS SWS NWP SWP NFWP SFWP		Winter-Summer
Wahlenbergia gracilis	UT	3	3	1	0.5				NC CC SC NT CT ST NWS CWS SWS NWP SWP LHI	F	all year
Wahlenbergia graniticola	V	4	4						NT CT ST NWS CWS SWS NWP SWP NFWP	W S	all year
Wahlenbergia luteola	UT	3	3		0.5				CC NT CT ST NWS CWS SWS NWP SWP SFWP	W G	
Wahlenbergia multicaulis	VT	3	3	1			>15	TSC Endangered Population (Auburn, Bankstown, Strathfield, Cantebury LGA)	CC SC NT CT ST SWS SWP	F W G	all year
Wahlenbergia stricta subsp. stricta	G	1	4	1					NC CC SC NT CT ST NWS CWS SWS NWP SFWP	F W S H	all year
Waitzia acuminata	A	5	5						NWP SWP NFWP SFWP	Mallee W	Spring
Waitzia citrina	A	5	5						NWP	OS	Spring
Westringia davidii	ST	3	3				90	TSC V, ESP V, Rotap 2V	SC	W Sedgeland	all year
Westringia fruticosa	VSI	2	1						NC CC SC NT CT	S OF G	all year
Westringia kydrensis	SI	2	1					TSC E, ESP E, Rotap 2KC-	ST	H	Autumn
Westringia lucida	SI	2	1					Rotap 3RC-	ST	subalpine-W alpine H	Summer
Westringia rigida	SI	2	1						NWS CWS NWP SWP SFWP	Mallee W DSF	Spring

Wilkiea huegeliana		Monimiaceae	S R	Possibly killed after high intensity		a-vertebrate		8BD 9BD	
Woollsia pungens		Epacridaceae	S r		persistent soil		smoke, heat-sensitive	2S 5F 9B 8I 8BE 2BW 2BB	II-8; VIII&IX-39; II-46; II-49; II-66
Wurmbea biglandulosa		Colchicaceae	R					9CE	
Wurmbea dioica subsp. dioica	Anguillaria dioica	Colchicaceae	R					11C	XI-40
Xanthium strumarium		Asteraceae	S					8BX	
Xanthorrhoea arborea		Xanthorrhoeaceae	R		transient				IXd-49
Xanthorrhoea australis		Xanthorrhoeaceae	R		transient			7F 9VE 9WO 9I 9E 11CH	IX-10; IXd-33; VII-38c; IX-46; XI-78
Xanthorrhoea concava		Xanthorrhoeaceae	R						VII-105; IX-R35
Xanthorrhoea fulva		Xanthorrhoeaceae	R		transient			9BW	VIId-8; IX-39
Xanthorrhoea glauca		Xanthorrhoeaceae	R		transient				VIId-8
Xanthorrhoea glauca subsp. glauca		Xanthorrhoeaceae	R						IX-74; IX-100
Xanthorrhoea johnsonii		Xanthorrhoeaceae	R		transient			7SA 9BW	IXd-5; IX-100
Xanthorrhoea latifolia subsp. latifolia		Xanthorrhoeaceae	R						IX-39
Xanthorrhoea macronema		Xanthorrhoeaceae	R						IX-39
Xanthorrhoea malacophylla		Xanthorrhoeaceae	R						IX-74
Xanthorrhoea media		Xanthorrhoeaceae	R		transient			7S	IX-39; IXd-49; VII-52
Xanthorrhoea mino		Xanthorrhoeaceae	R					7WO 11MO 9BN	IX-10; IX-39; XI-83
Xanthorrhoea resinifera	Xanthorrhoea resinosa	Xanthorrhoeaceae	R		transient		heat-sensitive	7F 7S 9I 5K 9KE	IXd-2; IXd-49; VII-52; VII-105
Xanthosia atkinsoniana		Apiaceae	R			a-ant		5BM 9T 9BL 9BU	
Xanthosia dissecta		Apiaceae	R		persistent soil	a-ant		5BM 9KE 9M	IXb-2
Xanthosia pilosa	Xanthosia vestita	Apiaceae	S r		persistent soil	a-ant		2BW 8M 8I 5BM 8BM	Vb-8; IVc-38b; VIII&IX-39; IV-105
Xanthosia tridentata		Apiaceae	S r		persistent soil	a-ant		8M 8BE 2K 2BM 8KE	II-2; II-4; Vc-38b; VIII-52
Xylomelum pyriforme		Proteaceae	R		canopy	wind		6F 9B	IV&V&VI-1a; IX-39; IXa-49; V-52
Xyris bracteata	Xyris gracilis subsp. laxa	Xyridaceae	R						IV-105
Xyris gracilis		Xyridaceae	R		persistent soil			5K	IXb-2; V-52
Xyris juncea		Xyridaceae	R		persistent soil			5K 9BW 9KE	IXb-2; Vb-8
Xyris operculata		Xyridaceae	R		persistent soil			9BW 9KE	IXb-2; IXb-5; IXb-8; IX-59; V-105
Xyris ustulata		Xyridaceae	R		persistent soil			9KE	IXb-2; IX-39

Wilkiea huegeliana	D	4	4				60		NC CC SC NT	RF WSF	Summer
Woollsia pungens	GI	1	1	3-5			30		NC CC SC CT ST	H OF	all year
Wurmbea biglandulosa	V	4	4						NC CC SC NT ST NWS CWS SWS NWP	F	Spring
Wurmbea dioica subsp. dioica	VR	2	3		<1				NC CC SC NT CT ST NWS CWS SWS NWP SWP NFWP SFWP	F W	Spring
Xanthium strumarium	E	5	5						Exotic		
Xanthorrhoea arborea	VC	4	4						CC CT	SF	Summer-Autumn
Xanthorrhoea australis	UCT	3	3	50	1		300		SC ST	SF	Winter-Spring
Xanthorrhoea concava	UI	2	1		<2				CC SC CT ST		Spring-Summer
Xanthorrhoea fulva	UCI	2	1		<2				NC CC		Spring
Xanthorrhoea glauca	UC	4	4		<2				NC NT CT ST NWS CWS SWS NWP SWP		
Xanthorrhoea glauca subsp. glauca	V	4	4						NC NT NWS		Winter-Spring
Xanthorrhoea johnsonii	UCI	2	1		<2		250		NC CC NT NWS CWS NWP	SF H	Autumn-Spring
Xanthorrhoea latifolia subsp. latifolia	V	4	4						NC CC	SF	Autumn-Spring
Xanthorrhoea macronema	V	4	4						NC CC	SF	Winter-Summer
Xanthorrhoea malacophylla	V	4	4						NC CC	WSF RF	Winter-Spring
Xanthorrhoea media	UC	4	4		0.5				CC CT	SF	Spring-Summer
Xanthorrhoea mino	UR	2	3		1					H Swamp	
Xanthorrhoea resinifera	UCI	2	1	30	<2		250		CC SC CT	H LW	Spring
Xanthosia atkinsoniana	V	4	4						NC CC SC NT CT ST CWS	H W DSF	Spring-Summer
Xanthosia dissecta	UGI	2	1	6	1		35		NC CC SC CT ST	H Swamp	Spring-Summer
Xanthosia pilosa	DI	2	2	5			35		NC CC SC NT CT ST	H DSF	Spring-Summer
Xanthosia tridentata	DI	2	2	5-6			35		NC CC SC CT ST	H S W	Winter
Xylomelum pyriforme	VC	4	4	20					NC CC CT	OF	Spring
Xyris bracteata	V	4	4						NC CC SC CT ST	H Swamp	Spring-Summer
Xyris gracilis	UGI	2	1		0.5		110		NC CC SC NT CT ST	H	Spring-Summer
Xyris juncea	UGI	2	1		<2		110		NC CC SC CT	H	Spring-Summer
Xyris operculata	UGI	2	1		<2		110		NC CC SC NT CT ST		Spring-Summer
Xyris ustulata	UGI	2	1		<2		110		CC SC CT	Swamp	Spring-Summer

Zieria adenodonta	Zieria granulata var. adenodonta, Zieria sp. B	Rutaceae	S		persistent soil	explosive capsule			II-89
Zieria aspalathoides		Rutaceae	S R		persistent soil	explosive capsule		9CE	II-100
Zieria buxijugum	Zieria sp. G	Rutaceae	S		persistent soil	explosive capsule			II-R35
Zieria citriodora	Zieria sp. D	Rutaceae	S		persistent soil	explosive capsule			II-R36
Zieria cytisoides	Zieria cytisoides subsp. A	Rutaceae	R			explosive capsule		9CE	IX-100?
Zieria floydii	Zieria sp. L	Rutaceae	S			explosive capsule			VIII-74
Zieria formosa	Zieria sp. H	Rutaceae	S		persistent soil	explosive capsule			II-R37
Zieria fraseri subsp. compacta	Zieria fraseri subsp. B, Zieria fraseri subsp. B	Rutaceae	S		persistent soil	explosive capsule			II-R38
Zieria involucrata		Rutaceae	S		persistent soil	explosive capsule	heat		II-66; II-71?
Zieria laevigata	Zieria laevigata subsp. A	Rutaceae	S r		persistent soil	explosive capsule	heat	9BW 2K	II-4; IXb-6; II-6; II-8; II-46; II-49; II-66; II-100
Zieria lasiocaulis	Zieria sp. N	Rutaceae	S	May be able to survive low intensity fire	persistent soil	explosive capsule & ant?			II-R13; II-R36
Zieria laxiflora	Zieria laevigata subsp. B, Zieria laevigata subsp. laxiflora	Rutaceae	R			explosive capsule		9B	IX-39
Zieria murphyi		Rutaceae	S		persistent soil	explosive capsule			II-49
Zieria parrisiae	Zieria sp. I	Rutaceae	S		persistent soil	explosive capsule			II-R39
Zieria pilosa		Rutaceae	S R		persistent soil	explosive capsule		5S	VIII&IX-39; II-66
Zieria prostrata	Zieria sp. Q	Rutaceae	S		persistent soil	explosive capsule			II-R16
Zieria robusta		Rutaceae	R			explosive capsule		9CE	
Zieria smithii	Zieria smithii subsp. A, Zieria smithii subsp. B, Zieria smithii subsp. tomentosa	Rutaceae	S r		persistent soil	explosive capsule		9CE	VIII-39; II-49; II-66
Zornia dyctiocarpa var. dyctiocarpa		Fabaceae: Faboideae	S R		persistent soil		a-heat		VIII-95a; IXb-R35

Zieria adenodonta	G	1	4	6				TSC E, 2RC-t	NC		Winter-Spring
Zieria aspalathoides	G	1	4						CC NT CT NWS CWS SWS SWP	H DSF	Winter-Spring
Zieria buxijugum	GI	1	1				40	TSC E, ESP E, Rotap 2E	SC	H DSF	Spring
Zieria citriodora	GI	1	1					TSC V, ESP V, Rotap 3VC-	ST	LW	Winter-Summer
Zieria cytisoides	V	4	4						NC CC SC NT CT ST NWS CWS SWS NWP	DSF W H	Winter-Spring
Zieria floydii	G	1	4					TSC E, ESP E, 2RC-t	NC	RF-margins	Spring
Zieria formosa	GI	1	1				40	TSC E, ESP E, Rotap 2E	SC	H	Spring
Zieria fraseri subsp. compacta	GI	1	1						NC CC SC NT CT NWS CWS	DSF	Spring
Zieria involucrata	GI	1	1	2-5		10-15	26	TSC V, ESP V, Rotap 2VCa	CC CT	WSF	Spring
Zieria laevigata	GI	1	1	4-5			35		NC CC SC NT CT NWS	H DSF	Winter-Spring
Zieria lasiocaulis	GI	1	1	4			40	TSC E, ESP E, 2V	NC NT	RF (CT, WT) TOF	Spring
Zieria laxiflora	V	4	4						NC CC	H Swamp	Winter-Spring
Zieria murphyi	G	1	4					TSC V, ESP V, Rotap 2VC-	CT	DSF	Spring
Zieria parrisiae	GI	1	1				>60	TSC E, ESP E, 2E	SC	H	Spring
Zieria pilosa	G	1	4						NC CC SC CT	DSF WSF H	Spring-Summer
Zieria prostrata	GI	1	1					TSC E, ESP E, 2E	NC	H	Spring
Zieria robusta	V	4	4						CT NWS CWS	H	Spring-Summer
Zieria smithii	G	1	4					TSC Endangered Population (low growing form, Diggers Head)	NC CC SC NT CT ST CWS	DSF	Spring
Zornia dyctiocarpa var. dyctiocarpa	SI	2	1		<2				NC CC SC NT CT ST NWS CWS NWP	G OF	

Zygophyllum ammophilum		Zygophyllaceae	S					8C	
Zygophyllum crenatum		Zygophyllaceae	S					8CE	
Zygophyllum glaucum		Zygophyllaceae	S					8C	

Zygophyllum ammophilum	A	5	5						NWP SWP NFWP SFWP	Swamp Mallee	Spring
Zygophyllum crenatum	A	5	5						SWP NFWP SFWP	Saltbush	Spring
Zygophyllum glaucum	A	5	5						NWS CWS SWS NWP SWP SFWP	Mallee	Winter-Spring