





PC No.	A	B	MATL	FINISH	WIDTH	LENGTH	THK	WEIGHT	HARDTOOL
I2-6010-01	1.22	0.63	I6GACR	ANSI6I	2.26	I9.00	0.060	0.73	LARSEN T-20803
I2-6010-02	2.47	1.22	I6GACR	ANSI6I	3.51	I9.00	0.060	1.14	LARSEN T-20803
I2-6010-03	4.97	2.48	I6GACR	ANSI6I	6.01	I9.00	0.060	1.95	LARSEN T-20803
I2-6010-04	7.47	2.48	I6GACR	ANSI6I	8.51	I9.00	0.060	2.75	LARSEN T-20803
I2-6010-05	9.97	2.48	I6GACR	ANSI6I	11.01	I9.00	0.060	3.56	LARSEN T-20803
I2-6010-06	12.47	2.48	I6GACR	ANSI6I	13.51	I9.00	0.060	4.37	
I2-6010-07	14.97	2.48	I6GACR	ANSI6I	16.01	I9.00	0.060	5.18	
I2-6010-08	3.72	1.22	I6GACR	ANSI6I	4.76	I9.00	0.060	1.54	LARSEN T-20803
I2-6010-09	6.22	2.48	I6GACR	ANSI6I	7.26	I9.00	0.060	2.35	
I2-6010-10	8.72	2.48	I6GACR	ANSI6I	9.76	I9.00	0.060	3.16	
I2-6010-11	11.22	2.48	I6GACR	ANSI6I	12.26	I9.00	0.060	3.97	
I2-6010-12	16.22	3.73	I6GACR	ANSI6I	17.26	I9.00	0.060	5.59	
I2-6010-13	17.47	3.73	I6GACR	ANSI6I	18.51	I9.00	0.060	5.99	▲
I2-6010-14	19.97	3.73	I6GACR	ANSI6I	21.01	I9.00	0.060	6.80	▲
I2-6010-15	22.47	3.73	I6GACR	ANSI6I	23.51	I9.00	0.060	7.61	▲
I2-6010-16	29.97	4.98	I6GACR	ANSI6I	31.01	I9.00	0.060	10.04	▲

FOR USE BY SIEMENS INTERNAL MANUFACTURING ONLY



- NOTES:
- I6GA STEEL SHEET MATERIAL PER SIEMENS IS-6903-02 AND IS-I60I.
 - MATERIAL AND FINISH (IF APPLICABLE) MUST BE RoHS COMPLIANT PER SIEMENS DIRECTIVE (LATEST RELEASE).
 - " ▲ " INDICATES DRAWING CHANGES SINCE LAST REVISION.
 - INSIDE BEND RADIUS, FLAT PATTERN "LENGTH" AND "WIDTH" ARE BASED UPON TOOLING USED IN SIEMENS IS-I610.
 - BURRS TO BE 8% OF MATERIAL THICKNESS MAX. ALL TABS ARE TO BE REMOVED FOR PARTS MADE ON TURRET PRESSES.
 - ANSI 6I FINISH PER IS-I900 (GENERAL)
 - OPTIONAL: I2-6010-xxH (PURCHASE UNFINISHED)

STRETCH BEND DISTORTION
DUE TO FORMING ALLOWED
NO TEARING OF MATERIAL ALLOWED




DESIGN CONTROL FOR THIS DOCUMENT MUST BE THROUGH SI EP NA R&D SYST PANELBOARD / SWITCHBOARD PRODUCT DEVELOPMENT ENGINEERING OR SUCCESSOR.

Revisions:	Tolerances: .XX ± .030 .XXX ± .015 Angular ± 2°	Confidential - property of Siemens Industry, Inc. Norcross, GA	BLANK FILLER PLATE NEUTRAL				Dwg No 12-6010		Rev 11
IE-454D 4-15-22	Units are in inches.		Dwn: MEC	01-03-83	Chk: JAJ	05-03-93	Apvd: AW	05-15-93	Sht 1 of 1

12-6010 Filler Blank Plate Plant Inspection

1. Check for packaging/shipping damage
2. Check for rust in the material
3. Check A dimension, use tape measure
4. Check 16 ga - .054-.066" thick per 1S-1601, use caliper




NOTE: Dimensions and tolerances
per the drawing

Part Number(s)	Revision Date	Quality Approval
12-6010-01	4/6/2020	Todd Shell
12-6010-02	4/6/2020	Todd Shell
12-6010-03	4/6/2020	Todd Shell
12-6010-04	4/6/2020	Todd Shell
12-6010-05	4/6/2020	Todd Shell
12-6010-06	4/6/2020	Todd Shell
12-6010-07	4/6/2020	Todd Shell
12-6010-08	4/6/2020	Todd Shell
12-6010-09	4/6/2020	Todd Shell
12-6010-10	4/6/2020	Todd Shell
12-6010-11	4/6/2020	Todd Shell
12-6010-12	4/6/2020	Todd Shell


12-6010 Cover Plant Inspection

5. Part capable of being powder coat painted without defects showing through the paint – common examples of unacceptable below

a. No deep scratches (show through powder coat)



b. No excessive amounts of oil



Part Number(s)	Revision Date	Quality Approval
12-6010-01	4/6/2020	Todd Shell
12-6010-02	4/6/2020	Todd Shell
12-6010-03	4/6/2020	Todd Shell
12-6010-04	4/6/2020	Todd Shell
12-6010-05	4/6/2020	Todd Shell
12-6010-06	4/6/2020	Todd Shell
12-6010-07	4/6/2020	Todd Shell
12-6010-08	4/6/2020	Todd Shell
12-6010-09	4/6/2020	Todd Shell
12-6010-10	4/6/2020	Todd Shell
12-6010-11	4/6/2020	Todd Shell
12-6010-12	4/6/2020	Todd Shell

12-6010 Cover Plant Inspection

c. No rust present




d. No dents or gouges



Part Number(s)	Revision Date	Quality Approval
12-6010-01	4/6/2020	Todd Shell
12-6010-02	4/6/2020	Todd Shell
12-6010-03	4/6/2020	Todd Shell
12-6010-04	4/6/2020	Todd Shell
12-6010-05	4/6/2020	Todd Shell
12-6010-06	4/6/2020	Todd Shell
12-6010-07	4/6/2020	Todd Shell
12-6010-08	4/6/2020	Todd Shell
12-6010-09	4/6/2020	Todd Shell
12-6010-10	4/6/2020	Todd Shell
12-6010-11	4/6/2020	Todd Shell
12-6010-12	4/6/2020	Todd Shell

12-6010 Cover Plant Inspection

e. No bends/brakes at an unspecified location per drawing



Part Number(s)	Revision Date	Quality Approval
12-6010-01	4/6/2020	Todd Shell
12-6010-02	4/6/2020	Todd Shell
12-6010-03	4/6/2020	Todd Shell
12-6010-04	4/6/2020	Todd Shell
12-6010-05	4/6/2020	Todd Shell
12-6010-06	4/6/2020	Todd Shell
12-6010-07	4/6/2020	Todd Shell
12-6010-08	4/6/2020	Todd Shell
12-6010-09	4/6/2020	Todd Shell
12-6010-10	4/6/2020	Todd Shell
12-6010-11	4/6/2020	Todd Shell
12-6010-12	4/6/2020	Todd Shell

12-6010 Cover Plant Inspection

f. No pitting in the steel



g. No waviness in the steel



6. IF provided painted,
paint quality acceptable per
Grand Prairie internal paint standard

Part Number(s)	Revision Date	Quality Approval
12-6010-01	4/6/2020	Todd Shell
12-6010-02	4/6/2020	Todd Shell
12-6010-03	4/6/2020	Todd Shell
12-6010-04	4/6/2020	Todd Shell
12-6010-05	4/6/2020	Todd Shell
12-6010-06	4/6/2020	Todd Shell
12-6010-07	4/6/2020	Todd Shell
12-6010-08	4/6/2020	Todd Shell
12-6010-09	4/6/2020	Todd Shell
12-6010-10	4/6/2020	Todd Shell
12-6010-11	4/6/2020	Todd Shell
12-6010-12	4/6/2020	Todd Shell