



PC No.	A	B	MATL	FINISH	WIDTH	LENGTH	THK	WEIGHT	REFERENCE	HARDTOOL
I2-D-609I-0I	IO.8I	IO.I25	I6GACR	ANSI6I	I2.09	3I.22	0.060	6.43	I4"W	
I2-D-609I-02	I4.8I	I4.I25	I6GACR	ANSI6I	I6.09	3I.22	0.060	8.56	I8"W	
I2-D-609I-03	I6.8I	I6.I25	I6GACR	ANSI6I	I8.09	3I.22	0.060	9.62	20"W	
I2-D-609I-04	2I.8I	2I.I25	I6GACR	ANSI6I	23.09	3I.22	0.060	I2.28	25"W	
I2-D-609I-05	22.8I	22.I25	I6GACR	ANSI6I	24.09	3I.22	0.060	I2.82	26"W	
I2-D-609I-06	28.8I	28.I25	I6GACR	ANSI6I	30.09	3I.22	0.060	I6.0I	32"W	LARSEN T-2080I
I2-D-609I-07	3I.8I	3I.I25	I6GACR	ANSI6I	33.09	3I.22	0.060	I7.60	35"W	
I2-D-609I-08	34.8I	34.I25	I6GACR	ANSI6I	36.09	3I.22	0.060	I9.20	38"W	LARSEN T-2080I
I2-D-609I-09	36.8I	36.I25	I6GACR	ANSI6I	38.09	3I.22	0.060	20.26	40"W	
▲			FOR USE BY SIEMENS INTERNAL MANUFACTURING ONLY						▲	

- ▲ NOTES:
- I6GA STEEL SHEET MATERIAL PER SIEMENS IS-6903-02 AND IS-I60I.
 - MATERIAL AND FINISH (IF APPLICABLE) MUST BE RoHS COMPLIANT PER SIEMENS DIRECTIVE (LATEST RELEASE).
 - " ▲ " INDICATES DRAWING CHANGES SINCE LAST REVISION.
 - INSIDE BEND RADII, FLAT PATTERN "LENGTH" AND "WIDTH" ARE BASED UPON TOOLING USED IN SIEMENS IS-I6IO.
 - BURRS TO BE 8% OF MATERIAL THICKNESS MAX. ALL TABS ARE TO BE REMOVED FOR PARTS MADE ON TURRET PRESSES.
 - OPTIONAL: I2-D-609I-XXH (PURCHASE UNFINISHED)




DESIGN CONTROL FOR THIS DOCUMENT MUST BE THROUGH SII EM LP PMU R&D SYST WITH SWITCHBOARD PRODUCT DEVELOPMENT ENGINEERING OR SUCCESSOR.

Revisions:	Tolerances: .XX ± .030 .XXX ± .015 Angular ± 2°	Confidential - property of Siemens Industry, Inc. Norcross, GA	30.00" COVER I6GACR				Dwg No I2-D-609I		Rev 0I
IE-350A 3-I-I8	Units are in inches.		Dwn: JW	4/II/00	Chk: RHR	4/II/00	Apvd: JAJ	4/II/00	Sht I of I

12-D-6091 Cover Plant Inspection

1. Check for packaging/shipping damage
2. Check for rust in the material
3. Check A dimension, use tape measure
4. Check 16 ga - .054-.066" thick per 1S-1601, use caliper




NOTE: Tolerances and dimensions per the drawing

12-D-6091-01	4/6/2020	Todd Shell
12-D-6091-02	4/6/2020	Todd Shell
12-D-6091-03	4/6/2020	Todd Shell
12-D-6091-04	4/6/2020	Todd Shell
12-D-6091-05	4/6/2020	Todd Shell
12-D-6091-06	4/6/2020	Todd Shell
12-D-6091-07	4/6/2020	Todd Shell
12-D-6091-08	4/6/2020	Todd Shell
12-D-6091-09	4/6/2020	Todd Shell


12-D-6091 Cover Plant Inspection

5. Part capable of being powder coat painted without defects showing through the paint – common examples of unacceptable below

a. No deep scratches (show through powder coat)



b. No excessive amounts of oil



12-D-6091-01	4/6/2020	Todd Shell
12-D-6091-02	4/6/2020	Todd Shell
12-D-6091-03	4/6/2020	Todd Shell
12-D-6091-04	4/6/2020	Todd Shell
12-D-6091-05	4/6/2020	Todd Shell
12-D-6091-06	4/6/2020	Todd Shell
12-D-6091-07	4/6/2020	Todd Shell
12-D-6091-08	4/6/2020	Todd Shell
12-D-6091-09	4/6/2020	Todd Shell

12-D-6091 Cover Plant Inspection

c. No rust present




d. No dents or gouges



12-D-6091-01	4/6/2020	Todd Shell
12-D-6091-02	4/6/2020	Todd Shell
12-D-6091-03	4/6/2020	Todd Shell
12-D-6091-04	4/6/2020	Todd Shell
12-D-6091-05	4/6/2020	Todd Shell
12-D-6091-06	4/6/2020	Todd Shell
12-D-6091-07	4/6/2020	Todd Shell
12-D-6091-08	4/6/2020	Todd Shell
12-D-6091-09	4/6/2020	Todd Shell

12-D-6091 Cover Plant Inspection

e. No bends/brakes at an unspecified location per drawing



12-D-6091-01	4/6/2020	Todd Shell
12-D-6091-02	4/6/2020	Todd Shell
12-D-6091-03	4/6/2020	Todd Shell
12-D-6091-04	4/6/2020	Todd Shell
12-D-6091-05	4/6/2020	Todd Shell
12-D-6091-06	4/6/2020	Todd Shell
12-D-6091-07	4/6/2020	Todd Shell
12-D-6091-08	4/6/2020	Todd Shell
12-D-6091-09	4/6/2020	Todd Shell

12-D-6091 Cover Plant Inspection

f. No pitting in the steel



g. No waviness in the steel



6. IF provided painted,
paint quality acceptable per
Grand Prairie internal paint standard

12-D-6091-01	4/6/2020	Todd Shell
12-D-6091-02	4/6/2020	Todd Shell
12-D-6091-03	4/6/2020	Todd Shell
12-D-6091-04	4/6/2020	Todd Shell
12-D-6091-05	4/6/2020	Todd Shell
12-D-6091-06	4/6/2020	Todd Shell
12-D-6091-07	4/6/2020	Todd Shell
12-D-6091-08	4/6/2020	Todd Shell
12-D-6091-09	4/6/2020	Todd Shell