

Perspectives on the merits of cubic silver antimony sulfide-selenide thin films for solar cells

This manuscript ([permalink](#)) was automatically generated from [jesuscapistran/mymanuscript@38512c2](#) on January 7, 2022.

Authors

- **Jesús Capistrán-Martínez**

 [0000-0001-8555-5440](#) ·  [jesuscapistran](#) ·  [capis](#)

Renewable Energy Institute - UNAM · Funded by Grant XXXXXXXX

- **Roman Romano Trujillo**

 [0000-0001-8824-025X](#)

Centro de Investigaciones en Dispositivos Semiconductores - BUAP · Funded by Grant XXXXXXXX

Abstract

The following text use **Semantic Linefeeds** as shown by Brandon Rhodes in the following link:
<https://rhodesmill.org/brandon/2012/one-sentence-per-line>

The thin film solar cells of $\text{CdS}/\text{AgSbS}_{1.3}\text{Se}_{0.7}$ presents a high fill factor of 0.64, open-circuit voltage of 537 mV, but a low short circuit current density of 2 mA/cm².

Introduction

The antimony chalcogenides are present in the development of thin-film solar cells, now we can observe thThe antimony chalcogenides are present in the development of thin-film solar cells, now we can observe thThe antimony chalcogenides are present in the development of thin-film solar cells, now we can observe The antimony chalcogenides are present in the development of thin-film solar cells, now we can observe thThe antimony chalcogenides are present in the development of thin-film solar cells, now we can observe thThe antimony chalcogenides are present in the development of thin-film solar cells, now we can observe thThe antimony chalcogenides are present in the development of thin-film solar cells, now we can observe

References
