


Exercício 20



é h admissível?


$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tenho que revisar cerradas

EJERCICIO 20



ABIERTOS

(I, $\emptyset$, 0, 100)

CERRADOS

¿Es h admisible?


$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerrados

EXERCÍCIO 20



ABERTOS

~~(I, ∅, 0, 100)~~

(A, I, 1, 27)

(B, I, 5, 20)

(C, I, 16, 30)

(D, I, 5, 22)

CERRADOS

(I, ∅, 0, 100)

¿Es h admissible?


$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerrados

EXERCÍCIO 20



ABERTOS

~~(I, ∅, 0, 100)~~

(A, I, 1, 27)

~~(B, I, 5, 20)~~

(C, I, 16, 30)

(D, I, 5, 22)

(C, B, 15, 30)

(E, B, 10, 10)

(F, B, 10, 12)

Rep

CERRADOS

(I, ∅, 0, 100)

(B, I, 5, 20)

¿Es h admissible?


$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerrados

EXERCÍCIO 20



ABERTOS

~~(I, ∅, 0, 100)~~

(A, I, 1, 27)

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

(D, I, 5, 22)

(C, B, 15, 30)

(E, B, 10, 10)

(F, B, 10, 12)

Rep

CERRADOS

(I, ∅, 0, 100)

(B, I, 5, 20)

¿Es h admissible?


$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerrados

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, $\emptyset$, 0, 100)~~

(A, I, 1, 27)

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

(D, I, 5, 22)

(C, B, 15, 30)

~~(E, B, 10, 10)~~

(F, B, 10, 12)

(G, E, 20, 10)


CERRADOS

(I, $\emptyset$, 0, 100)

(B, I, 5, 20)

(E, B, 10, 10)

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

(A, I, 1, 27)

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

(D, I, 5, 22)

(C, B, 15, 30)

~~(E, B, 10, 10)~~

~~(F, B, 10, 12)~~

(G, E, 20, 10)

(H, F, 20, 11)

CERRADOS


(I, ∅, 0, 100)

(B, I, 5, 20)

(E, B, 10, 10)

(F, B, 10, 12)

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

(A, I, 1, 27)

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

(C, B, 15, 30)

~~(E, B, 10, 10)~~

~~(F, B, 10, 12)~~

(G, E, 20, 10)

(H, F, 20, 11)

(J, D, 25, 20)

CERRADOS

(I, ∅, 0, 100)


(B, I, 5, 20)

(E, B, 10, 10)

(F, B, 10, 12) (F, D, 8, 12)

(D, I, 5, 22)

EJERCICIO 20



¿Es h admisible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, $\emptyset$, 0, 100)~~

(A, I, 1, 27)

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

(C, B, 15, 30)

~~(E, B, 10, 10)~~

~~(F, B, 10, 12)~~

(G, E, 20, 10)

(H, F, 20, 11)

(J, D, 25, 20)

CERRADOS

(I, $\emptyset$, 0, 100)

(B, I, 5, 20)


(E, B, 10, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)

(D, I, 5, 22)

[[¡PROPA GAR!]
[A los hijos de F]]

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

(A, I, 1, 27)

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

(C, B, 15, 30)

~~(E, B, 10, 10)~~

~~(F, B, 10, 12)~~

(G, E, 20, 10)

(H, F, 20, 11) - (H, F, 18, 11)

(J, D, 25, 20)

CERRADOS

(I, ∅, 0, 100)


(B, I, 5, 20)

(E, B, 10, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)

(D, I, 5, 22)

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 10, 10)~~

~~(F, B, 10, 12)~~

~~(G, E, 20, 10)~~

~~(H, F, 20, 11)~~ - (H, F, 18, 11)

(J, D, 25, 20)

CERRADOS

(I, ∅, 0, 100)

(B, I, 5, 20) (B, A, 2, 20)


(E, B, 10, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)

(D, I, 5, 22)

(A, I, 1, 27)

EJERCICIO 20



¿Es h admisible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, $\emptyset$, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 10, 10)~~

~~(F, B, 10, 12)~~

~~(G, E, 20, 10)~~

~~(H, F, 20, 11)~~

~~(J, D, 25, 20)~~

(C, B, 15, 30)

(E, B, 10, 10)

(F, B, 10, 12)

(G, E, 20, 10)

(H, F, 18, 11)

(J, D, 25, 20)

[[Revisar los hijos de B!!]]

CERRADOS

(I, $\emptyset$, 0, 100)

~~(B, I, 5, 20)~~ (B, A, 2, 20)


(E, B, 10, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)

(D, I, 5, 22)

(A, I, 1, 27)

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 15, 30)~~ → (C, B, 12, 30)

~~(E, B, 10, 10)~~

~~(F, B, 10, 12)~~

~~(G, E, 20, 10)~~

~~(H, F, 20, 11)~~ → (H, F, 18, 11)

~~(J, D, 25, 20)~~

CERRADOS

(I, ∅, 0, 100)

~~(B, I, 5, 20)~~ (B, A, 2, 20)


~~(E, B, 10, 10)~~ (E, B, 7, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)

(D, I, 5, 22)

(A, I, 1, 27)

EXERCÍCIO 20



¿Es h admisible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 10, 10)~~ → (C, B, 12, 30)

~~(F, B, 10, 12)~~

~~(G, E, 20, 10)~~

~~(H, F, 20, 11)~~ → (H, F, 18, 11)

(J, D, 25, 20)

CERRADOS

(I, ∅, 0, 100)

~~(B, I, 5, 20)~~ (B, A, 2, 20)

~~(E, B, 10, 10)~~ (E, B, 7, 10)


~~(F, B, 10, 12)~~ (F, D, 8, 12)

(D, I, 5, 22)

(A, I, 1, 27)

[revisar los hijos de E!!]

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 10, 10)~~ - (C, B, 12, 30)

~~(F, B, 10, 12)~~

~~(G, E, 20, 15)~~ - (G, E, 17, 15)

~~(H, F, 20, 11)~~ - (H, F, 18, 11)

(J, D, 25, 20)

CERRADOS

(I, ∅, 0, 100)

~~(B, I, 5, 20)~~ (B, A, 2, 20)


~~(E, B, 10, 10)~~ (E, B, 7, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)

(D, I, 5, 22)

(A, I, 1, 27)

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 10, 10)~~ → (C, B, 12, 30)

~~(F, B, 10, 12)~~

~~(G, E, 20, 15)~~

~~(H, F, 20, 11)~~ → (H, F, 18, 11)

~~(J, D, 25, 20)~~

CERRADOS

(I, ∅, 0, 100)

~~(B, I, 5, 20)~~ (B, A, 2, 20)

~~(E, B, 10, 10)~~ (E, B, 7, 10)


~~(F, B, 10, 12)~~ (F, D, 8, 12)

(D, I, 5, 22)

(A, I, 1, 27)

↓
(F, B, 7, 12)

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, $\emptyset$, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 10, 10)~~ - (C, B, 12, 30)

~~(F, B, 10, 12)~~

~~(G, E, 20, 15)~~ - (G, E, 17, 15)

~~(H, F, 20, 11)~~ - (H, F, 18, 11)

(J, D, 25, 20)

CERRADOS

(I, $\emptyset$, 0, 100)

~~(B, I, 5, 20)~~ (B, A, 2, 20)

~~(E, B, 10, 10)~~ (E, B, 7, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)


(D, I, 5, 22)

(A, I, 1, 27)

(F, B, 7, 12)

[revisar hijos de F!]

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 10, 10)~~ → (C, B, 12, 30)

~~(F, B, 10, 12)~~

~~(G, E, 20, 15)~~

~~(H, F, 20, 11)~~ → (H, F, 18, 11)

~~(J, D, 25, 20)~~

CERRADOS

(I, ∅, 0, 100)

~~(B, I, 5, 20)~~ (B, A, 2, 20)

~~(E, B, 10, 10)~~ (E, B, 7, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)


(D, I, 5, 22)

(A, I, 1, 27)

↓
(F, B, 7, 12)

FIN
REVISIÓN

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 10, 10)~~ → (C, B, 12, 30)

~~(F, B, 10, 12)~~

~~(G, E, 20, 15)~~

~~(H, F, 20, 11)~~ → (H, F, 18, 11)

~~(I, D, 25, 20)~~

~~(Z, H, 20, 0)~~

CERRADOS

(I, ∅, 0, 100)

~~(B, I, 5, 20)~~ (B, A, 2, 20)

~~(E, B, 10, 10)~~ (E, B, 7, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)


(D, I, 5, 22)

(A, I, 1, 27)

(H, F, 17, 11)

↓
(F, B, 7, 12)

EXERCÍCIO 20



¿Es h admissible?

$$h(x) \leq h^*(x)$$

coste real

NO $\left. \begin{array}{l} h(H) = 11 \\ h^*(H) = 3 \end{array} \right\}$

→ Tengo que revisar cerradas

ABIERTOS

~~(I, ∅, 0, 100)~~

~~(A, I, 1, 27)~~

~~(B, I, 5, 20)~~

~~(C, I, 16, 30)~~

~~(D, I, 5, 22)~~

~~(E, B, 10, 10)~~ → (C, B, 12, 30)

~~(F, B, 10, 12)~~

~~(G, E, 20, 15)~~

~~(H, F, 20, 11)~~ → (H, F, 18, 11)

~~(I, D, 25, 20)~~

~~(J, D, 20, 20)~~

~~(Z, H, 20, 0)~~

CERRADOS

(I, ∅, 0, 100)

~~(B, I, 5, 20)~~ (B, A, 2, 20)

~~(E, B, 10, 10)~~ (E, B, 7, 10)

~~(F, B, 10, 12)~~ (F, D, 8, 12)

(D, I, 5, 22)

(A, I, 1, 27)

(H, F, 17, 11)

(Z, H, 20, 0) FIN

↓
(F, B, 7, 12)

☺