



CLOTHING ORDERING SYSTEM – ER DIAGRAM (Database: newcrud)




FOREIGN KEY MAP	
Table	Foreign Key (References)
Cart	• clothes_id → cruud(id) • user_id → users(id)
orders	• user_id → users(id)


ADMIN USE CASES



CUSTOMER USE CASES



OTHER PAGES



LEGEND

- Entity (Table)
- Use Case
- Relationship
- PK Primary Key
- FK Foreign Key
- 1 One
- M Many

RELATIONSHIP SUMMARY

- cruud 1 —> Cart (Contains)
- cruud 1 —> orders (Ordered In)
- users 1 —> Cart (Added By)
- users 1 —> orders (Places)

TABLE SUMMARY (Database: newcrud)


TABLE NAME	ROW DETAILS	PRIMARY KEY	FOREIGN KEYS
Cart	id, clothes_id, name, price, image, qty, user_id	id	• clothes_id → cruud(id) • user_id → users(id)
cruud	id, name, image, price, clothes, category	id	–
orders	id, customer_name, produc_name, phone, address, total_price, payment_method, user_id, status	id	• user_id → users(id)
users	id, name, email, password, role	id	–

NOTES


- All primary keys are underlined.
- FK = Foreign Key.
- Cardinality (1:M) is shown on relationship lines.
- This is a conceptual ERD for the Clothing Ordering System.

CLOTHING ORDERING SYSTEM – DATA FLOW DIAGRAM (DFD)


LEVEL 0 DFD (Context Diagram)



LEVEL 1 DFD



LEGEND



DATA STORES (Database: newcrud)

D1	Users	(id, name, email, password, role)
D2	cruud	(id, name, image, price, clothes, category)
D3	Cart	(id, clothes_id, name, price, image, qty, user_id)
D4	Orders	(id, customer_name, produc_name, phone, address, total_price, payment_method, user_id, status)

PROCESS DESCRIPTION

1.0	User Management	- Register, Login, Update Profile
2.0	Product Management	- Add, Edit, Delete, View Products
3.0	Cart Management	- Add to Cart, Update Quantity, Remove
4.0	Order Management	- Checkout, Place Order, Cancel Order, View Orders

NOTES

- All data flows are shown in singular form.
- This is a Level 1 DFD.
- This DFD is based on database: newcrud.

CLOTHING ORDERING SYSTEM – DATABASE STRUCTURE (Database: newcrud)

1. users

Column Name	Data Type	Null	Key	Description
 id	INT(11)	NO	PK	Primary Key, Auto Increment
name	VARCHAR(100)	NO		User Full Name
email	VARCHAR(100)	NO	UNIQUE	User Email Address
password	VARCHAR(255)	NO		User Password
role	ENUM('admin','customer')	NO		User Role

2. cruud

Column Name	Data Type	Null	Key	Description
 id	INT(11)	NO	PK	Primary Key, Auto Increment
name	VARCHAR(150)	NO		Product Name
image	VARCHAR(255)	YES		Product Image
price	DECIMAL(10,2)	NO		Product Price
clothes	VARCHAR(150)	NO		Clothes Type
category	VARCHAR(100)	NO		Product Category

3. cart

Column Name	Data Type	Null	Key	Description
 id	INT(11)	NO	PK	Primary Key, Auto Increment
 clothes_id	INT(11)	NO	FK	Foreign Key → cruud(id)
name	VARCHAR(150)	NO		Product Name
price	DECIMAL(10,2)	NO		Product Price
image	VARCHAR(255)	YES		Product Image
qty	INT(11)	NO		Quantity
 user_id	INT(11)	NO	FK	Foreign Key → users(id)

4. orders

Column Name	Data Type	Null	Key	Description
 id	INT(11)	NO	PK	Primary Key, Auto Increment
customer_name	VARCHAR(150)	NO		Customer Name
produc_name	VARCHAR(150)	NO		Product Name
phone	VARCHAR(15)	NO		Customer Phone Number
address	TEXT	NO		Shipping Address
total_price	DECIMAL(10,2)	NO		Total Order Price
payment_method	VARCHAR(100)	NO		Payment Method
 user_id	INT(11)	NO	FK	Foreign Key → users(id)
status	VARCHAR(50)	NO		Order Status

Users manage products

User places many orders

Cart contains products

User has many cart items

LEGEND



Primary Key (PK)

FK

Foreign Key (FK)

UQ

Unique Key

NOT NULL

Not Null

NULL

Nullable

RELATIONSHIP SUMMARY

From Table	To Table	Relationship	Cardinality
cruud	cart	cruud.id → cart.clothes_id	1 : M
users	cart	users.id → cart.user_id	1 : M
users	orders	users.id → orders.user_id	1 : M
users	cruud	(Admin manages products)	1 : M

TABLE SUMMARY (Database: newcrud)

Table Name	Description	No. of Fields
users	Stores user information (admin / customer)	5
cruud	Stores product information	6
cart	Stores cart items for users	7
orders	Stores order and payment details	9

NOTES

- All primary keys are auto increment.
- FK = Foreign Key.
- Cardinality (1:M) is shown in relationship lines.
- This structure is based on database: newcrud.