HUST

ĐẠI HỌC BÁCH KHOA HÀ NỘI HANOI UNIVERSITY OF SCIENCE AND TECHNOLOGY

ONE LOVE. ONE FUTURE.



ĐẠI HỌC BÁCH KHOA HÀ NỘI HANOI UNIVERSITY OF SCIENCE AND TECHNOLOGY

Applied Algorithm Lab

CBUS

ONE LOVE. ONE FUTURE.

CBUS

- Find the best route for a bus serving some passengers
- There are n passengers. The passenger i travel from point i to i+nTransportation: a bus with capacity =k
- Input: n, k and the distance matrix c[1...2n][1...2n]
- Output: the minimum length for the bus



CBUS

• Example

stdin	stdout
3 2	25
0 8 5 1 10 5 9	
9 0 5 6 6 2 8	
2 2 0 3 8 7 2	
5 3 4 0 3 2 7	
9 6 8 7 0 9 10	
3 8 10 6 5 0 2	
3 4 4 5 2 2 0	



CBUS

- Idea to solve: backtracking and branch & bound, similar to TSP
 - An array x[1..2n] permutation of 1,...,2n representing the locations of our bus
 - Supporting variables:
 - Marking array: appear[1..2n]
 appear[v] = true means that v has appear in the route.
 - load: number of passengers in the bus
 - Programming:
 - Try(k): select value for x[k]
 - Branch and bound: similar to the solution of TSP





THANK YOU!