

1 Introduction

A retirement plan can be modeled as an amortization table in which there is a positive annuity during a certain period (namely, saving period) and a negative annuity during another period (namely, retirement period).

The whole idea is that the Principal (i.e. The total money in the account) compounds interest every year.

The amortization table can be built with the following equation:

$$P_{i+1} = P_i + I_i + a_i$$

Where:

- i : Any given consecutive year (1,2,3,...).
- P_i : The Principal in the account when the i 'th year starts.
- $I_i = P_i \cdot R_i$: Interest earned after period i 'th ends.
- R_i : The real returns for the year i .
- $a_i = \begin{cases} \geq 0 & \text{Deposit made to the account at the end of year } i, \text{ during saving period} \\ < 0 & \text{Withdrawal made from the account at the end of year } i, \text{ during retired period} \end{cases}$

Note that upon start at year $i = 1$, P_1 is a constant representing the initial money one puts in the account which can be any number such that $P_1 \geq 0$, therefore $P_0 = I_0 = 0$.

The timeline for the amortization table starts in year $i = 1$ and ends in year $i = y$, there will be a total of s years making deposits ($a_i \geq 0$) and r years making withdrawals ($a_i < 0$).

2 Retirement Scenario

A retirement scenario S is a projected amortization table per the above parameters, consisting of a set in the form: $S = \{(i, P_i) \mid P_i \forall i \in [1..y]\}$, where y is number of years in the scenario. This period of time can be modeled as $y = s + r$ where:

- s : The number of years in which $a_i \geq 0$ (i.e. the person is not withdrawing money). This period starts at the present day and ends the day the person retires (i.e. starts periodically withdrawing money from the account). For simplicity we will assume a_i is constant in real terms during the s years. (Note: a_i , could have a random nature assuming the person is not always able to save, though not considered in this analysis. For simplicity would assume A_i is constant during all s years.).
- r : The number of years in which $a_i < 0$ (i.e. the person is retired), noting that a person can withdraw money from the account only if there is enough money left. Therefore there is a year in which the person would become broke (denoted b), ideally not before the person dies.

For simulation purposes $a_i = 0$ for those years $r > b$.

As this is a projection into the future there are several sources of uncertainty:

1. I_i : Due to the volatility of markets and inflation the real returns r_i has a random nature, therefore the amount of interest earned on a year is also random. We can consider both R_i and I_i to be random variables with certain distribution.

For simplicity can consider R_i to be normally distributed.

2. s : Saving period is determined by the number of years a person can save money, this can only be estimated.
3. r : Retirement period is determined by the time a person dies or by the time is broke.
4. a_i : This is an estimation. A person cannot be sure whether would be able to make deposits during the whole s years. Also cannot be sure whether A_i would be enough during r years.

Interestingly in the retirement scenario, each pair (i, P_i) is a function of the above variables and the previous pair $(i - 1, P_{i-1})$. In the most simplistic form considering R_i the only source of randomness we have:

$$(i, P_i) = f(R_i, P_{i-1}, a_i)$$

Noting that R_i would be a random sample from R_i assumed distribution.

3 Monte Carlo Simulation

The Monte Carlo simulation will consist on generating a set M of $|M| = n$ randomized iterations of projection scenarios.

$$M = \{S_j \mid S_j \forall j \in [1..n]\}$$

$$S_j = \{(i, P_i) \mid P_i = P_{i-1} + I_{i-1} + a_{i-1}, \forall i \in [1..y]\}$$

4 Analysis of results

After the simulation is performed the set M can be used to perform the following analysis:

- Probability of being broke before certain year y , denoted as the event B_y .

$$B = \{b \in S_j \mid b < y, \forall j \in [1..n]\}$$

$$Pr[B_y] = \frac{|B|}{n}$$

Where b is the age in which the person is broke in each j 'th iteration.

- Distribution of P_i at certain year i . The population D would be given by:

$$D = \{P_i \mid P_i \in S_j, \forall j \in [1..n]\}$$

5 Further analysis

How much money can safely withdraw if retiring Today?

Assume you make annual withdraws a_i from the present day all the way to y , such that with that amount there is a certain probability $Pr[B_y]$ greater that certain confidence level.