Flask

```
uses Jinja2 template or React
```

```
├── Procfile
├── app.py
├── env
│   ├── bin
├── requirements.txt
├── static
│   └── css
│       └── main.css
└── templates
    ├── about.html
    ├── home.html
    ├── layout.html
    ├── post.html
    └── result.html
```

Setting Up Project Directory

```
#STEP 1
pip install virtualenv
#STEP 2
mkdir folder_name
cd folder_name
virtualenv env
source venv/bin/activate
pip freeze
pip install Flask
pip freeze
```

Creating Routes

```
from flask import Flask
import os
app = Flask(__name__)

@app.route("/")
def home():
    return render_template("home.html")
```

```
if __name__ = "__main__"
    port = int(os.environment.get("PORT", 5000))
    app.run(debug=True, host="0.0.0.0", port=port)
```

Create HTML Files

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Home</title>
  </head>

  <body>
    <h1>Welcome Home</h1>
  </body>
</html>
```

Inject Data to HTML by Jinja2 Template

```
#python
def home():
    name = "Jevon"
    return render_template("home.html", name)

#html
{{ name }}
```

Creating Layout

```
#layout.html
<body>
    <main>
        {% block content %} {% endblock %}
    </main>
</body>

#home.html
{% extends "layout.html" %}
{% block content%}

{% endblock %}
```

Request Methods

```
GET POST PUT DELETE
```

```
@app.route("/post", methods=["GET", "POST"])
def post():
    if request.method == "GET"
        code
    else:
        code
```