
JEV SEO AUDIT

rf-sonne.com

A live crawl of the site, checked by rules, judged by Jev, scored by code and explained in plain language.


29 October 2026 · 59 URLs crawled · 0 Jev judgments · Jev cost $0.0000



59
HTML pages analysed

10
actions found

1
critical or high



Partial audit: Jev judgments unavailable, so content quality was not assessed; PageSpeed Insights unavailable, so performance used crawl timings only. Scores are an internal rubric for prioritising work, not a prediction of rankings or traffic. Method, formulas and sources are in the appendix.

EXECUTIVE SUMMARY

What matters most on rf-sonne.com

rf-sonne.com scores 20 out of 100, grade F, and that number is a cap rather than a verdict on the work. All 59 crawled pages carry a noindex directive, so search engines are told to keep the whole site out of results. That is deliberate for a site that is still pre-launch, and it is the one setting that decides whether any other improvement pays off. Underneath the cap the measured areas are strong: on-page 96, links and architecture 100, structured data and sharing 99, AI search readiness 100, performance 97, security and trust 96, crawl and indexing 67.

Read this as a partial audit. Jev semantic judgments were unavailable, so content quality was not scored by machine; three reviewers read the saved pages by hand instead, and their judgments are labelled as such below. PageSpeed Insights returned a rate-limit error for both mobile and desktop, so performance came from crawl timings only. DataForSEO was not run, so there are no rankings, keyword or backlink numbers anywhere in this report. Two things matter most for the business. JEV-001 is the launch switch: until noindex is removed the site cannot appear in search at all. JEV-007 and JEV-008 are the only measured defects that are not consequences of that switch, and both live in the server response rather than in the content.

Four actions in the table describe one page six times over. The crawler reached /request-a-quote with query parameters such as ?topic=pim-verification and ?product=tma and counted each parameter as a separate URL. Those parameters are intentional: internal links on the base-station RF page use them to prefill the quote form. The canonical on every variant points back to /request-a-quote, which is the correct consolidation behaviour, so JEV-003, JEV-004, JEV-005 and JEV-010 are rule artefacts rather than defects. They stay in the action table for completeness and are called out here so nobody spends a week rewriting one page.

20/100	1	1	0%
overall score, grade F	fix-first actions	quick wins	Jev answers decisive

JEV-001 · P1 · rule

Pages excluded from search with noindex

Impact 100 · Hours · 59 pages

JEV-002 · P3 · rule

Sitemap lists URLs that redirect, fail or are noindex

Impact 26 · About a day · 40 pages

JEV-003 · P3 · rule

Canonical points to a different URL

Impact 19 · Hours · 6 pages

What works, what holds it back, what to do

What is working

- The crawl and the on-page basics are both clean: every page returned HTTP 200 with no broken internal links, no redirect chains, no soft 404s and no mixed content, and every page carries one h1, a title, a meta description, a language attribute, a viewport, no skipped heading levels, and images with alt text plus explicit dimensions.
- Crawler access is wide open where it matters. robots.txt allows Googlebot and Bingbot and all 10 AI crawlers checked, including GPTBot, OAI-SearchBot, ClaudeBot, Claude-SearchBot, PerplexityBot and Google-Extended, and llms.txt is present.
- The delivery layer measured well where it could be measured: static assets are served from the CDN with long cache lifetimes, most images are WebP, about half of the image references are lazy-loaded, and not one image is missing alt text or dimensions.
- The company is described consistently enough for readers and machines to attribute claims to it: Organization markup carries the name, an alternate name, the address, founding date, telephone, email and URL, and the page copy repeats the same facts. Structured data overall scored 99 with no parse errors.
- Reviewed by hand, the writing is honest and quotable: the technical guides open with a direct definition of the device, frequency ranges are given as explicit non-universal bands with 'confirmed per RFQ' where a value is not fixed, and no page invents certifications, customers or lead times.

What is holding the site back

- JEV-001, priority P1, impact 100: 59 pages carry noindex. Until that is removed the site is invisible to search, and every other item in this report waits behind it.
- JEV-002: 40 of the crawled sitemap URLs are not final indexable pages, which follows directly from JEV-001 and should be re-checked after launch rather than patched separately. A separate gap the rules did not flag was found and fixed during review: seven pages that are meant to be indexed were missing from every sitemap while returning 200, five product pages (antenna test systems, passive microwave components, RF front ends, switch matrices, TR modules) and the two newest Insights guides. The cause was the SEO plugin's on-disk sitemap cache, which held a snapshot from before those pages existed and does not invalidate when content is published over the REST API; the cache was invalidated and a theme hook now invalidates it on every publish, and the sitemaps were re-verified to list all of them. The six Insights topic archives stay out by design: they are noindex views of a taxonomy the site deliberately excludes.
- JEV-008 and JEV-007: the homepage response is missing x-content-type-options, referrer-policy and x-frame-options or CSP frame-ancestors, and it sends no Strict-Transport-Security header. These are hosting-layer settings, so they are quick to add and they do not depend on launch.
- JEV-009: Product markup on 13 pages has no offers, review or aggregateRating, so those pages are not eligible for product rich results. For a custom manufacturer with no published prices the honest choices are a real offer where one exists, or leaving the markup as it is and accepting no rich result; inventing prices or ratings would break Google's structured data guidelines. The same review found no Service markup on the six solution pages or the engineering pages, which is where a machine would look for what the company offers.
- Reviewed by hand rather than by rule: three of the eight Insights guides are not linked back from any product, solution or engineering page, and the six solution pages link only to the Insights index, so the path from a technical article to the part it supports is one-way or missing. The five core product pages also open with instructions such

as 'Select by structure, response and application' instead of a one-line definition of what the product is, which makes them harder for a reader or an answer engine to quote.

Plan

This week

- JEV-001 Fix the launch date and prepare the switch that removes sitewide noindex and reopens WordPress reading visibility (hours)
- JEV-007 Add Strict-Transport-Security at the hosting layer, for example via .htaccess header directives or a security plugin, and confirm it on the homepage response (hours)
- JEV-008 Add x-content-type-options, referrer-policy and x-frame-options or CSP frame-ancestors to the same response (hours)
- JEV-003 Confirm the six /request-a-quote parameter variants are the intended form-prefill links from the base-station page, and leave the canonical consolidation as it is (hours)

This month

- JEV-002 Re-check after launch that every sitemap URL resolves to a final indexable page; the missing-page gap behind this action was fixed during review by clearing the plugin sitemap cache and adding a publish hook (about a day)
- JEV-009 Decide the Product markup policy for the 13 pages: a real offer where one exists, or accept no product rich result, and write the decision down (hours)
- JEV-006 Measure the three slow pages with a keyed PageSpeed run once the site is public; the crawl shows a healthy median response and cached CDN assets, but every page also loads jQuery in the head plus two third-party script origins, so fix whatever the lab data names (several days)
- Add one declarative opening sentence to the five core product pages, and add backlinks from the matching product, solution and engineering pages to the three detached guides (about a day)

This quarter

- JEV-004 and JEV-010 Re-run the duplicate title and description checks after launch; on current evidence the pairs are one RFQ page reached with form-prefill parameters, so no rewrite is needed (hours)
- JEV-005 Re-run the duplicate main text check on the same pages and confirm one RFQ page is the only version indexed (about a day)
- Curate llms.txt into a short company brief plus a grouped page list with real summaries, and make the brand suffix consistent across Insights titles; both are editorial best practice, not ranking factors (about a day)
- Re-run this audit with Jev judgments and DataForSEO enabled after launch, so content quality and search visibility, both n/a here, get scored (several days)

After the launch switch, measure three things: the noindex count in Search Console coverage, the sitemap URLs that resolve to final indexable pages, and Core Web Vitals from real field data, which a pre-launch site cannot have yet. One note for the record: FAQ markup appears on most of the 59 pages, and Google limits FAQ rich results to government and health authorities, so the markup is harmless but will not produce rich results. This audit could not see content quality or search visibility by machine, so the 20 reflects the cap and the measured technical areas only.

Written by: Qoder agent, from the audit evidence and three reviewer passes.

HOW THIS AUDIT WAS MADE

A source finds, code decides, Jev judges, Claude writes

Each stage does only what it is good at. Anything a count, a status code or a string match can decide is decided by code. Jev, TypeSafe's System One model, answers narrow typed questions about meaning, with probabilities. Nothing is invented to fill a gap: missing data is shown as missing.

1 **Crawl**
Live fetch from the homepage: robots.txt, sitemaps, internal links, JavaScript rendering when needed.
59
URLs · 128 requests

›

2 **Rules**
52 deterministic checks tied to Google Search Central and web standards.
11
rule findings

›

3 **Jev judges**
Typed Choice, Score and Noul questions, batched per page, with probabilities kept.
0
judgments · 0 requests · $0.0000

›

4 **Measure**
PageSpeed Insights: real-user Core Web Vitals and Lighthouse lab scores.
0
PageSpeed runs


›

5 **Score and write**
Code scores and ranks every action; the narrative is written from the evidence.
10
ranked actions

Who decides what


STAGE	OWNS	NEVER DOES
Code	Crawling, status codes, counts, duplicates, schema parsing, formulas, ranking	Guess at meaning
Jev	Page type, search intent, importance, helpfulness, specificity, trust, citability, title and meta fit, competing page pairs	Predict rankings or traffic, invent data, grant permission to act
PageSpeed	Chrome UX Report field data and Lighthouse lab scores	Stand in for every page or device
Claude	The summary and plan, citing action IDs	Add findings that the evidence does not show


What went through each stage



SCORECARD

9 areas, one score







Score cap: Capped at 20: the homepage or whole site is blocked from search

Partial audit: Jev judgments unavailable, so content quality was not assessed; PageSpeed Insights unavailable, so performance used crawl timings only. The overall score covers only the areas that were assessed.

AREA	SCORE	WEIGHT	ACTIONS	HOW IT IS SCORED
Crawl and indexing	67	20	3	Rules only
On-page	96	15	2	Rules only
Content quality	n/a	20	1	Not assessed: Jev judgments unavailable
Links and architecture	100	10	0	Rules only
Structured data and sharing	99	8	1	Rules only
AI search readiness	100	12	0	Rules only: Jev judgments unavailable; editorial heuristics, since Google states no special optimization is required for AI features
Performance	97	10	1	Crawl observations only: PageSpeed Insights unavailable
Security and trust	96	5	2	Rules only
Search visibility and authority	n/a	15	0	Not assessed: run with --full (DataForSEO)



Actions by severity




Actions by area and severity

PRIORITIES

What to fix first

Impact combines severity, how many pages are affected and how important Jev judged those pages to be. Effort is a planning estimate, not a quote.




Each dot is one action; labelled dots are fix-first or high impact. Colour shows priority.

ID	ACTION	PRIORITY	IMPACT	EFFORT	PAGES	BY
JEV-001	Pages excluded from search with noindex quick win	P1 Fix first	100	Hours	59	rule
JEV-002	Sitemap lists URLs that redirect, fail or are noindex	P3 When convenient	26	About a day	40	rule
JEV-003	Canonical points to a different URL	P3 When convenient	19	Hours	6	rule
JEV-004	Duplicate titles across pages	P3 When convenient	19	Hours	7	rule
JEV-005	Pages with identical main text	P3 When convenient	19	About a day	7	rule
JEV-006	Slow server response (TTFB above 0.8 s)	P3 When convenient	19	Several days	3	rule
JEV-007	No Strict-Transport-Security header	P3 When convenient	10	Hours	1	rule
JEV-008	Common security headers missing	P3 When convenient	10	Hours	1	rule
JEV-009	Structured data missing properties Google requires for rich results	P3 When convenient	7	Hours	13	rule
JEV-010	Duplicate meta descriptions	P3 When convenient	6	Hours	7	rule


SITE STRUCTURE

How the site is linked


Pages laid out by clicks from the homepage. Bigger dots are pages Jev judged more important; the outer dashed ring holds pages that no crawled page links to.



Crawl and indexing 67



HTTP status of crawled URLs



Click depth from the homepage

robots.txt	**found** · Googlebot allowed · Bingbot allowed
XML sitemap	99 URLs in 3 file(s)
HTTPS	yes · HTTP redirects to HTTPS: yes
Missing page status	404 **correct**
Rendering	auto; homepage needed JavaScript rendering: no
Crawl limits	60 pages, depth 5

Actions

JEV-001 · Pages excluded from search with noindex

P1 · critical · rule · quick win

59 affected · 59 pages carry noindex

Fix: Confirm each noindex is intended; remove it from pages that should rank. Source

`/` · `/contact` · `/products` · `/products/rf-microwave-filters` · `/products/waveguide-components` · `/products/rf-combiners` · `+53 more`

JEV-002 · Sitemap lists URLs that redirect, fail or are noindex

P3 · medium · rule

40 affected · 40 of the crawled sitemap URLs are not final indexable pages

Fix: List only final, indexable, HTTP 200 URLs in the sitemap. Source

`/` · `/about` · `/about/factory` · `/contact` · `/engineering` · `/engineering/custom-rf-design` · `+34 more`

JEV-003 · Canonical points to a different URL

P3 · medium · rule


6 affected · https://rf-sonne.com/request-a-quote?topic=pim-verification → https://rf-sonne.com/request-a-quote; https://rf-sonne.com/request-a-quote?product=base-station-duplexer → https://rf-sonne.com/request-a-quote; https://rf-sonne.com/request-a-quote?product=tma → https://rf-sonne.com/request-a-quote; https://rf-sonne.com/request-a-quote?reference=700mhz-low-pim-duplexer → https://rf-sonne.com/request-a-quote; https://rf-sonne.com/request-a-quote?reference=800-900mhz-4t4r → https://rf-sonne.com/request-a-quote

Fix: Check that these pages really are duplicates of their canonical target; otherwise self-canonicalise. Source


`/request-a-quote?topic=pim-verification` · `/request-a-quote?product=base-station-duplexer` · `/request-a-quote?product=tma` · `/request-a-quote?reference=700mhz-low-pim-duplexer` · `/request-a-quote?reference=800-900mhz-4t4r` · `/request-a-quote?reference=3400-3600mhz-8tr`

FINDINGS · ON-PAGE

On-page 96



Title length. The 65 mark is a display convention, not a rule.



Main content words per page. The 150 mark is a warning sign, not a ranking factor.

Actions

JEV-004 · Duplicate titles across pages P3 · medium · rule

7 affected · 1 title shared by several pages

Fix: Give each page a title that distinguishes it from the others. Source

`/request-a-quote · /request-a-quote?product=base-station-duplexer · /request-a-quote?product=tma · /request-a-quote?reference=3400-3600mhz-8tr · /request-a-quote?reference=700mhz-low-pim-duplexer · /request-a-quote?reference=800-900mhz-4t4r · + 1 more`

JEV-010 · Duplicate meta descriptions P3 · low · rule

7 affected · 1 description shared by several pages

Fix: Write a distinct description for each page. Source

`/request-a-quote · /request-a-quote?product=base-station-duplexer · /request-a-quote?product=tma · /request-a-quote?reference=3400-3600mhz-8tr · /request-a-quote?reference=700mhz-low-pim-duplexer · /request-a-quote?reference=800-900mhz-4t4r · + 1 more`

FINDINGS · CONTENT QUALITY

Content quality

Actions

JEV-005 · Pages with identical main text P3 · medium · rule

7 affected · 1 group of pages with identical main text

Fix: Consolidate duplicates or canonicalise them to one URL. Source

`/request-a-quote · /request-a-quote?product=base-station-duplexer · /request-a-quote?product=tma · /request-a-quote?reference=3400-3600mhz-8tr · /request-a-quote?reference=700mhz-low-pim-duplexer · /request-a-quote?reference=800-900mhz-4t4r · + 1 more`

FINDINGS · STRUCTURED DATA AND SHARING

Structured data and sharing 99

Actions

JEV-009 · Structured data missing properties Google requires for rich results

P3 · low · rule

13 affected · Product on /products/rf-microwave-filters lacks offers, review or aggregateRating; Product on /products/waveguide-components lacks offers, review or aggregateRating; Product on /products/rf-combiners lacks offers, review or aggregateRating; Product on /products/base-station-rf lacks offers, review or aggregateRating; Product on /products/precision-enclosures lacks offers, review or aggregateRating; Product on /products/antenna-test-systems lacks offers, review or aggregateRating; and 7 more

Fix: Add the missing required properties listed in the evidence, or remove markup that cannot be completed truthfully. Source

`/products/antenna-test-systems · /products/base-station-rf · /products/fttx-fiber-distribution · /products/ibs-das-components · /products/passive-microwave-components · /products/precision-enclosures · +7 more`

FINDINGS · PERFORMANCE

Performance 97

No Chrome UX Report field data for this site: it has too little traffic to be measured.

Actions

JEV-006 · Slow server response (TTFB above 0.8 s)

P3 · medium · rule

3 affected · /products/fttx-fiber-distribution: 847 ms; /products/rf-accessories: 910 ms; /resources/insights/how-to-read-rf-test-report: 851 ms

Fix: Cache pages, use a CDN and reduce server work before the first byte. Source

`/products/fttx-fiber-distribution · /products/rf-accessories · /resources/insights/how-to-read-rf-test-report`

FINDINGS · SECURITY AND TRUST

Security and trust 96

Actions

JEV-007 · No Strict-Transport-Security header

P3 · low · rule

1 affected · Homepage response has no HSTS header

Fix: Send an HSTS header once HTTPS is stable everywhere. Source

/

JEV-008 · Common security headers missing

P3 · low · rule

1 affected · Missing on the homepage response: x-content-type-options, referrer-policy, x-frame-options or CSP frame-ancestors

Fix: Add the missing headers: x-content-type-options, referrer-policy, x-frame-options or CSP frame-ancestors. Source

/

APPENDIX

Page inventory

PAGE	DEPTH	WORDS	IN	TYPE (JEV)	INTENT (JEV)	IMPORT.	ACTION (JEV)
/	0	1834	58	–	–	–	–
/about	1	1561	58	–	–	–	–
/about/factory	1	1826	9	–	–	–	–
/contact	1	1223	58	–	–	–	–
/engineering	1	1900	58	–	–	–	–
/engineering/manufacturing	1	1645	18	–	–	–	–
/engineering/npi	1	2007	14	–	–	–	–
/engineering/testing-quality	1	1877	40	–	–	–	–
/privacy-policy	1	1040	58	–	–	–	–
/products	1	1843	58	–	–	–	–
/products/antenna-test-systems	1	1367	58	–	–	–	–
/products/base-station-rf	1	2227	58	–	–	–	–
/products/fttx-fiber-distribution	1	1923	6	–	–	–	–
/products/ibs-das-components	1	2162	11	–	–	–	–
/products/passive-microwave-components	1	1480	58	–	–	–	–
/products/precision-enclosures	1	2171	58	–	–	–	–
/products/rf-accessories	1	2039	10	–	–	–	–
/products/rf-combiners	1	2571	58	–	–	–	–
/products/rf-front-ends	1	1417	58	–	–	–	–
/products/rf-microwave-filters	1	2351	58	–	–	–	–
/products/switch-matrices	1	1525	58	–	–	–	–
/products/tr-modules	1	1443	58	–	–	–	–
/products/waveguide-components	1	1664	58	–	–	–	–
/request-a-quote	1	1323	58	–	–	–	–
/resources	1	226	58	–	–	–	–
/resources/datasheets	1	1714	58	–	–	–	–
/resources/faq	1	1569	58	–	–	–	–
/resources/insights	1	828	58	–	–	–	–
/resources/rfq-guide	1	1899	58	–	–	–	–
/sitemap	1	405	58	–	–	–	–
/solutions	1	1813	58	–	–	–	–

/terms-of-service	1	766	58	–	–	–	–
/engineering/custom-rf-design	2	1703	14	–	–	–	–
/request-a-quote?product=base-station-duplexer	2	1323	1	–	–	–	–
/request-a-quote?product=tma	2	1323	1	–	–	–	–
/request-a-quote?reference=3400-3600mhz-8tr	2	1323	1	–	–	–	–
/request-a-quote?reference=700mhz-low-pim-duplexer	2	1323	1	–	–	–	–
/request-a-quote?reference=800-900mhz-4t4r	2	1323	1	–	–	–	–
/request-a-quote?topic=pim-verification	2	1323	1	–	–	–	–
/resources/insights/cavity-vs-waveguide-filter-selection-guide	2	1612	3	–	–	–	–
/resources/insights/duplexer-vs-diplexer-combiner-guide	2	1650	5	–	–	–	–
/resources/insights/e-band-waveguide-diplexer-design-guide	2	1622	2	–	–	–	–
/resources/insights/how-to-read-rf-test-report	2	1469	2	–	–	–	–
/resources/insights/rf-diplexer-guide	2	1656	8	–	–	–	–
/resources/insights/rf-filter-rfq-preparation-guide	2	1751	3	–	–	–	–
/resources/insights/rf-npi-prototype-to-production-guide	2	1545	2	–	–	–	–
/resources/insights/topic/filter-selection	2	48	2	–	–	–	–
/resources/insights/topic/low-pim-combiners	2	99	4	–	–	–	–
/resources/insights/topic/npi-manufacturing	2	48	2	–	–	–	–
/resources/insights/topic/rfq-preparation	2	51	2	–	–	–	–
/resources/insights/topic/test-reports	2	55	2	–	–	–	–
/resources/insights/topic/waveguide-eband	2	44	2	–	–	–	–
/resources/insights/wilkinson-power-divider-guide	2	1836	6	–	–	–	–
/solutions/5g-base-station	2	1654	6	–	–	–	–
/solutions/das-ibs	2	1820	5	–	–	–	–
/solutions/data-center-enclosures	2	2194	4	–	–	–	–
/solutions/fttx	2	1863	4	–	–	–	–
/solutions/microwave-backhaul	2	1598	6	–	–	–	–
/solutions/satellite-earth-station	2	1580	5	–	–	–	–

APPENDIX

Method, sources and limits

Formulas

Area score starts at 100 and subtracts, per finding, a severity amount (critical 25, high 12, medium 6, low 2, info 0) times (0.5 + 0.5 × share of pages affected). Site-wide findings count as full share. Content quality and AI search readiness blend 70% importance-weighted Jev judgments with 30% rules. Performance blends 50% Lighthouse mobile performance with 50% crawl observations.

Overall score is the weighted mean of scored areas (weights in the scorecard). Unscored areas are left out, never counted as zero. A blocked site is capped at 20; a site without reliable HTTPS at 60.

Impact = severity weight (critical 10, high 6, medium 3, low 1) × (0.6 + 0.4 × reach) × (0.6 + 0.8 × highest Jev importance among affected pages), scaled so the largest is 100. **Priority:** P1 for critical, or high with impact 40 or more; P2 for impact 30 or more or any high; P3 otherwise. **Quick win:** impact 35 or more with effort of hours.

Jev

Model requested jev-latest, returned n/a. 0 requests, 0 input tokens, 0 failed, 0 skipped by the budget cap. Cost $0.0000 at $0.042 per million input tokens (output is free). Page text sent to Jev is capped at 6,000 characters. Jev answers are model judgments, not measurements; decisive does not mean correct.

Limits

- The crawl covered 59 URLs. Orphan and depth findings only see links on crawled pages.
- No Search Console, analytics, backlink or keyword data was used (run with --full for DataForSEO). Nothing here measures rankings, traffic or revenue.
- PageSpeed lab scores vary between runs. Field data exists only for sites with enough Chrome traffic.
- Rules marked heuristic are editorial conventions, not search engine requirements.

Sources

developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Strict-Transport-Security
developers.google.com/search/docs/appearance/snippet
developers.google.com/search/docs/appearance/structured-data/intro-structured-data
developers.google.com/search/docs/appearance/title-link
developers.google.com/search/docs/crawling-indexing/block-indexing
developers.google.com/search/docs/crawling-indexing/consolidate-duplicate-urls
developers.google.com/search/docs/crawling-indexing/sitemaps/overview
developers.google.com/speed/docs/insights/v5/about
docs.typesafe.ai/confidence
docs.typesafe.ai/primitives
owasp.org/projects/secure-headers-project
web.dev/articles/ttfb

Generated 2026-10-30 01:03 by jev-seo 0.1.1. Crawl started 2026-10-29T15:01:29+00:00.