<ul> <li>1. Who developed Python Programming Language?</li> <li>a) Wick van Rossum</li> <li>b) Rasmus Lerdorf</li> <li>c) Guido van Rossum</li> <li>d) Niene Stom</li> </ul>
<ul><li>2. Which type of Programming does Python support?</li><li>a) object-oriented programming</li><li>b) structured programming</li><li>c) functional programming</li><li>d) all of the mentioned</li></ul>
<ul> <li>3. Is Python case sensitive when dealing with identifiers?</li> <li>a) no</li> <li>b) yes</li> <li>c) machine dependent</li> <li>d) none of the mentioned</li> </ul>
<ul><li>4. Which of the following is the correct extension of the Python file?</li><li>a) .python</li><li>b) .pl</li><li>c) .py</li><li>d) .p</li></ul>
<ul> <li>5. Is Python code compiled or interpreted?</li> <li>a) Python code is both compiled and interpreted</li> <li>b) Python code is neither compiled nor interpreted</li> <li>c) Python code is only compiled</li> <li>d) Python code is only interpreted</li> </ul>
<ul><li>6. All keywords in Python are in</li><li>a) Capitalized</li><li>b) lower case</li><li>c) UPPER CASE</li><li>d) None of the mentioned</li></ul>
7. What will be the value of the following Python expression?
4 + 3 % 5
a) 7 b) 2 c) 4

	8.	Which of the	following is	used to define	a block of	code in Pv	thon languag	æ?
--	----	--------------	--------------	----------------	------------	------------	--------------	----

- a) Indentation
- b) Key
- c) Brackets
- d) All of the mentioned
- 9. Which keyword is used for function in Python language?
- a) Function
- b) Def
- c) Fun
- d) Define
- 10. Which of the following character is used to give single-line comments in Python?
- a) //
- b) #
- c)!
- d) /\*
- 11. What will be the output of the following Python code?

```
i = 1
while True:
   if i%3 == 0:
      break
   print(i)
   i + = 1
```

- a) 123
- b) error
- c) 1 2
- d) none of the mentioned
- 12. Which of the following functions can help us to find the version of python that we are currently working on?
- a) sys.version(1)
- b) sys.version(0)
- c) sys.version()
- d) sys.version
- 13. Python supports the creation of anonymous functions at runtime, using a construct called \_\_\_\_\_
- a) pi

- b) anonymous
- c) lambda
- d) none of the mentioned
- 14. What is the order of precedence in python?
- a) Exponential, Parentheses, Multiplication, Division, Addition, Subtraction
- b) Exponential, Parentheses, Division, Multiplication, Addition, Subtraction
- c) Parentheses, Exponential, Multiplication, Division, Subtraction, Addition
- d) Parentheses, Exponential, Multiplication, Division, Addition, Subtraction
- 15. What will be the output of the following Python code snippet if x=1?

x<<2

## a) 4

- b) 2
- c) 1
- d) 8
- 16. What does pip stand for python?
- a) unlimited length
- b) all private members must have leading and trailing underscores
- c) Preferred Installer Program
- d) none of the mentioned
- 17. Which of the following is true for variable names in Python?
- a) underscore and ampersand are the only two special characters allowed

## b) unlimited length

- c) all private members must have leading and trailing underscores
- d) none of the mentioned
- 18. What are the values of the following Python expressions?

```
2**(3**2)
(2**3)**2
2**3**2
```

- a) 512, 64, 512
  - b) 512, 512, 512
  - c) 64, 512, 64
  - d) 64, 64, 64
- 19. Which of the following is the truncation division operator in Python?
- a) |
- b) //

```
c) /
```

d) %

20. What will be the output of the following Python code?

```
l=[1, 0, 2, 0, 'hello', '', []]
list(filter(bool, 1))
a) [1, 0, 2, 'hello', ", []]
b) Error
c) [1, 2, 'hello']
d) [1, 0, 2, 0, 'hello', ", []]
```

- 21. Which of the following functions is a built-in function in python?
- a) factorial()
- b) print()
- c) seed()
- d) sqrt()
- 22. Which of the following is the use of id() function in python?
- a) Every object doesn't have a unique id
- b) Id returns the identity of the object
- c) All of the mentioned
- d) None of the mentioned
- 23. The following python program can work with \_\_\_\_ parameters.

```
def f(x):
   def f1(*args, **kwargs):
           print("Sanfoundry")
           return x(*args, **kwargs)
    return f1
```

## a) any number of

- b) 0
- c) 1
- d) 2
- 24. What will be the output of the following Python function?

```
min(max(False, -3, -4), 2,7)
a) -4
```

- b) -3
- c) 2

## d) False

- 25. Which of the following is not a core data type in Python programming?
- a) Tuples
- b) Lists
- c) Class

d) 56.24

- d) Dictionary
- 26. What will be the output of the following Python expression if x=56.236?

```
print("%.2f"%x)
a) 56.236
b) 56.23
c) 56.0000
```

- 27. Which of these is the definition for packages in Python?
- a) A set of main modules
- b) A folder of python modules
- c) A number of files containing Python definitions and statements
- d) A set of programs making use of Python modules
- 28. What will be the output of the following Python function?

```
len(["hello",2, 4, 6])
a) Error
b) 6
c) 4
d) 3
```

29. What will be the output of the following Python code?

```
x = 'abcd'
for i in x:
    print(i.upper())
a) a B C D
b) a b c d
c) error
d) A B C D
```

30. What is the order of namespaces in which Python looks for an identifier? a) Python first searches the built-in namespace, then the global namespace and finally the local namespace

- b) Python first searches the built-in namespace, then the local namespace and finally the global namespace
- c) Python first searches the local namespace, then the global namespace and finally the built-in namespace3s
- d) Python first searches the global namespace, then the local namespace and finally the built-in namespace