Status	Finished
Started	Sunday, 18 October 2026, 6:25 PM
Completed	Sunday, 18 October 2026, 6:28 PM
Duration	2 mins 54 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

a. readlines(1)
b. readline() ✓
c. read(1)
d. line()

The correct answer is: readline()

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Text file
b. Both text and binary file ✓
c. Binary file
d. none of the given choices

The correct answer is: Both text and binary file

Question **3**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The size of the file
b. The mode of the file
c. The buffer size
d. The encoding format of the file ✓

The correct answer is: The encoding format of the file

Question **4**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. ab+
b. rw+ ✓
c. wb+
d. r

The correct answer is: rw+

Question **5**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. Move file pointer five characters ahead from the beginning

b.
- Move file pointer five characters ahead from the current position. ✓

c.
- Move file pointer five characters behind from the current position.

d.
- Move file pointer five characters behind ahead from the end of a file.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **6**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The encoding of the file

b. The file's read/write position

c. The access mode of the file

d. The buffer size for the file operations ✓

The correct answer is: The buffer size for the file operations

Question **7**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

- a. sets the file's current position at the offset ✓
- b. sets the file's previous position at the offset
- c. sets the file's current position within the file
- d. none of the mentioned

The correct answer is:
sets the file's current position at the offset

Question **8**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

- a. readline()
- b. readlines() ✓
- c. read()
- d. readlist()

The correct answer is: readlines()

Question **9**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

- a. infile = open(file = "a.txt", "r")
- b. infile = open(file, "a.txt", "r")
- c. infile = open(file = "a.txt", "r")
- d. infile = open("a.txt", "r") ✓

The correct answer is:
infile = open("a.txt", "r")

Question **10**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

a. To delete a file
b. To write data to a file
c. To read data from a file
d. To automatically close the file after its suite finishes ✓

The correct answer is: To automatically close the file after its suite finishes

Question **11**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open(file = "c:\\scores.txt", "w")
b. outfile = open("c:\\scores.txt", "a") ✓
c. outfile = open("c:\\scores.txt", "rw")
d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **12**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. read()
b. append()
c. insert()
d. write() ✓

The correct answer is: write()

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

- a. r+ ✓
- b. r
- c. a
- d. w

The correct answer is: r+

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

- a. w
- b. r+
- c. wb ✓
- d. rb

The correct answer is: wb

Question **15**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

- a. Deletes the file
- b. Reads the file line by line
- c. Writes data to the file
- d. Moves the file cursor to the specified position ✓

The correct answer is: Moves the file cursor to the specified position