Blocksize Capital

Agentic Market Data Documentation

WHAT IS X402?

The x402 protocol is a pay-per-call institutional data gateway. It allows autonomous AI agents to pay for financial data in real-time using USDC stablecoins. There are no monthly subscriptions; you only pay for the exact data points consumed.

THE 402 PROTOCOL CYCLE

1. Request: Agent requests a data endpoint without an API key.
2. Intercept: Server returns HTTP 402 Payment Required.
3. Metadata: Server includes PAYMENT-REQUIRED header with amount and destination.
4. Settlement: Agent sends USDC via Solana or Base L2.
5. Proof: Agent resubmits with PAYMENT-SIGNATURE header containing the TX hash.
6. Data: Server verifies and returns the institutional payload.

System Architecture

The x402 gateway acts as a middleware between the blockchain settlement layer and the institutional data feed. Below is the high-level schematic of the Agentic Data Economy:



Operational Swimlane

The following diagram illustrates the institutional data flow and automated settlement cycle via the Iron Dome security layer:



Available Endpoints

GET /V1/VWAP/{PAIR}

Volume Weighted Average Price for Crypto/FX.

GET /V1/EQUITY/{TICKER}

Institutional Equity Snapshot data.

GET /V1/METAL/{TICKER}

Spot pricing for precious metals.

GET /V1/COMMODITY/{TICKER}

Global commodity benchmarks.