

Prueba de guardar un Employee con su rol

The screenshot shows a REST client interface with the following details:

- Collection/Request:** New Collection / New Request
- Method:** POST
- URL:** http://localhost:8080/api/employee
- Body Type:** JSON
- Body Content:**

```
1 {
2   "firstName": "John",
3   "lastName": "Smith",
4   "employeeid": "empl123",
5   "role": { "name": "ROLE_DEV" }
6 }
```
- Response:** 201 Created, 196 ms, 375 bytes
- Response Body (Pretty):**

```
4   "lastName": "Smith",
5   "employeeid": "empl123",
6   "role": {
7     "id": 1,
8     "name": "ROLE_DEV"
9   },
10  "projects": [ ]
```

Prueba de añadir un proyecto al employee

NewImport

[CONFLICT] PUT New Request

New Collection

GET Untitled Request

No Environment

New Collection / New Request

Save

PUT

http://localhost:8080/api/edit/employee/projects/2

Send

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Beautify

1 {

2 .. "projects": [{ "name": "proj1" }]

Body

Cookies

Headers (8)

Test Results

200 OK 17 ms 393 B

Save Response

Pretty

Raw

Preview

Visualize

JSON

6 "role": {

7 | "id": 1,

8 | "name": "ROLE_DEV"

9 | },

10 "projects": [

11 | {

12 | | "id": 3,

13 | | "name": "proj1"

14 | }

15]

Capture requests and cookies

Bootcamp

Runner

Trash