USER-MANUAL

GENERALIZED GROUND MOTION MODEL (GGMM) (SUBDUCTION)

This tool, named as Generalized Ground Motion Model for Subduction environment (*GGMMSubd*), uses a hybrid Recurrent Neural Network (RNN) framework to estimate a 35×1 cross -dependent vector (denoted as **IM**) of RotD50 Spectral Acceleration ($\text{RotD}50S_a$) at 31 periods and geometric means of Arias Intensity ($I_{a_{geom}}$), Significant Duration ($D_{5-95_{geom}}$), Peak Ground Acceleration, (PGA_{geom}) and Peak Ground Velocity (PGV_{geom}) using a set of seismic source and site parameters as inputs. The source and site inputs to the RNN framework include a vector of 6 values including Subduction fault slab mechanism (F), magnitude (M_w), closest rupture distance (R_{rup}), Joyne-Boore distance (R_{JB}), soil shear-wave velocity (V_{s30}), and hypocentral depth (Z_{hyp}). The residuals of the RNN framework are used to construct between-event and within-event covariance matrices to account for the between-event and within-event variabilities of the ground motions. Hence, given the source and site parameters, this tool returns a median prediction of the **IM** and estimated correlated variance bands. The executable is developed by Jawad Fayaz (https://jfayaz.github.io/layouts/codeandsoft.html/) and collaborators (Miguel Medalla, Pablo Torres, and Carmine Galasso). For further details please read the article mentioned in the "Reference".

1. *GGMMSubd* Inputs (in order)

i. Subduction Fault Mechanism (F)

Subduction Mechanism (F)	**Value**
Interslab	0
Intraslab	1

ii. Magnitude (M_w): $3 \leq M_w \leq 9$

iii. Closest Rupture Distance (R_{rup}) in kilometers (km): $0 \leq R_{rup} \leq 300$

iv. Depth of Hypocenter (Z_{hyp}) in kilometers (km): $0 \leq Z_{hyp}$

v. Joyne-Boore Distance (R_{JB}) in kilometers (km): $0 \leq R_{JB} \leq 300$

vi. Shear-Wave Velocity (V_{s30}) in meters per second (m/s): $0 \leq V_{s30} \leq 3000$

vii. Conditional Period (T^*)

IM	Input for T*
$I_{a_{geom}}$	-3
$D_{5-95_{geom}}$	-2
PGV_{geom}	-1
PGA_{geom}	0
T =0.01	0.01
T =0.05	0.05
T =0.1	0.1
T =0.15	0.15
T =0.2	0.2
T =0.25	0.25
T =0.3	0.3
T =0.4	0.4
T =0.5	0.5
T =0.6	0.6
T =0.7	0.7
T =0.8	0.8
T =0.9	0.9
T =1.0	1.0
T =1.2	1.2
T =1.4	1.4
T =1.6	1.6
T =1.8	1.8
T =2.0	2.0
T =2.25	2.25
T =2.5	2.5
T =2.75	2.75
T =3.0	3.0
T =3.25	3.25
T =3.5	3.5
T =3.75	3.75
T =4.0	4.0
T =4.25	4.25
T =4.5	4.5
T =4.75	4.75
T =5.0	5.0

viii. Name of Output Folder (*OutputFolderName)*

2 Calling *GGMMSubd*

The tool package consists of the executable application “GGMMSubd.exe” which can be easily called from any command line or programming language/software. An example to run the GGMM program is given in Figure 1 where the inputs are in the same order as mentioned in above section "GGMM Inputs". The generalized syntax to run the executable is as follows:

$$\text{GGMMSubd.exe} \quad F \quad M_w \;\; R_{rup} \;\; Z_{hyp} \;\; R_{JB} \;\; V_{s30} \;\; T^* \; OutputFolderName$$



Figure 1: Calling "GGMMSubd.exe"

In case all the inputs are not properly provided the tool will throw an error as shown in Figure 2.



Figure 2: Error screen of "GGMMSubd.exe"

3 *GGMMSubd* Outputs

The tool creates a folder named as inputted by the user in the *OutputFolderName* (as described) within the current directory of the tool. The output screen of the framework is shown in Figure 3.



Figure 3: Output screen of "GGMMSubd.exe"

The outputs consist of two files: 1) "GGMM.out" file containing the estimated median **IM** predictions and its conditional correlated variance bands (hence there is no variability at T^*) and 2) "GGMM.jpg" file showing the median and sigma bands of the estimated intensity measures in **IM** vector. The outputs are shown in Figures 4 and 5.



Figure 4: Estimated **IM** output

GGMM.out

```
T	Median	Median-sigma	Median+sigma
CAV	-0.37695977091789246	-0.37695977091789246	-0.37695977091789246
D595	2.84094500541687	1.9415109758606557	3.7403790349730848
PGV	-0.12560594081878662	-0.6437176423300242	0.392505760692450 9
PGA	-3.9913647174835205	-4.549281966901205	-3.433447468065836
0.01	-3.4784090518951416	-4.019641574367986	-2.937176529422297
0.05	-3.1990227699279785	-3.7877270182943117	-2.6103185215616453
0.1	-2.7986066341400146	-3.4092391452642703	-2.187974123015759
0.15	-2.496680974960327	-3.0927318929626475	-1.9006300569580068
0.2	-2.737539529800415	-3.3293273380219186	-2.1457517215789115
0.25	-2.6430089473724365	-3.2195390012699114	-2.0664788934749616
0.3	-2.865675449371338	-3.428094653340792	-2.303256245401884
0.4	-3.1758267879486084	-3.7518747284814182	-2.5997788474157986
0.5	-3.1301863193511963	-3.7030378114551072	-2.5573348272472853
0.6	-3.288729429244995	-3.860323643904333	-2.717135214585657
0.7	-3.7680866718292236	-4.330125305414816	-3.206048038243631 4
0.8	-3.741262912750244	-4.29845794290837	-3.184067882592118 3
0.9	-4.0367889404296875	-4.588907961692457	-3.484669919166918 4
1.0	-4.398294925689697	-4.94463090435241	-3.85195894702698 4
1.2	-4.965432643890381	-5.494882551893186	-4.435982735887576
1.4	-5.36202335357666	-5.879500909413421	-4.844545797739899
1.6	-5.661406517028809	-6.1707681936936	-5.152044840364017 6
1.8	-6.044726371765137	-6.5506246416367935	-5.538828101893 48
2.0	-6.283880710601807	-6.787887088724079	-5.779874332479534
2.25	-6.401032447814941	-6.9025169688225745	-5.899547926807308
2.5	-6.567374706268310 5	-7.067221321513552	-6.06752809102306 9
2.75	-6.818793296813965	-7.3182220553598984	-6.319364538268031
3.0	-6.978192329406738	-7.47802050332483 1	-6.478364155488646
3.25	-7.162293910980225	-7.662787496390374	-6.661800325570075
3.5	-7.231132984161377	-7.733609523677808	-6.728656444644946
3.75	-7.508701801300049	-8.011055252541407	-7.0063483500586905
4.0	-7.671975135803223	-8.176972429713691	-7.166977841892753
4.25	-7.896575450897217	-8.404686456182528	-7.3884644456119055
4.5	-7.711543560028076	-8.221055945399781	-7.202031174656372
4.75	-7.842799663543701	-8.354660168020564	-7.3309391590668 4
5.0	-7.909265995025635	-8.423843580153179	-7.39468840989809
```

Figure 5: Estimated **IM** output in the "GGMM.out" file

Reference

Jawad Fayaz, Miguel Medalla, Pablo Torres, and Carmine Galasso (2nd round of review). " A Recurrent Neural Networks based Generalized Ground Motion Model for the Chilean Subduction Seismic Environment". *Structural Safety*.