

## default



POST

/productos Crear un nuevo producto



GET

/productos Listar todos los productos



GET

/productos/{id} Obtener un producto por ID



Request body required

application/json



```
{  
  "nombre": "string",  
  "precio": 0,  
  "descripcion": "string"  
}
```

Execute

Clear

- Network Failure
- URL scheme must be "http" or "https" for CORS request.

## Responses

Code	Description	Links
201	Producto creado	No links

Media type

application/vnd.api+json ▾

Controls Accept header.

Example Value | Schema

```
{
  "data": {
    "type": "productos",
    "id": "string",
    "attributes": {
      "nombre": "string",
      "precio": 0,
      "descripcion": "string"
    }
  }
}
```

## Servers

http://localhost:8082 ▾

Authorize 

## default



GET

/inventario/{productoId} Consultar cantidad disponible



PUT

/inventario/{productoId} Actualizar cantidad en inventario



POST

/inventario/compras Realizar compra de producto



GET

/inventario/{productId} Consultar cantidad disponible

🔒 ⤴

Parameters

Try it out

Name	Description
<b>productId</b> * required integer (path)	<input type="text" value="productId"/>

Responses

Code	Description	Links
200	Cantidad disponible <small>Media type</small> <div>application/json ▾</div> <small>Controls Accept header.</small>	No links

PUT

/inventario/{productId} Actualizar cantidad en inventario

🔒 ⤴

Parameters

Try it out

Name	Description
<b>productId</b> * required integer (path)	<input type="text" value="productId"/>

Request body

 required 

application/json ▾

Example Value



 | Schema

```
{  
  "cantidad": 0  
}
```

POST

/inventario/compras

Realizar compra de producto



Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{
  "productoId": 0,
  "cantidad": 0
}
```

NewImport

GET http://localhost:8081

+

...

http://localhost:8081

Save

GET

http://localhost:8081

Send

Params

Authorization

Headers (7)

Body

Pre-request Script

Tests

Settings

Cookies

Type

API Key

Key

supersecret123

The authorization header will be automatically generated when you send the request.  
[Learn more about authorization](#)

Value


Add to

Header

Store your secrets with end-to-end encryption locally using Vault.

Store in Vault

Response



Could not send request

its and share

GET http://localhost:8082

HTTP

http://localhost:8082

Save

GET

http://localhost:8082

Send

Params

Authorization

Headers (7)

Body

Pre-request Script

Tests

Settings

Cookies

Type

API Key

The authorization header will be automatically generated when you send the request.  
[Learn more about authorization](#)

Key

supersecreta123

Value

Value

Add to

Header

Store your secrets with end-to-end encryption locally using Vault.

Store in Vault

Response

