

Feature Showcase

A visual check of every general feature

md-to-pdf test document



By Test User

Table of contents

1. Headings and numbering

1.1 Subsection

1.1.1 Sub-subsection

1.1.1.2 Forced into the TOC with <!-- toc -->

2. Text and links

3. Lists

4. Code blocks

5. Tables

6. Figures and cross-references

7. Citations

8. References

List of figures

Figure 6.1: A snowy mountain at dawn

Figure 6.2: Aerial view of a forest

List of tables

Table 5.1: Basic table

Table 5.2: Column alignment

List of code blocks

Code block 4.1: Plain block, no language

Code block 4.2: Python with syntax highlighting

Code block 4.3: JSON with a per-block monokai theme

Code block 4.4: Greeting function kept with its intro

1. Headings and numbering

Sections (`##`) start on a new page and are auto-numbered (`1.` , `2.` ...). This document shows every general feature; document-wide options (locale, page size, code theme, citation style) live in the other test files.

1.1 Subsection

Auto-numbered `x.y` .

1.1.1 Sub-subsection

Auto-numbered `x.y.z` , and it reaches the default TOC depth.

1.1.1.1 Level-5 heading (not in the TOC by default)

1.1.1.2 Forced into the TOC with `<!-- toc -->`

1.2 Hidden from the TOC with `<!-- no-toc -->`

2. Text and links

Bold, *italic*, ***bold italic***, inline `code`, and an external [link to python.org](#). Internal TOC and bookmark links are generated automatically.

A blockquote with **formatting**, `code`, and a second line that joins the same visual block.

A horizontal rule follows:

3. Lists

- Unordered item
- Nested:
 - Child A
 - Child B
 - Grandchild
- Back to level one
- Ordered step
- Another step
- Sub-step 2.1
- Sub-step 2.2
- Final step

4. Code blocks

```
$ md-to-pdf report.md
report.md -> report.pdf [OK, 142 KB]
```

Code block 4.1: Plain block, no language

```
def fib(n):
    a, b = 0, 1
    for _ in range(n):
        a, b = b, a + b
    return a
```

Code block 4.2: Python with syntax highlighting

A per-block theme overrides the document theme via `<!-- code-theme: -->`:

```
{ "printBackground": true, "paperWidth": 8.27 }
```

Code block 4.3: JSON with a per-block monokai theme

The `<!-- keep -->` marker pins the block to the previous paragraph:

```
def greet(name):
    return f"Hello, {name}!"
```

Code block 4.4: Greeting function kept with its intro

5. Tables

Name	Type	Default
margin	float	1.15
font	string	Source Serif 4

Table 5.1: Basic table

Left	Center	Right
text	text	1,234.56
longer text	longer text	99.00

Table 5.2: Column alignment

6. Figures and cross-references

A caption via HTML comment:



Figure 6.1: A snowy mountain at dawn

A caption taken from the image alt text:



Figure 6.2: Aerial view of a forest

Counters reset each section, so the figures above are **Figure 6.1** and **Figure 6.2**. Reference them by number: see [Figure 6.1](#) and [Figure 6.2](#).

7. Citations

Citations use `[@key]` and link to the auto-generated **References** section, which lists only the cited entries. A single citation [\[1\]](#) and a grouped one [\[2, 3\]](#) render numeric markers by default.

8. References

- [1] Smith, J. & Doe, J. (2020). *Automatic document assessment methods*. Journal of Applied Computing.
- [2] Brown, A. (2018). *Foundations of document composition*. Technical Press.
- [3] Lee, C., Park, M. & Stone, H. (2021). *A scalable approach to PDF generation*. Proceedings of the Digital Documentation Conference.