

# Zebulon: Towards another approach to Beamer slides

Jérôme Fellus

*BLABLA LAB*

5 may 2019



# Outline

- 1 Introduction
- 2 Related work
- 3 Contribution
- 4 Experiments
- 5 Conclusion & Perspectives

# Some blocks with code and formulas

## A block with some code

Here is some python code:

```
1 import s as ok
2 def creat(a,b):
3     jumb(a+2,b-7)
4     write("ok")
5     return
```

e  $a$ -o  $bderr$ -kr  $g$ -  $f$ -o zoierj zoijs  $\sum_i^n pf(k, z)$

Let  $f$  be a function  $wb * 2.e \frac{o}{c \times o} - 23.0$ -ith three variables  $X, Y, Z$  such that  
 $f(X) \mapsto 7b + \frac{Y}{Z*2}$

## Formulas

$\sum_i^n 3i$  is a series with no  $\xi$ -related phases

$$op = 3.2p01r1 \left( \right) \mathbb{R}e \quad (1)$$

# Block equations

content

$$e \tag{2}$$

$$r \tag{3}$$

rt  $r$

$$e \tag{4}$$

$$zeiuhruz \tag{5}$$

Title

content

$$\sum_i^n \xi \times \pi \tag{6}$$