Cross-references with `Rmarkdown`, `bookdown` and `modelsummary`

The `bookdown` package allows you to compile PDF documents with table numbers and cross references. To do this, you must include a title in your table, use the `\@ref{tab:name}` construct, and give a name to the R chunk where `modelsummary` is called.

For example, see Table 1.

```r
library(modelsummary)
```

```
## 'modelsummary' 2.0.0 now uses 'tinytable' as its default table-drawing
##   backend. Learn more at: https://vincentarelbundock.github.io/tinytable/
##
## Revert to 'kableExtra' for one session:
##
##   options(modelsummary_factory_default = 'kableExtra')
##   options(modelsummary_factory_latex = 'kableExtra')
##   options(modelsummary_factory_html = 'kableExtra')
##
## Silence this message forever:
##
##   config_modelsummary(startup_message = FALSE)
```

```r
mod <- lm(hp ~ mpg, mtcars)
modelsummary(mod, title = 'This title describes the content of this table.')
```

References:

(Xie 2016)

Xie, Yihui. 2016. *Bookdown: Authoring Books and Technical Documents with R Markdown*. Boca Raton, Florida: Chapman; Hall/CRC. https://bookdown.org/yihui/bookdown.

Table 1: This title describes the content of this table.

	(1)
(Intercept)	324.082
	(27.433)
mpg	-8.830
	(1.310)
Num.Obs.	32
R2	0.602
R2 Adj.	0.589
AIC	336.9
BIC	341.3
Log.Lik.	-165.428
F	45.460
RMSE	42.55