




Menu
Print out menu with list of games
Get input from user
if input is 1, then rock paper scissors
if input is 2, then tic-tac-toe
if input is 3, th



Rock paper scissors
Game loop will be a while true loop
hen hangman
Get choice from user
Get choice from computer
Get input from user
If input is “exit”, then exit out of the game
Random choice between rock, paper, and scissors


Make dictionary
Determine outcome of the game
Display winner, or draw, and a message to try again or exit
rock beats scissors, paper beats rock, and scissors beats paper.
If the choices are the same then it is a draw.


to form display
Function to display tic-tac-toe grid
Use dictionary to convert “X” or “O” to ascii
Initialize 3x3 list with empty strings
Initialize a boolean variable that represents whether it is the first player turn.


Tic-tac-toe
Display tic-tac-toe grid
Get positio
Get input from user
Check if in



Position entered must exist
Position ente
available (is



n from user
put is valid
If not valid, input display message to try again


ered must be
empty string)


Input must have x and y and should be in (x,y) coordinate system format


Must be number



Program
Game loop will be a while true loop
Turn loop will be a while true loop
Update 3x3 list
Display tic-tac-toe grid
If player 1, add “X” in that spot
If player 2, add “O” in that spot
Check for h



Check if someone wins
rizontal win
Check for vertical win
Check for diagonal win
If there is a winner



Print that there is a winner


Check if matrix is full
If there is no winner, continue the turn loop
Print that it is a tie
Break out


Break out of turn loop


Call out result message to try again or exit
Exit out of game
“Try again” to start over
“Exit” to return to menu
Also an option at any point of the game
of turn loop



Get the hidden word from user
Store a string representing the current guesses, called current_word
Store the hidden word or phrase in a variable
Convert the hidden word to uppercase
String has same length as hidden word or phrase
Characters that are represented



are not spaces
with underscore
User inputs letter until valid
Get input from user
Check if input is valid


If input is “exit”, exit out of the game


If input is “restart”, restart the game



Convert the lett



If input is not one letter, prompt the user to enter another guess
If input is one letter
Check if letter has already been guessed
If letter has not been guessed, exit out of the loop
If already guessed, prompt the user to enter another guess


Hangman
Game loop will be a while true loop
Guess loop will be a while true loop
Check the guess
er to uppercase
Check if letter in word



If the guessed letter is in the word
If not in word, add letter to list of incorrect letters
Update current_word so that all places where the letter is is set to that letter
Add letter to list of correct letters


Display hangman
Print current_word
If the user ha
gues
Each number of incorrect guesses corresponds to a body part
Print hangman based on number of incorrect guesses
Print to the use


1 for head, 2 for neck, 3 for torso, 4 for left arm, 5 for right arm, 6 for left leg, 7 for right leg


s 7 incorrect
sses
Check if word is complete
r that they lost
Break out of guess loop
If all letters of word have been guessed


Print that the game is complete
Break out of guess loop


Get input from user if they want to play again
If input is “yes”, restart the game
If input is “no”, exit out of the game
If not, continue the game loop