


Shot Timer Mk1

Enclosure drawing package · v6 · Rev A


Overall	
Envelope (L × W × H)	97.0 × 66.0 × 35.0 mm
Body width (without switch guard)	60.0 mm
Wall thickness	2.0 mm
Printed parts	2 (bottom shell, lid)
Material	PLA+, multi-color
Fasteners	M2 × 4 socket-head screws with M2 washers

Part	Color	Solid volume
Bottom shell	Olive green, tan accents, black logo	35.5 cm³
Lid	Tan, olive accents, black lettering	16.6 cm³


Solid volume is the model volume at 100 % fill; printed weight depends on walls and infill. Dimensions are taken from the STL meshes and are for reference.

HUCKLEBERRY INNOVATIONS LLC Lexington, SC	TITLE General arrangement	PART Shot Timer Mk1 enclosure v6	MATERIAL PLA+ (multi-color)	UNITS mm	SCALE NTS	DRAWN J. F. Kure	DATE 2026-10-18	REV A	SHEET 1 of 8

Isometric views




A · Buttons side and logo end



B · Buttons side and port end




C · Power-switch side



D · Underside

HUCKLEBERRY INNOVATIONS LLC Lexington, SC	TITLE **Isometric views**	PART Shot Timer Mk1 enclosure v6	MATERIAL PLA+ (multi-color)	UNITS mm	SCALE NTS	DRAWN J. F. Kure	DATE 2026-10-18	REV A	SHEET 2 of 8


Standard views third-angle projection · dimensions in mm




TOP




Reference isometric (not to scale)




LEFT · logo end




FRONT · switch side



RIGHT · port end




BACK · START / STOP side



BOTTOM

HUCKLEBERRY INNOVATIONS LLC Lexington, SC	TITLE Orthographic views	PART Shot Timer Mk1 enclosure v6	MATERIAL PLA+ (multi-color)	UNITS mm	SCALE NTS	DRAWN J. F. Kure	DATE 2026-10-18	REV A	SHEET 3 of 8




Exploded view

The enclosure is two printed parts, each printed in several colors as one multi-material job. The color bodies are shown pulled apart here to show what each filament prints.

#	Body	Color	Size (mm)
1	Lid lettering	Black	86.2 × 50.4 × 1.5
2	Lid accents (border, screen frame)	Olive	93.0 × 56.0 × 1.5
3	Lid	Tan	97.0 × 60.0 × 8.9
4	Bottom shell	Olive	97.0 × 66.0 × 30.6
5	Logo inlay (logo end)	Black	1.5 × 15.7 × 14.9
6	Bottom accents (side borders)	Tan	97.0 × 60.0 × 25.6

Top to bottom in the image: 1, 2, 3 above the shell; 5 pulled out from the logo end; 6 below.

HUCKLEBERRY INNOVATIONS LLC Lexington, SC	TITLE Exploded view	PART Shot Timer Mk1 enclosure v6	MATERIAL PLA+ (multi-color)	UNITS mm	SCALE NTS	DRAWN J. F. Kure	DATE 2026-10-18	REV A	SHEET 4 of 8



Lid to shell


The lid sits on the shell with a lip that overlaps the shell walls by about 4.5 mm (lid underside at 26.1 mm, shell rim at 30.6 mm). It is held by M2 × 4 socket-head screws and M2 washers through the holes around the rim: five along each long side and three at each end, sixteen in all.

Item	Qty	Notes
Bottom shell	1	Electronics, buttons, switch and battery mount here
Lid	1	OLED shows through the screen window
M2 × 4 socket-head screw	16	Lid screws (rim holes)
M2 flat washer	16	Under each lid screw

Part · Bottom shell



Isometric




Top view into the cavity

Feature	Size (mm)	Location
START / STOP button holes (2)	Ø 16.3	Back wall, for 16 mm buttons
Power switch hole	Ø 12.3	Front wall, inside the raised switch guard
Front wall openings	7.0 × 11.5 slot; Ø 4.5 hole	Front wall, either side of the switch
Port-end openings	7.0 × 12.0 slot; Ø 8.0 and Ø 6.3 holes	Right end wall
Floor holes (2)	Ø 6.4	Floor
Inside cavity	93.0 × 56.0, 2.0 walls	Shell height 30.6

HUCKLEBERRY INNOVATIONS LLC Lexington, SC	TITLE Bottom shell	PART Shot Timer Mk1 enclosure v6	MATERIAL PLA+ (multi-color)	UNITS mm	SCALE NTS	DRAWN J. F. Kure	DATE 2026-10-18	REV A	SHEET 6 of 8

Part · Lid



Isometric



Underside


Feature	Size (mm)	Notes
Lid outline	97.0 × 60.0 × 8.9	Top face at 35.0 mm when assembled
Screen window	25.0 × 15.2 opening, 30.0 × 20.2 frame	For the 0.96 in OLED
Lettering and border inlays	1.5 deep	"HUCKLEBERRY INNOVATIONS", "SHOT TIMER MK1"

HUCKLEBERRY INNOVATIONS LLC Lexington, SC	TITLE **Lid**	PART Shot Timer Mk1 enclosure v6	MATERIAL PLA+ (multi-color)	UNITS mm	SCALE NTS	DRAWN J. F. Kure	DATE 2026-10-18	REV A	SHEET 7 of 8


Color bodies



Lid lettering · black



Lid accents · olive



Shell accents · tan



Logo · black

Files

File	Body	Triangles
shot-timer-mk1 - shot timer enclosure v6 bottom olive green.stl	Bottom shell	108,440
shot-timer-mk1 - Composite part bottom accents tan.stl	Shell accents	6,192
shot-timer-mk1 - Composite part bottom logo black.stl	Logo	88
shot-timer-mk1 - shot timer enclosure v6 top tan.stl	Lid	77,008
shot-timer-mk1 - Composite part top accents olive green.stl	Lid accents	2,376
shot-timer-mk1 - Composite part top names black.stl	Lid lettering	15,436
shot-timer-mk1-bottom.3mf, shot-timer-mk1-top.3mf	Multi-color print projects with colors assigned	—

All STL files share one coordinate system, so loading them together in a slicer puts every color body in place. Print settings (layer height, infill, supports, orientation) are not recorded here yet.

HUCKLEBERRY INNOVATIONS LLC Lexington, SC	TITLE Color bodies and files	PART Shot Timer Mk1 enclosure v6	MATERIAL PLA+ (multi-color)	UNITS mm	SCALE NTS	DRAWN J. F. Kure	DATE 2026-10-18	REV A	SHEET 8 of 8