2025 12th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions) (ICRITO)
Amity University, Noida, India. Sep 18-19, 2025

2025 12th International Conference on Reliability, Infocom Technologies and Optimization (Trends and Future Directions) (ICRITO) | 979-8-3315-5421-7/25/$31.00 ©2025 IEEE | DOI: 10.1109/ICRITO66076.2025.11241696

AI Driven Voice Translator: Enhancing Multilingual Communication Through Real-Time Translation

Shaphaba Oinam
School of Computer Science and Engineering
Lovely Professional University
Phagwara, Punjab, India
oinamshaphaba6@gmail.com

Penumalli Dindi Venkat
School of Computer Science and Engineering
Lovely Professional University
Phagwara, Punjab, India
venkatpenumalli66@gmail.com

Pakki Vinay Dheeraj Patnaik
School of Computer Science and Engineering
Lovely Professional University
Phagwara, Punjab, India
vinaydheerajpakki@gmail.com

Bharat Sharma
School of Computer Science and Engineering
Lovely Professional University
Phagwara, Punjab, India
bharatsharma1692@gmail.com

Pushpendra Ratnam Verma
School of Computer Science and Engineering
Lovely Professional University
Phagwara, Punjab, India
Pushplife80@gmail.com

Karun Handa
School of Computer Science and Engineering
Lovely Professional University
Phagwara, Punjab, India
karunresearchpaper@gmail.com

***Abstract*— The paper affords a complicated AI-driven voice translator designed to overcome language barriers in actual times, enhancing multilingual conversation across various domains. By integrating current technology into Automatic Speech Recognition (ASR), Natural Language Processing (NLP) and Text-to-Speech (TTS), the device ensures correct context-aware translations at the same time as maintaining speaker-particular attributes. The proposed system overcomes the limitations of the already proposed devices and applications in context of language resources, speaker attributes, latency, adaptability, context, environment adaptability, etc. The proposed solution leverages large-scale multilingual datasets and Transformer-primarily based fashions for seamless overall performance throughout high and low useful resource languages. Applications include real-time communique, accessibility equipment for differently abled individuals and academic systems. Key innovations consist of low-latency processing, multilingual adaptability and retention of speaker nuances. Performance reviews show advanced accuracy compared to present answers, at the same time as demanding situations in computational call for and ethical issues are addressed. The system has great potential for future work and improvement, one of which is the integration of the system with wearable devices such as AR glasses, earbuds, smart watches, etc. along with features namely voice activation and gesture control of the system. This design contributes considerably in the AI-applied translation, fostering international inclusivity and accessibility.**

Keywords - AI driven voice translation, Natural Language Processing (NLP), Automatic Speech Recognition(ASR), Text-to-Speech (TTS) synthesis, Multilingual communication, Speech-to-speech translation, Real-time Speech Translation Transformer-based models, Voice attribute retention, Latency optimization, Cross-lingual communication.

I. INTRODUCTION

In a highly globalized and interconnected world, one of the important fundamental needs for cultural exchange and integration is obtained by addressing language barrier. Although helpful, traditional translation tools often meet some limitations in real-time translation. A translation tool provided by integrating Textual Transmission(TTS), Speech Recognition(ASR), and Natural Language Processing (NLP) have a comprehensive and efficient system at the end. The system addresses the limitations of existing solutions by making the use of most recent transformer-based models and extensive multilingual datasets which helps to provide excellent semantic accuracy, low latency and relevant real-time communication, supporting individuals of varying abilities. The system is devised to improve accessibility and inclusion with extensive applications including tools and interactive educational sessions. Even with these developments, the implementation also examines challenges such as ethical concerns, computational requirements and privacy issues. This research aims to get the better of the language barrier by addressing the challenges which transforms language communication and contribute to the inclusive and connected global society[1].

A. Problem Statement

Language barrier continues to obstruct successful communication and collaboration in the globalized world, affecting sectors such as education, commerce, health care and social integration. Even if the existing translation systems are helpful, they often fail to deliver accurate, contextual and real-time translations. They experience difficulty with complex language structure, preservation of specific characteristics of the speaker such as voice and emotion, and low-resource languages[2]. Further, they suffer from some more additional challenges such as computational efficiency, high latency and ethical concerns about data privacies. These limitations draw the specific attention for the need of advanced voice translation system with low latency, high accuracy and real-time inclusive to break down the multilingual communication gap in international communication.

B. Importance of Voice Translation in Global Communication

Effective voice translation plays a vital role in the present increasingly connected world, breaking down the language barrier and enhancing global communication. Seamless communication across languages is provided by real-time voice translation facilitating international collaboration in education, healthcare, business and diplomacy. The capabilities of individuals are greatly enhanced by real-time translation with different languages, ensuring their participation in global opportunities and conversations[3]. During emergencies, accurate delivery of critical information is ensured, and the culturally embedded voice translation

Authorized licensed use limited to: University of Southern Denmark. Downloaded on February 04,2026 at 08:35:17 UTC from IEEE Xplore. Restrictions apply.

encourage changes and understanding by enabling direct communication without the need for mediation. In the continuing globalized world, voice translation tools to overcome the gaps and enabling meaningful multilingual communication.

II. REVIEW OF EXISTING TECHNOLOGIES

A. Overview of Existing Voice Translation Systems

Over the years, voice translation systems have evolved to a large extend with the help of Artificial Intelligence (AI) and machine learning (ML). The pre-existing systems such as Microsoft translator, DeepL, and Google translate support advanced text-to-speech capabilities. Translatron 2 and Meta's speech-to-speech Translation (S2ST) devices are some multilingual new products that build up direct speech-to-speech translation aiming intermediate efficiency and accurate vocabulary step elimination. Natural language processing (NLP), Automatic Speech Recognition(ASR) and information to speech in (TTS) are being used together by these technologies to create real-time multilingual translation tools. For conversational use, some platforms like Skype Translator and Translate Voice provide real-time voice translation focusing on user friendly interfaces and integration with communication platforms. Although these systems' advancements, most systems rely on pre-trained models, which often struggles in real-time adaptation, low resource languages and retention of speaker-specific expressions like emotion and tone[4].

B. Limitations of Current Technologies

- **Dependence on High-Resource Languages**: Common languages such as Spanish, German and English works well in voice translation systems, but there is a greater challenge with less significant languages due to limited adequate training data and resources. Global reach and their effectiveness are limited by this lack of training and resources in different communities[3].
- **Contextual Limitations**: Cultural and contextual nuances and being attempted to be translated by many systems that results in literal translation missing emotional depth or intended meaning. The accuracy and naturalness of communication are greatly reduced by these limitations[5].
- **Inability to Retain Speaker Attributes**: Existing technologies are seldomly capable of the preservation of non-linguistic features such as emotion, intonation and tone which are of great importance for natural expressive communication, especially at the emotional or stylistic level[6].
- **Latency Challenges**: For these systems, delays are introduced by the sequential use of ASR, MT and TTS pipelines which makes it difficult to achieve real-time translation that is necessary for dynamic discussion or ongoing communication[7].
- **Ethical and Privacy Concerns**: Since sensitive voice data can be misused or hidden that constituted ethical concerns in practices, concerns about data security and user privacy are raised by cloud-based services required for voice translation[8].
- **Computational Complexity**: Significant computational resources are required for real-time voice translation, that limits its use on wearable devices or mobile phones limiting its accessibility and scalability in everyday situations[9].
- **Limited Adaptability to Noisy Environments**: Asr accuracy are adversely affected by background noises, changing environment conditions and acoustic intensity, that results in poor interpretation in real world situations[5].
- **Exclusion of Dialects and Endangered Languages**: Regional or unwritten languages are not supported in the existing systems that leaves many languages groups underserved and exacerbate the digital devices[5].

III. PROPOSED SYSTEM

A. System Architecture

The proposed system is an AI-driven up-to-date voice translation system, that is designed to overcome the limitations of existing technologies with real-time construction, accurate and contextual multilingual translation. The system integrates advanced features, including Natural Language Processing (NLP), Text-To-Speech (TTS) and Automatic Speech Recognition(ASR) which ultimately creates solutions from within with ease and efficient communication. The architecture consists of three main modules. ASR to accurately convert linguistic input to text, NLP to translate text while preserving semantic and syntactic integrity, and TTS to generate natural and descriptive language output, has preserved the characteristics of a particular speaker such as voice, emotion and intonation. Feedback loops ensure smooth learning and performance over time[8].

B. Key Features

Key features of the proposed system include simple real-time translation, extensive multilingual support for high and low feature languages and the ability to maintain speaker-specific characteristics for nature and transparent connectivity[10]. This is designed for scalability to enable work to be implemented on resource-constrained devices such as smartphones and wearable technologies, making it accessible for a wide range of applications.

C. Technology Stack

The technology stack uses modern frameworks like PyTorch, TensorFlow and Hugging Face Transformers. ASR is performed using Wav2Vec2.0 or similar technologies, NLP uses models such as mBART or GPT for complex translation and TTS uses advanced systems such as Tacotron 2 or FastSpeech for speech quality as they are integrated with System AWS, Google Cloud, or Azure for large enterprise data processing etc. which uses cloud infrastructure and relies on multilingual data sets such as Common Voice and LibriSpeech to train models[11]. This new approach addresses current limitations and ensures high levels of inclusion, scalability and performance while setting new standards for voice translation in real time.

The methodology follows a structured pattern for the buildout and implementation of an advanced AI-operated Voice Translation System. It is composed of four main components: data set preparation, automatic Speech recognition (ASR), Natural Language Processing (NLP) translation, and Text-to-speech (TTS) Synthesis.

Authorized licensed use limited to: University of Southern Denmark. Downloaded on February 04,2026 at 08:35:17 UTC from IEEE Xplore. Restrictions apply.

This model starts the process of reviews and preparations for the representative data set for training and evaluation. The spoken entrance is then converted to a text form using advanced ASR techniques. Transferred text is relevant and translated using condition state-of-the-art NLP models. Lastly, the finally translated material is converted into a naturally rich speech with the help of modern TTS synthesis methods. By incorporating these components, the system gets high accuracy, low delay and scalability in many language scenarios.

D. Dataset Preparation

The construction of a strong multilingual dataset is important. Much used Open-Source data sets such as Common Voice, Librispich and Covost model are integrated to support training. Pre -treatment includes noise reduction, normalization and phonetic alignment, all of which increase the quality and accuracy of input data.

To improve the strength, data enlargement techniques such as Pich modulation and voice variation are used in particularly low resource languages. For effective model development and performance evaluation, the dataset is systematically classified into training, verification and test



Fig. 1. Process of language processing

E. Speech Recognition Techniques (ASR – Automatic Speech Recognition)

The ASR system acts as an initial step in the pipeline and converts text data speech language. The system appoints advanced self-developed learning models, especially WAV2Vec 2.0, to stand out in speech pattern recognition, even under noise conditions.

To increase accuracy, architecture includes firms and attention mechanisms. In addition, domain -specific sound data is used to fix models, to reduce transcriptional errors and improve the quality of downstream translation.

F. Natural Language Processing (NLP) for translation

The NLP component uses powerful transformer-based models such as mustache and GPT for accurate translation in target language. These models are pre -trained at the huge multilingual company and expanded with cognitive mechanisms to ensure cementing and relevant loyalty.

Domain-specific fine tuning further ensures that translations are not only grammatically accurate, but also culturally suitable. This uses the system in different domains, including health care, education and commercial communication[8].

G. Speech Synthesis (Text-to-Speech)

In the final phase, the text that is translated is converted into a lifetime, human speech. Furthermore, the TTS synthesis uses advanced models such as Tacotron 2 and fastening, which preserves pitch, tone and speaker-specific properties.

To ensure high quality audio output, nerve vocal dollars as HiFi-Gan are hired. These devices generate natural and expressive speeches, enabling the sound translation of uninterrupted real time while maintaining the integrity and natural flow of oral communication.[6]

IV. IMPLEMENTATION

The key system features that are Text-To-Speech (TTS), Automated Speech Recognition (ASR), Natural Language Processing (NLP) are integrated in a seamless pipeline by the voice translation system. Each module has low latency and high accuracy for ensuring the well-designability of the system. The system uses advanced contours such as TensorFlow and Pitter for training and purpose. Production of scalable and strong cloud services solutions include data shift, model configuration and API integration in larger stages. These processes enable real -time data processing and ensure compatibility on different platforms, including mobile devices and wear.[4].

A. Model Training and Optimization

The optimal training process of the system begins with an early phase of model training using a widely recognized data set, such as the General Voice and Librispeech, provides a solid basis for general speech and language recognition. Then, in cases of special use, fine tuning is done on the domain -specific dataset to increase the performance of the system. To improve training efficiency and model accuracy, hyperpier setting is performed, including learning speeds, batch size and adjusting parameters as the number of exercise age. Regularization techniques, such as dropout and early restrictions, are used to prevent over-installation and ensure normalization. In addition, the feedback integrates the feedback loop to assess the system performance, provides the possibility of improving relapse and maintaining the reliability of the model in different applications.[7].

B. Workflow of the Voice Translator

The workflow to AI operated voice translator involves a spontaneous integration of many advanced technologies, which is to convert spoken language from one language to another language. This speech begins with the recognition phase, where the voice of the speaker is trapped through a microphone and treated by an automated speech recognition system (ASR). This system, often driven by deep learning models, converts words that are spoken to a lesson when handling the difference in the noise from the accent, speech pattern and background. The transferred text is then submitted into the NMT module Neural Machine (NMT), which translates it with a trained AI model on a wider multilingual dataset in the language targeted from the source language. When the translation is complete, the output text enters the speech synthetic phase, where a text-to-speech (TTS) engine converts the translated text back to words. Modern TTS systems are not only aimed at natural, human-like speech, but can also repeat the voting characteristics of the original speaker for more personal experience. Finally, the synthesized voice is played back to the listener in the

Authorized licensed use limited to: University of Southern Denmark. Downloaded on February 04,2026 at 08:35:17 UTC from IEEE Xplore. Restrictions apply.

target language and completes the translation cycle. Adopted by Skype translator and AI-based applications made on platforms such as Amazon Web Services, this workflow ensures real-time, effective and natural multilingual communication, while addressing challenges such as delay, translation accuracy, speech privatization and data.

V. RESULTS

A. Performance Evaluation

The proposed voice translation system results in a successful effectiveness in providing an accurate and contextual real-time translation system by using artificial intelligence. The performance of the system is examined through different parameters namely Bilingual Evaluation Understudy (BLUE) Mean Opinion Score (MOS) and Word Error Rate (WER) for the overall performance of ASR, NLP interpretation and TTS accuracy accordingly[2]. The system resulted in providing great accuracy in featured with large variation languages in low level and noisy environments. By comparatively analyzing the system, the proposed system is found to have better retention of speaker-specific characteristics and nuances than the existing systems which makes the system more applicable.

B. Accuracy of Translation

The accuracy of the proposed system is being checked through various benchmark such as Common Voice and CoVoST. The system uses WER as key benchmark to measure the ASR accuracy, MOS score for the measurement of naturalness of the speech and BLUE score to evaluate the semantics of the language. The system outperforms the existing solutions as the result gives higher accuracy with the ASR module, better performance of TTS and MOS in producing natural and expressive speech[2].

C. Comparison with Existing Solutions

The system achieves high semantic accuracy using transformer-based models such as mBART which excel in handling language complexity and maintaining referential integrity. Research shows consistent performance in high performance languages with fine tuning, including improved preprocessing and significant improvements in resource-efficient language translation. The system captures the nuances of culture and context very well, ensuring a natural and relevant translation[4].

VI. APPLICATIONS AND USE CASES

The proposed AI-driven voice translation system provides a wide range of applications in different fields, and addresses great requirements in communication, access and education. Its real -time treatment options make a powerful tool to break language barriers in both professional and individual contexts.

In real -time communication scenarios, the system facilitates spontaneous interaction between individuals who speak different languages. It is especially valuable at international conferences, global trade meetings and diplomatic environments, where multilingual involvement is necessary. Industries such as global trade, tourism and international conditions have great advantages, as the system makes a steady exchange, promotes better understanding and accelerates decision -making processes.

The system also plays an important role in increasing access to people with disabilities, especially for those accompanied by hearing or speech loss. For people with light hearing loss, the system can provide real -time transcript of the material spoken in the text, so that easy participation can interact. For people with more severe losses, system times can become a naturally rich speech, which means that they are able to express themselves effectively. These properties support autonomy and inclusion and allow users the opportunity to participate in social, educational and professional environments

Voice translators act as an effective tool for language learning and inclusive instructions. Students can use real-time translations of foreign language lessons, improve understanding and help with language collection. In addition, the system provides statement guidance and relevant definition, which improves the learning experience. Teachers can also provide the benefit of technology to provide multilingual materials in classes, create an inclusive learning environment for students of diverse linguistic backgrounds.

In addition to these domains, the proposed system supports global cooperation and cultural inclusion by addressing communication intervals in language. The ability to act in real time is adapted to different settings, and distribution of high quality outputs is an important tool for today's interacted world. Whether in education, health care, business or daily social interaction, voice translators make a more inclusive and linked global society to contribute meaningful.



Fig. 2. types of Speech recognition process

VII. CHALLENGES AND LIMITATIONS

A. Technical Challenges

To achieve higher accuracy under different environment is the main technical challenge. Even though the system works well in controlled environment, noisy conditions and loud sounds, regional dialects pose an issue for automatic speech recognition (ASR) plus reduction in the quality of the interpretation for languages which hinders model training with little data. Latency issue is another main concern since real-time application requires ultra-low response time which can be hard to achieve using complex process pipelines. The system faces several challenges related to access and scalability, as the calculation resources for portable equipment and mobile phones are limited. The need for deep understanding of reference and advanced NLP techniques combines further complexity, as the system must preserve the meaning of words and idiomatic expressions in terms of particularly complex sentences. [5].

Authorized licensed use limited to: University of Southern Denmark. Downloaded on February 04,2026 at 08:35:17 UTC from IEEE Xplore. Restrictions apply.

B. Ethical and Privacy Concerns

AI operated voice translator improves significant moral and privacy problems that must be carefully taken to ensure responsible and secure distribution. Since these systems are trapped, treated and sometimes store the spoken talks to users, it is crucial to protect data privacy. This includes the implementation of strong encryption for data transfer and storage, anonymous speech recordings to prevent the risk of identity, and to follow international data protection rules such as California Consumer Privacy Act(CCPA) and General Data Protection Regulation (GDPR). Users should be fully informed, through the clear and multilingual consent mechanisms, what data is collected, how they will be used, and their right to choose from or in data storage and sharing. In addition to privacy, moral concerns arise from potential prejudices in translation models that can cause discrimination on the basis of pronunciation, dialect, gender or ethnicity, especially if the system is trained on unbalanced data sets. There is also a risk of abuse, where these devices can be utilized for unauthorized monitoring, spread misinformation or manipulated in interactions in sensitive environments such as the health care system, legal or diplomatic references. Disclaimer on moral security measures such as restrictions on use, system transparency and translation limits are necessary. In addition, these systems should demonstrate cultural sensitivity, the importance of social reference, vocals and translated speech in the wrong way or to avoid crime. Finally, developers and suppliers should establish a clear responsibility structure to address translation errors, abuse of systems and moral violations, and ensure that AI operated voice translator is not only technically effective but also morally responsible and socially.

VIII. FUTURE WORK

A. Scope for Improvement

The future of the AI-operated voice translation system has tremendous capacity, especially in different mechanical and built-in systems with integration of these technologies. Since these systems go on, addressing the current boundaries in cultural, relevant and emotional understanding will be focused on accuracy, inclusion and improvement of real -time performance. The introduction of multimodal models - that integrate voice, facial expressions, gestures and environmental references - can increase the translation experience in devices such as smartwatch and cars so that users can interact more naturally and easily with the system. For example, smartwatches equipped with real -time translation can serve as a powerful tool for multilingual communication, while cars with voice translators can facilitate even communication in different languages for built -in drivers and passengers in the infotainment system. In addition, the focus can be focused on expanding language support in future work, including at least more and more regional dialects and indigenous languages.

B. Integration with Wearable Devices

The optimization of the system in terms of voice rendering for wearable devices such as smart watches, earbuds AR glasses is one of the major future works of the system. This will ensure higher convenience and portability of the system to the users. This can be achieved through optimization of the system with future rich hardware and maintaining the high performance and accuracy parallelly by creating thumbnails. Seamless hands-free real-time communication is one of the desired features of the system which is possible with the integration of the system with wearable devices[6]. Voice activated commands and gesture control features are additional features of the system which will practically improve the experiences of the user. The system's compatibility and useability can be improved in wearable devices through collaboration with device manufacturers.

IX. CONCLUSION

The proposed AI powered voice translation system addresses the limitation facing by the current existing systems through the integration of Text-To-Speech (TTS), Natural Language Processing (NLP) and Automatic Speech Recognition (ASR) efficiently which are very advanced components exist till now[10]. The system provides high accuracy and low latency when the processes are in a pipeline. The system is made usable in real-time and accessible to individuals of varying abilities and teaching tools by retaining speaker-specific characteristics such as contextual nuances and voice intelligibility.

This research contributes mainly to multilingual communication by providing a highly effective voice translation system. A new standard for performance and reliability of the system is set by using transformer0based model, neural TTS and scalable architecture. The system ensures a balance of responsibility and innovation by examining the technical challenges like latency and data bias as well as considering ethical issues like privacy and security. The system not only enhances existing voice translation technologies but also opens new possibilities for integrating such systems with wearable devices worldwide[6]. This functionality provides simple and easy communication. It is also a step towards breaking down language barriers and promoting a more inclusive and connected global society.

REFERENCES

[1] A. Waibel, A. N. Jain, A. E. McNair, H. Saito, A. G. Hauptmann, and J. Tebelskis, "JANUS: a speech-to-speech translation system using connectionist and symbolic processing strategies," *Acoustics, Speech, and Signal Processing, IEEE International Conference on*, vol. 2, pp. 793–796, Apr. 1991, doi: 10.1109/ICASSP.1991.150456.

[2] Q. Dong *et al.*, "PolyVoice: Language Models for Speech to Speech Translation," *12th International Conference on Learning Representations, ICLR 2024*, Jun. 2023, Accessed: Apr. 01, 2025. [Online]. Available: https://arxiv.org/abs/2306.02982v2

[3] A. Lavie *et al.*, "JANUS-III: Speech-to-speech translation in multiple languages," *ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings*, vol. 1, pp. 99–102, 1997, doi: 10.1109/ICASSP.1997.599557.

[4] S. Benkerzaz, Y. Elmir, and A. Dennai, "A Study on Automatic Speech Recognition," *Journal of Information Technology Review*, vol. 10, 2019, doi: 10.6025/jitr/2019/10/3/77-85.

[5] V. Mujadia, S. Umesh, H. A. Murthy, R. Sangal, and D. M. Sharma, "Towards Speech to Speech Machine Translation focusing on Indian Languages," *EACL 2023 - 17th Conference of the European Chapter of the Association for Computational Linguistics, Proceedings of System Demonstrations*, pp. 161–168, 2023, doi: 10.18653/V1/2023.EACL-DEMO.19.

[6] A. Waibel, "Interactive translation of conversational speech," *Computer (Long Beach Calif)*, vol. 29, no. 7, pp. 41–48, Jul. 1996, doi: 10.1109/2.511967.

[7] Y. Liu *et al.*, "End-to-End Speech Translation with Knowledge Distillation," Apr. 2019, Accessed: Apr. 01, 2025. [Online]. Available: https://arxiv.org/abs/1904.08075v1

[8] Y. Jia *et al.*, "Direct speech-to-speech translation with a sequence-to-sequence model," *Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH*,

Authorized licensed use limited to: University of Southern Denmark. Downloaded on February 04,2026 at 08:35:17 UTC from IEEE Xplore. Restrictions apply.

vol. 2019-September, pp. 1123–1127, Apr. 2019, doi: 10.21437/Interspeech.2019-1951.

[9] Y. Jia, M. T. Ramanovich, T. Remez, and R. Pomerantz, "Translatotron 2: High-quality direct speech-to-speech translation with voice preservation," Jun. 28, 2022, *PMLR*. Accessed: Apr. 01, 2025. [Online]. Available: https://proceedings.mlr.press/v162/jia22b.html

[10] C. Le *et al.*, "TransVIP: Speech to Speech Translation System with Voice and Isochrony Preservation," *Adv Neural Inf Process Syst*, vol. 37, pp. 89682–89705, Dec. 2024, Accessed: Apr. 01, 2025. [Online]. Available: https://aka.ms/transvip.

[11] C. Wang, Y. Wu, S. Liu, M. Zhou, and Z. Yang, "Curriculum Pre-training for End-to-End Speech Translation," *Proceedings of the Annual Meeting of the Association for Computational Linguistics*, pp. 3728–3738, Apr. 2020, doi: 10.18653/v1/2020.acl-main.344.

[12] T. Duarte, R. Prikladnicki, F. Calefato, and F. Lanubile, "Speech recognition for voice-based machine translation," *IEEE Softw*, vol. 31, no. 1, pp. 26–31, 2014, doi: 10.1109/MS.2014.14.

Authorized licensed use limited to: University of Southern Denmark. Downloaded on February 04,2026 at 08:35:17 UTC from IEEE Xplore. Restrictions apply.