

Property details

MPRN	10012345678	Shared MPRN	No
BER Number	N/A	Type of Rating	New Dwelling - Provisional
Address line 1	CARROWBEG	Purpose of Rating	New dwelling for owner occupation
Address line 2	WESTPORT	Building Regulations	2022 TGD L
Address line 3		Date of Plans	01/09/2026
County	Co. Mayo	Assessor Name	John Turley
Eircode		Assessor Number	100615
Dwelling Type	Bungalow	Date of Assessment	18/09/2026
Year of construction	1979	Assessor Comments	Sample report — demonstration only
Dwelling Extension	No		
Storeys	1		

Dimension details

	Area [m2]	Height [m]	Volume [m3]
Ground floor	118.00	2.40	283.20
First floor	0.00	0.00	0.00
Second floor	0.00	0.00	0.00
Third and other floors	0.00	0.00	0.00
Room in Roof	0.00	0.00	0.00
Totals	118.00		283.20
Living Area	31.00 m2		
Living Area Percentage	26.27 %		

Ventilation details

Ventilation method	Whole-house extract ventilation	Number of sides sheltered	2
How many wetrooms (inc. kitchen)?	3	Effective air change rate [ac/h]	0.52

Building Elements - Floors

Type	Description	Include in compliance check	Age Band	Area [m2]	U-Value [W/m2K]	Heat Loss (AU) [W/K]
Ground Floor - Solid	150mm PIR	Yes	1978 - 1982	118.00	0.19	22.42
Total area [m2]				118.00		

Building Elements - Roofs

Type	Description	Include in compliance check	Age Band	Area [m2]	U-Value [W/m2K]	Heat Loss (AU) [W/K]
Pitched Roof - Insulated on Ceiling	150mm Fibreglass	Yes	1978 - 1982	70.00	0.25	17.50
Pitched Roof - Insulated on Rafter	80mm PIR between rafters	Yes	1978 - 1982	48.00	0.30	14.40
Total area [m2]				118.00		

Building Elements - Walls

Type	Description	Wall is semi-exposed	Age Band	Area [m2]	U-Value [W/m2K]	Heat Loss (AU) [W/K]
300mm Filled Cavity	Bonded bead 50mm cavity	No	1978 - 1982	108.00	0.55	59.40
Total area [m2]				108.00		

Building Elements - Doors

Count	Type	Description	Area [m2]	U-Value [W/m2K]	Heat Loss (AU) [W/K]
1	1.4	Front - solid	2.20	1.40	3.08
1	1.4	Rear - solid	2.20	1.40	3.08
Total area [m2]			4.40		

Building Elements - Windows

Count	Glazing Type	Frame Type	In Roof	Orient.	Area [m2]	U-value [W/m2K]
1	Double-glazed, air filled	Wood/PVC	No	South	7.60	2.80
1	Double-glazed, air filled	Wood/PVC	No	North	4.20	2.80
1	Double-glazed, air filled	Wood/PVC	No	East	3.80	2.80
1	Double-glazed, air filled	Wood/PVC	No	West	3.40	2.80
Total area [m2]					19.00	

Heat loss details

Total glazed area [m2]	19.00	Glazing ratio	0.16
Fabric heat loss [W/K]	168.40	Total heat loss [W/K]	247.80
Per m2	2.10		

Water heating details

Water storage volume [Litres]	300.00	Storage Type	Cylinder, indirect
Number of baths	1	Number of mixer showers	1