

Acoustics Monitoring Wireframe

March 13, 2025

ACOUSTICS MONITORING

[About](#)[Donate](#)[FAQ](#)

Welcome to Acoustics Monitoring Where We Help You Learn About Birds

Record Bird Acoustics
To Identify the Bird Species

Button

Do you have questions
about birds?

Enter your question here

Chatbot Response

The user pressed the record button and recorded a bird
acoustic...

ACOUSTICS MONITORING

[About](#)[Donate](#)[FAQ](#)

Acoustics Monitoring predicts your bird is a *Rupicola Peruvianus*

Rupicola Peruvianus



Enter your question here

Chatbot Response

Familia: Cotingidae

Genus: Rupicola

Species: ***Rupicola peruvianus***

Subspecies: *R. p. aequatorialis* – *R. p. peruvianus* – *R. p. sanguinolentus* – *R. p. saturatus*

Name

Rupicola peruvianus (Latham, 1790)

•Type locality: Chanchamayo, Junín, Peru.

Synonyms

•*Pipra peruviana* (protonym)

•*Rupicola peruviana* (Latham, 1790)

One of the iconic birds of the Andes. Fairly large, significantly larger and chunkier than a thrush. Found in cloud forest at middle elevations, most often at a dawn display site where males make piglike squeals and jump and dance for females. Sometimes seen elsewhere in the forest, especially at fruiting trees. Males can be either brilliant crimson or orange, always with black wings and broad silver tertials, orange legs, and puffy rounded crest. Female duller brown with smaller crest; note staring pale eye. Nests on large rocks or cliff faces. Only similar species is Guianan Cock-of-the-rock, but no range overlap.

Migratory Path



Deforestation Status

