

# E115\_BirdWatching App Wireframe

March 13, 2025

# ACOUSTICS MONITORING

[About](#)[Donate](#)[FAQ](#)

Welcome to Acoustics Monitoring Where We Help You Learn About Birds

Record Bird Acoustics  
To Identify the Bird Species

Button

If the identified bird is not listed in the dropdown menu on the right, the app will display the species name and, upon clicking again, return to this page. Otherwise, it will proceed to the next page.

Would you like to learn more about  
the birds in Yanachaga Chemillén?

Drop down menu:

- Andigena hypoglauca
- Aulacorhynchus coeruleicinctis
- Doliornis sclateri
- Gallinago jamesoni
- Hapalopsittaca melanotis
- Pionus tumultuosus
- Pipile cumanensis
- Rupicola peruvianus
- Tinamus osgoodi

The user pressed the record button and recorded a bird  
acoustic or selected a bird species in the dropdown menu...

# ACOUSTICS MONITORING

[About](#)[Donate](#)[FAQ](#)

Do you have any question  
about Rupicola Peruvianus?



Enter your question here

Chatbot Response

## Your bird is a Rupicola Peruvianus

Familia: Cotingidae  
Genus: Rupicola  
Species: ***Rupicola peruvianus***  
Subspecies: *R. p. aequatorialis* –  
*R. p. peruvianus* – *R. p. sanguinolentus*  
– *R. p. saturatus*

### Name

*Rupicola peruvianus* (Latham, 1790)  
• Type locality: Chanchamayo, Junín, Peru.

### Synonyms


- *Pipra peruviana* (protonym)
- *Rupicola peruviana* (Latham, 1790)

### Migratory Path



One of the iconic birds of the Andes. Fairly large, significantly larger and chunkier than a thrush. Found in cloud forest at middle elevations, most often at a dawn display site where males make piglike squeals and jump and dance for females. Sometimes seen elsewhere in the forest, especially at fruiting trees. Males can be either brilliant crimson or orange, always with black wings and broad silver tertials, orange legs, and puffy rounded crest. Female duller brown with smaller crest; note staring pale eye. Nests on large rocks or cliff faces. Only similar species is Guianan Cock-of-the-rock, but no range overlap.

## Previous Rupicola Peruvianus locations within Yanachaga Chemillen



Click here to view other locations where the birds  
are likely to be, based on model predictions