

STADIONHOPPER

Deliverable 1: Product Discovery and Agile Planning

IBE205 Agile Methods

Team: Group D

Submission date: 16.09.2026

Discovery report – focused on problem understanding, users, value, MVP prioritization and preparation for agile development.

Contents

- 1. Product Vision 3
- 2. Problem Definition 3
- 3. Value Proposition 4
- 4. MVP Definition and Scope 5
- 5. Stakeholder Analysis 6
- 6. Personas 7
- 7. Core Use Cases 7
- 8. Product Backlog 9
- 9. First Sprint Plan 10
- 9.1 GitHub and visible agile workflow..... 11
- 10. Team Charter and Reflection 12
- 11. References 12

Product Vision

Stadionhopper is envisioned as a digital community platform for local football. Its purpose is to strengthen local football communities by making stadium visits more social, visible and engaging. Rather than treating the product only as a mobile application, we view it as a platform that connects supporters, clubs and the football association around shared local football experiences.

The primary users are existing local football supporters, potential or casual supporters who may need a lower threshold for attending matches, and digitally oriented users who are comfortable using social and mobile services. Clubs and Nordmøre og Romsdal Fotballkrets are secondary users and important stakeholders because they can use the platform to promote activity, strengthen supporter relationships and gain better insight into engagement.

The central value proposition is not simply that users can check in at stadiums. The intended value is that a stadium visit becomes part of an ongoing community experience: users can discover activity, document visits, connect with others and participate in events. For clubs, more visible and active supporter communities may improve attendance, communication and sponsor value. For the football association, aggregated engagement information may provide a better basis for community-development initiatives.

At this discovery stage, these outcomes are hypotheses rather than established facts. The course material explicitly distinguishes what is known from what is assumed: local matches, supporters, clubs and a football association exist, while assumptions such as social features increasing engagement must be tested. Our vision therefore combines ambition with learning: the first product should be small enough to test whether the proposed social mechanisms create real value.

What success might look like

- Supporters actively use check-ins and return to the platform after their first visit.
- Users interact around matches through follows, posts, comments and/or meetups.
- Pilot clubs experience useful visibility and can promote matches or events through the platform.
- The football association receives meaningful, privacy-conscious insight into engagement patterns.
- Learning from the pilot changes the backlog: success is not only delivering features, but discovering which features are actually valuable.

Problem Definition

The underlying problem

Local football has many matches, stadiums and people with an interest in football, but this does not automatically create a coherent community experience. The project material identifies an underused audience potential and fragmented communication across social media, club websites and messaging services. These channels can distribute information, but they do not necessarily connect stadium visits, supporter identity, social interaction, events and local-football discovery in one context.

For supporters, the challenge is therefore broader than a lack of match information. A person may be interested in local football but still lack a social reason to attend, someone to attend with, awareness of nearby matches, or a simple way to turn

visits into a visible history. Existing supporters may already attend games but have few structured mechanisms for connecting their stadium experiences with other supporters.

Opportunity for clubs

Clubs need attention, attendance and durable relationships with their local communities. Their communication is often distributed across several channels, while insight into supporter behaviour may be anecdotal rather than evidence-based. Stadionhopper creates an opportunity to give clubs a dedicated local-football context for promoting matches and activities while learning from observable engagement such as check-ins and event participation.

However, we should not assume that more digital activity automatically means more stadium attendance. The relevant hypothesis is that selected digital interactions can lower the threshold for physical participation and strengthen existing communities. This distinction is important because an agile discovery process should test value rather than simply maximize the number of features.

Opportunity for Nordmøre og Romsdal Fotballkrets

The football association works across clubs and has an interest in developing local football communities. A dedicated platform could provide a broader view of supporter activity than individual club channels. This may help the association understand where engagement is strong or weak and evaluate initiatives. At the same time, the association has wider responsibilities than supporter engagement alone, including club, coach and referee development. Stadionhopper should therefore be treated as one possible community-development instrument, not as a complete solution to all challenges faced by the association.

Why general social channels may be insufficient

The weakness of existing channels is not necessarily that they are poorly designed. The issue is fragmentation and lack of a shared local-football context. General social media is optimized for broad social content; club websites are usually club-specific; messaging groups are often closed; and separate services may focus on isolated functions. Stadionhopper can potentially create value by linking identity, stadium visits, local matches, social relationships and events around the same domain.

Key assumptions to validate

Assumption / hypothesis	Why it matters	How an MVP can provide learning
Supporters want to record and share stadium visits.	Check-in is the proposed core behaviour.	Observe check-in creation, repeat use and qualitative feedback.
Social connections increase motivation to engage with local football.	Community is central to the product vision.	Test follows/feed interactions and ask users whether these affect attendance intent.
Clubs value a dedicated channel and engagement data.	Club participation is needed for a realistic ecosystem.	Pilot simple administration/promotion and gather club feedback.
Meetups/events can reduce the social threshold for attending.	Could attract casual or new supporters.	Test RSVP/event participation after core check-in behaviour works.
A focused local-football platform provides value beyond fragmented channels.	This is the overall product hypothesis.	Compare user feedback on convenience, community and discoverability.

Value Proposition

Stakeholder	Expected value	Functionality contributing to value
Supporters	Discover local football experiences; document visits; connect with others; feel part of a local football community.	Profiles, stadium check-ins, visit history, social feed, follows, events/RSVP.
Football clubs	Greater visibility, stronger supporter engagement, more direct promotion of matches/events and useful insight into activity.	Simple club administration, match/event promotion, aggregated engagement indicators.
Nordmøre og Romsdal Fotballkrets	Cross-club insight into local-football activity and a platform that can support community-development initiatives.	Aggregated activity data, pilot observations, engagement analysis.
Sponsors / partners	Potentially more visible and measurable local engagement around clubs and events.	Later-stage sponsor/partner exposure, based on demonstrated user value rather than being a core MVP feature.

The value proposition is deliberately outcome-oriented. Features are useful only if they contribute to engagement, community or learning. This follows the agile emphasis on discovering what is worth building rather than assuming that a long feature list equals value.

MVP Definition and Scope

We use MoSCoW prioritization to define a small first version that can test the core product idea. The guiding question is: what must exist to validate whether supporters will use a dedicated social platform around local stadium experiences? The course material stresses simplicity, early learning and explicit exclusion of non-essential work. We also connect each priority to a value hypothesis or risk, because the purpose of prioritization is not to rank what is most attractive to build, but to decide what is necessary to create and validate value with the least avoidable scope.

Feature	MoSCoW	User value	Why now?	Key assumption / risk	Validation / rationale
Authentication & profile	MUST	Creates identity and ownership of activity.	Required for personal history and social functions.	Users accept the registration effort.	Keep account creation minimal; test onboarding friction.
Stadium check-in + photo	MUST	Turns a physical stadium visit into a recordable/shareable experience.	This is the most distinctive core behaviour to validate.	Supporters actually want to check in and share visits.	Prototype early; measure creation/repeat use and collect feedback.
Social feed	MUST	Makes supporter activity visible and creates a community loop.	Needed to test whether sharing increases engagement.	A local-football feed feels relevant rather than empty/noisy.	Start with pilot content and followed-user activity.
Follow/friend function	MUST	Creates persistent social connections and relevance.	Connects individual check-ins into an ongoing network.	Users want to follow other local supporters.	Keep the relationship model simple in MVP.
Simple club/stadium admin	MUST	Keeps pilot information usable and gives clubs a role.	Without maintainable data, supporter flows cannot be tested realistically.	Clubs will contribute basic information and see value in the channel.	Use 1–3 pilot clubs or simulated data if access is delayed.
Events / meetup + RSVP	SHOULD	Can lower the social threshold for attending matches.	High community value, but core check-in/social loop can be tested first.	Meetups increase intention or actual attendance.	Add after core flow; test with a small event.
Basic moderation	SHOULD	Supports trust and a healthy community.	Important as social content grows, but can be lightweight in controlled pilot.	User-generated content creates moderation needs.	Provide reporting/removal workflow before wider pilot.
Onboarding	SHOULD	Helps new/casual supporters understand the product quickly.	Useful for adoption but not required to prove core behaviour.	New users may not understand check-in/community value immediately.	Test concise onboarding; avoid long tutorials.
Push notifications	SHOULD	Can improve return visits and event awareness.	Retention aid, not core proof of product value.	Notifications improve return behaviour without becoming annoying.	Make notifications limited and controllable.

Badges / gamification	COULD	May make stadium collecting more motivating.	Potential enhancement after core value is proven.	Extrinsic rewards may increase engagement or may feel gimmicky.	Only test if time remains and core flow works.
Advanced search	COULD	Improves discovery as the amount of content grows.	Low need in a small pilot with few clubs/stadiums.	Users need richer discovery once content volume grows.	Defer until pilot data shows a discovery problem.
Ticket integration	WON'T	Could make the match journey more convenient.	Not needed to validate community value; creates external dependencies.	Integration complexity would consume scarce student capacity.	Explicitly outside first MVP; reconsider later.
Marketplace	WON'T	Possible commercial/community extension.	Expands scope far beyond discovery hypothesis.	Commerce distracts from supporter-community validation.	Exclude from phase 1.
Live scores	WON'T	Useful football information.	Does not differentiate Stadionhopper and adds integration work.	Users can already obtain live scores elsewhere.	Exclude from phase 1.

The MVP is intentionally narrower than the complete platform concept. A successful MVP is one that produces useful evidence. If users do not value check-ins or social interaction, adding ticketing, live scores or sophisticated gamification would increase effort without resolving the fundamental uncertainty.

Stakeholder Analysis

Stakeholder	Goals / needs	Expected benefit	Potential conflict	Influence
Supporters	Easy discovery, social connection, low-friction use, privacy and relevant content.	Richer match experience, visit history, community and easier participation.	May resist data collection, irrelevant notifications or club/sponsor content.	High: adoption determines product value.
Football clubs	Visibility, attendance, communication and useful engagement insight.	Stronger supporter relationship and promotion channel.	May prioritize promotion/data over supporter experience; clubs may have unequal resources.	High: supply match/stadium information and pilot access.
Nordmøre og Romsdal Fotballkrets	Develop local football, increase participation, learn across clubs.	Cross-club insight and a possible community-development tool.	Strategic needs may be broader than the MVP; privacy/data expectations must be managed.	Very high: key external stakeholder and pilot partner.
Sponsors / local partners	Relevant exposure and association with local engagement.	Potential access to engaged local audiences.	Commercial content can reduce user trust if introduced too early.	Medium initially; potentially higher later.
Student development team	Learn agile methods and deliver a viable, testable product.	Practical experience and successful course delivery.	Time, role ambiguity, uneven workload and scope pressure.	High over execution decisions.
Teaching assistants / advisers	Support technical quality and learning.	Reduced technical risk and better decisions.	Advice can become a bottleneck if the team depends on it.	Medium.

Influence–interest interpretation

Manage closely: Nordmøre og Romsdal Fotballkrets, pilot clubs and active supporters. Keep satisfied/involved: potential sponsors and external advisers. The student team must continuously collect feedback from the high-interest user and stakeholder groups rather than allowing the backlog to become a fixed requirements document.

Personas

The personas below are proto-personas grounded in the stakeholder groups and project material. They are hypotheses for discovery, not claims based on completed user research. They should be revised when real interviews, observations or pilot feedback become available.

Persona	Background & digital behaviour	Goals / motivations	Frustrations	Expected value
Marius, 24 - the social stadium hopper	Student/young adult; follows football and uses social apps daily. Attends some local matches but also larger matches.	Collect stadium visits, share experiences, see where friends are going and discover a reason to attend more local games.	Local match information and social plans are fragmented; going alone is less attractive.	Check-ins, visit history, social feed, follows and meetups.
Kari, 42 - the committed local supporter	Regular supporter with strong connection to a local club. Uses Facebook/club channels but does not want another complicated app.	Stay informed, support the club, bring family/friends and strengthen the local community.	Information spread across channels; irrelevant content and excessive notifications.	Simple match/event overview, club posts, check-ins and community interaction.
Elise, 19 -the potential new supporter	Digitally oriented student who enjoys social events but is not yet a regular local-football supporter.	Find accessible social activities, know who else is attending and feel welcome without expert football knowledge.	Does not know local fixtures or supporter culture; low motivation to attend alone.	Discovery, friend activity, events/RSVP and easy onboarding.
Anders, 38 - club administrator	Volunteer/employee responsible for communication around a local club; uses website and social media alongside many other tasks.	Promote matches efficiently, attract spectators and understand what creates engagement.	Limited time, fragmented channels and little systematic supporter data.	Simple admin, event/match promotion and basic engagement insight.

Core Use Cases

UC1 – Stadium check-in

Actor	Goal	Preconditions
Supporter	Record and share a stadium visit	User is authenticated; stadium exists in the platform.

Main flow: 1) User opens stadium/match. 2) Selects check-in. 3) Adds photo and optional text. 4) Confirms. 5) Check-in is saved to history and can appear in feed.

Alternative flow(s): Location/photo unavailable → allow limited/manual input or prompt retry; duplicate check-in → warn user.

UC2 – Follow another supporter

Actor	Goal	Preconditions
Supporter	Build a relevant social network	Both users have profiles.

Main flow: 1) User finds another profile. 2) Selects follow. 3) Relationship is stored. 4) Relevant activity becomes visible in the feed.

Alternative flow(s): Private/restricted profile → request approval; user blocks another user → relationship/content is hidden.

UC3 – Organize or join a meetup

Actor	Goal	Preconditions
Supporter	Find or organize people to attend a local match with.	User is authenticated; relevant match/event exists.

Main flow: 1) User creates or opens meetup. 2) Adds/views details. 3) Participants RSVP. 4) Updates are visible to participants.

Alternative flow(s): Event cancelled/changed → participants are informed; capacity reached → RSVP is closed/waitlisted.

UC4 – Promote a match/event

Actor	Goal	Preconditions
Club administrator	Increase visibility and participation	Administrator has permission for the club.

Main flow: 1) Admin selects club/match. 2) Adds event/promotion details. 3) Publishes. 4) Content becomes visible to relevant users.

Alternative flow(s): Incorrect/outdated information → admin edits/unpublishes; permission missing → action denied.

UC5 – Review engagement

Actor	Goal	Preconditions
Football association / club	Understand activity around pilot clubs	Sufficient activity exists and user has authorized access.

Main flow: 1) User opens aggregated overview. 2) Selects club/time period. 3) Views check-ins/events/activity indicators. 4) Uses findings for evaluation.

Alternative flow(s): Too little data → show limitation rather than misleading conclusions; privacy threshold not met → suppress detailed view.

Traceability from user needs to backlog

The Experience Lead reviewed the relationship between the proto-personas, their needs, the core use cases and the prioritized backlog. The purpose was to identify functionality without a clear user need and user needs that were not represented in the backlog. The review also treats personas and needs as hypotheses that should be refined through stakeholder and pilot feedback.

Persona / stakeholder	Key need	Use case	Backlog	MoSCoW
Marius – Social Stadium Hopper	Record and share stadium visits	UC1 Stadium Check-in	US03–US06	Must
Marius / Kari	See relevant supporter activity and maintain social connection	UC2 Follow Supporter	US07–US08	Must
Elise – Potential New Supporter	Discover local matches and find people to attend with	UC3 Meetup / RSVP	US03, US10, US13	Must / Should
Anders – Club Administrator	Maintain and promote local match/event activity	UC4 Match Promotion	US09, US11	Must / Should
Nordmøre og Romsdal Fotballkrets	Understand engagement around pilot clubs	UC5 Engagement Analysis	US19	Could

The review identified one clear gap: UC5 had no direct backlog item. US19 was therefore added as a Could Have. This preserves traceability without making advanced analytics part of the core MVP before enough activity data exists. The review also refined US03 toward match discovery and UC3 toward the underlying need of finding people to attend a match with.

Product Backlog

The initial backlog translates the discovery work into operational user stories. Priority reflects the MVP logic: Must items enable the smallest testable social stadium experience; Should items increase adoption/safety/community value; Could items are enhancements; Won't items are explicitly outside the first MVP.

ID	Priority	User story	Acceptance criteria
US01	MUST	As a supporter, I want to create an account and sign in, so that my activity and profile are saved.	Given valid registration details, account is created; valid credentials sign in; invalid credentials show an error.
US02	MUST	As a supporter, I want a basic profile, so that other users can recognize me and I can own my activity.	User can view/edit name and basic profile information; saved changes persist.
US03	MUST	As a supporter, I want to view available local matches and stadiums, so that I can discover football experiences I may want to attend.	Pilot stadium/match data can be listed and opened; relevant basic information is visible; unavailable data is clearly indicated.
US04	MUST	As a supporter, I want to check in at a stadium, so that I can record my visit.	Authenticated user can create a check-in linked to a stadium; successful check-in is saved to history.
US05	MUST	As a supporter, I want to attach a photo and text to a check-in, so that I can document the experience.	Supported photo can be added; optional text can be saved; failed upload gives feedback.
US06	MUST	As a supporter, I want to see my stadium-visit history, so that I can keep track of where I have been.	Completed check-ins appear in chronological history and open correctly.
US07	MUST	As a supporter, I want a social feed, so that I can see relevant local-football activity.	Feed displays recent permitted posts/check-ins and updates after new content is created.
US08	MUST	As a supporter, I want to follow other supporters, so that my feed becomes socially relevant.	User can follow/unfollow another user; relationship changes are reflected in relevant activity.
US09	MUST	As a club administrator, I want to maintain basic stadium/match information, so that supporters see usable pilot data.	Authorized admin can create/edit defined pilot information; unauthorized users cannot.
US10	SHOULD	As a supporter, I want to create or join a meetup, so that I can attend a match with others.	Authenticated user can view event details and RSVP; participation status is saved.
US11	SHOULD	As a club administrator, I want to publish an event, so that I can promote activity around a match.	Authorized admin can publish/edit event; event appears to intended users.
US12	SHOULD	As a user, I want basic reporting/moderation options, so that harmful or inappropriate content can be handled.	User can report content; moderator/admin can review or remove flagged content in pilot workflow.
US13	SHOULD	As a new user, I want a short onboarding flow, so that I understand the main purpose and actions.	First-time user receives concise guidance and can skip/complete it.
US14	SHOULD	As a supporter, I want relevant notifications, so that I do not miss important social or event updates.	User can receive defined notifications and can control/disable them.
US15	COULD	As a supporter, I want badges for stadium activity, so that collecting visits feels more motivating.	Defined achievement triggers a badge; badge appears on profile/history.
US16	COULD	As a supporter, I want advanced search, so that I can find stadiums, users or events quickly as content grows.	Search returns relevant matching pilot content and handles no-result state.
US17	WON'T	As a supporter, I want to buy match tickets in Stadionhopper, so that the entire match journey is in one service.	Explicitly excluded from first MVP; reconsider only after core engagement value is validated.
US18	WON'T	As a supporter, I want live scores in Stadionhopper, so that I can follow matches in real time.	Explicitly excluded from first MVP; not required to test the distinctive community hypothesis.
US19	COULD	As a football association representative, I want to view aggregated engagement indicators, so that I can understand activity around pilot clubs.	Authorized representatives can view aggregated pilot activity such as check-ins/event participation where data exists; insufficient data is clearly indicated; personally identifiable supporter information is not required.

Prioritization rationale

US01–US09 form a coherent minimum path: identity → discover a local match/stadium → check in → create visible activity → connect socially → provide maintainable pilot data. US10–US14 can improve community participation, safety and

retention, but they are not required to learn whether the core check-in/social loop has value. US15–US16 and US19 are Could items: they may add motivation, richer discovery or stakeholder insight, but should not displace validation of the core loop. US19 is deliberately deferred because meaningful engagement analysis depends on the MVP first generating sufficient activity data. US17–US18 are consciously excluded to protect scope and reduce dependencies.

First Sprint Plan

The course plan uses short iterative deliveries. For the first development sprint after Discovery, the team should select a thin vertical slice rather than attempt the entire MVP. The sprint should create something that can be demonstrated and used to reduce uncertainty.

Sprint goal

Create a demonstrable end-to-end foundation in which a pilot user can authenticate, view basic pilot stadium/match information and create a simple stadium check-in that is stored and visible to the user. The goal is learning and integration, not feature completeness.

Selected item	Reason for Sprint 1
US01 Account/sign-in	Foundation for user-specific behaviour.
US02 Basic profile	Provides identity for check-ins and later social functions.
US03 View pilot stadium/match data	Required context for a meaningful check-in.
US04 Create stadium check-in	Core hypothesis and first value-producing behaviour.
US06 Visit history (minimal)	Makes the result visible and testable end-to-end.

Planned division of work

All team members remain collectively responsible for the increment. The functional leads can coordinate work without creating knowledge silos: UX/Product Lead clarifies user flow and acceptance criteria; Architecture Lead coordinates technical direction; Quality Lead prepares tests/acceptance checks; Delivery/DevOps Lead establishes repository/build workflow; Experience Lead focuses on usability and pilot feedback. Scrum Master responsibility can rotate, while Product Owner should remain sufficiently stable to protect product priorities.

Expected outcomes

- A small integrated increment demonstrating the core check-in path.
- Feedback on whether the user flow is understandable and whether check-in feels meaningful.
- A refined backlog based on what the team learns during implementation and review.
- Shared technical knowledge rather than isolated specialist ownership.

Risks and dependencies

Risk / dependency	Response
-------------------	----------

Pilot data or club access is delayed	Use clearly labelled fictional/simulated data; do not block the sprint.
Scope grows during implementation	Protect sprint goal; move new ideas to backlog rather than adding mid-sprint.
Uneven knowledge across team	Pair/mob on difficult work; document decisions; rotate participation.
Integration problems	Integrate frequently and keep work small; avoid long-lived isolated work.
Unclear requirements	Ask stakeholders early; treat uncertainty as a discovery item rather than guessing.
Privacy concerns with real user/activity data	Use minimal data in the pilot and avoid unnecessary personal data.

GitHub and visible agile workflow

For Deliverable 1, GitHub is used as a collaboration and transparency tool rather than as evidence of software implementation. The Discovery assignment does not require software yet. A lightweight repository can nevertheless make the backlog, responsibilities, decisions and progress visible and establish working habits that carry into later development. Experience Lead reviews and resulting team decisions can be documented as Issues/comments, creating a visible trail from identified user needs to changes in use cases, backlog items and priorities.

GitHub element	Recommended use	Agile purpose
README.md	Short product vision, MVP scope, team working agreement and links to key artefacts.	Creates a shared starting point and reduces ambiguity.
GitHub Issues	One issue per actionable backlog item or Discovery task, labelled Must/Should/Could/Won't where useful.	Makes work visible and connects priorities to execution.
GitHub Project board	Columns such as Backlog, Ready, In progress, Review, Done.	Supports flow, transparency and sprint planning.
Milestone: Sprint 1	Selected Sprint 1 issues and sprint goal.	Shows that the backlog is operationalizable rather than only a report table.
docs/	Discovery report material, decision notes and stakeholder/persona artefacts where appropriate.	Preserves shared knowledge and avoids information silos.
Pull requests (later development)	Small reviewed changes once implementation starts.	Supports shared ownership, review and knowledge transfer.

Important: GitHub should support the work, not become extra work. For this delivery, the strongest evidence remains the quality of the problem understanding, MoSCoW reasoning, backlog and sprint plan. The repository is useful when it reflects those decisions consistently.

Team Charter and Reflection

Agile development is fundamentally a team activity. Our working agreement is designed around shared goals, trust, mutual respect, open communication, continuous learning and collective ownership. Psychological safety means team members must be able to ask questions, admit mistakes and express uncertainty without fear of blame.

Area	Team agreement
Purpose	Deliver the course work as a team while learning how to discover, prioritize, build and improve a product iteratively.
Team norms	Be prepared, meet agreed deadlines, make work visible, ask for help early, and treat quality as a shared responsibility.
Communication	For quick communication and GitHub Issues/Project for visible work, backlog status and decisions. Use short regular syncs and direct conversation for ambiguous issues.
Decision-making	Seek consensus for product priorities and important trade-offs. If consensus cannot be reached in reasonable time, the responsible role proposes a decision, documents the rationale and invites later inspection/adaptation.

Conflict management	Discuss the issue, evidence and user value rather than personalities. Surface disagreement early. Escalate only after the team has attempted a respectful resolution.
Psychological safety	Questions are welcomed; mistakes are treated as learning opportunities; no blame or condescension; all members are actively invited into discussions.
Knowledge sharing	Avoid single points of failure. Pair or work as a larger group on difficult tasks, review each other's work and record important decisions.
Accountability	Work is transparent through the shared board/repository. Members communicate blockers early, update issue status and review each other's work. The team owns the result collectively.
Continuous improvement	End each sprint with a retrospective and one or two concrete improvement actions for the next sprint.

Reflection

The most important part of Discovery was the shift from discussing what could be built to deciding what needed to be learned first. The stakeholder analysis, personas and value proposition became useful when they influenced the MVP scope and backlog priorities. Our main focus was therefore to define a small and realistic first version of Stadionhopper rather than trying to include too much functionality.

One of the main challenges was balancing the interests of different stakeholders. Supporters may value a simple and trustworthy social experience, while clubs may focus more on promotion and attendance. The football association may be interested in engagement insights, while sponsors may focus on visibility. Agile planning helped us make these different interests visible and discuss them as a team.

As a team, we found the MVP definition and prioritization to be the most important part of the delivery because it helped us agree on what should be included in the first version of Stadionhopper. We used the Crazy 8s method to quickly generate and discuss different ideas, which made it easier for everyone in the group to contribute. We also used the Double Diamond model to structure our work by first exploring the problem and user needs before narrowing down possible solutions and defining the MVP. The hardest part was agreeing on which features should be classified as Must Have and which should be Should Have. These methods helped us discuss different viewpoints and develop a clearer shared understanding of the product and its scope.

References

IBE205 Agile Methods. Deliverable 1: Product Discovery and Agile Planning. Course assignment, 2026.

Kristoffersen, S. W. Agile Manifesto. IBE205 lecture material, 2026.

Kristoffersen, S. W. Agile Teams, Collaboration, and Psychological Safety. IBE205 lecture material, 2026.

Kristoffersen, S. W. Kick-off Stadionhopper / Kick-off Stadionhopper del 2. IBE205 lecture material, 2026.

IBE205 course material. The Stadionhopper digital platform project prose, 2026.

Winters, T., Manshreck, T., & Wright, H. (Eds.). Software Engineering at Google: Lessons Learned from Programming Over Time. O'Reilly Media.

Forsgren, N., Humble, J., & Kim, G. Accelerate: The Science of Lean Software and DevOps. IT Revolution.

Source-use note

This report is intentionally grounded in the supplied IBE205 assignment and lecture material. The personas are proto-personas derived from the stakeholder descriptions and are not presented as completed empirical user research. Proposed success measures and backlog priorities should be revised when the team receives real stakeholder and pilot feedback.