




| PART NUMBER  | AMPERAGE | AC VOLTAGE    | VOLTAGE  | TERMINATION TYPE | SIZE | QTY P | LABEL STYLE | UPC         |
|--------------|----------|---------------|----------|------------------|------|-------|-------------|-------------|
| PSR030FS0125 | 125A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820456 |
| PSR030FS0160 | 160A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820457 |
| PSR030FS0200 | 200A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820458 |
| PSR030FS0250 | 250A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820459 |
| PSR030FS0315 | 315A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820460 |
| PSR030FS0350 | 350A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820461 |
| PSR030FS0400 | 400A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820462 |
| PSR030FS0450 | 450A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820463 |
| PSR030FS0500 | 500A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820464 |
| PSR030FS0550 | 550A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 30   | 3     | 914-965-000 | 07945820465 |
| PSR032FS0630 | 630A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 32   | 3     | 914-965-000 | 07945820502 |
| PSR032FS0700 | 700A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 32   | 3     | 914-965-000 | 07945820503 |
| PSR032FS0800 | 800A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 32   | 3     | 914-965-000 | 07945820504 |
| PSR032FS0900 | 900A     | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 32   | 3     | 914-965-000 | 07945820505 |
| PSR032FS1000 | 1000A    | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 32   | 3     | 914-965-000 | 07945820506 |
| PSR032FS1100 | 1100A    | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 32   | 3     | 914-965-000 | 07945820507 |
| PSR033FS1100 | 1100A    | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 33   | 3     | 914-965-000 | 07945820529 |
| PSR033FS1250 | 1250A    | 690/700 VAC   | 600 VDC  | FLUSH ENGLISH    | 33   | 3     | 914-965-000 | 07945820530 |
| PSR033FS1400 | 1400A    | 690/700 VAC   | 500 VDC  | FLUSH ENGLISH    | 33   | 3     | 914-965-000 | 07945820531 |
| PSR033FS1500 | 1500A    | 600/650 VAC   | 500 VDC  | FLUSH ENGLISH    | 33   | 3     | 914-965-000 | 07945820532 |
| PSR033FS1600 | 1600A    | 600/650 VAC   | 500 VDC  | FLUSH ENGLISH    | 33   | 3     | 914-965-000 | 07945820533 |
| PSR033FS1800 | 1800A    | 600/650 VAC   | 500 VDC  | FLUSH ENGLISH    | 33   | 3     | 914-965-000 | 07945820534 |
| PSR033FS2000 | 2000A    | 550/600 VAC   | 500 VDC  | FLUSH ENGLISH    | 33   | 3     | 914-965-000 | 07945820535 |
| PSR071FS0160 | 160A     | 1250/1300 VAC | 1000 VDC | FLUSH ENGLISH    | 71   | 2     | 914-965-000 | 07945820564 |
| PSR071FS0200 | 200A     | 1250/1300 VAC | 1000 VDC | FLUSH ENGLISH    | 71   | 2     | 914-965-000 | 07945820565 |
| PSR071FS0250 | 250A     | 1250/1300 VAC | 1000 VDC | FLUSH ENGLISH    | 71   | 2     | 914-965-000 | 07945820566 |
| PSR071FS0315 | 315A     | 1250/1300 VAC | 1000 VDC | FLUSH ENGLISH    | 71   | 2     | 914-965-000 | 07945820568 |
| PSR071FS0350 | 350A     | 1250/1300 VAC | 1000 VDC | FLUSH ENGLISH    | 71   | 2     | 914-965-000 | 07945820569 |
| PSR071FS0400 | 400A     | 1250/1300 VAC | 1000 VDC | FLUSH ENGLISH    | 71   | 2     | 914-965-000 | 07945820570 |
| PSR071FS0450 | 450A     | 1250/1300 VAC | 1000 VDC | FLUSH ENGLISH    | 71   | 2     | 914-965-000 | 07945820571 |
| PSR072FS0500 | 500A     | 1250/1300 VAC | 900 VDC  | FLUSH ENGLISH    | 72   | 2     | 914-965-000 | 07945820587 |
| PSR072FS0550 | 550A     | 1250/1300 VAC | 900 VDC  | FLUSH ENGLISH    | 72   | 2     | 914-965-000 | 07945820588 |
| PSR072FS0630 | 630A     | 1250/1300 VAC | 900 VDC  | FLUSH ENGLISH    | 72   | 2     | 914-965-000 | 07945820589 |

- NOTES:
1. LABEL MATERIAL TO BE SEMI GLOSS PHARMACEUTICAL LITHO MATERIAL, A 40# LINER WITH PERMANENT ADHESIVE.
  2. LOGO INFORMATION TO CONFORM TO LITTELFUSE PRINT 095115
  3. REFER TO CHART FOR LABEL INFORMATION BY PART NUMBER
  4. CE EMBLEM TO CONFORM TO LITTELFUSE PRINT LS-000003
  5. PRINTING TO BE CLEAR, LEGIBLE, AND NOT SMEARED; CANNOT OVERLAP
  6. PRINT UPC CODE TO COMPLY WITH LITTELFUSE SPEC. TS-001033
  7. USE UPC SHIPPING CONTAINER BAR CODE (I 2 OF 5 SYMBOLOGY)
  8. BAR CODE NUMBER AS PRINTED SPECIFIES THE FOLLOWING:
    - FIRST 3 NUMBERS SPECIFY SHELF PACK PREFIX (300)
    - NEXT 5 NUMBERS SPECIFY LITTELFUSE MFG ID NUMBER (79458)
    - NEXT 5 NUMBERS SPECIFY ITEM NUMBER (VARIES)
    - LAST NUMBER SPECIFIES CHECK DIGIT (VARIES)
  9. SEE DETAIL VIEW FOR ALL PRINTING LOCATIONS

| REVISION |         |                         |
|----------|---------|-------------------------|
| REV      | DATE    | DESCRIPTION             |
| A        | 4/25/17 | 517510GCP - RELEASE MRY |



|   |  |               |                               |
|---|--|---------------|-------------------------------|
| ●   | DENOTES CRITICAL CHARACTERISTICS.  |               |                               |
| CPK   | DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE   |               |                               |
| ⬢   | DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS. |               |                               |
| CP  | DENOTES CP DIMENSIONS, -MINIMUM CP VALUE MUST BE WITHIN THE DIMENSIONAL LIMITATIONS SHOWN ON DRAWING AND INITIALLY LOCATED TO ALLOW FOR MAXIMUM TOOL LIFE.               |               |                               |
| MATL SPEC<br>SEE NOTE 1   |  | FINISH        |                               |
| DRW<br>MYORK  | DATE<br>4/21/2017  | SCALE<br>NTS  | FINISH GOOD WT<br>GRAMS/PIECE |
| UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN BRACKETS [ ] ARE INCHES DIMENSIONING AND DO NOT INCLUDE PLATING. TOLERANCING TO BE INTERPRETED IN ACCORDANCE WITH ANSI Y14.5M-1994 |  |               |                               |
| 3RD ANGLE<br>PROJECTION<br>  | TOLERANCE UNLESS OTHERWISE SPECIFIED<br>ONE PLACE DEC ± .25 [.01] FRACTION ±<br>TWO PLACE DEC ± .100 [.004] ANGULAR ±1°  |               |                               |
| TITLE<br>BOX LABEL SPEC FOR PSR SERIES ENGLISH FLUSH MOUNT  |  |               |                               |
|  <b>Littelfuse®</b><br>CHICAGO, ILLINOIS 60631   |  | REVISION<br>A | DRWG NO.<br>LS-000319         |
|   |  |               | SHEET 1 OF 1                  |