



BL60 | Wet (Oct 2022) | 2022-10-25 (Picarro)

5 fluxes: 3 processed (solid blue) + 0 additional (dashed blue) + 2 ebullitive (orange)




BL60 | Dry (Mar 2023) | 2023-03-16 (LGR3)

2 fluxes: 2 processed (solid blue) + 0 additional (dashed blue) + 0 ebullitive (orange)




CP40 | Wet (Oct 2022) | 2022-10-23 (LGR2)

12 fluxes: 4 processed (solid blue) + 5 additional (dashed blue) + 3 ebullitive (orange)




CP40 | Dry (Mar 2023) | 2023-03-15 (LGR3)

5 fluxes: 4 processed (solid blue) + 1 additional (dashed blue) + 0 ebullitive (orange)




FLM30 | Wet (Oct 2022) | 2022-10-18 (Picarro)

6 fluxes: 3 processed (solid blue) + 2 additional (dashed blue) + 1 ebullitive (orange)




FLM30 | Dry (Mar 2023) | 2023-03-18 (LGR1)

25 fluxes: 14 processed (solid blue) + 11 additional (dashed blue) + 0 ebullitive (orange)




SE1 | Dry (Mar 2023) | 2023-03-17 (LGR2)

5 fluxes: 5 processed (solid blue) + 0 additional (dashed blue) + 0 ebullitive (orange)



SRS5 | Dry (Mar 2023) | 2023-03-12 (LGR3)

9 fluxes: 8 processed (solid blue) + 1 additional (dashed blue) + 0 ebullitive (orange)



SRS6 | Dry (Mar 2023) | 2023-03-11 (LGR2)

6 fluxes: 3 processed (solid blue) + 3 additional (dashed blue) + 0 ebullitive (orange)

