


T-E20_160cm | Macucú 160 cm


t1 = 2.7 min, t2 = 4.7 min into flux

t0 t1 t2

CH4 (ppb)




CO2 (ppm)



T-E20_500cm | Macucú 500 cm

t1 = 2.9 min, t2 = 7.8 min into flux


t0 t1 t2



T-E20_50cm | Macucú 50 cm

t1 = 3.0 min, t2 = 5.0 min into flux


t0 t1 t2



T-E20_80cm | Macucú 80 cm

t1 = 3.0 min, t2 = 5.0 min into flux


t0 t1 t2



T-E20_900cm | Macucú 900 cm

t1 = 4.1 min, t2 = 6.1 min into flux


t0 t1 t2



T-N62_160cm | Piranhieira 160 cm

t1 = 3.0 min, t2 = 5.0 min into flux


t0 t1 t2



T-N62_40cm | Piranhieira 40 cm

t1 = 2.8 min, t2 = 4.8 min into flux

t0 t1 t2




T-N62_500cm | Piranhieira 500 cm


t1 = 2.9 min, t2 = 6.9 min into flux

t0 t1 t2

CH₄ (ppb)



CO₂ (ppm)




T-N62_80cm | Piranhieira 80 cm


t1 = 2.7 min, t2 = 4.7 min into flux

t0 t1 t2

CH4 (ppb)




CO2 (ppm)



T-N62_900cm | Piranhieira 900 cm

t1 = 3.1 min, t2 = 6.1 min into flux


t0 t1 t2



T-NE14_160cm | Ingá 160 cm

flag: t2 clock missing -> used 5min protocol


t0 t1 t2



T-NE14_500cm | Ingá 500 cm

flag: t2 clock outside flux window -> used 5min protocol

t0 t1 t2




T-NE14_50cm | Ingá 50 cm


t1 = 2.0 min, t2 = 4.0 min into flux

t0 t1 t2

CH4 (ppb)




CO2 (ppm)



T-NE14_80cm | Ingá 80 cm

t1 = 2.0 min, t2 = 4.0 min into flux

t0 t1 t2




T-NE14_900cm | Ingá 900 cm


t1 = 4.7 min, t2 = 11.7 min into flux

● t0 ● t1 ● t2

CH₄ (ppb)




CO₂ (ppm)



T-NW46a_1000cm I Mata Mata folha miuda 1000 cm

t1 = 4.0 min, t2 = 7.0 min into flux


t0 t1 t2



T-NW46a_160cm I Mata Mata folha miuda 160 cm

flag: t1 clock outside flux window -> used 3min protocol; t2 clock outside flux window -> used 5min protocol

t0 t1 t2




T-NW46a_40cm | Mata Mata folha miuda 40 cm


flag: t1 clock outside flux window -> used 3min protocol; t2 clock outside flux window -> used 5min protocol

t0 t1 t2

CH4 (ppb)




CO2 (ppm)



T-NW46a_500cm | Mata Mata folha miuda 500 cm

t1 = 4.0 min, t2 = 6.0 min into flux


t0 t1 t2



T-NW46a_80cm | Mata Mata folha miuda 80 cm

t1 = 3.0 min, t2 = 5.0 min into flux

t0 t1 t2



T-S14b_1000cm | Ripeira 1000 cm


t1 = 3.0 min, t2 = 7.0 min into flux

t0 t1 t2

CH₄ (ppb)




CO₂ (ppm)



T-S14b_160cm | Ripeira 160 cm

flag: t1 clock outside flux window -> used 3min protocol

t0 t1 t2




T-S14b_40cm | Ripeira 40 cm


t1 = 2.7 min, t2 = 5.7 min into flux

t0 t1 t2

CH4 (ppb)




CO2 (ppm)



T-S14b_500cm | Ripeira 500 cm

t1 = 3.0 min, t2 = 7.0 min into flux


t0 t1 t2



T-S14b_80cm | Ripeira 80 cm

t1 = 3.2 min, t2 = 5.2 min into flux

t0 t1 t2




T-SE58_160cm | Caijurana 160 cm


t1 = 2.3 min, t2 = 4.3 min into flux

t0 t1 t2

CH4 (ppb)



CO2 (ppm)




T-SE58_40cm | Caijurana 40 cm


t1 = 1.9 min, t2 = 3.9 min into flux

t0 t1 t2

CH4 (ppb)




CO2 (ppm)



T-SE58_500cm | Caijurana 500 cm

t1 = 2.9 min, t2 = 8.9 min into flux


t0 t1 t2



T-SE58_800cm | Caijurana 800 cm

t1 = 3.0 min, t2 = 7.0 min into flux

t0 t1 t2




T-SE58_80cm | Caijurana 80 cm


t1 = 1.9 min, t2 = 3.9 min into flux

t0 t1 t2

CH4 (ppb)



CO2 (ppm)




T-SW27_160cm | Biorana 160 cm


t1 = 2.5 min, t2 = 4.5 min into flux

t0 t1 t2

CH₄ (ppb)




CO₂ (ppm)



T-SW27_40cm | Biorana 40 cm

t1 = 1.6 min, t2 = 3.6 min into flux

t0 t1 t2




T-SW27_500cm | Biorana 500 cm


t1 = 3.0 min, t2 = 6.0 min into flux

t0 t1 t2

CH4 (ppb)




CO2 (ppm)



T-SW27_80cm | Biorana 80 cm

t1 = 3.1 min, t2 = 5.1 min into flux


t0 t1 t2



T-SW27_850cm | Biorana 850 cm

t1 = 1.8 min, t2 = 4.8 min into flux


t0 t1 t2



T-W10_160cm | Seringa Barriguda 160 cm

t1 = 2.4 min, t2 = 4.4 min into flux


t0 t1 t2



T-W10_400cm | Seringa Barriguda 400 cm

t1 = 4.6 min, t2 = 6.6 min into flux

t0 t1 t2




T-W10_40cm | Seringa Barriguda 40 cm


flag: t1 clock outside flux window -> used 3min protocol; t2 clock outside flux window -> used 5min protocol

t0 t1 t2

CH4 (ppb)




CO2 (ppm)



T-W10_80cm | Seringa Barriguda 80 cm

t1 = 2.8 min, t2 = 4.8 min into flux

t0 t1 t2



T-W10_850cm | Seringa Barriguda 850 cm

t1 = 6.0 min, t2 = 12.0 min into flux

t0 t1 t2

